VERSITY OF HAWAII
LIBRARY

# CUMULATIVE AUTHOR AND SUBJECT INDEXES VOLUMES 1–50 (1958–1970)

Supplied free of charge to the 1971 subscribers of the Journal of Chromatography

R 15 JOURNAL 140

AL OF

# HROMATOGRAPHY

NATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

UNIVERSITY OF HAWAII LIBRARY
LIBRARY

EDITOR, Michael Lederer (Rome)

ASSOCIATE EDITOR, K. Macek (Prague)

EDITORIAL BOARD

P. Boulanger (Lille)
I. E. Bush (Plainview, N.Y.)
G. Cartoni (Rome)
G. Duyckaerts (Liège)
L. Fishbein (Research Triangle Park, N.C.)
C. W. Gehrke (Columbia, Mo.)
I. M. Hais (Hradec Králové)
E. Heftmann (Albany, Calif.)
S. Hjertén (Uppsala)
E. C. Horning (Houston, Texas)
J. F. K. Huber (Amsterdam)
A. T. James (Sharnbrook, Beds.)
J. Janák (Brno)
A. I. M. Keulemans (Eindhoven)
K. A. Kraus (Oak Ridge, Tenn.)
E. Lederer (Gif-sur-Yvette, S. et O.)
A. Liberti (Rome)
H. M. McNair (Blacksburg, Va.)
G. B. Marini-Bettòlo (Rome)
R. Neher (Basel)
G. Nickless (Bristol)
J. Novák (Brno)
G.-M. Schwab (Munich)
G. Semenza (Zürich)
L. R. Snyder (Tarrytown, N.Y.)
A. Tiselius (Uppsala)
H. Tuppy (Vienna)
O. Westphal (Freiburg-Zähringen)
H. H. Wotiz (Boston, Mass.)

EDITORS, BIBLIOGRAPHY SECTION

K. Macek (Prague)
J. Janák (Brno)
Z. Deyl (Prague)

EDITOR, NEWS SECTION

P. K. Korver (Weesp)

COORD. EDITOR, DATA SECTION

J. Gasparič (Pardubice)

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

ODICAL
271
dex
50
LIBRARY

# *Practical Manual of Gas Chromatography*

edited by **JEAN TRANCHANT,** Laboratoire Central des Poudres, Paris

authors: J. Buzon, N. Guichard, J. Lebbe, A. Prévôt, J. Serpinet, J. Tranchant
6 x 9″, xix + 387 pages, 13 tables, 133 illus., 1611 lit. refs., 1969, Dfl. 85.00 (ca. $23.50)
ISBN 0-444-40677-8

**Contents:** Preface (P. Chovin). Foreword and general remarks. List of symbols. 1. Principles and retention values (J. Tranchant). 2. Isothermal-isobaric chromatography (J. Tranchant). 3. Programmed chromatography (J. Tranchant). 4. Apparatus (J. Lebbe). 5. Columns (A. Prévôt). 6. Detectors (N. Guichard and J. Buzon). 7. Qualitative analysis; separation and identification (J. Tranchant). 8. Quantitative analysis (J. Lebbe). 9. Application and techniques (J. Serpinet). Index.

---

**Elsevier**

**Book Division, P.O. Box 3489**
**AMSTERDAM - The Netherlands**

**627E**

---

*All rights reserved:*

COPYRIGHT © 1971 BY ELSEVIER PUBLISHING COMPANY, AMSTERDAM
PRINTED IN THE NETHERLANDS

---

For subscribers in the U.S.A. and Canada second class postage paid at New York, N.Y.
Subscription price: U.S. $ 195.00 per year.
For full details of subscriptions see the General Information section on p. 3 of cover.

JOURNAL OF CHROMATOGRAPHY

*Cumulative Author and Subject Indexes*

Volumes 1–50 (1958–1970)

COPYRIGHT © 1971 BY ELSEVIER PUBLISHING COMPANY, AMSTERDAM
PRINTED IN THE NETHERLANDS

# JOURNAL *of* CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

## *Cumulative Author and Subject Indexes Volumes 1-50 (1958-1970)*

EDITOR
MICHAEL LEDERER (Rome)

ASSOCIATE EDITOR
K. MACEK (Prague)

EDITORIAL BOARD
P. Boulanger (Lille), I. E. Bush (Plainview, N.Y.), G. P. Cartoni (Rome), G. Duyckaerts (Liège), L. Fishbein (Research Triangle Park, N. C.), C. W. Gehrke (Columbia, Mo.), I. M. Hais (Hradec Králové), E. Heftmann (Albany, Calif.), S. Hjertjén (Uppsala), E. C. Horning (Houston, Texas), J. F. K. Huber (Amsterdam), A. T. James (Sharnbrook, Beds.), J. Janák (Brno), A. I. M. Keulemans (Eindhoven), K. A. Kraus (Oak Ridge, Tenn.), E. Lederer (Gif-sur-Yvette, S. et O.), A. Liberti (Rome), H. M. McNair (Blacksburg, Va.), G. B. Marini-Bettòlo (Rome), R. Neher (Basel), G. Nickless (Bristol), J. Novák (Brno), G.-M. Schwab (Munich), L. R. Snyder (Tarrytown, N.Y.), A. Tiselius (Uppsala), H. Tuppy (Vienna), O. Westphal (Freiburg-Zähringen), H. H. Wotiz (Boston, Mass.)

EDITORS, BIBLIOGRAPHY SECTION
K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)

EDITOR, NEWS SECTION
P. K. Korver (Weesp)

COORDINATING EDITOR, DATA SECTION
J. Gasparič (Pardubice)

1971

PUBLISHER's NOTE

This issue of the Journal of Chromatography contains cumulative author and subject indexes covering volumes 1–50. In each entry, the volume number is placed in parentheses before the page number. The correspondence between volume number and year of publication is indicated as follows:

| *Volume No.* | *Year* |
|---|---|
| 1 | 1958 |
| 2 | 1959 |
| 3–4 | 1960 |
| 5–6 | 1961 |
| 7–9 | 1962 |
| 10–12 | 1963 |
| 13–16 | 1964 |
| 17–20 | 1965 |
| 21–25 | 1966 |
| 26–31 | 1967 |
| 32–38 | 1968 |
| 39–45 | 1969 |
| 45–50 | 1970 |

# AUTHOR INDEX

## VOLUMES 1–50

# A


Abbott, D.C., (16)481; (30)136; (42)83; (43)361
Abbott, S.D., (42)457; (45)317
Abdallah, M.D., (9)245
Abdel-Latif, A.A., (24)435
Abdel-Tawab, G.A., (2)99
Abdullah, M., (19)445; (24)271
Abegg, H., (9)405,519; (25)198
Abel, E.W., (22)23
Abel, K., (13)14
Abelson, D.M., (5)332; (9)522; (31)630
Abend, Th., (26)79
Abood, L.G., (24)264
Abraham, M.H., (13)344
Achaya, K.T., (9)295; (16)106,235; (21)324; (24)93,217,433; (26)286; (38)35
Acheson, R.M., (5)452; (7)520
Ackermann, G., (33)38,53,307,328
Ackermann, H., (17)608; (36)309; (44)414
Ackman, R.G., (6)541; (8)44; (9)531; (11)185; (12)271; (13)337; (16)298; (28)225; (34)165; (42)170; (44)256; (47)421; (49)534
Acland, J.D., (5)363
Adachi, S., (17)295
Adamović, V.M., (23)274
Adams, Jr., F.S., (8)532; (10)1
Adams, G.A., (44)614
Adams, G.M., (49)552
Adams, W.S., (22)118; (37)343
Adcock, J.W., (34)411
Addison, R.F., (47)421
Adhikary, P.M., (42)29
Adler, H.J., (42)355; (44)620
Adler, N., (9)118
Adloff, J.-P., (5)366; (6)373; (8)501; (9)231,455; (10)93; (12)96; (13)497; (15)70; (17)391; (26)350,555
Adloff-Bacher, M., (13)497; (15)70
Änggård, E., (48)542; (50)251
Affonso, A., (21)332; (22)1,452; (27)324; (31)646
Agate, A.S., (39)232
Aggarwal, J.S., (32)519; (34)543; (42)267; (43)519
Agnolo, G.D.', (49)53
Agostoni, A., (28)135
Aguilera, P.A., (9)331
Agurell, S., (30)271; (36)105
Aharonson, N., (25)330
Ahonen, J., (24)197
Airee, S.K., (13)40
Aitzetmüller, K., (22)431
Akita, E., (12)250
Akune, S., (33)557
Alais, C., (44)573
Alam, M.Z., (32)472,489; (33)347; (35)72
Alaupovic, P., (13)240
Albers, P., (27)510
Albers, R.J., (9)392
Alberti, G., (4)83,423,425; (5)244; (7)242; (8)103; (11)394; (15)420; (18)564; (24)148; (28)118; (30)579; (31)177,519; (32)379; (44)141; (45)298; (50)482
Albertini, A., (13)238
Albrecht, W., (44)362,374
Albro, P.W., (38)230; (44)443; (46)202
Alderweireldt, F., (5)98
Alencar, J.W. de, (15)301
Alexander, C.S., (21)146
Alicino, N.J., (12)171
Allan, P.W., (14)232; (33)35
Allen, G.R., (37)312
Allen, I.D., (49)409
Allen, P., (12)421
Allen, R.S., (16)248
Alling, C., (34)413
Allulli, S., (7)414; (15)420; (18)564; (24)148; (31)519; (32)379; (44)141; (45)298,464
Alm, A., (9)385
Alonso, M. González, (29)388
Alsat, E., (44)383
Altenburg, K., (44)167; (45)306
Althouse, P.M., (2)440
Alvarado, F.H., (42)144
Alvarez C., J., (45)328
Al-Wattar, J., (34)485
Amato, G.D.', (32)625; (41)313
Amato, H., (20)629; (33)500
Ambe, K.S., (5)546
Ambrosio, C., (50)436
Amenta, J.S., (11)263
Amos, J.F., (50)311
Amos, R., (31)263; (38)209; (48)343
Amundson, M.E., (19)522
Anacker, E.W., (30)390
Anderle, D., (42)258; (49)419

Anders, M.W., (7)258
Andersen, D.L., (41)491
Andersen, N.H., (44)52
Anderson, D.M.W., (44)178
Anderson, J.A., (33)536
Anderson, J.M., (4)93
Anderson, J.R., (27)479
Anderson, J.R.A., (10)338
Anderson, L.R., (50)118
Anderson, M.E., (20)541
Anderson, P.J., (21)163
Anderson, R.A., (14)295
Anderson, R.C., (17)495
Anderson, R.G., (16)231
Anderson, T.T., (14)127
Andrejev, L.V., (18)226
Andrén, R.G.G., (8)531
Andresen, K., (34)246
Andrews, B.R., (31)209
Androulidakis, N., (40)125
Anet, E.F.L.J., (9)291
Angeletti, R.A. Hogue, (36)535
Angeletti, R.H., (37)62
Angelico, R., (18)57
Anghileri, L.J., (17)188
Anh, N.T., (35)192
Annunziata, M.F.L', (34)270
Anthony, W.L., (13)567
Antkowiak, J.J., (29)277
Antona, A.D.', (18)57
Antoniades, E.P., (6)420
Antoszewski, R., (2)220
Anwar, M.M., (34)529; (46)200
Aoyama, T., (43)253
Apelblat, A., (24)175
Appelqvist, L.-Å., (29)227
Applegarth, D.A., (15)246
Arad, Y., (13)565
Arad-Talmi, Y., (10)417
Ara Gerardi, M., (31)653
Araki-Takebe, Y., (25)167
Arapaki, H., (3)96
Archer, T.E., (6)457
Arcus, A.C., (3)411; (5)272
Ardell, R.E., (30)493
Arditti, J., (41)475
Arends, P., (47)550
Arkel, C. van, (11)421
Armitage, F., (2)655; (3)593
Arnikar, H.J., (7)362; (26)30; (38)126; (47)265
Arnold, E.C., (34)278
Arnold, R., (10)205
Arreguin, B., (26)527
Arsenault, G.P., (21)155
Arthur, N.L., (15)250
Arx, E. von, (8)145; (12)329; (25)109; (33)217
Asatoor, A.M., (4)144; (7)415
Ascoli, F., (6)544
Asen, S., (18)602
Asinger, F., (45)113
Askew, J., (32)417; (37)369; (41)180
Askew, W.B., (7)409
Asmundson, C.M., (39)228
Asquith, R.S., (43)382
Asselineau, J., (39)322
Assmann, K., (26)495
Aszalos, A., (37)487
Atal, C.K., (5)178; (19)433
Atoba, M., (40)254
Attal, J., (27)167
Attaway, J.A., (31)231
Aubeau, R., (6)209; (7)447; (16)7; (19)249
Aubert, C., (27)282
Aubouin, G., (45)453
Aubry, M., (32)180
Audette, R.C.S., (25)367; (40)370; (43)295
Aue, W.A., (42)319; (44)472; (49)432
Aufricht, W.A., (31)545
Augustin, H., (49)520; (50)319
Aurenge, J., (22)369; (34)186
Aures, D., (33)480
Auricchio, F., (28)26
Aurich, O., (12)63
Ausch, K.S., (2)327
Austin, J.H., (21)40
Averill, W., (8)550
Awapara, J., (3)11
Ayad, S.R., (37)326; (42)248; (48)456
Ayoub, L., (32)258
Ayres, J.C., (31)420

# B

Bachelard, H.S., (41)242
Bacher, M., (9)231; (10)93
Bachmann, O., (9)376
Bachmann, R., (41)120
Bachmann, R.C., (27)187; (41)394
Backer, E.T., (36)351
Bacon, J.R., (19)604
Bacon, M.F., (16)552; (17)322
Badger, G.M., (10)397; (13)234
Badings, H.T., (14)265; (18)159
Badzio, T., (39)344
Bächmann, K., (23)336
Baelen, H. van, (30)226
Baerheim Svendsen, A., (42)550
Baetslé, L., (8)265
Baetz, A.L., (34)534
Baggiolini, M., (30)256
Baginski, E., (20)157
Baglan, N.C., (38)18
Bagliano, G., (14)238; (17)168; (19)412; (21)471,500
Bailey, D.G., (50)137
Bailey, J.V., (41)263
Bailey, P.A., (49)308
Bailey, R.A., (11)122; (18)374; (25)442
Bailey, R.E., (16)546
Bailey, R.W., (4)206; (8)57
Bailey, S.W., (8)52
Baines, D.A., (47)130
Bair, L.R., (2)322
Baitsholts, A.D., (20)506; (30)493
Bajaj, I., (46)261
Bajaj, K.L., (50)148
Bajaj, V.R., (43)554
Bajor, G.F., (14)447
Baker, C.G., (1)513
Baker, G., (18)584
Baker, G.L., (18)190
Baker, R.G., (23)168
Bakshi, S.H., (9)395
Balcius, J.F., (24)465; (29)247
Balek, R.W., (17)127
Balenović, R., (48)22
Bálint, T., (30)433
Ball, D.H., (1)556
Balla, J., (16)218,221; (19)181; (20)221; (46)312
Ballester, J.M., (45)147
Ballieux, R.E., (11)421
Ballin, G., (16)152
Ballio, A., (4)117; (35)211; (46)103
Ballou, C.E., (18)147
Banasik, O.J., (17)278
Banaszek, A., (32)581
Bandemer, S.L., (3)431
Bandlow, W., (39)326
Bandyopadhyay, C., (32)297; (36)84; (37)123; (47)400
Bang, H.O., (14)520
Banister, A.J., (2)372
Banks, C.V., (21)460; (24)376; (31)292
Banks, K.A., (33)450
Bannard, R.A.B., (20)424; (28)462
Bannerman, M.A., (8)44
Banthorpe, D.V., (37)366
Bapat, B.V., (18)308; (23)227,363; (29)333; (32)648
Barak, A.J., (31)282
Baraldi, D., (42)125
Barandun, S., (45)483
Baratova, L.A., (24)61; (31)685
Barbano, P.G., (29)309
Barbaro, A.M., (41)371; (44)195
Barber, E.D., (2)615; (27)398
Barbe-Richaud, G., (22)369
Barbier, M., (2)649
Barbieri, R., (15)207; (19)57; (30)640
Barcellona, S., (35)211
Barclay, R.W., (31)145
Bareš, M., (28)484
Barial, M., (25)391; (28)492
Bark, L.S., (23)120,417; (25)347,357; (27)109,116,131; (33)107; (35)416; (39)200,211,218; (48)418; (49)278
Barnard, J.A., (20)404
Barnard, W.E., (29)296
Barnes, R.W., (31)606
Barness, L.A., (36)390
Barney, II, J.E., (20)334; (29)232; (45)82
Barnoky, L., (44)437
Barocas, A., (14)291
Baron, J.J., (29)244
Barra, D., (29)182
Barrall, II, E.M., (11)177; (21)392; (31)547
Barreto, H.S.R., (4)153; (5)1,5; (6)416
Barreto, R.C.R., (4)153; (5)1,5; (6)278,416; (7)82,346; (9)121,172,180; (11)344;

(Barreto, R.C.R.)
(13)435
Barrett, G.C., (18)433; (39)47
Barrett, J.D., (28)363; (36)54
Barrette, J.P., (38)160
Barrollier, J., (1)434; (4)99
Bartczak, C.A., (25)483
Bartels, H., (30)113
Bartle, K.D., (45)256,469
Bartlett, J.N., (41)124
Bartoli, F., (28)30
Barton, G.M., (17)412; (34)562; (20)189; (26)320
Bartoš, F., (31)56
Barua, A.K., (29)263; (31)569
Basilio, M., (34)241
Basolo, F., (10)262
Bass, A., (7)427
Bassett, D., (7)273
Batchelder, W., (12)115
Bate, R., (8)157
Batelaan, P.H., (33)460; (36)205
Bathgate, G.N., (47)92
Batlle, A.M. del C., (25)117; (28)82; (40)453
Bátora, V., (35)277
Batt, L., (21)296
Bauer, K., (32)529; (35)538
Bauer, R.D., (16)519; (22)496
Baum, D.E., (23)165
Baum, S.J., (47)503
Baumann, F., (9)431; (20)1; (26)262
Baumgärtner, F., (13)266
Baumgarten, G., (32)93,123,141; (39)419,450
Bausch, H., (48)144
Baustian, M., (13)558
Baxter, C.F., (24)270
Baxter, J.W.M., (38)396
Bayer, E., (50)510
Bayer, I., (16)237; (20)187
Bayer, J., (6)155; (8)117,123
Bayfield, R.F., (19)370; (26)132; (28)363; (36)54; (40)470
Bayne, W., (48)334
Bayzer, H., (24)372; (27)104
Bazin, H., (29)244; (34)180
Bazzi, B., (44)103
Beachell, H.C., (19)179
Beadle, J.B., (42)201
Beal, J.L., (10)246
Beall, J.R., (46)149
Beam, R.E., (27)495
Beattie, J.M., (34)342
Beaulieu, J.E., (25)472
Beaulieu, M., (38)143
Beaumont, J.L., (21)189
Beaven, G.H., (4)429; (5)315
Beck, A., (1)496; (2)362; (3)195
Beck, K., (40)162
Beckett, A.H., (30)199
Beckman, H., (10)231; (12)109,421; (35)17
Beckmann, T.J., (3)498; (5)341
Beckstead, H.D., (31)226
Bedetti, G., (49)53
Bedwell, V.E., (11)320
Beekes, H.W., (5)500; (9)316; (14)417; (17)99; (20)43; (39)339
Been, U., (17)631
Beer, J.Z., (11)247
Beggs, B.H., (21)52
Beher, W.T., (13)567; (21)27
Behrendt, S., (24)1
Beiss, U., (13)104
Békassy, S., (34)1
Belcher, R.V., (28)114
Belenky, B.G., (31)360
Belič, I., (5)455
Bell, D.J., (49)469
Bell, J.A., (24)253; (46)317
Bell, N.H., (20)407
Bell, T.N., (15)250
Bellin, J.S., (24)131
Belliveau, P.E., (48)478
Bello, C. di, (17)506; (26)309; (31)77
Bellobono, I.R., (34)515
Belluš, D., (32)584
Below, R., (43)175
Belt-Van den Bosch, N., (22)308
BeMiller, J.N., (32)303
Benassi, C.A., (14)517
Ben-Bassat, A.H.I., (1)489
Bende, H., (24)414
Bendel, E., (16)216; (19)177,277; (24)161; (31)531; (38)133,388
Bender, G.T., (45)220
Bender, S.R., (10)111; (13)242; (15)92
Benedict, H.M., (14)37
Beneš, J., (21)402; (29)239
Bengsch, E., (8)265
Benmaman, J.D., (20)607
Bennett, D., (26)482
Bennett, L.S., (30)622
Bennett, R.D., (9)348,353,359; (12)245; (21)488,490
Bennett, W.D., (34)428
Benoiton, N.L., (44)618; (45)52
Benson, A., (6)350; (10)141; (25)117
Beňušová, M., (35)277
Berbalk, H., (2)140
Berbeć, H., (12)229
Berei, K., (20)406; (26)301

Berg, A., (16)157; (20)168
Bergant-Dolar, J., (5)455
Bergelson, L.D., (15)191
Berger, J.A., (29)190; (39)167
Berger, P.D., (39)232
Bergkvist, H., (48)542
Bergmann, E.D., (14)275,504; (15)204; (18)526
Bergmann, F., (2)162
Bergmann, H., (31)279
Bergquist, P.L., (19)615
Bergstedt, L., (45)256
Berk, S., (15)540
Berlet, H.H., (21)485
Berlin, A., (26)239
Bermes, Jr., E.W., (1)259; (4)34
Bernady, C. de, (47)552
Bernard, C.F., (32)786
Berne, R.M., (14)569
Bernfeld, P., (2)519
Bernhard, R.A., (3)471; (5)137
Bernhauer, K., (3)359
Berry, D.J., (42)39
Berry, R.E., (47)507
Bersaques, J. de, (31)222
Bertazzi, N., (30)640
Bertuzzi, G.L., (39)253
Beška, E., (44)437
Bethea, R.M., (8)532; (9)21; (10)1; (13)361
Betina, V., (15)379
Betti, A., (34)389; (35)309; (39)125; (42)176
Betts, T.J., (34)411
Bevan, S.C., (11)301; (42)336; (43)192; (44)14,25,241
Bevenue, A., (2)199; (4)391; (6)457; (10)231; (12)109,421; (35)17; (36)529; (38)467; (42)45; (46)110; (50)49,142
Beyer, H., (39)482,491
Beyrich, Th., (13)181; (20)173; (32)87
Bezard, J., (14)368
Bhalla, V.K., (26)54
Bhandari, P.R., (16)130; (45)322,324
Bhat, T.R., (9)461
Bhati, A., (28)438
Bhatia, I.S., (50)148
Bhatnagar, V.M., (18)177
Bhattacharjee, A., (41)446
Bhattacharyya, A.C., (41)446
Bhattacharyya, D., (22)84; (31)556; (36)84; (44)116
Bhattacharyya, S.C., (18)308; (23)227,363; (29)333
Biagi, G.L., (41)371; (44)195
Biagini, E., (20)447; (41)313
Bianchine, J.R., (31)255
Bićan-Fišter, T., (11)492; (16)503; (22)465; (41)91
Bickel, M.H., (8)466; (37)181
Bieganowska, M., (40)431; (45)121
Bieganowska, S., (45)121
Bieleski, R.L., (30)231
Bienert, G., (45)158
Biernacki, W., (50)135
Biernat, J.F., (13)269
Biernoth, G., (12)342; (36)325
Biezenski, J.J., (36)366; (38)148
Biggs, H.G., (8)201
Bighi, C., (14)348; (17)13; (18)297; (34)389; (35)309; (39)125; (42)176
Bigler, A.J., (23)261; (29)255
Bignardi, G., (19)185
Bigwood, A.M., (11)534; (12)527; (16)207
Bijl, P. van der, (47)97
Bilal, B.A., (18)134
Billeb, K., (24)335; (30)1,12
Billmeyer, Jr., F.W., (34)316,322
Bills, D.D., (33)450
Bilous, R., (43)295
Binder, H., (25)189; (37)108; (41)448; (47)479
Binst, G. van, (16)34; (25)15
Biondi, L., (35)47
Biran, L.A., (8)343
Birchall, K., (17)362
Birkofer, L., (22)303; (26)270
Birnboim, H.C., (44)581
Birtwistle, R., (16)460
Birzgalis, R., (7)33
Bischel, M.D., (21)40
Biserte, G., (2)225; (3)25,85; (31)598; (35)168; (49)563
Bishara, R.H., (41)136; (43)539; (50)526
Bishop, C.T., (1)556
Bisset, N.G., (37)172; (48)493
Bistrički, T., (24)404
Björk, W., (2)536; (4)88; (8)479
Björklund, A., (40)186; (47)530
Blaakmeer, P.T., (47)281
Black, D.R., (18)10,399
Blaha, J., (6)396
Blair, J.A., (45)476
Blake, J., (13)276
Blake, K.W., (30)136
Blakeway, J.M., (6)74
Blamire, J., (37)326; (42)248; (48)456
Blanc, C., (28)177,194
Blank, R.H., (17)528
Blankenhorn, D.H., (12)268
Blasi, F., (28)33
Blasius, E., (11)84; (14)244; (18)134,572; (20)367; (26)549; (28)385; (42)53; (49)520,527; (50)319
Blass, J., (3)168; (11)278
Blaton, V., (43)132

Blatt, W.F., (24)348
Blattler, D.P., (46)286
Blattná, J., (7)204
Blau, K., (17)31,445; (26)35; (29)49
Blaustein, B.D., (12)104
Bleecken, S., (19)105
Blinov, N.O., (8)522
Block, W.D., (22)391
Bloem, E., (35)108
Bloemendal, H., (2)121; (3)1,509; (7)39
Blomberg, L., (45)469
Bloomer, J.L., (34)548
Bloomfield, D.K., (9)411
Blu, G., (50)1
Blum, R., (3)576
Blumberg, A.G., (41)367; (48)565
Blunden, G., (15)273; (24)224; (25)367; (34)507
Boak, W.K., (16)243
Boardman, N.K., (2)388,398
Bocci, V., (6)357; (8)218; (11)515
Boček, P., (42)1; (43)431; (48)412
Bock, I., (14)244
Bock, R.M., (17)149
Bockemüller, W.B., (18)86
Bode, U., (35)248
Bodhe, A.A., (47)265
Boegemann, W.H., (5)126
Böhm, Z., (3)265
Böhme, H., (5)259
Boelhouwer, C., (30)17
Bösche, D., (44)362,374
Böttcher, C.J.F., (3)582; (6)535
Bohner, L. Seminario de, (17)513
Bohonos, N., (17)528
Boigne, J.M., (47)238
Boigne, N., (47)238
Bolan, M., (36)22; (40)370
Bolan, R., (43)295
Boling, W.H., (7)424
Bolleter, W.T., (46)173; (50)219
Bol Raap, A., (3)482
Bombaugh, K.J., (11)27; (16)47; (43)332
Bonavita, V., (1)285,287
Bond, P.S., (34)554
Bondivenne, R., (29)349; (41)205; (50)274
Bondy, P.K., (5)332
Bonecchi, A., (40)386; (45)264
Bonilla, C.A., (47)499; (50)345
Bonker, G.J., (12)52
Bonnelycke, B.E., (45)135
Bonnichsen, R., (3)190
Bonte, M., (35)168
Boomsma, L.E.J., (42)55(
Boon, P.F.G., (41)105
Booth, V.H., (6)95
Bordignon, E., (35)47
Boré, P., (30)261
Borecký, J., (2)612; (4)138; (5)408,466; (9)472; (12)385
Borgne de Kaouël, C. Le, (27)282
Bories, G.F., (36)377
Borko, J., (43)457
Borkowski, T., (1)552; (12)229
Borowski, E., (23)480
Borst Pauwels, G.W.F.H., (15)361
Borth, R., (26)258
Bos, C.J.K., (42)552
Bose, P.C., (32)774
Bosholm, J., (21)286
Bossaert, W., (32)195
Bossenmaier, I., (38)100
Boter, H.L., (30)183
Bothe, H.-K., (19)1
Bottini, A.T., (21)408
Bouche, J., (18)253
Boucrot, P., (14)368
Boulanger, P., (3)25; (35)168
Boulton, A.A., (45)189,200; (46)247; (48)322; (50)19,30,39
Bourdillon, J., (6)461
Bourke, P.J., (14)387; (19)189,425
Bourne, E.J., (4)206; (11)253
Bourzeix, M., (50)83
Bovet, D., (8)466
Bovet-Nitti, F., (3)111
Bovetti, E., (39)253
Bowen, T.J., (22)488
Bowker, D.M., (22)486
Bowman, R.L., (9)13
Bowyer, D.E., (23)172; (24)226
Bozak, R.E., (26)501
Brackenridge, C.J., (41)242
Brada, Z., (5)542
Bradbeer, J.W., (20)624
Bradford, B., (47)199
Bradford, E., (44)465
Bradshaw, L.R.A., (44)422
Brady, P.H., (14)111
Brady, P.R., (38)540
Brady, W.T., (21)280
Brain, K.R., (38)355
Braithwaite, R.A., (49)303
Braly, K.L.K., (31)9
Brammer, G.L., (19)445
Brammer, K.W., (19)456
Brand, J.M., (21)424; (26)373
Brandenberger, H., (2)173; (4)396; (5)17; (7)137
Brandt, R., (12)380
Braun, D., (7)56

Bravo, O.R., (7)60
Brazhnikov, V., (38)244,287
Bremer, H.J., (25)48
Brendel, K., (30)232
Brenner, M., (33)199; (48)390
Brenner, N., (3)230,235,524
Bresler, A.E., (1)385
Breton, L.M., (38)143
Bricas, E., (13)273
Bricteux, J., (22)221
Bridges, R.L., (39)519
Brierley, E., (14)499
Brieskorn, C.H., (40)162
Bright, R.N., (35)217
Briner, G.P., (2)418,513
Brink, J.J., (27)269
Brink, V.C., (28)471
Brinkman, U.A.Th., (18)142; (22)407; (23)287; (24)489; (25)447; (31)182
Brisbois, L., (32)598; (36)241; (37)463; (44)209
Broadley, K.J., (27)407
Brocco, D., (49)66
Brochmann-Hanssen, E., (19)296; (20)394
Broda, E., (2)99
Brodasky, T.F., (41)494
Brody, K.R., (21)342
Brody, S.M., (7)337
Broich, J.R., (5)365; (6)514; (33)526
Brook, A.J.W., (39)328; (41)200; (42)112; (47)1,100
Brookhart, J.H., (20)191
Brooks, C.J.W., (31)396; (44)509
Brosowski, K.H., (15)88
Broun, G., (25)161; (47)552
Brovetto, A. Gelabert de, (32)178
Brown, C., (38)200
Brown, C.Y.E., (34)278
Brown, D.H., (13)276
Brown, H. Darrow, (35)103
Brown, I., (10)284
Brown, J.B., (8)21
Brown, K.D., (13)152
Brown, Jr., K.S., (9)71
Brown, P.J., (11)504
Brown, P.R., (38)543; (43)515
Brown, Wm., (26)518
Brownell, H.H., (19)556
Brozio, B., (18)572
Brual, O., (37)359
Brud, W.S., (18)591
Brückner, H., (22)490
Brümmer, J.-M., (27)290
Bruerton, K., (50)391
Brummer, S., (27)374; (28)253,259,270,443; (45)341
Brunelli, B., (34)26; (36)191; (39)407
Bruner, F., (10)396; (12)8; (18)390; (45)304; (49)139
Brunet, P.E., (12)266
Brunnert, H., (10)190; (17)620
Brunngraber, E.G., (32)749
Brunnock, J.V., (39)502
Bruns, F.H., (19)453
Brusca, D.R., (14)502
Bruyne, A. de, (18)253
Bryan, G.T., (31)384; (34)67; (36)229
Brzuszkiewicz, H., (7)321; (12)229; (17)288
Bublitz, G., (35)441
Buchanan, J.H., (31)274
Buchtela, K., (22)431
Bucke, C., (31)247
Buckley, E.H., (15)258
Budgen, D.E., (6)182
Budzyński, A.Z., (13)10
Büchi, J., (16)29
Büchner, M., (30)607
Bühring, H., (11)452
Bünnig, K., (43)450
Buist, N.R.M., (29)398
Bujard, El., (21)19
Bulant, V., (14)112
Bulbrook, R.D., (14)28
Bunbury, D.L., (14)98; (19)12
Bundschuh, G., (45)147
Bunn, C.R., (45)326
Buonocore, V., (46)103
Burdulis, B., (14)492
Burger, C.L., (26)334
Burher, R.D., (6)541; (9)531; (11)185
Burke, J.A., (35)119
Burkhalter, A., (16)558
Burkhard, J., (42)207
Burkholder, H.R., (29)210; (32)559; (35)423; (36)99
Burnet, G., (19)17
Burnet, Jr., G., (35)10
Burnham, B.F., (41)394
Burns, B.J., (43)120
Burns, D.A., (11)559
Burns, D.J.W., (30)469
Burns, D. Thornburn, (30)287; (32)793; (44)399; (49)448,567
Burns, J.A., (20)310
Burns, V.W., (26)542
Burstein, S., (21)352
Burtis, C.A., (40)270
Burton, D.J., (20)138; (28)396
Burton, K.W.C., (8)507
Busch, D.H., (18)42
Busch, E.W., (37)518

Busch, N., (29)349; (41)205; (50)274
Busch, B., (49)448
Bush, I.E., (8)433; (19)114; (23)94; (29)157; (30)164
Bush, L.P., (43)506
Bushuk, W., (21)67
Butler, G.W., (8)70; (13)262
Butruk, E., (32)311
Butterfield, A.G., (48)567
Buttery, R.G., (18)399
Bykov, V.T., (30)643
Byrne, G.A., (12)113; (20)528

# C

Cabib, E., (8)63
Cabral, J.M. Peixoto, (4)86
Caddy, B., (31)584
Cadet, J., (43)368
Cadwallader, D.E., (46)211
Caglioti, V., (7)242
Cagnazzo, G., (19)185
Cain, J.C., (22)95
Cairns, W.L., (35)376
Caldwell, I.C., (44)331
Caldwell, K.A., (32)635
Caldwell, R.L., (36)372
Calhoun, R.C., (43)48
Callahan, P.X., (15)1
Calò, A., (37)190,194
Calvet, J.K., (18)192
Calzolari, C., (38)7; (39)318; (43)207; (47)209
Cama, H.R., (8)535; (18)53
Camejo, G., (21)6
Cameron, J., (17)362
Cameron, J.A., (37)331
Camp, B.J., (20)178
Campbell, D.B., (49)442
Campbell, R.H., (12)178
Canny, M.J., (3)496
Canossa, A., (26)258
Canter, R., (3)87
Cantow, M.J.R., (28)128
Cantuti, V., (15)141; (17)60; (32)641; (49)66
Capp, G., (6)420
Caputo, A., (48)547
Cardinal, R.A., (38)100
Cardini, C., (15)86; (37)190,194
Cardini, G., (45)298
Carisano, A., (11)423; (13)83; (27)259; (36)269; (40)386; (42)464; (45)264
Carles, J., (3)90; (6)486; (7)261; (35)158
Carlsson, B., (4)257
Carminatti, H., (18)342
Carnicelli, A., (35)430
Carobene, G., (33)566
Caroli, S., (37)333
Caron, B.C., (12)533
Carr, A., (46)293,301
Carr, J.P., (45)155
Carreau, J.-P., (15)186; (42)422
Carrel, S., (45)483
Carreras, L., (29)388
Carson, J.F., (10)242; (12)408
Carson, L.M., (2)53
Carta, S., (28)55
Carter, E.A., (37)458
Carter, L.P., (2)188
Carter, R.E., (47)507
Cartoni, G.P., (3)121; (10)396; (12)8; (15)141; (17)60; (18)390; (20)278; (32)641; (37)158; (38)492; (39)99; (49)66
Carunchio, V., (31)601,653
Carvalho, R.A. Guedes de, (1)47; (4)353; (8)245; (18)381
Carver, M.J., (16)229
Casagrande, D.J., (49)537
Casarett, L.J., (38)467
Case, L.C., (5)181; (6)381
Cashel, M., (40)103
Casinovi, G.C., (1)411; (2)216
Cassani, G., (13)238
Casselman, A.A., (20)424; (28)462
Cassidy, J.E., (13)467
Cassol, A., (19)57
Castello, G., (20)447; (31)202; (32)625; (41)313
Caster, C., (37)545
Castor, C.W., (13)157
Catelli, P., (9)534
Cates, V.E., (11)472; (12)15
Cathro, D.M., (17)362
Cava, M.P., (10)246
Cavalli, A., (37)158
Cavallini, D., (3)20; (18)492; (20)500
Cavanaugh, M.A., (20)283
Cavina, G., (18)57; (22)41; (40)410; (44)493; (47)186
Cavins, J.F., (10)432
Cawthorne, M.A., (25)164
Cedard, L., (44)383
Cee, A., (8)393,421; (14)484
Cejka, V., (22)308
Celon, E., (31)77; (35)47; (37)249
Cerletti, P., (29)182
Cerman, J., (36)393
Černý, A., (50)442
Cerrai, E., (5)442; (6)443; (7)112; (8)232; (9)216; (13)211; (15)236; (16)258,365; (18)124; (22)425; (24)383; (44)161
Cervantes, M. de los A., (9)195
Cesarano, C., (19)589,594

Chafetz, L., (35)567; (49)340
Chakrabarti, J.K., (8)414
Chakrabarty, M.M., (22)84; (31)556; (32)297; (36)84; (44)116
Chakrabortty, H.C., (5)121
Chakraborty, D.P., (42)555
Challen, S.B., (24)224; (25)336; (31)345; (32)53
Challice, J.S., (21)357
Challis, J.R.G., (50)228
Chalmers, A.H., (20)270
Chamberlain, J., (11)408; (28)404
Champagnol, F., (50)83
Champeix, L., (6)209; (7)447; (16)7; (19)249
Chan, A.S.K., (47)395
Chan, B.G., (22)95
Chan, D., (43)382
Chan, F.L., (48)363
Chandler, C.D., (46)173
Chang, F.E., (24)435
Chang, S.S., (13)244
Chang, T.-L., (37)14
Chang, Y.-H., (28)104
Chao, L.-P., (42)485
Charbonnier, E., (2)84
Charezíński, M., (3)415; (7)321
Charles, P., (19)382,396; (25)135
Charles, R., (17)408
Charransol, G., (48)530
Chartier, J., (1)317
Chase, M., (35)565
Chassy, B., (38)526
Chatot, G., (45)415
Chatterjee, P.C., (34)543; (42)267
Chattopadhyay, S.K., (35)103
Chaudri, B.A., (27)240; (29)218
Chavko, M., (27)460
Chayen, R., (3)202,503; (35)445; (45)76
Cheetham, N.W.H., (48)400
Cheftel, R.-I., (31)565
Chelack, W.S., (22)476
Chemla, M., (1)2
Chen, K.-Y., (32)591
Chernoff, A.I., (6)252; (17)140; (47)493
Chernyak, V.Y., (46)143
Cheronis, N.D., (12)380
Cherry, L.M., (39)512
Chetaille, M., (19)312
Chexal, K.K., (48)484
Chia, D.S.W., (30)476
Chiang, E., (6)420
Chiang, H.-C., (40)189; (41)487; (44)201,302; (45)161; (47)128
Chiang, T.-M., (47)128
Chichester, C.O., (13)354
Chikui, S., (20)627
Childs, D.G., (4)429
Chiotis, E.L., (25)144
Chiriboga, J., (7)424
Chiti, R., (47)114
Chivers, P.J., (45)250
Chmelař, V., (35)179
Chopra, M.M., (17)195
Choraży, K., (2)76
Choraży, M., (2)76
Chou, J.S.T., (27)279
Chou, S.S., (42)416; (43)522
Chou, T.C., (27)307
Choulis, N.H., (30)618
Chovin, P., (6)363
Choy, T.K., (12)171
Christensen, G.M., (35)389
Christiansen, J., (19)312
Christianson, D.D., (10)432
Christie, W.W., (34)405; (37)27
Chu, E.J.-H., (21)46; (28)475
Chu, T.C., (21)46; (28)475
Chuang, C.-M., (40)285
Chuang, H.-P., (41)487
Chudzik, J., (36)262
Chukreeva, G.N., (31)583
Chung, O., (19)540
Churáček, J., (33)45; (48)241,250; (49)511
Churms, S.C., (47)97
Churý, J., (27)329
Ciampa, G., (3)591; (20)201; (46)132
Ciantelli, G., (35)396,405
Ciasca Rendina, M.A., (3)111; (45)407
Ciegler, A., (27)304; (31)250
Cieplinski, E., (3)230
Cieplinski, E.W., (4)169; (8)550; (13)305
Cieri, U.R., (45)421; (49)493
Ciferri, O., (13)238
Cima, L., (32)771
Cirimele, M., (15)435
Ciuffini, G., (34)26; (36)191; (39)407
Clanet, F., (5)356; (6)85; (7)373; (13)440; (21)105
Clapp, M.P., (17)578
Clarence, J., (13)440
Clark, B.F.C., (5)368
Clark, G.W., (34)262
Clark, I.J., (7)433
Clark, I.T., (15)65
Clark, K., (43)295
Clark, W.G., (14)447
Clark, W.H., (14)107
Clarke, K.F., (48)418
Clarke, M., (46)320
Clarke, V., (19)370; (24)259; (26)132
Claude, J.R., (17)596; (21)189; (23)267

Claugher, D., (19)198
Claxton, G., (2)136
Clayton, J.D., (35)469
Clayton, J.W., (21)67
Clayton, T.A., (47)277
Cleary, G.J., (9)204; (10)248
Cleemput, O. van, (45)315
Clemens, G.F.G., (3)582
Clement, G., (14)368
Clifford, D.R., (43)110; (48)523
Clifford, K.H., (40)377
Coan, C.R., (44)429
Coas, V., (40)138; (43)463; (47)442; (49)239
Coates, V.J., (3)230
Cobb, W.Y., (14)512; (17)606
Coch, J.A., (17)193
Coch-Frugoni, J.A., (1)90,182; (2)69
Coffey, R.G., (11)376
Coggins, Jr., C.W., (20)421
Čoha, F., (34)558; (40)304
Cohan, T. de, (17)513
Cohen, A.J., (43)332
Cohen, I.C., (43)233; (44)251; (49)215
Cohen, J.S., (50)405
Cohen, V., (23)446
Cola, G. di, (45)453
Cole, E.R., (14)111; (19)370; (24)259; (26)132; (40)470
Cole, M., (20)616
Coleman, H.J., (20)240; (25)34
Coleman, J.S., (34)289
Coles, E., (39)229
Coles, L., (32)657
Coletta, M., (20)500
Colleran, E., (50)458
Collins, C.L., (32)303
Collins, W.P., (37)33; (41)22
Colman, D.M., (8)399
Colombo, P., (3)343; (6)467
Comberg, R., (32)346
Comberiati, J.R., (18)394
Commichau, A., (19)277
Common, R.H., (13)570
Compaan, H., (47)376,382
Conder, J.R., (39)273
Condom, R., (38)290
Condon, R.D., (13)305
Connell, D.W., (14)104; (45)129
Connolly, J.P., (15)105
Connor, T.J., (44)389
Connors, W.M., (16)243
Conradie, J.D., (34)419
Conte, A., (5)244; (18)564; (24)148; (34)394
Conte, P., (3)96
Conti, M.L., (29)32
Contractor, S.F., (11)568; (15)118; (20)182; (41)483
Conway, W.D., (27)317
Cook, C.E., (35)295
Cook, E.R., (3)75
Cook, J.G.H., (6)182
Cook, L.E., (50)120
Cook, S.E., (46)134
Cook, W.K.T., (22)488
Cooke, D.J., (13)48; (17)472
Cooper, A.R., (27)362; (29)1
Cooper, B.S., (46)112
Cooper, D.R., (17)396; (27)490; (34)332
Cooper, F.P., (1)556
Cooper, J.A., (3)87
Cooper, J.M., (8)201
Copenhaver, J.H., (8)274; (16)229
Copier, H., (47)281,464
Copius Peereboom, J.W., (4)323; (5)500; (9)316; (14)417; (17)99; (20)43; (39)339
Copley, M.N., (45)480
Corbett, B., (41)61
Corbett, B.J., (45)437
Corbetta, D., (3)343; (6)467
Corbin, E.A., (3)322
Corcia, A. di, (45)304; (49)139
Corfield, M.C., (17)420; (31)274
Corio, E., (32)178
Cornford, P.A.D., (10)141
Cornforth, R.H., (4)214
Corona, G.L., (19)435
Coronelli, C., (5)519
Corpechot, C., (44)383
Corse, J., (18)10
Corse, J.W., (9)244
Corsi, L., (45)464
Cortes, A., (19)450; (21)148
Cortivo, L.A. dal, (33)526
Corwin, A.H., (47)247
Cosmatos, A., (7)77
Costa, B., (8)157
Costa Neto, C., (15)301
Costantino, U., (30)584; (50)482
Cotgreave, T., (30)177
Cotte, J., (19)312
Coulson, C.B., (1)374
Coulter, J.R., (36)42
Coupe, N.B., (47)291
Čoupek, J., (36)290
Court, A.S., (38)439; (39)1
Coussio, I.D., (11)238
Couvreur, J., (27)47
Cova, A., (42)452
Covello, M., (3)591; (20)201
Coward, R.F., (33)508; (37)111; (39)496; (41)262; (45)230
Cowles, E.J., (19)326; (35)389
Cox, B.C., (12)416; (20)598
Cox, R.I., (12)242

Coyne, C.M., (14)552; (41)453
Cozzi, D., (35)396,405; (40)130,138; (42)532; (43)463; (47)442; (49)239
Crabb, T.A., (45)250
Cramer, D.A., (24)167
Cramer, F., (7)405
Craven, D.A., (37)414
Crawford, M.A., (22)330
Crawford, R., (1)449,521
Creech, R.G., (44)307
Cremer, E., (48)132
Crépy, O., (16)340
Crew, M.C., (35)506
Criddle, W.J., (16)350; (18)530; (24)112
Crispin, D.J., (37)118
Crist, L.J., (39)515
Crocker, C., (2)115
Cromartie, E., (39)325
Crommelynck, F., (32)598
Cronin, D.A., (48)406
Crosby, D.G., (25)330; (37)307
Crotte, C., (30)600
Crowe, P., (27)485
Crowley, G.J., (12)219
Crowne, C.W.P., (27)362; (29)1
Crowshaw, K., (19)114
Cruickshank, A.J.B., (11)289
Cruickshank, F.R., (21)296
Crummett, W.B., (21)257
Crump, G.B., (10)21
Csiba, I., (30)543
Csicsery, S.M., (9)34; (26)262
Cudzinovski, M., (18)422
Culberson, C.F., (46)85
Cullen, P., (29)378
Culvenor, C.C.J., (20)270
Cunningham, A.W.B., (5)90
Curry, A.S., (38)200
Curtain, C.C., (7)24; (16)181
Curtis, C.F., (20)310
Curtis, R.F., (9)366
Curtius, H.-C., (30)410; (32)222; (37)216
Custer, III, G., (42)429
Custer, J.H., (3)369
Cutrim, A.M., (9)173
Cuzner, M.L., (27)388
Cvetanović, R.J., (25)479; (27)20
Cvjetićanin, D., (46)326
Cvjetićanin, N., (32)384; (34)520
Čvorić, J., (44)349
Czajlik, I., (27)239
Czarnocka, A., (12)208
Czeglédi-Jankó, G., (31)89
Czerepko, K., (6)89; (9)199

# D

Daams, J.H., (10)450
Dabbous, M.Kh., (35)134
D'Agnolo, G., (49)53
Dal Cortivo, L.A., (33)526
Dalen, E. van, (13)119; (22)407; (23)287; (25)447; (31)182
Dallas, M.S.J., (17)267; (33)58,193,337; (44)399; (48)193,225
Dalmau, J. Moreno, (48)118
Dalton, R.W., (50)219
Daly, J., (33)107; (46)187; (48)67,78
Dam, M.J.D. van, (4)26
D'Amato, G., (32)625; (41)313
Damoglou, A.P., (47)257
Dandoy, J., (32)184
Daneels, A., (18)144
Daniels, D.G.H., (21)305
Danilović, M., (19)613
Dankert, M., (16)415; (18)342
Danon, J., (3)193,584; (6)269
D'Antona, A., (18)57
Dantzler, E.M., (32)433
Danyuschevsky, Y.L., (23)67
Dao, H.G., (41)107
Darbre, A., (17)31,445; (26)35; (29)49; (40)213; (43)11; (49)293,298
Dardenne, G.A., (47)176,182
Darocha, T., (27)496
Darrow Brown, H., (35)103
Dass, R., (3)197
Dastoli, F.R., (23)182
Datta, D.D., (32)774
Daumas, R., (12)253
Dauvillier, P., (11)405
Davenport, T.B., (42)219
Dávid, Á., (36)543
Davidek, J., (7)204; (9)363; (11)419; (15)542; (26)529
Davidková, E., (26)529
Davidson, E.A., (30)232
Davidson, I.W.F., (21)319
Davidson, R.J., (27)490; (34)332
Davies, B.H., (10)518; (49)161
Davies, C., (18)47
Davies, D., (17)416
Davies, J.R., (28)451; (30)125; (35)43,513
Davila, C., (19)382,396
Davis, A., (26)254
Davis, D.L., (43)506
Davis, J.G., (40)169
Davis, S., (37)487
Davis, T.W.M., (29)283
Davis, V.E., (3)11
Davis, W.B., (42)457
Davison, A.N., (27)388
Davison, P.K., (41)12
Dawidzik, J.B., (50)507
Dawson, Jr., J.T., (8)457
Dawson, L.E., (18)589
Dawson, M., (36)163
Dawson, R.W., (14)387; (19)425
Dawson, T.S., (45)346
Day, E.A., (14)273; (17)606
Day, J.C., (9)244
De Alencar, J.W., (15)301
Dean, A.C., (44)465
Deans, D.R., (18)477
Dearnaley, D.P., (5)452
Debackere, M., (35)234
De Bernady, C. (47)552
De Bersaques, J., (31)222
Debro, J.R., (10)68
De Bruyne, A., (18)253
Decker, P., (7)392
Decker, W.J., (34)278
Deckers, W., (17)618
Declerck, D., (42)349
De Cohan, T., (17)513
De Deyne, V.J.R., (31)260,261
Deelder, R.S., (47)307
Deelstra, H., (17)558
De Ferrari, E.C., (17)193
Deferrari, J.O., (9)283
De Flines, J., (2)436
De Giuseppe, L., (1)545
Degueldre-Guillaume, M.J., (7)130; (24)279
De Heus, J.G., (4)26
Dehority, B.A., (2)81,384
Deibner, L., (34)425
Deininger, G., (35)1
De Jong, E., (37)545
De Kleuver, G.J., (4)26
De Koning, A.J., (12)264
De la Llosa, P., (14)136
DeLano, F., (50)49
Delbene, U., (17)193

Del C. Batlle, A.M., (25)117; (28)82; (40)453
De Lederkremer, R.M., (9)283; (17)488; (18)42; (22)474
Del Favero, A., (40)213,294
De Ligny, C.L., (33)242; (35)257,269; (36)50; (38)224; (49)393
Delle Monache, F., (32)178
Dellweg, H., (42)476
Delman, M.R., (21)300
Delmenico, J., (38)540
Delori, P., (34)531; (37)463
Del Pozo Ojeda, A., (48)118
Delves, R.B., (26)296
DeMan, J.M., (24)56
De Marchi, W.J., (47)482
De Marco, C., (3)20; (18)492; (20)500
De Masi, R.V., (28)33
De Mayo, M.M., (33)526
Demel, K., (39)101
Demetriou, J.A., (34)342
De Mets, M., (43)145; (47)487
Demisch, K., (36)246
Demole, E., (1)24; (6)2
De Moor, P., (30)226
De Mots, A., (15)361
Demura, H., (50)338
DeMuria, P.J., (5)126; (8)108
Dencker, S.J., (33)262
Dengler, B., (7)211
Denni, R., (26)350
Denolin-Dewaersegger, L., (16)34
Denti, E., (11)339; (14)539; (18)325
Denton, M.J., (18)615
Denton, W.H., (14)387; (19)189,425
Deptuch, A., (13)251
Derr, R.F., (21)146
De Rudder, J., (30)143; (34)202
Derumez, P., (31)598; (49)563
Desai, K.B., (14)300; (30)476
De Salas, N.G.B., (45)328
De Savignac, A., (7)261
Descimon, H., (25)391
Desfosses, B., (38)290
Desgrez, P., (48)530
Deshpande, A.K., (12)539
Deshpande, R.G., (2)117
Desideri, P.G., (35)396,405; (40)130,138; (42)532; (43)463; (47)442; (49)239
De Simone, V., (37)538
De Souza, N.O., (15)103
Dessauer, H.C., (18)192
Dessouky, Y.M., (45)63
De Stefanis, V.A., (34)116
Determann, H., (25)303; (28)2
Deur-Šiftar, DJ., (24)404; (38)326
Deuticke, B., (18)81
Deutscher, F., (48)132
Dev, S., (12)189; (26)54
De Vries, B., (14)525
De Vries, G., (13)119; (18)142; (22)407; (23)287; (25)447; (31)182
De Vries, R., (10)248
De Wachter, R., (36)109
Dewaersegger, L., (25)15
Dewald, B., (30)256
Dewar, R.A., (6)312; (11)295; (15)461
Dewey, V.C., (2)296; (31)234,326
De Wilt, H.G.J., (41)168
Dey, A.K., (2)95; (3)146
Deyl, Z., (6)187; (7)19; (8)537; (9)92; (10)497; (11)110,556; (14)537; (18)435; (20)514; (30)614; (41)423; (48)231
Deyne, V.J.R. de, (31)260,261
De Zeeuw, R.A., (32)43; (33)222,227; (47)376,382; (48)27,222
Dhingra, D.R., (6)274
Dhont, J.H., (47)376,382
Diamond, P.F., (32)419
Di Bello, C., (17)506; (26)309; (31)77
DiCarlo, F.J., (35)506
Dick, Y.P., (32)188
Dicks-Bushnell, M.W., (27)96
Di Cola, G., (45)453
Di Corcia, A., (45)304; (49)139
Diehl, H., (34)534
Dietrich, C.P., (15)277
Dietrich, P., (1)67; (33)411,422
Dietrich, S.M.C., (15)277
Dighe, P.K., (40)449
Dignam, W.J., (45)381,392
Di Jeso, F., (32)269
Dikstein, S., (2)204
Dimitrov, Chr., (20)15; (23)382; (30)332; (34)310; (42)311; (49)175
Dimler, R.J., (10)432; (20)260
Di Modica, G., (7)133; (32)755
Dimov, N., (44)170
Dinelli, D., (7)477
Dingenen, P. van, (24)167
Dirheimer, G., (31)609; (35)207; (40)194
Dirlik, P., (10)250
Di Simone, L., (37)213
Dissinger, O., (28)413
DiStefano, V., (45)139
Dittmann, J., (32)764; (34)407
Dittmer, J.C., (18)503; (38)230; (42)121; (43)512
Dittrich, S., (12)47; (31)628
DiTullio, N.W., (20)354
Dixon, C.W., (35)475

Dixon, H.B.F., (7)467; (24)199
Dlask, V., (14)432
Dobbs, H.E., (2)572; (5)32; (15)29
Dobiei, F., (8)103; (10)98
Dobies, R.S., (35)370; (40)110
Dobihalová, L., (14)464
Dobson, G., (16)416
Dodgson, K.S., (16)334; (21)32
Dodova, M., (40)359
Doelle, H.W., (39)398; (42)157,541
Dönges, K., (8)25
Dörfling, P., (30)263
Doerr, R.C., (21)481
Dörrscheidt, W., (7)13
Dohan, F.C., (8)457
Dolan, D.N., (37)1
Dolének, A., (1)266
Doležal, J., (20)143; (39)33
Dolinar, J., (34)89
Dollimore, D., (50)209
Donald, A.S.R., (35)106
Donaldson, B., (47)199
Dondi, F., (34)389; (35)309; (39)125; (42)176
Donike, M., (22)303; (26)270; (42)103; (43)490
Donnelly, J.K., (10)397
Donner, R., (17)349
Dool, H. van den, (11)463
Dooms, L., (42)349
Doorenbos, N.J., (29)393
Dorchai, R.O., (15)105
Dorfman, R.I., (4)500
Dorfner, K., (4)502
Dorman-Smith, V.A., (29)265
Dorstewitz, E.L., (13)157
Dose, K., (2)575
Doss, M., (30)265; (32)439; (35)248; (41)386; (44)407
Dougherty, T.M., (37)453; (40)299; (42)415; (43)399
Douglas, A.G., (43)241
Douglas, J.F., (6)540
Dowling, J.T., (35)434
Downey, W.K., (46)120
Downing, D.T., (38)91
Dozy, A.M., (7)180; (19)160; (32)723; (40)62
Dransfield, E., (45)476
Draus, F.J., (35)134
Dravid, A.R., (41)53
Drawe, H., (18)397
Drawert, F., (9)376; (30)259
Drefahl, G., (22)460
Dreisbach, R.H., (18)81
Drelich, J.W., (30)305
Drennan, G.A., (34)77
Dressler, M., (42)408; (44)40
Drew, C.M., (9)264
Drew, W.G., (21)319
Drożdż, B., (20)188
Druding, L.F., (24)491
Drury, E.-J.E., (30)502
Dryden, W.F., (36)163
Dualszky, S., (6)155
Dubois, L., (28)317
Dubský, H., (47)313
Dubský, H.E., (4)1
Dubuquoy, C., (49)269
Duckworth, M., (49)482
Dudziński, A.E., (31)560
Dürr, H., (48)53
Ďulák, K., (31)354
Dummler, W., (30)263
Dumont, E., (39)157; (48)96,106
Duncan, G., (47)232; (49)278
Duncan, G.R., (8)37
Dunckley, G.G., (5)272
Duncombe, W.G., (36)557
Dunlap, W.J., (3)505; (28)427; (35)329,570
Dunn, E., (17)501; (27)300
Dunstan, I., (24)253
Dupal, J., (9)260
Duranton, H., (43)93
Ďuraš, Š., (40)209
Durbin, R.D., (28)429
Durfee, D.A., (16)546
Ďurišinová, L., (32)584
Durkee, A.B., (13)173
Duron, J., (27)282
Dursun, K., (44)184
Duthie, A.H., (44)193
Dutta, J., (42)555
Dutta, S.P., (29)263; (31)569
Dutton, G.G.S., (15)246; (20)78,163; (36)152,283; (47)195
Dutton, H.J., (2)322
Duval, Cl., (2)72
Duvall, A.H., (11)38
Duvivier, J., (19)352
Duyckaerts, G., (1)200; (3)48,58; (22)164,221; (26)471; (31)510; (35)549
Dvir, R., (45)76
Dvořáček, J., (14)340
Dvořák, J., (7)228; (9)154; (14)464
Dvoretzky, I., (5)418
Dwivedy, A.K., (29)120
Dwyer, J.L., (13)366
Dyatlovitskaya, E.V., (15)191
Dybczyński, R., (7)98,568; (14)79; (31)155; (32)394; (50)487
Dyer, T.A., (11)414; (34)364

# E

Eadie, M.J., (39)312
Earland, C., (35)575; (41)259
Eastin, E.F., (44)641
Ebata, M., (25)1
Ebel, J.P., (31)609; (35)207; (40)194
Eberle, D., (45)351
Ebing, W., (14)283; (42)140; (44)81; (46)180
Eccles, S.S., (11)355
Ecknig, W., (38)332
Edattel, R., (44)618; (45)52
Eddy, K.L., (22)296
Eder, W.R., (34)548
Edgar, D., (43)271
Edge, R.A., (4)501; (5)526,539; (6)276,452; (8)419; (32)606
Edgüer, E., (11)389
Edward, J.T., (1)446,449,521; (20)563; (24)125
Edwards, C.H., (2)188; (11)349
Edwards, G.A., (2)188; (11)349
Edwards, Jr., H.M., (22)29
Edwards, J.O., (38)543; (43)515
Edwards, P.R., (16)460
Edwards, R.W.H., (12)212; (21)275
Edwards, V.H., (47)490
Effland, M.J., (38)522
Egan, B.Z., (34)382
Egan, H., (16)481
Egerton, G.S., (26)62
Egger, K., (5)74
Egli, R.H., (2)173
Eglinton, G., (44)256
Eglinton, W.J., (43)48
Ego, C., (44)383
Egorov, A.M., (46)143
Egorov, C.A., (19)214
Egorov, E.V., (49)40
Ehrhardt, E., (7)405
Eik-Nes, K.B., (10)493; (27)167
Einstein, E.R., (42)485
Eisdorfer, I.B., (4)329
Eisenberg, Jr., F., (9)390
Eisenberg, W.C., (44)569
Ekman, K.H., (7)419
ElAttar, T., (14)492
Elberling, J.A., (44)300
Elbert, W.C., (17)120; (18)512; (20)348; (26)72
El Daoushy, M.F., (16)216
Eliasson, L., (43)558
Elkan, G.H., (45)326
Ellenbogen, W.C., (4)329
Ellfolk, N., (25)373
Elliott, W.H., (44)452
Ellis, B., (20)598
Ellis, D.A., (23)168
Ellis, Jr., J.P., (43)260
Ellis, W.C., (41)325,335
Ellsworth, R.K., (47)395,503; (50)131
Elmenhorst, H., (40)264
El-Negoumy, A.M., (23)325
Elsey, P.G., (5)88
Emerson, M.L., (38)467
Emiliozzi, R., (38)290
Emmerson, J.L., (17)495
Emnéus, N.I.A., (32)243
Endres, H., (17)585,587
Engel, C.R., (30)523; (31)109; (37)508
Engel, J.F., (29)232
Engel, L.L., (12)115
Engelbrecht, A., (2)562; (15)228
Engelhardt, H., (21)223,228
Engelhardt, J., (11)151
Engels, J.A., (27)167
Engstrom, G.W., (44)128
Entenman, C., (4)435
Epstein, W.V., (6)258
Erdey, L., (9)247; (45)63; (46)29,312
Erickson, R.C., (26)531
Eriksen, E.L., (47)157
Eriksson, K.-E., (15)429
Erismann, K.H., (20)600
Ernst, G.F., (49)325
Ernst, R., (41)475
Ertel, H., (7)268
Ertingshausen, G., (42)355; (44)620
Espagno, L., (28)177,194
Espanol, C.E., (29)311
Esser, K., (18)414
Estes, F.L., (3)87
Estevez, V., (31)446
Ettre, L.S., (3)230,235,524; (4)166,169; (8)525,550; (11)114,267; (13)305; (24)335; (30)1,12
Eulenhöfer, H.G., (36)198
Evans, C.D., (26)491
Evans, C.S., (21)202
Evans, M.B., (5)300; (6)293; (8)303,541; (9)147 (11)401; (12)2; (28)277; (30)325; (36)48
Evans, M.E., (32)425,602

Evans, R.J., (3)431
Evans, W.C., (1)374
Evelyn, S.R., (1)537
Everaerts, F.M., (49)262
Evered, S., (4)451; (15)211,223
Everett, D.H., (11)289
Evrard, E., (27)40,47
Evtushenko, E.V., (26)111; (31)527
Exss, R.E., (42)442
Eyer, D., (47)542

# F

Fabbrini, R., (44)103
Fabian, J., (15)153
Fabierkiewicz, C., (23)410
Faichney, G.J., (27)482
Fairbairn, J.W., (33)494
Falck, B., (40)186; (47)530
Falcone, M.S., (44)52
Falconer, W.E., (27)20
Falk, F., (17)450; (33)411,422
Falk, H.L., (27)153; (29)267; (31)102; (37)256; (41)61
Falk, J.E., (5)277
Falk, R.H., (28)363; (36)54
Fanelli, R., (37)318
Faraglia, G., (15)207
Faragó, A., (21)156
Farant, J.P., (23)242
Faris, J.P., (26)232; (32)795
Farkas, K., (9)525
Farmer, A., (10)106
Farmer, L.B., (16)412
Farmer, R., (24)204
Farmer, T.H., (16)264
Farmilo, C.G., (1)327; (6)343
Farnsworth, N.R., (18)184
Farrell, P.G., (27)362; (29)1
Farré-Rius, F., (13)382
Farshtchi, D., (42)108
Farulla, E., (12)255
Fasella, P., (14)201
Fasold, H., (27)499
Fatiadi, A.H., (20)319
Fatscher, M., (38)189; (42)297; (47)297
Fauth, M.I., (18)608
Favero, A. del, (40)213,294
Favretto, L., (38)7; (39)318; (43)207; (46)255; (47)209; (50)304
Favretto Gabrielli, L., (46)255; (50)304
Fawkes, J., (19)364; (20)521; (22)323; (23)476; (27)153; (29)267; (31)102,576; (37)256; (41)61
Fazekas, A.G., (5)274
Fear, D.L., (19)17
Fedeli, E., (15)435
Fehér, T., (19)551
Fehrenbach, F.J., (41)43
Fehringer, N.V., (25)95
Feige, B., (41)80
Feil, R., (34)264
Fejér-Kossey, O., (31)592
Fejes, P., (11)151
Felgenhauer, K., (46)116
Fell, B., (16)216; (19)177,277; (24)161; (31)531
Felland, H.S., (38)250
Fellers, F.X., (35)53
Felt, V., (9)301
Felter, S., (35)207
Feltkamp, H., (10)9; (15)314; (18)403
Fenselau, A.H., (15)149
Fenyo, J.C., (47)552; (49)269
Ferguson, J.W., (24)376
Ferguson, K.A., (4)233
Ferradini, C., (37)527
Ferrari, A., (24)407
Ferrari, E.C. de, (17)193
Ferrari, G., (14)289
Ferrari, M., (9)388
Ferraz, F.G.P., (6)505
Ferrier, R.J., (9)251
Fetizon, M., (35)192
Fett, E.R., (18)461
Few, J.D., (36)63
Fewster, M.E., (43)120
Fiddler, W., (21)481
Fidelis, I., (4)60; (5)161; (17)542
Fidler, Z., (7)228; (14)464
Fieldgate, D.M., (43)110
Fiers, W., (7)269
Figge, K., (39)84
Fike, W.W., (18)405
Fill, P., (48)132
Fina, L.R., (39)519
Fincham, A.G., (28)326
Fink, K., (22)118
Finkle, B.J., (7)29
Finley, K.T., (19)443; (22)36; (39)195; (44)563,569; (47)217
Finnegan, W.G., (5)461
Fiori, A., (31)171
Fioriti, J.A., (32)761
Fischer, D., (36)112
Fischer, F., (16)246; (38)274
Fischer, G., (17)408
Fischer, L., (28)21
Fischer, L.J., (21)268
Fiset, L., (1)327

Fish, D.W., (37)307
Fish, F., (31)584; (36)383; (40)164
Fishbein, L., (18)581; (19)364;
(20)9,140,283,521; (22)323,480;
(23)175,298,302,476; (24)186,245;
(25)475; (26)522; (27)153,255,368;
(28)293,418; (29)58,267; (30)77,245,596;
(31)101,576; (32)596; (37)256; (41)61;
(44)443; (45)437; (46)202
Fishbein, W.N., (32)424
Fisher, J.F., (24)257
Fisher, N., (47)501
Fishman, J., (8)21
Fittkau, S., (18)331
Flanagan, D.D., (35)92
Flanagan, P.J., (15)105
Flank, W.H., (19)179
Fleming, R., (33)480
Fletcher, J.C., (20)616
Fletcher, T.L., (43)536
Flett, M.St.C., (11)434
Flickinger, G.L., (36)250
Flines, J. de, (2)436
Flint, R.F., (24)141
Flodin, P., (5)103
Flöss, E., (2)84
Florsheim, W.H., (45)371
Foell, Th., (3)381; (9)339
Fogg, A.G., (20)613; (30)287; (32)793; (49)567
Fohl, J., (11)55
Folkard, A.R., (11)415
Fondarai, J., (9)262
Fontan, C.R., (19)296; (20)394
Fontanges, R., (45)415
Fontani, F., (42)452
Foote, J.L., (39)229
Forcheri, S., (26)239
Forchielli, E., (4)500
Forman, P., (8)157
Formanek, K., (2)652
Fornstedt, N., (42)376
Forrest, J.E., (44)638
Forrest, W.W., (30)203
Forsander, O., (5)515
Forss, D.A., (10)268; (16)460; (34)100
Fort, D.L., (34)120
Forward, T.J., (36)63
Fosslien, E., (47)116
Foti, S.C., (20)585; (29)203
Fouarge, J., (3)48; (9)96
Fouché, P., (37)172
Fowden, L., (13)276; (48)575
Fowlis, I.A., (11)1; (15)471
Fox, F.T., (2)615
Fox, Jr., J.B., (43)48,55,61
Fox, W.B., (50)118
Frahn, J.L., (37)279; (48)577
Franc, J., (2)423; (3)317; (6)396; (12)22;
(14)340; (16)345; (17)221; (18)100;
(26)378; (32)2; (33)319; (36)1,512;
(43)1; (48)207,295
Francesconi, R., (42)176
Francina, A., (44)75
Francis, F.J., (26)404
Franck-Neumann, M., (14)280
Francois, D., (4)446
Frank, C., (40)296
Franke, K., (30)378
Frankenfeld, J.W., (18)179
Franklin, M.J., (30)632
Franzini, C., (28)37
Fraschetti, F., (37)213
Fraser, H.S., (38)141
Fraser, P.S., (44)300
Frater, R., (50)469
Frati, L., (48)547
Fredén, H., (41)53
Freeman, D.E., (45)371
Freeman, G.G., (28)338
Freeman, P.J., (40)78
Freeman, S.K., (30)215
Frehse, H., (9)111
Frei, R.W., (13)61; (15)501; (17)131; (18)520;
(34)563; (43)457,551; (45)284;
(47)427,435; (48)478
Freimuth, U., (23)333; (30)607
French, D., (19)445; (24)68,271
French, I.W., (41)274
French, W.N., (31)226; (44)109
Frenzel, J., (11)369
Frère, J.-M., (30)397; (49)425
Fresno, A. Villar del, (45)407
Frew, R.G., (47)86
Frey, C.F., (47)126
Frey, H.-P., (33)53
Freytag, W., (13)558; (27)289; (41)473
Frič, F., (11)127
Fricke, H., (48)362
Fričová, V., (26)127,331; (36)91
Fridkin, M., (47)519
Fridman, R., (12)39
Fridrich, M., (42)435
Friedhoff, A.J., (11)272
Friedman, M., (26)336
Friedman, O.M., (11)265
Friedrich, J., (2)664
Friedrich, K., (7)13; (16)22
Friedrich, W., (3)359
Frimpter, G.W., (7)427; (10)439
Frisone, G.J., (6)97

Fritz, D., (24)8; (49)57
Fritz, J.S., (25)153
Friz, L. Polo, (39)253
Frodyma, M.M., (13)61; (15)501; (17)131; (18)520
Froment, G.F., (18)150
Frost, D., (37)487
Fuchs, P., (49)70
Fürtig, W., (13)139
Fuhrmann, R., (22)468
Fujimoto, T., (34)72
Fujita, Y., (41)458
Fukuda, J.H., (26)501
Fukushima, D.K., (48)509
Fuleki, T., (26)404
Fuller, E.N., (7)255
Fuller, W.H., (34)270
Funahashi, S., (32)777
Funk, J.E., (6)193,281
Furst, A., (22)376,493; (24)288
Furuya, T., (18)152; (19)607; (21)116; (29)341,382

# G

Gabbay, K.H., (11)241
Gabriel, T.F., (36)518
Gabrielli, L. Favretto, (46)255; (50)304
Gădeva, V., (16)256
Gadsden, E.L., (2)188; (11)349
Gänshirt, H.G., (16)510
Gärtner, H., (41)132
Gäumann, T., (11)459
Gagliardi, P., (18)487
Gaillard, G., (39)167
Gajewska, A., (9)345; (12)208
Gal, A.E., (34)266
Gal, I., (13)549
Galanos, D.S., (13)128
Galateanu, I., (19)208
Galeffi, C., (45)407
Galiazzo, G., (26)309; (37)249
Gallaway, W.S., (5)185
Galliard, T., (41)442
Galoyan, A.A., (24)440
Galster, Wm., (34)102
Gamba, M.F., (41)371; (44)195
Gambassi, G., (18)278
Gambino, A., (24)222
Gamborg, O.L., (26)268
Gandhi, J.R., (8)546
Gandini, S., (32)715
Ganis, F.M., (5)84; (7)570
Gankina, E.S., (31)360
Gapanhuk, E., (32)782
Garbutt, J.L., (15)90
Gardais, A., (42)396
Gardiner, J., (43)545
Gardiner, W.L., (18)391; (19)22,263; (25)242; (26)387
Garnier, Y., (2)72
Garraway, J.L., (46)134
Gartzen, W., (31)531
Garzó, G., (24)8
Gasparic, J., (4)75,138; (5)408,466; (8)393; (13)459; (14)484; (15)83; (33)291; (35)362; (47)51; (48)261
Gassen, H.G., (39)147
Gast, J.H., (3)87
Gataud, P., (30)261
Gauthier, H., (14)209
Gawienowski, A.M., (8)274; (14)502
Gayen, A.K., (36)84; (44)116
Geary, W.J., (2)372
Gebbing, H., (30)259
Gee, M., (9)278
Geenen, H., (7)56
Gehl, A., (20)415; (21)143; (24)219,220
Gehrke, C.W., (36)31; (37)398,414; (38)473; (43)303,311,322; (44)269; (45)24; (46)280
Geike, F., (44)95,181
Geiss, F., (12)469; (19)304; (33)9,201,208; (44)290; (48)46
Geissbühler, H., (27)296
Gelabert de Brovetto, A., (32)178
Geller, J.H., (3)369
Gelotte, B., (3)330
Gelpi, L., (22)369; (34)186
Gemzová, I., (35)362
Genest, K., (6)343; (19)531
Genet, M., (37)527
Gent, C.M. van, (3)582
Geppert, G., (26)495
Gerardi, M. Ara, (31)653
Gerday, Ch., (38)408
Gerding, J.J.Th., (31)218; (43)256
Gergs, P., (34)125
Gerlach, E., (18)81
Gerlach, H.-O., (35)1
Germaine, R.W., (43)33,43
Germann, H.-J., (28)143
Gerritsma, K.W., (43)391
Gershbein, L.L., (23)180; (27)431; (29)229; (31)20; (34)485
Gershon, H., (20)134; (28)399
Gerson, T., (6)178; (23)61
Gesser, H.D., (30)198; (32)740
Gestetner, B., (13)259
Getz, H.R., (7)266
Ghatge, B.B., (18)308; (23)227,363; (29)333; (32)648
Gheorgiua, Th., (48)430
Ghersini, G., (13)211; (15)236; (16)258; (18)124; (22)425; (24)383; (44)161
Ghosh, D., (32)774
Giacopello, D., (19)172
Giam, C.S., (42)457; (45)317
Giammari, G., (28)118
Giannetta, F., (49)573
Giartosio, A., (14)201

Gibbard, S., (44)396
Gibbon, S.L., (26)202
Gibney, K.B., (20)163; (36)152
Gibson, M.S., (44)631
Giddings, J.C., (2)44,626;
(3)205,239,438,443,520; (4)11; (5)46,61;
(7)255; (13)301; (16)444; (18)221
Gifford, G.T., (20)150
Gigg, A.R., (31)525
Gil-Av, E., (1)508; (2)406; (8)349; (11)32; (13)1;
(17)408
Gilbert, G.L., (34)289
Gilboe, D.D., (17)149
Gilgen, A., (41)120
Gill, J.E., (26)315
Gill, III, T.J., (32)786
Gilles, K.A., (17)278
Gillio-Tos, M., (13)571
Gillo, L., (32)598; (34)531; (36)241; (37)463;
(44)209
Gilman, R.E., (22)36; (44)563,569
Gilmore, D.R., (19)450; (21)148
Gilot, B., (32)180
Gimmler, H., (19)440; (41)80
Gini, E., (14)517
Giocoli, G., (18)57
Giora, F., (5)82
Giovenco, M.A., (29)182
Giovenco, S., (29)182
Girardi, F., (45)453
Girling, G.W., (31)525
Giuffrida, L., (9)13
Giuseppe, L. de, (1)545
Giustiniani, M., (15)207
Glaser, C.B., (50)151
Glasl, H., (42)75; (49)488
Glaze, N.C., (34)391
Gleadle, J.M., (26)62
Gleich, W., (43)350
Glenner, G.G., (46)116
Glickman, J., (44)581
Glombitza, K.-W., (19)320; (25)87
Glover, R.B., (15)407,518,533
Gnocchi, A., (49)46
Godavaribai, S., (17)373
Godin, C., (50)66
Göckeritz, D., (22)490
Gödicke, W., (15)88
Goenechea, S., (36)375; (38)145; (40)182
Görgényi, Á., (14)506
Görisch, H., (23)336
Görög, S., (43)541
Goertz, E., (40)264
Götz, J., (48)515
Gola, C., (45)94
Golab, T., (9)321; (18)406,409; (30)253
Gold, D., (5)178
Gold, N.I., (15)431
Golden, J.H., (26)254
Goldfarb, Y.L., (23)67
Goldman, J., (32)24; (40)345; (47)386
Goldstein, D.A., (38)54
Goldyn, J., (5)372
Gołkiewicz, W., (45)1
Golovnya, R.V., (36)276; (44)262
Gombos, G., (24)264
Gonçalves, I.R.J., (16)415
González, E., (34)251
Gonzalez, N.S., (15)495
González Alonso, M., (29)388
Gonzalez de Valesi, A., (46)274
Goodall, R.R., (32)24; (40)345; (47)386
Goodman, J., (38)148
Goodrich, J.E., (48)123
Goodson, J.M., (45)139
Goodwin, J.C., (22)195; (45)150
Goppers, V., (17)628
Gorbach, G., (37)225
Gordon, G.R., (47)269
Gordon, H.T., (3)125; (4)351; (6)131; (9)44;
(13)272; (22)60
Gordon, J.E., (18)542; (20)38; (21)75; (48)532
Gordon, J.S., (44)279
Gordon, M.P., (10)513
Gore, I., (23)254; (31)473
Goren, H.J., (47)519
Goretti, G., (38)282; (49)57
Goretti, G.C., (34)96; (43)497
Goromaru, T., (24)182
Gorske, A.L., (34)67
Górski, A., (2)634,640
Gorz, H.J., (22)184
Gosselé, J.A.W., (23)305
Gosselin-Rey, C., (38)408
Goswami, S.K., (47)126
Gosztonyi, T., (10)29
Gouezo, F., (45)94
Gough, T.A., (42)336; (43)192; (44)14,25,241;
(45)14; (48)521
Gould, R.G., (13)350
Goullet, P., (14)566
Gouw, T.H., (28)219
Gower, D.B., (14)424; (36)338
Goya, S., (31)210,535
Graham, O., (3)11
Graham, R.J. (47)555
Graham, R.J.T., (23)120,417; (25)347,357;
(27)109,116,131; (33)107,118,125;
(35)416; (39)200,211,218; (43)547;
(46)187,293,301; (47)232; (48)67,78

Graham Smith, Jr., J., (49)308
Granath, K.A., (28)69
Grandberg, I.I., (17)520
Grant, D.L., (44)67; (48)567
Grant, D.W., (10)511; (50)544
Grant, W.D., (47)124
Grant, W.F., (21)247; (24)243
Grass, F., (22)431; (45)291
Grassetti, D.R., (18)612; (41)121
Grasshof, H., (3)285; (14)513; (20)165
Grassini, G., (2)326; (4)83,423,425; (7)351,414; (8)103; (10)98; (13)561; (14)238
Grassini-Strazza, G., (28)118
Gratzer, W.B., (5)315
Grau, W., (17)585
Gravelle, R.A., (23)242; (38)346
Gray, A., (49)567
Gray, C.H., (27)496
Gray, D.O., (13)276; (37)320
Gray, G.M., (4)52; (6)236
Gray, M.D., (19)189
Green, J., (10)35,158,184,354,366,372,389
Green, R., (12)183
Greenfield, S., (11)77
Greenstreet, R.A., (33)530
Greer, M.A., (12)252
Gregerman, R.I., (47)369
Gregory, N.L., (13)26,33; (36)342
Greiner, N.R., (31)523
Gresham, G.A., (23)172; (24)226
Grey, T.C., (41)442
Gribben, T., (3)545
Grieco, C., (46)132
Grieco, M., (35)430
Griesemer, E.C., (32)278
Grieveson, P., (44)279
Griffin, H.F., (3)150
Griffin, T.B., (23)280
Griffith, D., (41)494
Griffith, M., (12)115
Griffiths, B.W., (38)41
Grimaldi, M., (11)101; (15)510
Grimmer, F., (22)316
Grimmer, G., (20)89
Grimmett, M.R., (18)605; (20)171
Gritter, R.J., (9)392; (20)416
Grlić, L., (48)562
Grob, R.L., (3)545; (30)305
Grodzińska-Zachwieja, Z., (29)362
Gröbler, A., (27)63,239
Groke, K., (37)108; (47)479
Groot, K., (14)509
Grosjean, M.H., (16)236; (36)347; (37)197
Gross, D., (5)194; (10)221,233; (27)296
Grossman, S., (38)411
Grossmann, H., (35)301
Groszek, A., (3)454
Gruber, H., (43)355
Grubner, O., (7)228; (9)154; (28)209
Grüne, A., (33)28
Grütte, F.-K., (41)132; (26)325; (41)132
Gruger, Jr., E.H., (40)177
Grumet, G., (19)130
Grunwald, C., (44)173
Gubelt, G., (45)113
Guedes, L.C., (23)483
Guedes de Carvalho, R.A., (1)47; (4)353; (8)245; (18)381
Guegueniat, P., (12)96
Günther, H., (17)602; (19)201; (34)498
Guerra, A., (20)226
Guerra, M.C., (41)371; (44)195
Gütlbauer, F., (45)104
Gütter, W., (44)651
Guillaume, J., (1)70
Guillemin, C.L., (12)163; (30)222
Guimaraes, C.V., (15)9
Guinn, G., (30)178
Guiochon, G., (9)133; (13)327,382; (14)378; (50)1
Guitraud, J., (50)83
Gumprecht, D.L., (18)336; (20)546; (23)134; (30)528; (37)268
Gunew, D., (3)281
Gunn, J.A., (29)103
Gunner, S.W., (37)357; (40)85
Gunther, F.A., (46)79,108; (50)520
Gunther, W.H.H., (21)342
Gupta, A., (22)84
Gupta, A.K.S., (44)256
Gupta, A.R., (5)147
Gupta, A.S., (12)189
Gupta, D., (32)704
Gupta, G.N., (41)467
Gupta, P.K., (3)197
Gupta, P.L., (39)373
Gupta, S.B., (36)115,258
Gupta, V.S., (26)158
Gurevich, A.I., (31)583
Gusmini, S., (49)269
Gustavson, W.R., (22)376; (24)288
Guth, J.A., (30)514
Guthrie, F.E., (20)176
Gutnick, D.L., (13)319
Guyer, M., (30)523
Guzzi, G., (45)453
Gvosdovich, T.N., (49)36

# H

Haahti, E., (3)372; (24)179; (36)244
Haas, H.J., (13)573; (42)124
Haavaldsen, L., (1)291
Habboush, A.E., (7)438
Hack, M.H., (5)531
Hackman, R.H., (8)52
Haefelfinger, P., (33)370,385; (48)184
Haeffner, E.W., (50)140
Häkkinen, H.-M., (18)174
Hänsel, R., (11)369
Härtel, G., (37)70
Hagel, P., (31)218
Hagen, D.F., (40)303
Hagerman, D.D., (41)250
Hágony, P.L., (11)45
Hahn, H.-G., (37)422
Hahto, M.P., (25)472
Hailey, A.D.M., (40)283; (49)180,187
Hais, I.M., (9)260; (14)451; (33)25,409; (35)179; (36)393; (48)200
Hájek, B., (45)319
Hájková, M., (16)345; (33)319
Hajós, Gy., (43)541
Hakamaa, I., (38)364
Håkanson, R., (13)263; (33)480; (40)186; (47)530
Haken, J.K., (23)375; (26)17; (39)245; (43)33,43,487; (45)346; (49)409; (50)114
Hal'ama, D., (12)374
Halász, I., (35)1
Halbensteiner, H., (2)113
Hall, D., (10)239
Hall, H.H., (27)304
Hall, R.C., (45)317
Hall, R.J., (5)93
Hall, W.B., (7)266
Haller, W., (32)676
Halmos, Z., (46)312
Halonen, M., (25)294
Halpaap, H., (33)70,80,144; (48)144,163
Hamaguchi, H., (16)396; (17)567; (18)556
Hamilton, D.J., (39)186
Hamilton, J.G., (18)192; (41)113
Hamilton, N.F., (3)576
Hamilton, P., (9)388
Hamilton, P.B., (35)295
Hamm, R., (42)558; (43)450
Hammar, C.-G., (49)402
Hammond, E.W., (31)69; (33)471
Hammond, R.K., (45)446
Hammonds, T.W., (15)200
Hampl, R., (12)347
Hamroll, B., (49)205
Hána, K., (18)270; (41)145
Hanafi, D.E., (38)346
Hance, R.J., (36)234; (44)419
Hand, T.B., (37)357
Handa, B.K., (48)484
Handa, K.L., (17)195; (18)412
Hanes, D.M., (44)133
Hankinson, R.W., (35)10
Hann, C.S., (36)42
Hansbury, E., (9)393; (16)410
Hansen, H.J.M., (35)129
Hansen, H.L., (34)246
Hansen, I.L., (22)330
Hansen, P.W., (40)16
Hansen, R.P., (2)547
Hansen, S., (38)460
Hanson, C., (34)529; (46)200
Hanson, P., (4)108; (5)68
Hansson, J., (9)385
Hara, S., (11)562,565; (48)143
Harborne, J.B., (1)473; (2)581
Harbottle, G., (1)501
Harding, J.W., (12)145
Harding, N., (24)482
Hardman, R., (15)273; (34)507; (38)355
Hardy, C.J., (2)1,490; (13)372
Hardy, R., (17)177; (27)474
Harel, S., (14)504; (15)204
Hariharan, P.V., (32)356
Haring, H.G., (16)285
Harkness, R.A., (42)29
Harmeyer, J., (32)258
Harmon, M.A., (42)157
Harper, B., (47)542
Harper, D.B., (41)138
Harris, A.B., (43)265
Harris, C., (7)430; (8)359
Harris, J.F., (5)207
Harrison, B.L., (13)271
Harrison, G.A.F., (41)453
Harrison, V.J., (31)258
Hartel, J., (1)461; (3)482
Hartley, R.D., (4)410; (7)69; (18)47

Hartman, L., (16)223
Hartmann, A., (30)250
Hartrodt, W., (26)151
Haruta, F., (12)412
Harvey, R.G., (25)294
Harvey, S.R., (45)82
Haskins, F.A., (22)184
Hastings, C.R., (42)319
Hata, K., (37)304
Haub, H.-G., (11)487
Hauptmann, S., (21)338
Hausen, A., (44)651
Hausmann, W.K., (17)528
Hauton, J.C., (7)341; (9)257,439
Havlik, B.R., (2)620
Hawke, J.C., (2)547
Hawley, F.J., (23)168
Haworth, C., (41)380; (43)84
Haworth, D.T., (27)302; (30)637; (38)544; (48)581
Hay, G.W., (11)479
Hayek, E., (2)334
Hayes, F.N., (16)410; (39)139
Haylett, T., (32)193
Hayward, L.D., (5)166
Heacock, R.A., (6)91; (17)338; (44)638; (47)523
Heal, G.R., (50)209
Healy, J.W., (9)122
Heap, R.B., (50)228
Heathcote, J.G., (24)106; (41)380; (43)84
Heaton, A.M., (41)367; (48)565
Heckel, U., (45)142
Hecker, W., (44)362,374
Hedin, P.A., (21)13; (29)80,88; (30)43
Heftmann, E., (4)446; (9)348,353,359; (12)245; (21)488,490
Heide, R. ter, (50)127
Heide, R.F. van der, (24)239
Heilbronn, E., (4)257
Heilmann, J., (1)434
Hein, K., (13)235
Heinrich, M.R., (2)296
Heitz, W., (36)290
Heley, M.R., (31)525
Helfferich, F., (46)1
Helft, J.M., (47)490
Hellsing, K., (36)170
Hellyer, R.O., (10)314
Helmsing, P.J., (28)131
Hemingway, R.W., (43)250; (50)391
Hemming, F.W., (23)51
Hemming, R., (20)618
Hemmings, A.W., (3)225
Hemmingsen, L., (40)16
Hemson, L.J., (19)456
Hendeles, S.M., (27)167
Henderson, R.W., (27)180
Hendrickson, J.G., (32)543
Hendrie, A., (44)178
Henein, R.G., (36)543
Henke, J., (37)225
Henkel, H.G., (14)283; (20)596; (21)307,346; (22)446
Henriques, O.B., (32)782
Henry, W.M., (23)457
Henseke, G., (19)438; (28)468; (45)158
Hensley, M.D., (34)259
Herkes, F.E., (28)396
Herling, J., (1)508; (2)406; (8)349; (11)32
Hermann, T.S., (45)82
Hernández A., F., (7)60
Herold, M., (11)62
Herout, V., (3)303
Herrero-Lancina, M., (2)438
Herrmann, E., (38)498
Herrmann, G., (3)275
Herrmann, S., (12)249,415; (14)523
Hertel, R., (38)274
Hertelendy, F., (13)570
Herting, D.C., (30)502
Hervieu, J., (29)274
Herz, J.E., (34)251
Herzberg-Minzly, Y., (13)1
Heslop, R.B., (13)199
Hesse, G., (21)223,228
Hettler, H., (1)389
Heublein, G., (22)460
Heus, J.G. de, (4)26
Heusser, D., (33)62,400
Heveran, J.E., (25)213
Hewett, A.J.W., (40)377
Heyer, W., (35)489
Heyns, K., (21)302
Heyns, W., (30)226
Hibberd, G.E., (48)393
Hiby, W., (26)545
Higgens, C.T., (30)287; (32)793
Higginbotham, G.R., (47)474
Higginson, J.M., (40)145
Hignett, R.C., (31)571
Hikawa, I., (18)556; (25)408
Hildebrandt, A., (20)89
Hilding, A.C., (19)326; (35)389
Hildrum, K.I., (50)311
Hilinski, I.M., (18)184
Hill, A.R.C., (30)626
Hill, D.W., (32)737
Hill, H.D., (42)442
Hill-Cottingham, D.G., (8)261
Hillen, L.W., (10)309

Hillis, W.E., (32)323; (43)250
Hills, B.A., (40)171
Hills, W.E., (50)391
Hilmi, A.K., (17)407
Hilton, J., (7)266
Hindley, A.H., (42)470
Hinkins, R.L., (28)219
Hiraguri, Y., (45)244
Hirayama, K., (26)276
Hirschmann, R.P., (34)78; (50)118
Hjertén, S., (11)66; (12)510; (50)189
Hladík, J., (33)267
Hladká, A., (22)457
Hladký, Z., (22)457
Hlídková, S., (11)117
Ho, B.T., (31)446
Hobbs, R.S., (12)74,81
Hockaday, T.D.R., (8)433
Hocman, G., (21)413
Hodgson, E., (20)176
Högenauer, G., (2)380
Högfeldt, E., (12)112
Höller, H., (2)652; (7)392
Hörhammer, L., (7)211; (10)108; (13)235; (31)455
Hövermann, W., (11)440
Hoevet, S.P., (34)195,241; (35)113; (40)225
Hoff, J.E., (12)544
Hoffman, C.P., (30)164
Hoffman, C.S., (30)390
Hoffmann, B., (34)269
Hoffmann, L.G., (40)39,53
Hoffmann, R.L., (26)491
Hoffsommer, J.C., (38)508
Hogg, J.W., (42)261; (50)59
Hognestad, A.K., (46)267
Hogue Angeletti, R.A., (36)535
Hoigné, J., (11)459
Hokin, M.R., (35)136
Holcomb, D.L., (3)178
Holden, A.V., (44)481
Holder, S., (25)48
Holdová, J., (43)268
Holeyšovský, V., (21)135; (24)440
Holleman, J.W., (2)225; (3)85
Holleman-Dehove, J., (2)225; (3)85
Hollinger, M.F., (5)38
Hollmann, W., (43)490
Hollmén, T., (21)454
Holloway, J.H., (11)258; (14)255,258
Holloway, P.J., (25)336
Holm, R.A., (46)33
Holmes, W.L., (20)354
Holmlund, C.E., (17)528
Holmquist, W.R., (23)248; (26)465
Holmstedt, B., (19)286; (49)402
Holzapfel, H., (20)580; (24)153
Honeycutt, R.G., (20)250
Honigberg, I.L., (46)211
Honma, S., (50)400
Hood, L.V.S., (17)307
Hook, W.A. van, (30)211
Hooper, S.N., (44)256
Hooper, W.D., (39)312
Hopgood, M.F., (47)45
Hopkins, R.L., (20)240; (25)34
Hoppe, U., (27)311
Hoque, M., (42)555
Horak, E., (47)527
Horák, V., (14)97
Horešovský, O., (9)260
Hornbeck, R.F., (30)438,447
Horner, L., (7)268
Hornik, A., (24)175
Horning, E.C., (18)391; (19)22,263; (25)242; (26)387
Hornstein, I., (27)485
Hornuff, G. v., (8)90
Horobin, R.W., (37)354; (43)545
Horowitz, M.I., (21)300; (49)455
Horský, O., (11)62; (14)112
Horton, B.F., (18)116; (27)263; (47)493
Horton, D., (23)309
Horváth, A., (26)215,225
Horvath, C., (22)52
Horváth, I., (20)295
Horvath, L., (33)402; (37)234
Horwitt, M.K., (13)22
Hosoda, H., (31)210,535
Hoste, J., (18)144; (45)453
Hougen, F.W., (30)198
Houghton, F.D., (24)494
Houghton, G., (6)193,281; (15)5
Houle, C.R., (14)529
Housley, S., (41)200; (42)112
Houze, N., (5)179
Howard, A.N., (23)172; (24)226
Howard, J.W., (29)108
Howe, J.R., (3)389
Howlett, M.R., (30)630
Høye, Å., (17)631; (28)379
Hrabětová, E., (3)199
Hradec, J., (32)230,502,511
Hranisavljević-Jakovljević, M., (12)70; (21)123,239
Hristovski, B., (22)381
Hřivnáč, M., (3)297; (36)440; (40)359
Hrivňák, J., (20)143; (29)224; (44)437
Hrubá, A., (26)127
Hrubant, H.E., (6)94

Hruška, K., (21)350
Hsiu, H.-C., (29)391; (41)489
Hu, C.L., (19)622
Huang, C.L., (13)246
Huang, J.M.K., (22)362
Huang, J.-T., (29)391; (31)587
Hubbard, A.W., (44)465
Hubbard, R.W., (22)391
Hubble, C.M., (21)40
Huber, W., (33)378; (48)362
Hucker, H.B., (32)408
Hudson, H.R., (27)240; (29)218
Hübner, H., (19)177,277; (24)161; (38)388
Hülsen, W., (1)91
Hüttenrauch, R., (12)464; (50)529
Huff, E.A., (27)229
Hug, D.H., (24)285
Hughes, G., (16)416
Hughes, J., (11)434
Huisman, T.H.J., (7)180; (18)116; (19)160; (32)723; (40)62
Hummel, B.C.W., (8)491
Humphryes, K.C., (49)503
Huneck, S., (7)561
Hunt, F.C., (35)111; (40)465
Hunter, G.L.K., (11)11,124
Hunter, I.R., (7)288
Hunter, L.D., (20)595,596
Husain, S., (18)197,419; (22)180
Hušková, M., (49)511
Huston, B.J., (42)119
Hutzinger, O., (40)117; (44)199; (47)523
Huynh, C.-T., (28)177,194
Hyde, T.A., (34)123
Hydén, H., (32)715; (35)336
Hykeš, P., (21)122
Hyman, A.S., (45)132
Hynie, I., (19)192; (24)298

# I

Iachan, A., (2)213
Iacobelli-Turi, C., (12)255; (14)291
Iacono, J.M., (40)175
Ibberson, V.J., (20)404
Ibrahim, R.K., (42)544
Iconomou, N., (12)536; (16)29,437
Ide, M., (9)523
Iglóy, M., (20)295; (28)456; (34)546; (46)207
Iguchi, S., (24)182; (43)253
Iida, T., (41)163
Iizuka, H., (21)116
Ikan, R., (14)275,504; (15)204; (17)591; (18)422,526
Ikeda, H., (34)526
Ikeda, N., (31)289
Ikekawa, T., (12)250
Ikram, M., (11)260
Ilieva, M., (21)164; (24)263
Imai, R., (25)248
Imai, S., (14)569
Imai, Y., (36)545; (42)419
Immers, J., (15)252
Inczédy, J., (9)247; (50)112
Ingle, R.B., (8)369,386
Inglis, G.R., (20)417
Inoue, H., (47)348
Inoue, T., (42)548; (43)510
Inouye, H., (25)167
Inouye, S., (13)536
Ionescu-Stoian, F., (17)538
Iorio, M.A., (5)82
Irreverre, F., (43)127
Irvine, D.G., (20)541; (48)334
Irvine, W.J., (43)129
Irzykiewicz, H., (17)621; (29)115
Isaiah, N.H., (43)519
Ishida, K., (18)438; (22)143
Ishihara, H., (3)94; (4)376
Ishii, D., (46)241; (47)469
Ishikawa, T.T., (40)175
Ishikura, N., (32)323
Islam, A., (43)11; (49)293
Islam, M., (11)260
Ito, T., (39)61
Ito, Y., (31)650; (35)573; (43)528; (45)244
Itoh, N., (45)269
Ivanov, N., (43)66
Ives, B.F., (35)10
Ivšinová, R., (2)659
Iwańska, J., (17)615
Iwata, T., (50)400
Iyer, R.M., (11)404
Izawa, M., (26)557; (34)72

# J


Jach, J., (1)501
Jacin, H., (18)170; (36)359; (37)103
Jackson, C.P., (14)490
Jackson, K.L., (4)435
Jackson, M., (5)166
Jackson, R., (20)410; (29)252
Jackson, R.B., (16)306; (17)238; (22)251,261
Jacob, L., (50)1
Jacobs, Jr., C.S., (20)354
Jacobs, M.H., (30)215
Jacobsen, E., (50)239
Jacobson, K.B., (14)46,542
Jacobson, M., (14)22
Jacquemin, C., (5)271
Jäger, H., (3)63; (29)396
Jänchen, D., (14)261; (33)195,391
Jaglan, P.S., (46)79,108; (50)520
Jain, B.D., (2)324
Jain, S.K., (37)535; (47)546; (48)572
Jakoubková, M., (14)456
Jakovac, Z., (1)289; (2)320,411,658; (3)477
Jakovljevic, I.M., (41)136; (50)526
James, A.N., (32)64
James, A.T., (2)552; (5)265; (26)89; (46)149
James, D.B., (32)559; (35)423; (46)1
James, K., (15)324,336
James, S.P., (26)255
Jameson, D., (8)457
Jamieson, G.R., (3)464,494; (4)420; (8)544; (15)260; (17)230; (20)232; (26)8; (29)44; (39)71; (40)160; (42)304
Jamieson, W.D., (48)515
Janák, J., (3)297,308; (4)1,249; (15)15; (16)494; (18)270; (21)207; (28)285,392; (32)403; (33)132; (34)81; (36)429,440; (40)209,359; (42)1; (43)431; (44)40; (48)92,279,412
Janauer, G.E., (8)510
Jandorek, R.D., (8)355
Jangaard, N.O., (50)146
Janíček, G., (15)542
Jansen, E.F., (38)18
Janson, J.-C., (28)12
Jarboe, C.H., (19)427
Jarecki, R., (40)155
Jarm, V., (38)326
Jaroszewicz, K., (24)279
Jart, A., (23)261; (29)255
Jarvis, B.C., (20)624
Jarý, J., (26)116
Jashin, Ja. I., (49)36
Jauregui-Adell, J., (8)363
Jay, M., (45)415
Jayasinghe, W., (20)399
Jayle, M.F., (5)336
Jeanes, A., (6)80
Jeffrey, D.C., (41)475
Jeffreys, J.A.D., (21)119
Jelliffe, R.W., (12)268; (27)172
Jellinek, M.R.E., (12)39
Jeltes, R., (24)402; (27)242; (32)413
Jenkins, R.W., (38)200
Jennings, W.G., (9)244; (18)318
Jensen, D.F., (32)567
Jensen, G.D., (36)152
Jensen, H., (29)274; (39)238
Jensen, J., (10)236
Jentoft, R.E., (28)219
Jentzsch, D., (11)440
Jequier, W., (45)415
Jeralomon, D., (22)468
Jercan, E., (42)89
Jernejčič, M., (28)409; (34)89
Jerónimo, M.A.S., (5)456,546
Jeschke, W.D., (41)80
Jeso, F. di, (32)269
Jeter, J., (17)578
Jevons, F.R., (16)252
Jewell, D.M., (38)351
Jiráček, V., (2)659; (33)312
Jirsa, M., (21)122
Jössang, P., (12)413; (14)280; (31)375
Johansson, L., (45)471
Johl, R.G., (9)118; (20)605
John, K.V., (18)53
John, M., (42)476
Johnnie, D.H., (35)10
Johns, E.W., (5)91; (33)563; (34)429; (42)152
Johns, H.E., (32)356
Johnson, B.T., (33)329
Johnson, C.M., (21)202
Johnson, D.E., (47)20
Johnson, D.F., (4)446
Johnson, D.K., (44)212
Johnson, E.A., (4)429
Johnson, E.G., (22)175

Johnson, G., (16)176
Johnson, G.W., (34)316
Johnson, H., (23)142
Johnson, J.F., (4)244; (11)177; (20)1; (21)392; (28)128; (31)547
Johnson, J.H., (9)264
Johnson, L., (38)100
Johnson, M.J., (20)100
Johnson, M.K., (23)474
Johnson, R.L., (20)138
Johnson, S., (5)363
Johnston, G.A.R., (47)482
Johnston, K.M., (33)539
Johnstone, B.M., (2)513
Johri, B.N., (50)340
Jokl, J., (2)423; (13)451; (14)71; (26)208; (50)540
Jollès, J., (8)363
Jollès, P., (8)363; (44)573
Jolley, R.L., (47)272
Jolliffe, G.H., (24)76; (26)503; (31)82; (33)165; (38)257; (40)458; (48)125
Jolly, W.L., (16)214
Jones, A.S., (10)248
Jones, C.E.R., (15)263; (47)291
Jones, D., (23)172; (24)226
Jones, D.J., (15)393,407
Jones, G.R.N., (39)336
Jones, H.A., (49)558
Jones, I.D., (30)622
Jones, J., (11)349
Jones, J.D., (36)318
Jones, K., (24)106
Jones, P., (23)476
Jones, R.A., (47)130
Jones, R.T., (10)421
Jones, T.E.L., (49)448
Jones, W.A., (14)22
Jong, E. de, (37)545
Jonsen, J., (1)291
Jonsson, P., (26)194
Jordan, F.L.J., (11)421
Jordan, S., (37)256; (41)61
Jordan, W., (19)175
Jork, H., (33)297; (36)74; (48)372
Joshi, R.K., (40)440
Joustra, M., (28)21
Jovanović-Kovačević, O.Ž., (32)368
Joyce, A.E., (11)415
Judas, O., (16)340
Jüngling, S., (41)96; (42)146
Jüttner, G., (39)419
Juhlin, L., (22)130
Jumar, A., (49)329
Jungalwala, F.B., (8)535; (18)53
Jungnickel, F., (31)617; (34)560
Juniper, Jr., K., (42)548
Junod, E., (45)453
Junowicz, E., (44)342
Jurd, L., (4)369
Juret, P., (27)282
Jurischka, K., (15)538
Jurriens, G., (14)525; (18)424; (30)35
Jursík, F., (19)448; (26)339; (31)296; (34)281; (35)126; (45)319
Jutisz, M., (14)136
Juvonen, S., (20)618; (38)364

# K

Kabara, G.C., (15)267
Kabara, J.J., (13)556; (15)267
Kabot, F.J., (11)114; (13)305
Kácl, K., (7)527; (10)479; (19)192; (34)284
Kacser, H,, (20)310
Kada, T., (27)239
Kadis, B., (7)430
Kadunce, R.E., (30)204
Kämmerer, H., (11)487
Kärkkäinen, J., (20)457; (24)179
Kahán, I.L., (26)290; (34)421
Kahan, J., (30)506
Kahl, W., (29)362
Kahovcová, J., (40)90
Kaiser, C., (22)303
Kaiser, K., (26)22
Kaiser, P., (18)86
Kaiser, R.S., (39)195; (47)217
Kajganović, V., (11)492; (16)503
Kakáč, B., (48)353
Kalab, M., (35)230
Kalamár, J., (29)224
Kalbacher, B., (40)103
Kaley, G., (14)508
Kalmanovski, V.I., (18)243
Kaltenbach, U., (5)351,458
Kambara, T., (17)66; (19)478; (21)383; (27)33; (32)728; (35)318; (37)304; (38)393
Kamin, G.J., (21)460; (31)292
Kamm, L., (38)120; (43)480
Kancheva, V., (46)94
Kaneko, Z., (7)411
Kanfer, J.N., (19)611
Kannan, R., (24)433
Kanne, F., (11)120
Kański, M., (3)425
Kapadia, G.G., (12)420
Kapadia, G.J., (6)537; (12)420; (15)76
Káplár, L., (41)438; (45)63
Kapoulas, V.M., (13)128
Karagounis, G., (2)84
Karayannis, N.M., (47)247
Kardis, A.F., (27)302
Karg, H., (36)74
Karger, B.L., (39)17
Karlhuber, B., (34)351
Karlsen, J., (42)550
Karlsson, G., (44)413
Karmarkar, K.H., (26)30; (38)126
Karmen, A., (9)13,122
Karpathy, O.C., (8)308
Karr, Jr., C., (18)394
Kaser, M.M., (29)378
Kashemsanta, S., (45)471
Kashman, J., (14)275,504
Kaštelan-Macan, M., (48)35
Katabuchi, S., (43)291
Katayama, M., (32)777
Kateman, G., (8)278,280; (14)13
Kates, M., (44)256
Katrukha, G.S., (24)61; (31)685
Katz, D., (14)133; (15)269
Katz, M.A., (18)589; (31)545
Katz, S., (6)514; (40)270
Kaufman, J., (6)409
Kaufmann, G., (19)105
Kaufmann, H., (14)566
Kavčič, R., (22)381; (38)515
Kawabuchi, K., (17)567; (39)61; (47)453
Kawahara, H., (1)501
Kawai, S., (25)471
Kawamoto, K., (33)561; (36)215
Kawamura, S., (26)557; (34)72; (45)331
Kawano, Y., (50)49
Kawata, H., (35)565
Kay, A.I., (35)567
Kay, H.L., (18)189; (31)224
Kealy, M.P., (18)399
Keane, W.J., (39)17
Keates, R.A.B., (44)509
Keay, J.N., (17)177; (27)474
Keefer, L.K., (31)390; (47)20
Keele, Jr., B.B., (45)326
Keenan, R.W., (15)180
Keenan, T.W., (30)251
Keeney, M., (3)322
Kefurt, K., (26)116
Keith, G., (40)194
Keith, R.W., (1)534
Kelemen, J., (11)50
Kelleher, P.C., (34)7
Keller, C., (7)535
Keller, M., (9)525; (35)526
Keller, R.A., (2)626; (3)205; (5)225; (8)157; (9)1; (16)40; (18)349
Kelley, R.N., (34)316,322

Kelley, T.F., (22)456
Kellner, G., (2)99
Kelly, H.P., (23)428
Kelly, M., (15)264
Kelly, R.W., (43)229
Kelso, A.G., (18)156
Kember, N.F., (10)106
Kemeny, M.D., (21)40
Kemény, V., (9)525; (10)29; (14)506
Kennett, B., (10)294
Kent, J.R., (20)613
Keogh, M.K., (46)120
Kerkhoven, E., (24)56
Kern, H., (32)790
Kertes, A.S., (1)62,489,496; (2)362; (3)195
Kessler, H., (24)469
Keswani, C.L., (30)130
Kew, T.J., (24)257
Keyzer, H., (10)314
Khajuria, G.S., (19)433; (24)261
Khalkin, V.A., (26)215,225
Khan, F., (34)222,237
Khan, M.A., (8)276; (23)149
Kharatyan, S.G., (44)262
Khemani, L., (41)274
Khin, L., (11)416
Khokhar, A.R., (39)47
Khokhlov, A.S., (14)495; (19)214
Khokhlova, Y.M., (8)522
Khorana, M.L., (6)537
Khym, J.X., (47)9
Kibrick, A.C., (23)403
Kickhöfen, B., (33)558; (40)318
Kidder, D.E., (43)276
Kidder, G.W., (2)296; (31)234,326
Kienle, B., (29)287
Killander, J., (14)317
Kilroe-Smith, T.A., (41)116
Kilzer, F.T., (31)204
Kimball, H.L., (21)352
Kimmich, G.A., (12)394
Kimura, M., (41)110,458
King, Jr., A.D., (44)429
King, Jr., J.S., (20)143; (24)215
King, J.W., (49)161
King, M.O., (15)92
King, R.N., (43)332
Kinsler, D., (15)263
Kint, J., (20)48
Kinzel, H., (7)493
Király, K.E., (36)18
Kirk, A.D., (36)332
Kirk, P.L., (12)167
Kirk, W.R., (36)383
Kirkpatrick, C.H., (14)295
Kirson, I., (18)526
Kirsten, W.J., (8)531
Kiselev, A.V., (34)81; (49)84
Kisfaludy, L., (6)155
Kiso, Y., (33)561; (36)215
Kitaoka, Y., (33)561; (36)215
Kitching, L., (47)232
Kito, K., (44)205
Kitts, W.D., (38)400
Kitz, R., (49)402
Klaebe, A., (27)502
Klatyk, K., (33)80; (48)163
Klaus, R., (16)311; (34)539; (40)235; (48)446
Klausner, Y.S., (24)277; (38)152
Klaveren, F.W. van, (1)317; (3)374
Kleemann, E., (3)275
Kleihauer, E.F., (32)723
Klein, A., (36)262
Klein, E., (47)542
Klein, F.K., (47)505
Klein, P.D., (22)308; (42)493
Kleinhofs, A., (22)184
Klemm, L.H., (3)364; (6)420; (13)40; (14)300; (23)428; (30)476
Klemmer, H.W., (50)334
Klesment, I., (31)28; (37)385; (41)1
Kleuver, G.J. de, (4)26
Kley, H.K., (42)563
Kley, H. van, (34)259
Kliche, R., (22)316
Klimeš, I., (18)270
Kline, R.M., (18)409
Klingström, A., (30)605
Klinken, B., (6)524
Kljajić, R., (40)304
Kloczko, E., (2)634
Klopfenstein, C.E., (23)428; (30)476
Klopstock, J., (42)105; (50)504
Klotz, L., (12)464
Klouwen, H.M., (7)45,216
Klouwen, M.H., (7)297
Kludas, K.-H., (23)333
Klug, M.J., (36)341
Knapp, J.C.F., (20)421
Knappen, F., (5)174; (6)368
Knapstein, P., (37)83; (44)190
Knaut, T., (13)560
Knezek, B.D., (14)544
Knight, C.S., (8)205
Knight, J.A., (5)179; (6)243; (18)158; (48)526
Knobler, C.M., (32)433
Knoch, W., (20)122
Knock, P., (24)68
Knözinger, H., (16)1,217
Knudson, G.E., (38)164

Ko, S.-T., (21)490
Kobayashi, M., (33)561; (36)215
Kobayashi, T., (39)88
Kobayashi, Y., (24)447
Kočent, A., (5)542; (6)324
Koch, F., (15)314
Koch, H., (16)246
Kočiřík, M., (30)459
Kocourek, J., (14)228; (24)117
Kodama, H., (17)66
Kodicek, E., (39)75
Köffer, J.T., (15)301
König, J., (19)192
König, K.-H., (39)101
Königk, E., (37)128
Koeppen, B.H., (18)604
Kofoed, J., (23)410; (50)513
Koguchi, K., (25)398; (27)214
Kohlbeck, J.A., (46)173; (50)219
Kohlíček, J., (34)284
Kohnke, B., (26)325
Kojima, H., (29)341,382
Kok, E.C.M., (35)269; (38)224
Kolb, J.J., (2)666
Kolin, A., (17)532; (26)164,180
Kolman, Z., (9)237; (22)385; (31)632,636,640; (34)375; (44)643,649
Koloušková, V., (17)221
Kolšek, J., (12)305; (14)331
Koman, V., (45)311
Komers, R., (3)303
Kominz, D.R., (9)253
Konaka, R., (24)236; (36)545
Koning, A.J. de, (12)264
Konishi, K., (47)348
Konitzer, K., (17)180
Konopa, J., (36)540
Konopka, W., (16)99
Konrad-Jakovac, Z., (7)380; (9)106
Koob, R.P., (23)319
Korbelak, T., (41)124
Korczak-Fabierkiewicz, C., (31)538
Koren, J.F., (46)129; (47)157
Korhonen, A., (37)70
Korkisch, J., (6)530; (7)564; (8)510,516
Korol, A.N., (25)252
Korte, F., (9)381; (13)90; (14)178
Korver, O., (30)17
Korzun, B.P., (7)337
Kost, A.N., (17)520
Kostewicz, D., (44)46
Kostic, D.M., (35)297
Koštíř, J., (14)228; (24)117
Koštíř, J.V., (14)451
Kostka, K., (49)249
Kottke, B.A., (21)439; (24)99
Kouines, J.C., (12)380
Koullapis, E.N., (37)33
Kouřilová, D., (34)301
Kouznetsov, A.V., (49)21
Kováč, J., (11)412; (31)354; (35)277
Kováč, P., (49)419
Kovačičová, J., (35)277
Kovács, E., (5)274
Kovář, V., (18)100
Kovařík, L., (11)62
Kováts, E., (3)313; (8)289
Kowalczyk, J., (14)411
Kowalewski, Z., (20)188
Kowanko, N., (13)234
Kowatch, M.A., (47)369
Kowkabany, G.N., (26)141
Koyama, M., (50)338
Koza, J., (25)314,320,325
Koziol, J., (34)216
Koziolowa, A., (34)216
Kraak, W., (20)197
Kraczkowski, H., (17)288
Kraeger, S.J., (41)113
Krämer, R., (20)367
Kraft, S.C., (26)158
Kragten, J., (37)373
Králik, D., (50)379
Kramlová, M., (32)769; (34)21,370; (36)91; (37)264; (42)367; (48)90
Krampitz, G., (5)174; (6)368
Krapp, P., (29)287
Krasnec, Ľ., (30)543; (36)522; (40)440; (45)278; (48)353
Krasnoschtschokova, R., (37)385
Kratchanov, Chr., (37)297; (43)66
Kratz, P.D., (11)463
Kraus, F.E., (35)531
Kraus, K., (40)244
Kraus, K.A., (3)178,279; (11)258; (13)503; (17)549; (20)107
Kraus, Lj., (48)96,106
Krauss, M.T., (3)63
Kraybill, M., (26)434
Krčmárová, M., (40)209
Krebber, D., (25)80
Kreil, G., (28)458
Kreiner, J.G., (44)315
Krejčí, M., (34)301; (41)145
Kreyenbuhl, A., (4)130
Krichevsky, M.I., (38)526
Kriegsmann, H., (38)332
Krishnamurthy, K., (17)373
Krishnamurti, C.R., (38)400
Krishnamurti, N., (34)543; (42)267
Krishnan, R. Sivarama, (13)22
Krishnaswamy, N., (9)395

Kristinsson, H., (46)85
Kritchevsky, D., (18)599; (37)361
Kröger, H., (26)545
Kroman, H.S., (10)111; (13)242; (15)92
Kronmueller, G., (2)429
Kroon, J., (16)285
Krotoszynski, B.K., (27)431
Krowicki, K., (32)581
Krtil, J., (20)384; (21)85; (27)460
Kruger, S., (42)148
Krull, L.H., (26)336
Kruse, G., (31)531
Kruze, D., (14)194
Krzeminski, L.F., (10)515
Krzyzanowska, M., (26)424
Kubániová, O., (11)127
Kubecová, V., (33)132; (48)92
Kubeczka, K.-H., (31)319
Kubica, G.P., (27)495
Kubíček, R., (1)266
Kuc', J., (40)285
Kučera, E., (19)237
Kučera, M., (31)345; (32)53
Kucharczyk, N., (11)55
Kucsera Pápay, M., (36)18
Kudla, L., (16)217
Kudo, T., (31)210,535; (34)526
Kühnl, H., (23)149
Kuhnen, H., (41)481
Kulkarni, N.G., (34)543; (42)267
Kulkarni, V.K., (32)648
Kulonen, E., (3)372; (18)174; (21)454; (24)197
Kumamoto, J., (39)228
Kumar, S., (31)217
Kumari, G.L., (41)22
Kummer, K., (19)105
Kummerow, F.A., (16)187,448
Kundu, M.K., (41)276; (46)324
Kundu, N., (50)507
Kunsman, C.E., (31)549
Kunz, A., (23)465
Kunz, H.W., (32)786
Kupchan, S.M., (9)71
Kupfer, D., (4)500
Kupferberg, H.J., (16)558
Kurahasi, K., (24)264
Kuraku, H., (26)557
Kuranz, R., (28)446
Kuroda, R., (16)396; (17)567; (18)438,556; (22)143; (25)408; (39)61; (47)453
Kuron, G.W., (38)532
Kurotaki, K., (26)557; (45)331
Kushinsky, S., (45)381,392
Kushnir, E., (17)624
Kvist, B.E., (28)69
Kwa, H.G., (7)39
Kwa, T.L., (30)17
Kwapniewski, Z., (19)204
Kwietny, H., (2)162
Kwon, T.-W., (24)193; (31)420

# L

Labadie, R.P., (47)376,382
Lacey, A.B., (18)156
Lachese, B., (16)340
Lafer, L.I., (23)67
Lagasse, A., (43)145; (47)487
Lagowski, J.M., (20)420
Lahr, H., (20)122
Lakeland, B.R., (38)392
Lakota, S., (44)472
Lakshmanan, M.R., (18)53
Lakshman Rao, C., (5)147
Lakshminarayana, G., (39)182
Laland, S., (1)291
Lam, J., (16)157; (20)168
Lammers, J.N.J.J., (41)462
Lammi, C.J., (43)395
Lamont, T.G., (39)325
Lamotte, A., (38)296; (44)75; (45)432
Lampert, F., (5)217
Lan, L.V., (20)580
Landa, S., (42)207
Landault, C., (9)133; (13)327
Landheer, C.A., (9)245; (16)293
Landmann, W.A., (10)515
Landmark, L.H., (46)267
Lando, D., (30)143; (34)202
Lane, E.S., (18)426
Langbein, G. von, (8)442
Lange, P.W., (35)336
Langer, Jr., B.W., (50)150
Langer, S.H., (3)154
Langford, W.J., (2)564
Langham, J., (9)393
Langhammer, L., (11)369
Langner, H.J., (45)142
Lanigan, G.W., (17)238
Lanigan, M.R., (25)483
L'Annunziata, M.F., (34)270
Lansing, R.K., (5)38
Lapous, D., (42)422
Lark, P.D., (10)338
Larkham, T.W., (28)422
Larson, R.L., (43)287
Larsson, H., (11)331
Larsson, S., (41)53
Larsson, U.-B., (19)404; (22)102
LaRue, T.A., (32)784
Laruelle, L., (35)234
Lasa, J., (44)46
Lascombes, S., (3)90
Laser, M., (11)84
Laskin, A.I., (8)32
Latinák, J., (14)482
Lato, M., (34)26; (36)191; (39)407
La Torre, J.L., (41)400
Lattes, A., (6)486; (7)261; (27)502; (41)107
Lattes, F., (6)486
Laturaze, J., (1)70
Latz, H.W., (50)288
Laurence, D.J.R., (40)145
Laurent, E.P., (16)89
Laurent, T.C., (14)317; (16)89; (31)48
Lauscher, M., (24)161
Lawrence, B.M., (27)279; (38)535; (42)261; (50)59
Lawrence, D.M., (36)344
Lawrence, J.H., (35)119
Lawson, D.D., (7)266
Lawson, D.E.M., (39)75
Lawson, G.J., (4)410; (7)69; (18)47
Layne, D.S., (9)321
Lazzarini, R.A., (40)103
Lea, C.H., (21)138
Leach, A.A., (17)245
Lear, R.K., (21)40
Lebbe, J., (6)363
Lebeau, M.C., (7)293; (8)355
Lebez, D., (33)544
Le Borgne de Kaouël, C., (27)282
Lech, J.J., (42)136
Lederer, M., (1)86,172,279,289,314; (2)209,216,326,411,658; (3)290,498; (4)414; (5)341; (6)353,429,437,518,524; (7)242,366, 552; (9)255; (10)82,262; (12)89,255; (13)188,194,232; (14)238; (15)80,514; (16)524; (17)387; (20)358; (21)471; (22)200; (29)306; (31)196,618; (33)285; (34)292; (35)201,213; (37)292,333; (40)197; (43)149; (44)161; (48)387; (49)573; (50)475
Lederkremer, R.M. de, (9)283; (17)488; (18)42; (22)474
Ledin, Jr., G., (22)376; (24)288
Ledoux, L., (19)382,396; (25)135
Ledvina, M., (11)71; (31)56
Lee, D.A., (26)342

Lee, M., (10)68
Lee, N.E., (42)263
Lee, Y.C., (18)147
Leech, R.M., (34)364
Lees, E.M., (11)253; (16)360
Lees, T.M., (5)126; (8)108; (18)595
Lefebvre, M.J., (15)495
Lefort, D., (22)266
Lefort, M., (2)218
Legallais, V., (26)434
Lehmann, G., (37)422
Lehnhardt, W.F., (34)471
Lehrfeld, J., (32)685; (45)150
Lehtonen, A., (20)457; (24)179
Leibman, K.C., (32)757
Leibovich, S.J., (37)326
Leibsohn, R., (5)308
Leitch, R.E., (28)132
Lejeune, R., (3)58
Lempert, I., (14)133
Lengyel, B., (24)8
Lenhard, R., (29)396
Lenk, H.P., (43)350,355
Lenthen, P.M., (5)370
Leonhardt, J., (19)1
Leoni, V., (43)388
Lepage, M., (12)57; (13)99
Le Pogam, J., (39)238
Lepri, L., (35)396,405; (40)130,138; (42)532; (43)463; (47)442; (49)239
Lerner, J., (35)37; (37)453; (39)132; (43)395
Lerner, R.P., (26)449
Leroy, J., (19)249
Lesimple, M., (29)32
Letham, D.S., (20)184
Lethbridge, J.W., (13)199
Le Tourneau, D., (1)534
Levi, L., (17)466; (23)217
Levi, M.C., (3)193,584; (6)269
Le Viet Lan, (24)153
Levin, S.S., (42)129
Levorato, C., (32)771
Levy, M., (10)417; (13)565
Levy, R.L., (30)198; (32)740; (34)249
Lewbart, M.L., (35)287
Lewis, B.A., (11)479
Lewis, C.T., (18)158
Lewis, J.S., (5)541
Lewis, L.N., (20)421
Libbey, L.M., (14)273; (17)606
Liberti, A., (3)121; (11)101; (12)8; (15)141,510; (17)60; (18)177; (20)278; (34)96; (38)282,492; (43)497; (49)18,57
Libíčková, V., (45)278
Lichtenthaler, H.K., (13)166
Lie, K.B., (8)75
Liébecq, C., (7)130; (24)279
Liener, I.E., (32)746
Lier, J.E. van, (36)7; (41)37; (49)555
Lieu, V.T., (18)520
Ligny, C.L. de, (33)242; (35)257,269; (36)50; (38)224; (49)393
Likens, S.T., (21)1
Lin, A.L., (26)323
Lin, H.H., (27)307
Lin, S.-L., (44)203
Lin, Y., (45)161
Lin, Y.-T., (20)610; (21)158
Lind, E.L., (14)478
Linday, E.M., (3)202,503
Linden, J.C., (24)271
Lindley, H., (32)193
Lindsay, R.C., (30)251
Lindsay Smith, J.R., (36)145; (42)183,195
Lindstedt, G., (39)78; (40)316
Ling, G. van, (44)175
Lingren, W.E., (24)269
Linskens, H.F., (1)202,472; (2)578
Lippstone, G.S., (41)220
Liptay, G., (24)22; (34)1
Lipton, R., (26)412
Lisboa, B.P., (13)391; (16)136; (19)81,333; (24)475; (39)173; (48)364
Lissitzky, S., (1)309; (2)354; (7)142
Li Tschun Chi, (44)594
Litt, G.J., (20)605
Little, J.N., (16)47
Litvinov, V.P., (23)67
Livingston, A.L., (28)465
Llosa, P. de la, (14)136
Lloyd, A.G., (16)334; (21)32
Lloyd, H.J., (47)482
Loach, K.W., (6)367
Locascio, G.A., (40)453
Lock, L.C., (7)120
Locke, D., (7)273
Locke, D.C., (35)24
Locker, R.H., (19)431
Lodge, J.P., (2)615,620
Logothetis, J., (3)488
Lohr, L.J., (8)127
Lohs, Kh., (17)349
Lombard, A., (26)283
Lommer, D., (26)533
Long, Jr., L., (32)425,602
Longo, R., (49)130
Look, M., (50)145
Loomeijer, F.J., (1)179
Lopez-Gorge, J., (29)300
Lopiekes, D.V., (23)182

Lorentz, K., (30)250
Lorenz, A., (38)388
Lorenz, H., (27)267
Lorine, D.J., (35)577
Losito, R., (14)496
Losse, A., (18)482; (30)378; (39)475
Lott, J.A., (34)480
Lovelock, J.E., (1)35; (12)314
Lowden, J.A., (27)246
Lower, Jr., G.M., (31)384
Lowery, J.A., (13)467
Lu, B.C.-Y., (12)539
Luboz, M.P., (11)339; (14)539; (18)325
Lucacchini, A., (47)114
Lucas, G.H.W., (23)410; (31)538
Lucek, R., (38)54
Luckhurst, G.R., (16)543
Luckner, M., (32)93,123,141; (39)419,450
Lührsen, Kl., (29)287
Lüss, K.-D., (24)291
Luetscher, J.A., (13)350
Lüttich, W., (34)253,257; (37)205
Lugg, J.W.H., (10)272
Luinge, G.M., (1)179
Luisi, M., (15)428; (18)278; (35)430
Luke, L.A., (39)502
Lukeš, V., (3)303
Lukow, B.J., (15)258
Luly, A.M., (19)624
Lund, E.D., (31)549
Lundberg, W.O., (24)357; (30)237; (34)195,241; (35)66,113; (38)267; (40)225
Lundström, J., (30)271; (36)105
Lurie, A.O., (21)113
Luscombe, M., (3)75
Lyke, W.A., (7)424
Lynch, M.J., (18)595
Lynes, A., (15)108; (23)316; (30)117
Lynn Co., D.Y.C., (26)442
Lysyj, I., (11)173,320

# M

Ma, J.C.N., (21)151
Ma, V., (16)407
Maa Bared, A.G., (36)120
Macaraeg, Jr., P.V.J., (31)255
McArthur, M.J., (34)342
McAuley, F., (50)513
McCloud, G.T., (5)541
McComb, E.A., (19)622; (40)125
McConkey, B.H., (27)479
McCormick, D.B., (12)394; (21)419
McCormick, H., (40)1
McCoy, T.A., (37)458
McCready, R.M., (22)195
McCreary, T.W., (14)544
McCullough, J.F., (38)508
McCullough, T., (37)545; (44)188
McCully, K.A., (44)67; (48)567
McDermott, I.T., (38)392
McDonald, H.J., (1)259; (4)34; (10)443
MacDonald, R., (12)266
MacDonald, S.A., (38)160
Mace, A.W., (41)105
Macek, K., (4)156; (9)60; (19)170; (22)71; (31)455; (33)257,332; (48)1
McEvoy-Bowe, E., (7)485
McEwen, D.J., (9)266
McFadden, W.H., (18)10
McGeer, E.G., (14)107
McGeer, P.L., (20)147
McGivern, P.W., (40)53
McGlashan, D.A.K., (26)346
McHale, D., (10)42,158
Machiroux, R., (22)234
Macias R., F.M., (34)342
Maciejewicz, W., (17)333; (22)176
McInnes, A.G., (1)556
McInnes, C.A.J., (19)486
McIntosh, J.E.A., (23)61
McIsaac, W.M., (31)446
Mackay, K.M., (29)223
Macke, G.F., (36)537; (38)47
McKendell, L.V., (1)259
McKeown, G.G., (5)395; (16)454
McKibbins, S.W., (5)207
McKone, C.E., (36)234; (44)60
Maclean, I., (44)256
MacLeod, M., (40)31
McMartin, C., (22)274; (23)232; (41)188; (43)72
MacMurray, T.A., (47)277
McNally, S., (21)160
McNiven, N.L., (21)352
McOmie, J.F.W., (2)284; (4)108
McSweeney, G.P., (17)183; (33)548
McWilliam, I.G., (6)110,359
Maczek, A.O.S., (29)7,15; (30)25
Madarič, A., (42)509
Madecka-Borkowska, I., (13)251
Madelmont, C., (22)266
Madsen, B.C., (50)288
Maeda, H., (50)151
Maehly, A.C., (3)190
Maehr, H., (30)572
Mäkelä, P., (29)369
Mäkinen, K.K., (39)96
Magee, D., (15)97
Maggs, R.J., (15)471
Magnusson, O., (5)90
Magon, L., (19)57
Mahadevan, V., (24)357; (30)405; (43)492
Mahapatra, G.N., (11)265
Maher, T.P., (10)324
Mahlum, D., (1)534
Mahon, M.E., (6)91; (17)338
Mahr, G., (16)216
Maia, M.O., (8)245
Maier, Jr., C.L., (32)577
Maier, H.G., (45)57; (50)329
Maier, H.J., (8)308
Maier, R.H., (14)544
Maier, V.E., (11)295; (15)461
Maihs, A.E., (4)65
Maihs, E.A., (5)9
Maini, P., (42)266
Majer, J., (26)208
Majer, J.R., (48)322,328,334
Majlát, P., (20)187
Majumder, S.K., (17)373
Mak, E.Y.K., (6)420
Makarova, S.B., (49)40
Makeš, J., (15)371
Makisumi, S., (11)327; (12)106
Maksimov, V.I., (47)361
Malaiyandi, M., (38)160
Malcolme-Lawes, D.J., (44)609
Malíková, J., (9)301
Malins, D.C., (14)529

Málková, H., (41)423
Mallet, V., (48)478
Mallik, K.L., (6)220
Malone, C.T., (30)215; (35)475
Malý, E., (7)422; (19)206; (40)190
Mamaril, J.C., (17)23
Mancini, P., (12)89
Mancusi, J.L., (19)445
Mandel, P., (49)255
Mandeles, S., (3)256
Manecke, G., (34)125
Mangeney, G., (14)209
Mani, V.V.S., (39)182
Mankinen, C.B., (36)112; (47)509
Mańko, R., (33)40
Mann, C.K., (1)386
Manner, L.P., (21)430; (30)514
Mannering, G.J., (7)258
Manners, M.J., (43)276
Manning, M., (38)396
Mano, D.B., (7)346
Mansfield, M.D., (37)33
Mantel, M., (17)624
Manthei, R.W., (31)128
Manthey, J.A., (19)522
Marafuschi, A.M., (29)311
Marais, J.P., (27)321
Maravalhas, N., (44)617; (50)413
Marazović, Lj., (27)450
Marchelli, R., (47)523
Marchi, W.J. de, (47)482
Marcinkiewicz, S., (10)35,42,158,184,354,366,372,389
Marco, C. de, (3)20; (18)492; (20)500
Marcucci, F., (11)270; (17)576; (18)431,487; (20)266; (25)11; (26)481; (37)318
Marcuse, R., (7)407
Mardashev, S.R., (6)53
Mareš, P., (32)745; (42)435
Marescotti, V., (15)428; (18)278; (35)430
Margosis, M., (37)46; (47)341
Margraff, R., (26)555
Marián, M., (42)117
Mariani, T.L., (34)78
Marić, M., (21)123
Marigo, M., (31)171
Marini-Bettòlo, G.B., (1)182,411; (5)82; (7)329; (11)238; (32)178; (45)407
Marini-Bettòlo, R., (35)213; (43)149
Marino, A., (31)601
Marino, G., (46)103
Marino, V.S., (46)125
Marjanović, V., (37)234; (39)81
Markiw, R.T., (47)111
Markman, B., (11)118
Markovetz, A.J., (36)341
Marks, R.E., (13)344
Marletta, G. Pertoldi, (46)255; (50)304
Marlier, M., (47)176,182
Marquez, J.A., (34)210
Marsden, K., (44)481
Marshall, L.M., (2)615,620; (15)97; (29)103
Marson, R., (24)269
Martelli, A., (21)349
Martelli, H.L., (4)347; (6)159; (8)227
Martin, D.R., (50)209
Martin, E.C., (7)120; (10)338,347
Martin, E.J., (34)537
Martin, G., (39)322
Martin, G.C., (15)95
Martin, K.D., (16)519
Martin, L.F., (28)139
Martin, R.H., (16)34; (25)15
Martin, S.B., (2)272; (31)204
Martin, W.G., (35)230
Martinage, A., (35)168
Martins, P.M., (32)188
Martinsson, A., (24)487
Martinsson, E., (50)429
Márton, J., (10)29
Maruhn, D., (40)254
Mary, N.Y., (42)411
Marzo, A., (44)611
Marzona, M., (32)755
Masi, R.V. de, (28)33
Maskaleris, M.L., (23)403
Masłowski, K., (18)609
Mason, L.H., (2)322
Mason, V.C., (46)317
Masoomi, Z., (48)581
Massaglia, A., (11)339; (14)516,539; (17)316; (28)495
Massart, D.L., (18)144; (32)195; (45)453
Masson, C.R., (48)515
Massucci, M.A., (11)394; (30)579,584
Master, R.W.P., (14)205
Masuda, E., (31)650
Matarama, M., (45)147
Mathieu, P., (28)371
Mathis, C., (12)94
Matičič, M., (12)305; (14)331
Matray, F., (47)552
Matsen, J.M., (12)145
Matsuhiro, B., (9)283
Matsui, F., (44)109
Matsumoto, K., (10)400; (27)423
Matsumoto, N., (11)562
Matsuo, I., (49)308
Matsuo, M., (49)323
Matthes, S., (17)189

Matthews, H.R., (36)302
Matthews, J.S., (9)195,331
Matthews, R.W., (20)190
Matthews, W.S., (27)187
Matthias, W., (2)434; (3)501; (6)333; (26)41; (27)326; (33)316
Mattocks, A.R., (27)505
Mattok, G.L., (16)254
Mattox, V.R., (48)123
Mattsson, K., (50)534
Matula, R.A., (34)77; (35)217
Matysik, G., (32)458; (48)57
Mauger, A.B., (37)315
Mauron, J., (21)19
Mautner, H.G., (21)342
Maw, G.A., (14)552
Maximov, O.B., (20)160
Maxwell, M.A.B., (31)62; (35)223
Mayer, D., (26)434
Mayer, E., (15)228
Mayer, H., (33)514
Mayer, J., (30)632
Mayer, R., (15)153
Mayo, M.M. de, (33)526
Mázor, L., (16)218,221; (19)181; (20)221; (23)42; (25)260; (29)24; (34)157; (36)18; (38)317
Mazzei, M., (31)196; (35)201; (37)292; (40)197; (44)161
Mead, J.F., (43)120
Mecke, R., (7)1
Medwick, T., (9)118
Medwied, M., (11)307
Meeker, J.E., (17)252
Meera Bai, B., (6)264; (7)507
Mees, G., (31)594
Mefferd, Jr., R.B., (35)469
Mehdi, R., (32)592; (47)119
Meienhofer, J., (50)151
Meier, H., (44)362,374
Meijboom, P.W., (18)424; (24)427
Meijer, J.W.A., (6)535
Meisel, T., (46)312
Melamed, N., (4)339
Melicow, M.M., (26)412
Mellett, L.B., (43)376
Melø, T.B., (46)129; (47)157
Meloan, C.E., (11)472; (12)15; (17)23; (27)250; (45)220
Meltzow, W., (19)177,277; (38)133,388
Melzacka, M., (49)541
Menchini, G.F., (35)430
Mendel, A., (17)411; (40)303
Mendoza, C.E., (50)92
Menge, P., (44)362,374
Menke, K.H., (7)86
Menkés, G., (25)124
Mennis, A., (19)130
Meňšík, P., (32)502
Menzel, P., (44)189,190
Mercer, D., (3)545
Mercer, E.I., (46)161
Mercier, D., (1)67
Merciny, E., (22)164; (26)471; (31)510; (35)549
Merkaš, J., (41)91
Merkus, F.W.H.M., (41)497
Merlin, J.-C., (38)296; (44)75; (45)432
Merryfield, D.S., (17)257
Mes, J., (38)120; (43)480
Mesrob, B., (21)135
Mesrob, B.K., (24)440; (46)94
Messerschmidt, W., (33)551; (38)156; (39)90
Mešťan, J., (9)237
Mets, M. de, (43)145; (47)487
Metzler, D.E., (35)376
Meyer, A.C., (30)228
Meyer, G.M., (19)304
Meyer, M., (8)442
Meyer, P.D., (48)538
Meyers, E., (14)129; (26)531
Meyniel, G., (29)190; (39)167
Mezei, C., (34)103
Mezzetti, T., (34)26; (36)191; (39)407
Miana, G.A., (11)260
Mibe, K., (48)143
Micev, I., (24)432
Michailov, M., (50)103
Michajlova, S., (12)22
Michal, J., (33)38
Michalec, Č., (4)254; (9)237; (12)374; (20)594; (22)385; (24)228; (28)489; (31)632,636,640,643; (34)375; (36)369,553; (41)267; (44)643,649
Michálek, M., (39)33
Michel, W., (25)303
Michelson, D.C., (14)258; (20)107; (25)414
Michl, H., (1)93; (2)380
Micklem, H.S., (34)180
Micks, D.W., (8)129
Middlehurst, J., (10)294
Mikeš, F., (26)378; (43)1
Mikeťuková, V., (24)302; (34)284; (47)427,435
Mikulski, J., (17)197
Milborrow, B.V., (19)194; (20)180
Millar, G.J., (14)496
Millar, K.R., (21)344
Miller, E.E., (2)519
Miller, G.L., (3)570,576; (7)33
Miller, J.K., (32)408
Miller, J.N., (49)567

Miller, R.L., (11)409
Millett, M.A., (15)115
Millson, M.F., (50)155
Milne, H.B., (34) 551
Milton, A.S., (8)417
Min, B.H., (24)463
Minczewski, J., (7)98,568
Minshall, E., (8)369,386
Minyard, J.P., (29)80,88
Minyard, Jr., J.P., (30)43
Miranda, F., (2)354; (7)142
Miranda delle Monache, E., (45)407
Mishkin, A.R., (18)170
Mistryukov, E.A., (9)311,314
Mital, R.L., (37)535; (47)546; (48)572
Mitchell, A.R., (43)266
Mitchell, L.C., (30)269
Mitchell, T.H., (32)17,417
Mitchell, V.E., (16)410; (39)139
Mitta, A.E.A., (45)328
Mittal, J.P., (11)404
Miyazaki, S., (39)88
Mizany, A.I., (31)96
Mizell, M., (5)157
Mizelle, J.W., (28)427
Mizrahi, I., (25)230
Mizsei, A., (20)295; (28)456; (34)546; (46)207
Mizuhara, S., (10)439
Mlytz, H., (34)59
Moczar, E., (31)561
Moczar, M., (31)561
Modica, G. di, (7)133; (32)755
Modreanu, F., (1)554
Modugno, G., (15)420
Möhrle, H., (34)264
Möller, H.G., (14)560
Moffat, A.C., (30)199
Moghissi, A., (11)389; (13)542
Mold, J.D., (10)398
Molho, D., (31)375
Molitoris, K., (34)399
Mollica, A., (44)493
Molnár, F., (26)215,225
Mon, T.R., (12)410; (18)10
Monache, F. delle, (32)178
Mondino, A., (30)100; (39)262; (41)156; (50)260
Mondovi, B., (3)20
Monk, P.R., (30)203
Monkman, J.L., (26)456; (28)317
Montalvo, Jr., J.G., (47)542
Monteil, A., (50)274
Monteiro, H.J., (18)594
Monteoliva, M., (29)300
Moody, G.J., (16)350; (18)530
Moor, P. de, (30)226
Moore, G.E., (26)456; (28)317
Moore, T.B., (1)513
Moore, W.E., (38)522
Moreno Dalmau, J., (48)118
Moretta, L., (44)493
Moretti, G., (22)41; (40)410; (44)493; (47)186
Moretti, J., (31)565
Morgan, M.E., (9)379
Morgan, M.J., (17)252
Morgantini, M., (9)536
Mori, I., (2)569; (20)627
Mori, S., (46)137; (47)224; (49)230; (50)419
Moriarty, C.L., (44)425
Morie, G.P., (16)201
Morita, K., (12)412
Morpurgo, L., (50)475
Morris, C.J.O.R., (16)167
Morris, L.J., (12)321; (20)27; (27)287; (31)69; (33)471
Morrison, J.I., (40)289
Morrison, M., (20)399
Morrison, W.H., (34)35
Morrison, W.R., (47)277
Morse, R.S., (25)144
Morton, A.D., (28)480
Morton, T.C., (27)180
Mosby, J.R., (12)420
Moscatelli, V., (10)82; (11)238; (13)194
Moschetto, Y., (35)168
Moseman, R.F., (49)432
Moses, V., (9)241; (12)219
Moseva, L., (38)287
Mosher, F.R., (18)595
Moshy, R.J., (35)94; (36)359; (37)103
Mosin, V.A., (47)361
Moss, C.W., (42)108
Moss, G.W., (41)350
Moss, K.C., (36)332
Most, B.H., (38)136
Most, Jr., C.F., (34)551
Mosti, R., (18)492
Moszczyńska, J., (2)640
Mots, A. de, (15)361
Moule, H.A., (11)77
Moureu, H., (6)363
Moussebois, C., (1)200; (37)364
Mowery, Jr., D.F., (28)415
Moye, C.J., (13)56
Moza, P.N., (24)261
Mózsik, Gy., (45)478
Muccini, G.A., (40)225
Müller, A., (17)618
Müller, E., (24)469
Müller, M., (32)222; (37)216

Müller, S., (7)137
Müller-Penning, T.J., (27)290
Mui, M.M., (44)452
Muju, B., (20)122
Mukai, J.-I., (21)498; (33)557
Mukerjee, H., (14)551
Mulder, J.L., (24)250
Mulé, A., (30)600
Mulé, S.J., (39)302
Mulhern, B.M., (34)556
Muller, M., (30)410
Mullick, D.B., (28)471; (39)291
Mulligan, Jr., L.T., (43)376
Munari, S., (20)447; (31)202
Munday, K.C., (47)1
Mundschenk, H., (25)380; (37)431; (38)106; (40)393
Munier, R., (1)524
Munier, R.L., (12)542; (13)143; (22)336,347
Munk, V., (4)241
Munro, A.C., (44)178
Munter, F., (6)61
Murachi, T., (44)205
Murai, A., (14)100
Murai, N., (41)110
Murakami, M., (28)344
Murase, T., (13)503; (14)478
Murawec, T., (29)235; (37)359; (42)129
Murayama, K., (41)458
Murphy, M.J., (50)539
Murphy, R.F., (46)120
Murphy, W.S., (29)218
Murrai, J.D., (22)139; (27)271
Murray, Jr., J.F., (18)612; (41)121
Murray, K.E., (34)174
Murthy, B.G.K., (32)519
Murthy, M.R.V., (8)129
Muscholl, P., (14)439; (15)39
Musgrave, A., (36)388; (41)470
Musil, F., (11)117; (47)116
Mussini, E., (11)270; (17)576; (18)431; (20)266; (25)11; (26)481; (37)318
Muthu, M., (17)373
Muto, M., (50)349
Mutschler, E., (40)244; (42)131
Mutt, V., (24)205
Muxart, R., (3)96
Muzzarelli, R.A.A., (47)414
Myszkowski, L., (17)615

# N

Nachbaur, E., (2)562; (15)228
Nadeau, G., (1)327; (2)544; (6)164
Naeumann, R., (18)385
Naff, A.S., (11)496
Naff, M.B., (11)496
Nagasawa, H.T., (21)146; (44)300
Nagasawa, K., (39)282; (43)473; (47)408
Nagel, C.W., (41)410
Nagel, J.H., (42)121
Nahrstedt, A., (50)518
Naimy, N.K., (43)536
Nair, P.P., (42)271; (43)223; (47)513
Nakagomi, Y., (22)143
Nakai, T., (50)338
Nakajima, S., (43)444
Nakamoto, H., (45)24
Nakamura, T., (43)291
Nakatani, M., (37)343
Nakayama, T.O.M., (13)354
Nambara, T., (25)248; (31)210,535; (34)526; (50)400
Namkung, M.J., (43)536
Nano, G.M., (21)349
Narain, C., (26)248
Narasimhachari, N., (27)494
Narayan, K.A., (16)187
Narayan, S., (16)187
Nash, N., (12)421
Nassi, P., (33)553
Nast, H.-P., (27)499
Nau, H., (48)132
Nauman, L.W., (4)42; (34)102; (36)398; (41)456
Naumann, D., (45)351
Naumović-Stevanović, O., (19)613
Nayak, U.R., (26)54
Neales, T.F., (16)262
Nealey, R.H., (14)120; (21)312
Nedelčeva, L., (24)432
Neethling, L.P., (34)419
Neher, R., (1)122,205; (8)145; (12)329; (25)109; (48)7
Nelson, D.F., (12)167
Nelson, F., (3)279; (11)258; (13)503; (14)255,258,478; (16)403,538; (20)107,378; (25)414
Nelson, J.W., (28)465
Nemec, J., (26)116
Nerdel, F., (3)351
Nešić, S., (21)239
Neskovic, N.M., (27)488; (35)297; (49)255
Nesterov, V.V., (31)360
Netušil, J., (2)659
Neu, R., (11)364; (4)489
Neubert, G., (20)342
Neudoerffer, T.S., (21)138; (44)629
Neuenschwander, P., (5)515
Neufeld, E., (35)445
Neuhäuser, S., (39)53
Neumann, D., (16)414
Neurath, G., (34)253,257; (37)205
Neuzil, E., (21)355; (29)274; (39)238
Neville, G.A., (34)85
Newburgh, R.W., (11)376; (34)103
Newell, H.A., (32)737
Newton, P.R., (11)173
Ney, K.H., (27)289; (41)473; (43)404
Nicholas, R.A., (43)61
Nicholls, C.H., (11)327; (12)106
Nicholls, P.J., (17)416
Nickerson, G.B., (21)1
Nickless, G., (2)284,372; (4)108; (5)68; (7)248; (8)507; (9)227,485,506,513; (10)73,78,212,215; (11)312,383,534,542; (12)527; (13)48,224; (14)1; (15)211,223,393,407,518,533; (16)207; (17)157,472; (19)28; (22)23,139,286; (27)271; (37)1; (40)192,283; (49)180,187
Nicolaides, N., (4)496
Nicolaus, B.J.R., (4)384; (5)519
Nicot, C., (13)273; (31)565
Niec, A., (31)255
Niederwieser, A., (21)326; (29)133
Nielsen, K.H., (10)463
Niemann, A., (9)117
Niemierko, W., (26)424
Niessen, H., (9)111
Nigam, I.C., (6)274; (17)466; (23)217; (24)188; (25)230; (34)85
Nigam, M.C., (6)274
Nigam, R.N., (36)440
Nikkari, T., (3)372; (20)457; (36)244
Nikolayev, A.Ya., (6)53
Nikolin, B., (35)99; (44)184
Nikolski, A., (29)235
Niquette, K., (29)378
Nishimura, S., (14)46

Nishinuma, K., (7)411
Nishizawa, E.E., (10)493
Niwaguchi, T., (43)510
Noack, S., (39)419
Nobles, W.L., (28)478
Nobuhara, A., (30)235
Noë, R;. (2)308
Noiret, R., (34)415
Noirfalise, A., (16)236; (19)68; (20)61; (31)594; (36)347; (37)197
Noller, C.H., (24)325
Noma, A.T., (43)399
Nomiyama, H., (44)386
Nomiyama, K., (44)386
Nomoto, M., (41)458
Nomura, N., (42)226
Norcup, J., (44)251; (49)215
Nordby, H.E., (24)257
Nordlander, S., (3)190
Nordwig, A., (39)326
Norman, R.O.C., (7)438
Norstedt, I., (22)102
Norymberski, J.K., (26)258
Nota, G., (34)96; (38)282; (46)103
Novák, J., (4)249; (28)285,391,392; (31)137; (35)83; (42)1; (43)431,437; (48)412; (50)385
Nover, L., (32)93,123,141; (39)419,450
Novitskaya, G.V., (18)20; (40)422
Novotný, M., (45)256,469
Nozawa, Y., (35)573; (43)528; (45)244
Nunes da Costa, M.J., (1)47; (5)456,546
Nunez, J., (5)271
Nunn, R.F., (6)182
Nussbaum, J.L., (49)255
Nusynowitz, M.L., (34)278
Nutter, L.J., (35)519
Nya, A.E., (43)547
Nybom, N., (14)118; (26)520; (28)447; (38)382
Nyc, J.F., (8)75
Nygaard, P., (30)240
Nygren, R.E., (43)25
Nyhan, W.L., (32)662
Nyström, E., (17)574; (24)205,208,212

# O

Oades, J.M., (28)246
Oakey, R.E., (8)2; (11)355
Oates, M.D.G., (28)232
Obreiter, J.B., (16)226
Obréténov, Tz., (43)66
O'Brien, D., (29)398
O'Brien, F., (20)178
Obst, D., (32)8
O'Carra, P., (50)458
Occolowitz, J.L., (5)373
Odavić, R., (40)90
Odense, P.H., (9)531
Öbrink, B., (31)48; (37)329
Ördögh, M., (4)319; (25)464
Oertel, G.W., (8)486; (14)509; (24)480; (44)189,190
Oesch, M., (14)526
Oette, K., (32)439; (48)430
Offner, H.G., (11)320
Ogamo, A., (47)408
Ogata, J.N., (35)17; (36)529; (46)110; (50)142
Ogawa, H., (13)536
Ogger, J.D., (25)95
Ogilvie, J.L., (5)418
Ogston, A.G., (48)393
Oguma, K., (31)289; (42)96
Ohara, K., (7)411
Ohashi, S., (24)300; (25)398; (27)214; (41)429; (43)291; (50)349
Ohloff, G., (3)351
Ohmori, S., (10)439
Ohsuga, K., (42)226
Ohuchi, A., (16)396
Ohzeki, K., (21)383; (27)33; (37)304; (38)393
Ojeda, A. del Pozo, (48)118
Okabayashi, T., (9)523
Okazawa, Y., (41)110
Oksanen, A., (38)364
Olácsi, I., (41)438; (42)19
Olafsson, P.G., (24)222
O'Laughlin, J.W., (21)460; (24)376; (31)292; (32)567
Olson, A.C., (43)399
Olson, A.O., (35)292
Olson, G.G., (16)176
Olson, J.H., (27)1
Olund, S.A., (9)431
Onuma, N., (16)396
Onuška, F., (32)403; (34)81; (40)209
Ooij, W.J. van, (42)432
Oostendorp, J.G., (42)552
Opieńska-Blauth, J., (3)415; (7)321; (17)288
Orme-Johnson, W.H., (11)549
Ormerod, E.C., (2)65
Ortiz, E., (32)757
Ory, R.L., (5)153
Osborn, R.H., (34)110; (35)436; (40)219
O'Shea, P.C., (17)245
Osman, F., (26)286
Ossicini, L., (7)351; (8)404; (9)114; (10)262; (12)89; (13)188; (14)238; (15)514; (16)524; (17)387,625; (19)412; (21)471,500; (22)200; (34)292; (42)154; (50)475
Osske, G., (12)63
Osteux, R., (1)70
O'Sullivan, M., (25)485
Oswald, E.O., (45)437
Osyany, M.S., (14)98; (19)12
Otsuka, H., (25)1
Ott, D.G., (9)393
Otter, G.E., (49)462
Otterburn, M.S., (43)382
Ouellette, R.P., (24)465; (29)247
Ough, L.D., (6)80
Ourisson, G., (12)94
Overend, W.G., (21)160
Overfield, C.V., (30)339; (31)1
Ovodov, Yu.S., (26)111; (31)527; (36)531
Ovodova, R.G., (26)111
Owen, Jr., C.A., (21)439; (24)99
Owsiak, T., (44)46

# P

Padayatty, J.D., (34)259
Pade, A., (34)549
Padiglione, C., (10)82; (13)561
Padley, F.B., (39)37
Pagé, M., (50)66
Pagès, M., (21)105
Pagington, J.S., (28)422; (36)528
Pahuja, D.N., (40)449
Pairent, F.W., (4)80
Pal, S.K., (31)569
Palamand, S.R., (40)152
Palazzeschi, L., (31)519; (44)141; (45)464
Palmer, J.K., (30)208
Palo, J., (50)534
Palombari, R., (20)278
Pályi, I., (9)176
Pan, S.C., (2)428,433; (8)32,449; (9)81
Panek, A., (5)308; (15)103
Panek, A.D., (2)211,566
Pantages, G., (12)104
Pantazoplos, G., (3)154
Pantel, P., (44)392
Pantiukhina, L.S., (20)160
Panton, L., (29)103
Papaioannou, S., (32)746
Pápay, M. Kucsera, (36)18
Pape, D., (19)375
Paquin, R., (12)57
Paraskevopoulos, G., (25)479
Parekh, C.K., (17)261
Parihar, D.B., (21)261; (24)230,443; (26)292; (27)276; (29)120,258; (31)120,551; (43)524; (46)261
Paris, R.R., (31)252
Parissakis, G., (22)449
Parker, C., (8)457
Parker, F., (34)35
Parker, K.J., (38)136
Parkhurst, R.M., (13)69,240
Parkinson, R.T., (24)412; (36)551; (37)310
Parmentier, F., (6)481,484
Parmentier, G., (4)228
Parr, W., (50)510
Parrish, F.W., (32)425,602
Parrish, J.R., (18)535; (33)542
Parsons, P.M., (43)276
Parups, E.V., (36)318
Pasalis, J., (20)407
Pascalău, M., (8)410
Pascaud, M., (10)125
Pascha, C.N., (13)408
Pásková, J., (4)241
Pasqualini, J.R., (5)336
Pasquini, J.M., (41)400
Passera, C., (14)289
Passeron, S., (18)342
Pastuska, G., (7)128; (10)517
Pasupathy, C.V., (35)117
Pataki, G., (11)50; (12)541; (16)541,553; (17)327,580; (21)133; (23)465; (29)126,133; (33)103,391; (37)499; (43)457,551; (45)284
Patel, A.B., (35)103
Patel, A.N., (34)529
Patin, D.L., (17)488
Patwardhan, V.V., (39)510
Paul, W., (45)381,392
Paulis, J.W., (14)486
Paulose, M.M., (21)141
Paulus, E., (5)9
Paulus, H.J., (17)628
Paunio, K.U., (39)96
Pavlenko, A.F., (36)531
Pavlíček, M., (7)19; (9)92; (10)497; (11)556
Pawelkiewicz, J., (3)359
Payne, R.B., (40)171
Payne, R.H., (37)118
Payne, S.N., (15)173
Paysant, P., (3)25
Peacock, C.J., (40)192
Pearce, E.M., (2)108
Pease, E.C., (30)344
Pechan, Z., (10)104
Pechová, H., (48)250; (49)511
Peck, P.F., (6)248; (12)81
Pecka, J., (14)97
Pedrotti, A., (14)289
Peeters, H., (2)308; (43)132
Peeters, J., (32)598; (36)241
Pegg, G.F., (28)429
Peixoto Cabral, J.M., (4)86
Pejković-Tadić, I., (12)70; (21)123,239
Pejša, K., (14)464
Pela, A., (38)492
Pellizzari, E.D., (40)285
Pelouch, V., (41)423

Penna-Herreros, A., (14)536
Penner, M.H., (49)340
Pennington, S., (27)250
Pennington, S.N., (32)406; (35)572; (36)400
Pennisi, F., (28)495
Penzes, L., (44)189
Perdih, A., (38)515
Pereda V., A.L., (9)331
Perkins, H.J., (47)395
Perrett, R.H., (7)455
Perron, R., (22)266
Perrone, J.C., (2)213
Perry, E.S., (20)506
Perry, M.B., (44)614
Perry, R., (48)328
Perry, S.G., (23)468; (24)32; (37)97; (38)209; (47)291; (50)547
Perry, T.L., (12)358; (38)460
Persmark, U., (37)121
Persson, A., (1)269
Pertoldi Marletta, G., (46)255; (50)304
Peschke, W., (20)572
Peters, J.H., (47)269
Peters, K.A., (43)256
Petersen, D.F., (9)445
Peterson, E.A., (5)330
Peterson, P.J., (8)70; (38)301; (48)575
Peterson, R.E., (27)304; (31)250
Peterson, R.F., (4)42
Petit, J., (22)266; (29)190; (39)167
Petránek, J., (5)254,408
Petrelli, F., (3)377
Petrović, S.E., (21)313
Petrović, S.M., (21)313
Petrowitz, H.-J., (3)351; (7)128; (10)517; (26)515; (33)280; (40)462
Petru, F., (31)296; (34)281; (45)319
Petryka, Z.J., (37)76; (38)100; (50)447
Petschik, H., (7)135; (9)307; (31)369
Petsev, N., (20)15; (23)382; (30)332; (34)310; (42)311; (49)175
Pettersson, G., (12)352
Peurifoy, P.V., (5)418
Pfeifer, H.L., (41)500
Pfeifer, S., (24)364; (41)127
Pfenninger, E., (49)558
Pflaum, R.T., (50)120
Pfordte, K., (21)495; (39)506
Pfrepper, G., (44)594
Pfrommer, H., (18)403
Philipp, L.J., (20)299
Philippe, R.J., (20)250
Phillips, C.S.G., (5)131; (18)1; (29)7,15
Phillips, D.M.P., (37)132; (46)320
Phillips, F., (30)237,405; (35)66; (38)267
Phillips, G.T., (9)366
Phillips, H.O., (17)549; (20)107
Phillips, J.T., (30)211
Phillips, R.F., (40)309
Phillips, W.F., (19)147
Phillipson, J.D., (24)84; (31)427; (32)692,704; (48)493
Picard, J., (7)223; (42)396
Pickard, E., (32)64
Pickering, W.F., (1)274; (4)477,481,485; (47)86
Picotte, P., (43)141
Pictet, G., (4)396
Pierce, J.S., (28)94
Pierce, T.B., (6)248; (12)74,81; (23)457; (24)141
Pierson, M.D., (14)486
Pietrzak, J., (44)633
Pifferi, P.G., (43)530
Pikulíková, Z., (50)540
Pileggi, V.J., (36)351
Pillay, D.T.N., (32)592; (47)119
Pinelli, A., (42)271; (43)223; (47)513
Pines, H., (9)34
Pinsky, A., (32)426; (38)411
Pinson, Jr., R., (28)104
Pinto, I.P., (5)5; (6)416
Piontek, R.W., (27)317
Piper, E.A., (5)265
Piras, R., (8)63
Pires, O., (6)159; (8)227
Piretti, M., (36)181
Piringer, O., (8)410
Pirotta, A., (3)343; (6)467
Piskorski, J., (5)332
Pispisa, B., (6)544
Piti, T., (31)337
Pitra, J., (33)220
Pitt, E.E.H., (7)248
Pittman, F.T., (24)348
Pittoni, A., (32)422
Pittsley, J.E., (6)80
Plaček, K., (36)1; (43)1; (48)295
Plácido, R., (41)400
Plá Delfina, J.M., (48)118
Planche, N.E., (30)600
Plaquet-Schoonaërt, Th., (3)25
Plesničar, B., (22)381; (38)515
Pleterski, J., (50)510
Pluchet, E., (3)290
Pocchiari, F., (5)377; (49)53
Pocklington, W.D., (44)465
Podmore, D.A., (20)131
Podojil, M., (4)91
Pogacar, P., (29)287; (40)155
Pogam, J. Le, (39)238

Pohl, P., (42)75; (49)488
Pohloudek-Fabini, R., (2)525; (13)139; (22)490; (24)291
Pokorný, J., (10)15; (33)267
Polderman, J., (16)510
Polezzo, S., (7)477; (11)19
Pollak, I.E., (8)413
Pollak, O.J., (11)559
Pollak, V., (45)189,200; (46)247; (50)19,30,39
Pollard, F.H., (2)1,284,372; (4)108,196,451; (5)68; (7)248; (8)507; (9)227,485,493,506,513; (10)73,78,212,215; (11)312,383,534,542; (12)527; (13)48,224; (14)1; (15)211,223,393,407,518,533; (16)207,231; (17)157,472; (19)28; (22)23,139,286; (27)271
Polo Friz, L., (39)253
Polson, A., (5)116
Polvani, F., (18)278
Polzhofer, K.P., (43)404
Pomerance, W., (38)148
Pomeranz, Y., (19)540
Pomonis, J.G., (40)78
Pompowski, T., (39)344
Ponchon, G., (35)53
Ponte, Jr., J.G., (34)116
Pontis, H.G., (15)277,495
Poole, C.E., (34)364
Poole, G., (32)356
Popa, Gr., (42)89
Popják, G., (4)214; (40)377
Popov, A., (16)256; (24)432
Popov, A.D., (37)533
Popov, Ch., (24)263
Popov, Kh., (21)164
Popova, M., (37)297; (43)66
Popova, Ya., (21)164; (24)263
Popowicz, J., (7)271
Popplewell, J.A., (49)462
Porath, J., (7)385; (42)376
Porcellati, G., (18)168
Porcelli, G., (28)44
Porges, E., (14)286; (24)478
Porgesová, L., (14)286; (24)478
Porteous, J.W., (2)58
Porter, L.A., (19)427
Porter, N.G., (28)469
Porter, R.S., (11)177; (21)392
Porter, W.L., (3)434; (30)190
Portugal, A.V., (12)183
Poser, H., (32)87
Poshkus, D.P., (49)146
Posner, H.S., (10)250
Pospíšilová, K., (48)207
Possanzini, M., (38)492; (39)99
Posternak, Th., (31)614
Potgieter, D.J.J., (31)235
Potter, R.S., (3)202
Potthast, K., (42)558
Poulet, F., (19)312
Poulson, R.E., (3)406
Pour, J., (32)2
Pourchez, A., (22)266
Povey, N., (46)33
Powell, J.E., (29)210; (32)559; (35)423; (36)99; (44)212
Powell, S.S., (32)451
Powell, T.G., (43)241
Powers, D., (31)446
Powning, R.F., (17)621; (29)115
Poy, F., (18)487
Pozo Ojeda, A. del, (48)118
Prakash, O., (43)524; (46)261
Prandi, C., (48)214
Prange, F., (43)543
Prášilová, J., (14)555
Pratt, M.W.T., (46)200
Praus, R., (48)535
Preetz, W., (41)500
Premru, L., (28)409; (34)89
Prescher, D., (32)337
Prescott, J.M., (23)280; (43)260
Pressey, R., (16)248
Previtera, S.A., (13)571
Price, J.C., (26)509; (27)187
Price, S., (23)182
Price, T.D., (26)412
Pridham, J.B., (2)605
Principe, P., (8)32
Prins, H.K., (2)445
Prinzler, H.W., (19)375; (29)142,151
Přistoupil, T.I., (19)64; (23)329; (25)58; (26)121,127,331; (28)49,89,124; (32)769; (34)21,370; (36)91; (37)264; (42)367; (48)90; (49)550; (50)536
Privat de Garilhe, M., (30)143; (43)202
Privett, O.S., (35)519
Procházka, Ž., (48)113
Procházková, V., (21)402; (29)239
Proksch, G.J., (27)509
Pronay, A.C., (18)586
Prusík, Z., (32)191
Prusíková, M., (2)304
Prydz, S., (32)732; (46)129,267; (47)157
Przeszlakowski, S., (50)162
Przyborowska, M., (42)516
Przybylowicz, E.P., (20)506
Pučar, Z., (2)320; (3)477; (4)261; (7)380; (9)106; (27)450

Puccetti, G., (43)388
Püschel, F., (32)337
Pugnetti, G., (19)589
Pullan, B.R., (31)217
Pullen, B.R., (26)346
Pulley, A.P., (24)271
Purcell, J.E., (24)335
Purdie, J.W., (23)242; (38)346
Purdy, S.J., (14)62
Purnell, J.H., (7)455
Putter, I., (50)405

# Q

Quaas, D., (22)316
Quarmby, C., (34)52
Quast, R., (41)386
Quattrone, J.J., (12)171
Quercia, V., (15)86; (37)190,194
Quereshi, S.Z., (22)198
Quesnel, V.C., (24)268
Quincey, R.V., (27)496
Quinche, J.P., (13)203; (22)149; (32)162
Quinche-Sax, S., (32)162
Quinney, P.R., (49)161
Qureshi, M., (8)276; (22)198; (34)222,237

# R

Raaen, H.P., (35)531; (38)403; (39)515; (44)522
Rabaey, M., (43)145
Raban, P., (45)328
Rábek, V., (33)186
Rabenort, B., (17)594
Rabinovitch-Mahler, N., (37)463
Rabitzsch, G., (35)122; (37)241,350,476; (41)96; (42)146
Rachinskii, V.V., (33)234
Rackis, J.J., (23)487
Radice, M., (44)103
Radin, N.S., (20)392
Radola, B.J., (38)61,78
Ragheb, H.S., (19)147
Ragnarsson, U., (30)243
Rahman, A., (23)312
Rahman, W., (48)484
Raiteri, M., (19)435
Raith, G., (47)414
Raj, R.K., (44)199
Rajagopal, N.S., (24)217
Rajagopalan, K.V., (2)531
Rajama, J., (29)369
Rajcsányi, P., (41)438
Rajiah, A., (38)35
Rálek, M., (28)209
Rall, H.T., (20)240; (25)34
Rallo, F., (7)552; (8)132
Ramachandran, S., (27)494
Ramamurti, K., (14)490
Ramaut, J.L., (31)243,580
Rammelt, R., (31)279
Ramponi, G., (33)553
Ramsden, D.B., (35)575; (41)259
Ramshaw, E.H., (10)268,303
Randerath, E., (10)509; (16)111,126; (22)110; (31)485,500
Randerath, K., (6)365; (10)235,509; (16)111,126; (22)110; (31)485,500
Ranft, G., (11)369
Rangone, R., (50)436
Rangoonwala, R., (41)265
Ranz, R.J., (43)141
Rao, A.P., (9)250; (19)630
Rao, T.S., (26)30; (38)126; (47)265
Rao, V.N.V., (24)283
Rapoport, H., (47)505
Rapoš, P., (31)354
Raridon, R.J., (3)178
Rasmussen, H., (26)512; (27)142
Ratković, S., (46)326
Ratney, R.S., (11)111; (26)299
Raunda, V., (34)35
Raulin, J., (15)186; (42)422
Ravenhill, J.R., (26)89
Rawat, J.P., (34)237
Rawitch, A.B., (20)613
Ray, B.R., (30)428
Rayner, H.L., (22)476
Razevska, D., (35)434
Read, J.F., (38)200
Reade, M.J., (48)328
Recondo, E., (16)415; (18)342
Recourt, J.H., (30)35
Redgwell, R.J., (21)129; (30)231
Redman, C.M., (15)180
Redman, D.G., (46)107
Reeck, G., (24)269
Reed, D., (3)364
Reed, III, T.M., (9)419
Reeves, R.L., (47)217
Regan, A.F., (31)209
Reich, W., (33)70
Reichel, W.L., (26)304
Reichler, A.S., (42)355
Reichstein, T., (3)63
Reid, E.H., (17)230; (20)232; (26)8; (29)44; (39)74; (40)160; (42)304
Reid, P.E., (20)163; (36)152; (47)195,199
Reinauer, H., (19)453
Reinbothe, H., (48)551
Reiner, E., (27)495
Reinhard, E., (16)99
Reinišová, J., (44)643
Reio, L., (1)338; (4)458; (5)86; (13)475; (47)60; (48)11
Reiss, D., (21)355
Reiss, J., (6)209; (7)447; (16)7; (49)301
Reithel, F.J., (46)286
Relph, S.J., (33)494
Relvas, M.E.A., (6)505
Remijnse, A.G., (33)242; (35)257
Remmers, V., (32)760
Remy, P., (31)609
Renard, M., (4)339
Rendig, V.V., (19)622; (40)125

Rendina, M.A. Ciasca, (3)111; (45)407
Renshaw, A., (8)343
Renwick, J.A.A., (20)134; (28)399
Repaš, A., (35)99; (44)184
Reshetov, P.D., (14)495; (19)214
Ress, J., (47)474
Ressler, N., (6)409
Reuther, K.-H., (9)376
Revol, L., (28)371
Reynolds, B., (27)187
Řezníček, J., (43)437
Rheenen, D.L. van, (37)341
Ribeiro, L.P., (10)443
Rice, J.O., (11)349
Rich, K.M., (26)327
Richard, E., (44)383
Richard, J.J., (24)376
Richards, E.L., (18)605; (20)171
Richardson, B.J., (26)248
Richardson, G.S., (12)115
Richardson, K.E., (15)50
Richardson, M., (35)497
Richert, C., (9)262
Richter, E., (18)164
Richter, G., (10)108; (14)439; (15)39
Richter, J.J., (37)55; (39)79
Richtering, H., (24)1
Rider, L.J., (26)449
Riegelman, S., (21)268
Rieman, III, Wm., (28)132; (29)194
Riess, J., (19)527
Rigali, L., (29)309
Rigler, R., (31)48
Říha, J., (49)511
Rihani, D.N., (18)150
Rijks, J.A., (14)13
Riley, C., (6)182
Rimington, C., (6)350; (28)112
Rinderknecht, H., (16)407
Rindi, G., (1)545
Rindt, W., (24)480
Rink, M., (12)249,415; (14)523; (20)415; (21)143; (24)219,220; (25)80; (29(396
Ritchie, A.S., (10)281
Ritchie, J.F., (10)205
Ritschard, W.J., (16)327
Ritter, F.J., (1)461; (3)482; (12)469; (19)304; (47)376,382
Riva, M., (36)269; (40)386; (42)464; (45)264
Rivero, A.M., (7)133
Rivers, J.B., (50)334
Rizzardi, G., (30)640
Roach, D., (43)303,311; (44)269
Robbins, L.A., (13)361
Robert, L., (31)561
Roberts, D.J., (27)407
Roberts, G.P., (22)90
Roberts, J., (34)112
Roberts, R.M., (47)287
Robertson, J.G., (13)262
Robinson, D.W., (31)538
Robson, A., (20)616; (31)284
Robson, J.W., (7)409
Robson, P., (17)501; (27)300
Robyns, E., (38)408
Robyt, J.F., (24)68
Roch, G., (31)618
Rochat, H., (7)142
Rochelmeyer, H., (40)244; (42)131
Rochlitz, J., (24)414; (27)311
Rockenbauer, M., (42)19
Rockland, L.B., (16)547
Roda, G., (46)315; (47)261
Roecker, G.W., (18)608
Röder, E., (42)131
Rönsch, H., (30)149
Roeske, R.W., (43)266
Rössler, H., (48)163
Rogers, D.E., (9)227; (17)157
Rogers, L.B., (25)213
Rogers, R.N., (48)268
Rogozinski, M., (8)429; (10)114; (11)307; (42)105; (50)504
Rohrbaugh, L.M., (35)570
Rohrschneider, L., (17)1; (22)6; (39)383
Rojowska, M., (27)206; (32)364
Rollins, C.B., (14)534; (16)555
Romanoff, E.B., (22)192; (39)510
Rommel, M.A., (18)349
Ronayne, M.E., (24)131
Ronca, G., (47)114
Ronkainen, P., (11)228; (20)403; (27)374,380,384; (28)253,259,263,270,440,443; (45)341
Roomi, M.W., (9)295; (16)106; (21)324; (24)93
Roos, J.B., (5)500
Roozemond, R.C., (41)270
Rorem, E.S., (4)162
Ros, A., (19)185
Rosa, J., (47)238
Rosa, U., (14)516; (16)334; (17)316; (28)495
Rose, H.C., (39)17
Roseau, G., (44)392
Roseira, A.N., (23)483
Rosenberg, H., (2)487
Rosenblatt, D.H., (13)271
Rosenfeld, L., (9)522
Rosenfeld, R.S., (7)293; (8)355
Rosenkranz, H.S., (30)549
Rosenkranz, S., (30)549

Rosenstein, M.J., (34)114
Rosenthal, W.A., (13)152; (29)378
Rosett, Th., (18)498; (49)308
Rosi, D., (9)388
Rosmus, J., (6)187; (7)19; (8)537; (9)92; (10)497; (11)110,556; (14)537; (18)435; (20)514; (30)614; (41)423
Rosmus, P., (15)153
Ross, J.M., (14)37
Rossi, C., (5)377; (28)30; (30)278
Rossi, L., (30)278
Roth, D., (24)285
Roth, H.G., (38)522
Roth, M., (30)276
Rothbart, H.L., (28)132; (29)94
Rother, A., (5)178
Rothstein, F., (18)36
Rothwell, M.T., (9)227; (10)212; (11)383; (17)157
Roudná, M., (41)145
Roughan, P.G., (29)293
Roux, D.G., (1)537; (4)65; (5)9; (10)473; (17)396
Roversi, G.D., (24)407
Rowbotham, T.R., (30)62
Rowe, J.J.M., (47)195
Rowe, J.W., (13)74
Rowe, K.L., (47)195
Rowland, J., (5)330
Rowland, M., (30)199
Rowland, S.P., (28)139
Rowlands, R.J., (6)58
Rozumek, K.-E., (40)97; (48)53
Rózylo, J., (33)90,96
Rózyło, J.K., (46)204; (49)313
Ruck, B., (27)485
Ruckdeschel, A., (44)362,374
Rudder, J. de, (30)143; (34)202
Rudescu, K., (41)236
Rudolph, A., (31)479
Rübner, H., (27)510
Rücker, G., (49)317
Rüdiger, H., (17)186
Rüdiger, R., (17)186
Ruffini, G., (3)343; (6)467; (17)483
Ruis, A., (45)291
Rumpf, G., (43)247
Rumsby, M.G., (34)461; (42)237
Rumsey, T.S., (24)325
Ruoff, A.L., (3)239,438
Rusaniwskyj, W., (4)252
Ruseva-Atanasova, N., (21)207
Russel, D.W., (4)251; (19)199
Russell, C.S., (25)163
Russi, S., (4)117
Ruth, J.M., (20)250
Ruvarac, A., (13)549
Ruyle, C.D., (38)473
Ruzicka, J., (30)92
Ruzicka, J.H., (31)37; (32)17; (33)430; (34)14; (37)369; (41)180
Ruzicka, J.H.A., (44)251; (49)215
Rye, T., (5)88

# S

Sabino, S.O., (9)180; (11)344; (13)435
Sacher, R., (16)99
Sachs, L., (18)170
Sackmann, H., (18)482
Sacks, R.M., (47)509
Saeman, J.F., (5)207; (15)115
Sági, F., (39)334
Saglietto, G., (17)13; (18)297; (34)389; (35)309
Saha, A., (7)155,165
Sahli, M., (14)526
Saif-ur-Rahman, Sheikh, (38)400
Saini, A.S., (19)619; (24)484; (26)539; (43)554; (49)349
Saint-Firmin, A.R., (31)252
Saitoh, K., (27)33; (35)318; (38)393
Sakagami, Y., (45)269
Sakharov, V.M., (25)252
Sakodynsky, K., (19)624; (20)358; (38)240,244,287; (49)2,76
Salamé, M., (16)476
Salas, N.G.B. de, (45)328
Salganicoff, L., (26)434
Salhanick, H.A., (7)430; (8)359
Sallaberger, G., (44)651
Sallee, T.L., (49)552
Sallmann, H.-P., (32)258
Sallusto, F., (20)226
Salumaa, T., (8)355
Salvatori, T., (35)211
Salvetti, F., (12)255; (14)291
Samban, M.A. Siva, (32)519
Samuel, P., (14)508
Samuels, S., (32)751; (43)272
Samuelson, J.S., (26)158
Samuelson, O., (12)236; (19)404; (22)102; (26)194; (30)556; (50)429
Samuelson, T.J., (16)231
Sander, E.G., (21)419
Sandhoff, K., (34)357
Sandhu, R.S., (35)136
Sandoval, A.A., (20)374
Sandroni, S., (33)201; (44)290; (48)46
Sands, F.L., (13)246
Sanecka, M., (3)415; (7)321
Sanfelippo, P.M., (13)148
Sangster, A.W., (3)92
Sankar, D.V. Siva, (43)135
Sankpal, T.K., (29)333; (32)648
Sant, B.R., (6)220
Santini, G., (49)560
Sapira, J.D., (42)134
Saracino, F., (15)80; (16)524; (17)425
Saraswathy, P.K., (24)217
Sardi de Valverde, J., (40)410
Sardini, D., (44)611
Sarma, A.R.K., (19)630
Sarma, P.S., (2)531
Saroff, H.A., (9)122; (11)327; (12)106
Sarraff, A., (3)168
Sarrazin, G., (12)542; (13)143; (22)336,347
Šaršúnová, M., (48)353; (50)442
Sartorelli, L., (3)377
Sartori, A., (3)343
Sasaki, T., (24)452
Sasse, W.H.F., (13)234
Sassu, G.M., (34)394
Sastri, M.N., (9)250; (19)630
Satterlee, L.D., (41)417
Saunders, D.L., (44)1
Saus, A., (45)113
Sautière, P., (2)225; (3)85; (35)168
Savard, K., (14)492
Savi, C., (15)428; (18)278
Savignac, A. de, (7)261
Savin, M.-C., (34)180
Savory, E., (14)549
Sawardeker, J.S., (20)260
Sawicki, E., (17)120,252; (18)512; (20)348; (23)142; (26)72; (30)522; (31)109; (37)508
Sax, S., (22)149
Saxby, M.J., (37)312; (43)129
Saxena, K.N., (8)546
Saxena, S., (21)495; (22)493
Sayegh, J.F., (24)417,422; (31)213
Sazonov, M.L., (49)153
Scala, J., (15)546
Scardi, V., (1)285,287
Schaad, R., (41)120
Schabort, J.C., (31)235
Schaffner, C.P., (30)572
Schaltegger, K.H.,, (19)75
Schanderl, S.H., (26)442
Schantz, M. v., (20)618; (38)364

Schay, G., (11)151
Scheel, D., (40)318
Scheffler, I., (50)529
Scheja, H.W., (16)194
Schenk, U., (39)482,491
Schepartz, A.I., (6)185; (23)319; (35)37; (37)453; (39)132; (40)299; (42)415; (43)399
Scheuer, P.J., (19)175
Schillinger, G., (31)561
Schindler, O., (3)63
Schinkmannová, L., (30)614
Schirmer, Jr., W., (5)541
Schlitt, H., (12)469; (33)208; (44)290; (48)46
Schlosser, A., (6)540
Schlunegger, U.P., (20)23,452; (22)229; (24)165; (26)1; (27)237
Schmandke, H., (14)123
Schmer, G., (28)458
Schmid, O.J., (3)499
Schmidt, D.D., (23)471
Schmidt, G., (9)121
Schmidt, G.H., (10)190
Schmidt, M., (43)543
Schmidt, R.-D., (27)326
Schmitt, H., (32)760
Schmitt, R., (42)53
Schmitz, G., (27)413
Schmitz, M., (30)35
Schnackerz, K., (6)61
Schneer, A., (4)319
Schneider, Gernot, (19)358
Schneider, Gerold, (31)612; (37)348
Schneider, Gisela, (37)348
Schneider, H.A.W., (21)448
Schneider, J.J.,, (35)287; (37)89; (48)509
Schnitzerling, H.J., (20)621; (21)483; (27)272
Schön, A., (13)266
Schönfeld, T., (4)222
Schoenfelder, C.W., (7)281
Schönhard, G., (28)385
Schoental, R., (44)396
Schomburg, G., (14)157; (23)1,18; (46)329
Schoote, J. van, (17)612
Schormüller, J., (43)103
Schorn, H., (18)69
Schoumacher, C., (31)510
Schrader, L., (48)53
Schrager, J., (28)232
Schraml, J., (9)154
Schrauwen, J., (23)177
Schrauwen, J.A.M., (2)578; (10)113; (15)256
Schreiber, E.C., (24)463
Schreiber, K., (12)63; (19)358; (30)149
Schreiner, H.R., (7)573
Schreiner, U., (40)155
Schriftman, H., (35)567
Schröder, E., (17)189
Schroeder, H., (6)361
Schroeder, H.A., (30)537
Schroeder, H.J., (10)392
Schroeder, W.A., (10)421; (12)358; (23)248; (26)465
Schröter, H.-B., (16)414
Schürmann, P., (39)507
Schütz, G.P., (13)119
Schuller, P.L., (31)237
Schulte, K.E., (49)317
Schultz, O.-E., (32)346; (43)175
Schuntner, C.A., (20)621; (21)483; (27)272
Schuring, F., (49)325
Schutte, L., (47)464
Schwab, G., (22)474
Schwab, G.-M., (50)161
Schwachula, G., (24)297
Schwarting, A.E., (5)178
Schwartz, A.N., (20)154
Schwartz, D.P., (3)322; (9)187
Schwartz, J.H., (3)491; (30)619; (34)549
Schwartzenburg, Jr., F., (23)134
Schwarz, V., (31)217
Schweiger, A., (9)374; (17)602; (19)201; (34)498
Schwenke, K.D., (22)187
Schwerdtfeger, E., (7)418
Schwiersch, G., (42)124
Schyns, R., (36)549; (44)207
Ścislowicz, A., (46)204
Scora, R.W., (13)251; (19)601
Scott, C.D., (42)263; (47)272
Scott, R.M., (44)633
Scott, R.P.W., (2)65; (11)1; (15)471; (45)208
Scott, R.W., (49)473
Scrignar, C.B., (14)189
Scrubis, B., (5)137
Šebesta, F., (14)555
Secor, G.E., (15)111
Secret, D.W., (47)199
Seeliger, A., (13)573
Seely, J.H., (44)618; (45)52
Šefčovič, P., (42)258
Segel, K.H., (5)177
Seibles, L., (11)349
Seiffert-Eistert, B., (37)422
Seikel, M.K., (15)115
Seiler, N., (28)351
Seki, T., (2)667; (3)376; (4)6; (10)400; (22)498; (27)423; (29)246; (42)503
Selegny, E., (47)552; (49)269

Sellinger, O.Z., (27)269
Selman, G.G., (3)531
Seltzer, J., (7)293
Selucký, M., (28)285
Selzer, G.B., (30)630
Sembdner, G., (19)358
Semenuk, G., (21)27
Semenza, G., (18)359,366
Seminario de Bohner, L., (17)513
Semlyen, J.A., (18)1
Semonský, M., (9)60; (50)442
Sen, B., (6)220
Sen, N.P., (20)147
Senanayake, U.M., (32)75
Senf, H.-J., (21)363; (27)331
SenGupta, J.G., (6)220
Senió w, A., (3)586
Šenkýřová, J., (36)512; (43)1
Sensi, P., (5)519
Serfas, O., (26)495
Servello, F., (6)544
Sessa, D.J., (23)487
Sesták, Z., (1)293
Seth, J., (38)139
Ševčík, V., (4)91
Sevendal, E.S., (23)403
Severin, M., (26)101; (47)176,182
Severson, R.F., (40)78
Sewell, P.A., (50)10
Sgoutas, D.S., (16)448
Shabtai, J., (1)508; (2)406; (8)349; (11)32; (18)302
Shah, D.H., (40)449
Shahrokhi, F., (36)31
Shane, B., (41)483
Shank, P.L., (43)272
Shankar, J., (9)461
Shannon, J.C., (44)307
Shapiro, I.L., (18)599
Shapiro, J.S., (38)1
Sharma, R.K., (19)433; (29)393
Sharma, S.P., (21)261; (24)230,443; (26)292; (27)276; (29)120,258; (31)120,551; (43)524
Sharpless, N.E., (12)401
Shasha, B., (14)532
Shaw, D.H., (41)350; (44)614
Shaw, P.E., (47)507
Shaw, R., (18)584
Shcherbakova, K.D., (49)21
Sheikh Saif-ur-Rahman, (38)400
Shekosky, J.M., (27)317
Shellard, E.J., (24)76,84; (26)503; (31)82,427; (32)472,489,692,704; (33)165,347; (35)72; (38)257; (40)458; (48)125; (49)541
Shelley, W.B., (22)130
Sheltawy, A., (11)113
Shepherd, G.F., (44)399
Shepherd, G.R., (9)445
Sheppard, G., (40)312
Sherma, J., (7)273; (17)307; (19)458; (25)153; (26)327; (31)439,589; (38)54; (41)220
Sherwood, C.R., (44)67
Shibata, S., (21)116
Shields, J.B., (50)92
Shields, J.K., (36)372
Shifrine, M., (14)297
Shigley, J.W., (2)440
Shih, T.-B., (41)489; (44)635
Shiho, D.-I., (42)226
Shin, Y.S., (30)634
Shipman, W.H., (50)157
Shipton, H.W., (48)538
Shoemake, G.R., (12)314
Shōji, J., (26)306
Shone, G., (15)200
Shopov, D., (44)170
Shorland, F.B., (2)547; (23)61
Shorr, L.M., (8)429; (10)114
Shotton, P.G., (32)64
Shukla, S.K., (1)457; (6)353,429; (8)96,501; (9)255,455; (10)93; (11)93; (17)391; (21)92
Shulgin, A.T., (30)54
Shulman, S., (7)293
Shupack, S.I., (24)491
Shyluk, J.P., (26)268
Sica, V., (28)26
Sicilio, F., (5)179; (6)243
Siegfried, C.M., (44)452
Siekierski, S., (4)60; (5)161; (16)376,385; (17)542; (19)580; (21)98
Sieper, H., (13)90; (14)178
Sievers, G., (25)373
Signor, A., (17)506
Sijde, D. van der, (2)436
Silaev, A.B., (24)61; (31)685
Silbermann, K., (22)460
Silipo, C., (46)132
Siliprandi, N., (3)377
Silvestri, S., (37)200
Simard-Savoie, S., (38)143
Simkin, P.A., (47)103
Simmons, D.L., (43)141
Simmons, J.H., (27)253
Simmons, K.R., (44)193
Simon, A., (9)224
Simon, H.L., (50)118
Simon, J., (36)241; (44)209

Simond, J., (41)205; (50)274
Simone, L. di, (37)213
Simone, V. de, (37)538
Simonis, W., (19)440; (41)80
Simpson, B.W., (39)186
Simpson, E.C., (17)420
Simpson, K.L., (13)354
Simpson, N.I.M., (31)217
Simpson, P., (43)72
Simpson, Jr., S.B., (5)157
Simpson, T.H., (34)110; (35)436; (38)24; (40)219
Sims, R.J., (32)761
Sims, R.P.A., (8)538
Sinclair, H.B., (49)543
Singh, C., (18)194
Singh, E.J., (2)95; (3)146; (23)180; (27)431; (29)229; (31)20
Singh, P.I., (43)554
Singhal, S.P., (2)324
Sinha, V.R.P., (44)624
Sinibaldi, M., (42)154
Siniscalchi, P., (44)493; (47)186
Sipman, C.B.J., (37)341
Sipos, J.C., (9)531; (10)131; (13)337; (16)298
Sirois, J.C., (13)173
Sisenwine, S.F., (48)555
Sissons, D.J., (33)435; (47)328; (48)468
Sisterson, J.M., (37)33
Sivarama Krishnan, R., (13)22
Siva Samban, M.A., (32)519
Siva Sankar, D.V., (43)135
Sjöquist, B., (50)251
Sjöström, R., (50)251
Sjövall, J., (17)574; (24)205,208,212
Skalka, M., (33)456
Skammelsrud, K.S., (32)732
Skelly, N.E., (21)257
Skelton, G.S., (35)283
Skinner, C.G., (11)549
Skinner, W.A., (13)69,240
Skolik, J., (3)273
Skořepa, J., (42)435
Skvaril, S., (45)483
Slanski, J.M., (35)94; (36)359; (37)103
Slater, G.G., (22)478
Slawson, V., (25)204
Sleeter, R.T., (49)543
Slegers, J., (36)241
Slentz, R.D., (44)563
Slessor, K.N., (20)163
Sliwiok, J., (19)204
Sloan, B.P., (42)426
Slomiany, B.L., (49)455
Sloneker, J.H., (20)260
Sloot, D., (24)451
Slump, P., (34)401
Sly, D.A., (15)247
Smart, N.A., (30)626
Smeds, S., (44)148
Šmíd, F., (36)553
Smillie, R.M., (4)494
Smirnov, M.M., (31)360
Smith, A., (43)503
Smith, C.J., (34)7
Smith, D.A., (14)129
Smith, D.B., (49)308
Smith, D.C., (8)491
Smith, E., (20)176
Smith, E.C., (2)440
Smith, F., (11)479
Smith, F.W., (22)500
Smith, H., (41)138
Smith, H.J., (14)499
Smith, I., (26)449; (28)494
Smith, J.F., (5)300; (6)293; (8)303,541; (9)147; (28)277; (30)325; (36)489
Smith, Jr., J. Graham, (49)308
Smith, J.L., (50)405
Smith, J.R. Lindsay, (36)145; (42)183,195
Smith, L.C., (48)268
Smith, L.L., (3)381; (8)17; (9)339; (26)509; (27)187; (36)7; (41)37; (49)555
Smith, L.W., (20)270
Smith, M.A., (9)528; (18)366; (41)228
Smith, N.L., (47)15
Smith, O.E., (39)228
Smith, P., (30)273; (33)508; (37)111; (39)496; (41)262; (45)230
Smith, R.E., (44)629
Smith, S.J., (31)226
Smith, S.R., (5)461
Smith, W., (34)364
Smith, Jr., W.F., (22)296
Smits, P., (20)397
Smouse, T.H., (13)244
Smulek, W., (19)580
Smyth, R.B., (5)395; (16)454
Snatzke, G., (5)217; (8)110
Snow, S.E., (47)395
Snyder, F., (21)318
Snyder, H.E., (38)250; (41)417
Snyder, L.R., (5)430; (6)22; (8)178,319; (11)195; (12)488; (13)415; (15)344; (16)55; (17)73; (18)461; (20)463; (23)388; (25)274; (28)300,432; (36)455,476; (44)1
Snyder, R.E., (38)351
Snydman, D.R., (36)390
Sobolewski, G., (1)327; (2)544; (6)164
Sochacka, R.J., (16)376,385

Soczewiński, E., (3)252; (5)170; (7)311; (8)119; (11)275; (17)333; (22)176; (27)206; (32)364,458; (33)40; (40)431; (42)516; (45)1,121; (48)57
Söderqvist, B., (28)21
Soep, H., (6)122
Sokolov, D.N., (47)320
Sokolowska, T., (13)269
Solbach, H.G., (32)760
Šolc, J., (10)479
Šoljić, Z., (39)81
Solle, M., (17)180
Solomon, P., (30)593
Solov'eva, T.F., (26)111
Somfalvy, E., (2)327
Sommerau, J., (32)230
Sommerville, I.F., (37)33; (41)22
Sondheimer, E., (8)413
Sonntag, F.I., (26)544
Sorantin, H., (50)103
Sorby, D.L., (20)607
Sorcini, M., (28)55
Soru, E., (1)380; (17)538; (20)325; (41)236
Sosi, S., (17)316
Soto, E.F., (17)513; (41)400
South, D., (10)513
Souto, J., (46)274
Souza, N.O. de, (15)103
Spafford, N., (13)556
Spaner, S., (13)152
Spannheimer, H., (16)1
Spatorico, A.L., (29)277
Spedding, D.J., (18)76
Speed, D., (35)497
Spencer, C.F., (4)244; (11)108
Spencer, J.H., (44)342
Spencer, N., (6)498; (30)566
Spencer, R.D., (21)52
Spencer, R.P., (21)342
Spengler, D., (49)205,329
Spichale, W., (22)316
Spiegl, P., (39)93
Spincer, D., (10)215; (11)542; (13)224
Spitz, H., (42)384
Spitz, H.D., (29)94
Spooner, Jr., J.R., (14)300
Sporer, A.H., (2)499
Spotswood, T.M., (2)90; (3)101; (10)397
Spranger, D., (17)608
Spratt, J.L., (16)253
Sprecher, M., (32)426
Sprince, H., (3)97; (8)457
Springgate, R., (6)409
Sprott, W.E., (17)355
Sproviero, J.F., (9)283
Šrámek, J., (9)476; (11)524; (12)453; (15)57
Srch, M., (28)146
Srebrnik-Friszman, S., (23)305
Sreenivasan, A., (47)400
Sri Ram, J., (14)551
Srirangarajan, A.N., (47)400
Stabilini, R., (28)135
Stadler, L., (40)264
Stadler, P., (17)587
Stahl, E., (5)351,458; (33)273; (37)99; (39)157; (40)308
Stahmann, M.A., (9)233,528; (18)366; (41)228
Staib, W., (8)25; (32)760
Stambaugh, J.E., (31)128
Stambaugh, R.L., (3)221
Stamm, H.-H., (10)392
Stamm, O.A., (26)79
Stammbach, K., (16)22
Stan, H.-J., (43)103
Stancher, B., (38)7; (39)318; (43)207; (47)209
Staněk, J., (19)572
Stanford, F.G., (4)419; (11)125
Stanley, C.W., (16)467; (40)289
Stanley, G., (34)174
Stanley, T.W., (17)120; (18)512; (20)348; (26)72
Stanworth, D.R., (15)324,336
Staple, E., (1)385
Starcher, B.C., (38)293
Stárka, L., (2)304; (4)334; (12)347; (17)599
Staszewski, R., (36)429,440; (40)359
Staudenmayer, W.J., (20)506
St. Cyr, M.J., (47)284
Stead, J.B., (42)470
Steck, W., (19)564
Stedman, D., (38)460
Stedman, R.L., (4)252; (11)409
Steele, J.A., (19)300
Steele, J.W., (25)367; (36)22; (40)370
Steele, R.S., (30)232
Steen, I., (43)558
Stefaniak, B., (44)403
Stefanis, V.A. de, (34)116
Stefanov, K.L., (37)533
Stefanović, V.D., (5)453
Stefanovich, V., (31)466,473
Stegemann, H., (3)150
Steger, A., (11)122; (18)374; (25)442
Steger, E., (7)135; (9)307; (31)369
Stegink, L.D., (48)538
Stehelin, D., (43)93
Stehlik, G., (34)128
Stein, R.A., (6)118; (25)204
Steinacker, H.G., (26)533
Steinbach, F., (15)432

Stenersen, J., (38)538
Stenesh, J., (47)108
Štěpán, J., (24)298
Stephen, A.M., (47)97
Stephen, K.H., (10)262
Štěrbiková, J., (34)370; (36)91; (42)367
Stern, D.J., (33)539
Stern, F., (19)130
Stern, J.S., (30)632
Stern, R.L., (39)17
Sternberg, J.C., (2)53; (3)406
Steven, F.S., (8)417
Stevens, P.J., (14)269; (36)253; (43)282
Stevens, R.K., (10)398
Stevens, T.S., (34)480
Stevenson, F.D., (35)577; (47)555
Stevenson, G.T., (37)116
Steward, J.H., (45)400
Stewart, D.J., (19)215
Stewart, G.H., (3)239; (9)1; (12)150
Stewart, H.N.M., (37)97; (38)209
Stewart, I., (10)404
Stewart, J.W., (9)233
Steyn, P.S., (45)473
Stiehl, A., (43)278
Stillwell, R.N., (19)22
Stitch, S.R., (11)355
Stith, L.S., (36)372
Stitt, C., (45)381,392
Stock, R., (50)10
Stölzer, C., (9)224
Störiko, K., (7)385
Störl, H.J., (40)71
Stojiljković, A., (12)70
Stoll, U., (44)537
Šťota, Z., (19)572; (20)143; (29)224
Stowe, B.B., (16)226
Stoyanovitch, F.M., (23)67
Stránský, Z., (8)125; (10)456; (28)146
Strašek, J., (4)254
Stratmann, D., (43)490
Štrauchová, O., (32)780
Straus, A.E., (20)1
Street, H.V., (7)64,523; (22)274; (23)232; (29)68; (37)162; (41)358; (48)238,291
Streeter, C.L., (32)424
Stretton, R.J., (44)399; (45)155
Streuli, C.A., (47)355
Strickland, R.D., (24)455
Strickler, A., (5)185
Strickler, H., (8)289
Stringham, Jr., R.M., (50)345
Strite, J.A., (11)496
Strmecki, M., (28)429
Strocchi, A., (36)181
Strömberg, L.E., (47)27; (49)334
Strom, R., (29)182
Stroński, I., (17)197
Strother, A., (45)362
Struck, H., (6)365; (36)74
Štrych, A., (35)179
Stryk, F.G. von, (31)574; (41)125
Stuchlík, M., (30)543; (36)522; (40)440; (45)278
Studer, P., (33)385
Stumm-Tegethoff, B., (30)284
Stupnicka, E., (9)235; (21)150
Stupnicki, R., (9)235; (21)150
Sturm, Jr., A., (16)194
Stute, R., (21)302
Stylianou, M., (4)500
Subbaram, M.R., (9)295; (15)79; (16)106; (21)324; (24)93,217,433; (26)286; (38)35
Subbarao, R., (9)295; (16)235; (43)519
Subers, M.H., (23)319
Sugase, T., (42)503
Sugita, J., (21)341; (36)545; (42)419
Suhara, Y., (39)88
Šulc, M., (9)237
Šulcová, M., (7)527
Sulovský, J., (18)162
Sumere, C.F. van, (6)481,484; (20)48
Summer, G.K., (42)442
Summers, R.M., (32)587; (35)469
Sumyk, G.B., (35)101
Sundaram, T.K., (2)531
Sunderwirth, S.G., (16)176
Sundt, E., (6)475
Sunshine, I., (18)405
Suomalainen, H., (28)270,443
Suprynowicz, Z., (18)232
Surak, J.G., (13)148
Surakiat, S., (49)308
Sussi, P.L., (32)422
Suszko-Purzycka, A., (16)239; (17)114
Sutherland, B.J., (16)460
Sutherland, T.M., (12)183
Sutton, K.J., (29)223
Suzuki, H., (43)528
Svendsen, A. Baerheim, (42)550
Svennerholm, L., (34)413
Svensson, H., (25)266
Svensson, I., (4)88; (8)479
Švob, A., (38)326
Svobodová-Leblová, S., (14)451
Swaay, M. van, (12)99; (19)604
Swain, A.P., (4)252
Swaine, D., (37)118
Swan, E.P., (38)141
Swanberg, S.C., (31)282
Swanson, J.L., (8)359

Swaroop, P.A., (22)180
Sweet, T.R., (16)201
Sweeting, J.W., (6)385
Sweetman, L., (32)662
Szabo, E.I., (47)15
Szabolcs, O., (2)140
Szalánczy, É., (46)29
Szalay, K.Sz., (40)417
Szász, G., (11)416
Szczepanik, P.A., (42)493
Szczepanowska, A.D., (14)405
Szeberenyi, S., (40)417
Székely, G., (42)543; (48)313
Szente, A., (31)614
Szentirmay, E., (19)181
Szepesy, G.L., (34)421
Szepesy, L., (30)433
Szereday, Z., (18)170
Szokolay, A., (42)509
Szumiło, H., (45)1
Szutka, A., (17)127
Szwaj, M., (3)425

# T

Tabak, S., (17)520
Tachikawa, T., (32)728
Tachikawa, Y., (14)100
Tacconi, M.T., (40)417
Tadema, G., (33)460; (36)205
Tadjer, G., (31)545
Taits, S.Z., (23)67
Takács, J., (9)247; (14)564; (16)218,221; (19)181; (20)221; (23)42; (24)22; (25)260; (29)24; (34)1,157; (36)18; (38)309,317; (41)438; (42)19; (45)63; (46)29; (50)379
Takada, J., (33)561; (36)215
Takahashi, H., (36)229
Takahashi, Y., (25)1
Takeda, K., (11)562
Takeshita, M., (50)349
Takeshita, R., (43)473; (45)269
Taketomo, Y., (7)411
Takeuchi, M., (11)565
Takeuchi, T., (46)137; (47)224; (49)230; (50)419
Talley, E.A., (3)434; (7)51
Talukder, M.Q.-K., (49)469
Tamura, Z., (19)429; (25)471
Tan, L., (45)68
Tan, M., (6)258
Tanaka, Y., (23)254
Tandi, T., (24)404
Tanenbaum, S.W., (43)444
Taniguchi, N., (47)348
Tanimukai, H., (30)155
Tanimura, A., (23)309
Tanka, D., (9)525
Tanzer, J.M., (38)526
Taponeco, G., (37)200
Tappel, A.L., (5)546; (32)635; (40)177; (44)133
Tapper, B.A., (34)428
Taramasso, M., (7)477; (11)19; (20)226; (49)27,70
Tarasse, C., (42)396
Targa, G., (42)452
Tarrago, X., (2)218
Tarrant, K.R., (30)136; (48)521
Tarutani, T., (50)523
Tata, J.R., (3)225
Tate, M.E., (45)400
Tatton, J.O'G., (27)253; (42)83; (44)284
Tauber, E., (5)259
Tauber, R., (4)222
Tauchmann, H., (29)142,151
Taupp, W., (27)311
Taylor, A.O., (9)449
Taylor, I.E.P., (50)331
Taylor, I.S., (37)120
Taylor, J.D., (27)509
Taylor, L., (49)462
Taylor, M.P., (9)28
Teegarden, D.M., (41)118
Teekell, R.A., (7)424
Telling, G.M., (33)435; (47)328; (48)468
Tempé, J., (24)169
Tentori, L., (3)20; (28)55
Teoule, R., (43)368
Tepper, S.A., (37)361
Teppke, M., (19)375
Tera, F., (6)530; (7)564; (8)516
Terabe, S., (24)236; (36)545
Teranishi, R., (9)244; (12)410; (18)10
Terenius, L., (48)560
Ter Heide, R., (7)297; (50)127
Terhune, S.J., (42)261; (50)59
Terner, C., (47)15
Tertrin, C., (14)136
Tesařík, K., (34)81,301
Tessier, H., (13)250
Testa, A.J., (43)25
Testa, C., (5)236,442; (6)443; (7)112; (8)232; (9)216; (19)589,594
Tetteroo, J., (19)177
Teuchy, H., (6)481,484; (20)48
Teuwissen, B., (49)298
Tewari, K.C., (21)261; (24)230,443
Thačkray, M., (10)309
Tham, R., (19)286; (22)245; (23)207
Thawley, A.R., (38)399
Thayer, D.W., (44)389
Thede, L., (30)556
Theidel, H., (27)413
Theilkaes, L., (45)483
Thoma, J.A., (12)441
Thomas, B.S., (14)28; (36)338
Thomas, D.B., (6)74; (22)286
Thomas, E.J., (35)119
Thomas, G.H., (11)408
Thomas, H., (34)106
Thomas, J.D.R., (16)350; (18)530; (24)112

Thomas, K.D., (10)9
Thomas, P.J., (13)366
Thomas, R.L., (44)388
Thomas, R.O., (29)58; (30)77,596; (31)576
Thomas, R.S., (26)456; (28)317
Thomasson, W.A., (22)496
Thompson, A.C., (21)13; (29)80,88; (30)43
Thompson, A.E., (2)148; (6)454,539
Thompson, C.J., (20)240; (25)34
Thompson, S., (27)153; (29)267; (31)102
Thompson, T.W., (10)248
Thomson, J., (16)481; (30)92,136; (31)37; (32)17,417; (33)430; (34)14; (44)465
Thomson, J.B., (15)105
Thomson, T.B., (39)500
Thomson, W.A.B., (19)599
Thorburn, S., (11)301; (30)344; (42)336; (43)192; (44)14,25,241
Thornburg, W.W., (3)125; (4)351; (6)131; (9)44; (13)272
Thornburn Burns, D., (30)287; (32)793; (44)399; (49)448,567
Thorne, M.A., (44)452
Thorpe, N., (43)72
Thuraisingham, S.T., (35)43,513
Thurow, D.O., (40)152
Thyssen, H.A.C., (11)141
Tichá, M., (14)228; (24)117
Tichý, Jiří, (32)580; (33)262
Tichy, Jirl, (34)413
Tietz, H., (9)111
Tigier, H.A., (40)453
Till, F., (24)8
Timmer, R., (50)127
Timms, P.L., (5)131
Tinkler, S.L., (39)519
Tinsley, D.A., (35)416; (39)200,211,218
Tio, C.O., (48)555
Tipton, C.L., (14)486
Tischer, T.N., (20)506
Titze, H., (20)193
Todd, J.F.J., (26)273
Töregård, B., (37)121
Tofft, M., (39)78
Tohma, M., (41)110
Tokoro, N., (46)241
Tolbert, N.E., (15)50
Tomažič, B., (21)98
Tombesi, O.L., (23)312
Tomisek, A.J., (14)232; (33)35,329
Tong, H.S., (21)280
Tonge, B.L., (12)52; (19)182
Topham, J.C., (16)233
Toporek, M., (20)299
Topp, N.E., (14)469
Tornero, M.C., (14)509
Torracca, E., (30)579,584
Torri, A.G., (17)60
Tóth, C.E., (9)388
Tóth, E., (45)478
Tóth, L., (50)72
Touchstone, J.C., (29)235; (36)250; (37)83,359; (42)129; (44)190
Tourneau, D. Le, (1)534
Tourres, D.A., (30)357
Tovey, K.C., (47)287
Trabal, F., (19)130
Trafford, D.J.H., (21)275
Trávníček, M., (36)91
Treadwell, G.E., (35)376
Treiber, L., (24)480; (37)83
Trénel, G., (42)476
Treves, C., (33)553
Tripathi, K.K., (43)322; (46)280
Tripathi, R., (7)362
Tritsch, G.L., (44)425
Triulzi, C., (16)365
Trojnar, S., (1)552
Trong Anh, N., (35)192
Trop, M., (32)426; (38)411
Trtík, B,, (36)1
Trueblood, K.N., (2)499
Truitt, J., (21)335
Truter, E.V., (14)57,62; (45)480
Trzaska, J., (26)141
Trzebny, W., (16)239; (17)114
Tschesche, H., (40)296
Tschesche, R., (5)217; (12)342
Tsuda, T., (46)241; (47)469
Tsuji, N., (50)349
Tsujino, Y., (21)341; (42)419
Tubertini, O., (47)414
Tucker, B.V., (42)119
Tucker, G.T., (30)199
Tucker, T.C., (17)300; (21)335
Tudball, N., (16)334
Tully, W.F., (11)38
Tumlinson, J.H., (29)80,88
Tunnicliffe, M.E., (30)125
Tupý, J., (3)199
Turano, C., (14)201
Turano, P., (24)204
Turina, S., (33)402; (37)234; (39)81; (48)22,35
Turnbull, K.W., (37)366
Turner, A.B., (26)518; (43)282
Turner, C.R., (22)471
Turner, E.R., (29)304
Turner, I., (7)520
Turner, N.A., (21)129; (29)296; (30)469
Turner, T.D., (32)315

Turner, W.J., (24)204
Turvey, J.R., (22)486
Tušl, J., (37)546
Tustanowski, S., (31)266,268,270
Tuynman, J.A., (7)39
Tyihák, E., (11)45; (14)125; (49)343
Tyman, J.H.P., (27)287
Tyrer, J.H., (39)312
Tzscharnke, C., (29)151

# U

Uden, P.C., (11)312; (14)1; (19)28; (22)23
Ueda, S., (25)167
Ueda, Y., (2)569
Ueno, Y., (24)300; (50)349
Uesaka, H., (43)528
Uettwiller, A., (35)526
Uffindell, N.D., (26)62
Uhdeová, J., (40)359
Uhle, K., (34)432
Ulbrich, V., (14)432; (15)371
Ullah, I., (46)211
Ullrich, J., (12)219
Ulrich, V., (49)560
Ulrych, S., (25)58; (28)49; (43)268; (49)545
Ulshöfer, B., (41)386; (44)407
Umbreit, G.R., (35)475; (43)25
Undeutsch, M., (26)208
Unger, A., (40)318
Unger, E., (44)362,374
Unrau, A.M., (20)78; (36)283
Upor-Juvancz, V., (25)464
Uraletz, V.P., (36)276
Urbach, G., (12)196
Urch, D.S., (44)609
Urey, B.R., (44)193
Urivetzky, M., (14)508
Urx, M., (11)62; (14)112
Usher, C.D., (33)435
Usher, D.A., (12)262
Uziel, M., (47)9

# V

Vacek, Z., (19)572
Vacík, J., (7)228; (9)154; (14)456; (49)262
Vacíková, A., (9)301
Vaedtke, J., (9)345; (12)208; (32)311
Vágujfalvi, D., (11)45; (49)343
Vahidi, A., (43)135
Vaillancourt, G., (1)317; (3)374
Vais, J., (42)207
Vakhabov, A.Kh., (46)143
Valentin, J.G., (36)332
Valesi, A. Gonzalez de, (46)274
Valkanas, G., (12)536; (16)437
Valmikinathan, K., (24)283
Valverde, J. Sardi de, (40)410
Van Arkel, C., (11)421
Van Baelen, H., (30)226
Van Binst, G., (16)34; (25)15
Van Cleemput, O., (45)315
Van Dalen, E., (13)119; (22)407; (23)287; (25)447; (31)182
Van Dam, M.J.D., (4)26
Vandenbranden, S., (37)364
Van den Dool, H., (11)463
Vandenheuvel, F.A., (8)44; (10)131; (25)102; (38)373,439; (39)1
VandenHeuvel, W.J.A., (18)391; (19)22,263; (25)29,242; (26)387,396; (27)85; (28)406; (31)9; (36)354; (38)532; (43)215; (50)405
Van der Bijl, P., (47)97
Vanderdeelen, J., (39)521
Vanderhaeghe, H., (4)228
Van der Heide, R.F., (24)239
Vanderheiden, B.S., (12)419
Van der Sijde, D., (2)436
Van der Vlies, C., (12)533
Van Dingenen, P., (24)167
Vaněček, S., (9)60; (22)71
VanEtten, R.L., (21)408
Van Gent, C.M., (3)582
Van Hook, W.A., (30)211
Van Klaveren, F.W., (1)317; (3)374
Van Kley, H., (34)259
Van Lier, J.E., (36)7; (41)37; (49)555
Van Ling, G., (44)175
Van Ooij, W.J., (42)432
Van Rheenen, D.L., (37)341
Van Schoote, J., (17)612
Van Sumere, C.F., (6)481,484; (20)48
Van Swaay, M., (12)99; (19)604
Van Winkle, E., (11)272
Van Zwol, D.E., (24)26
Varma, R.S., (28)478
Vasáros, L., (26)301
Vashist, V.N., (17)195; (18)412
Vaskovskaya, A.A., (30)643
Vaskovsky, V.E., (26)111; (30)643
Vaughan, D.J., (2)564
Vecchi, M., (26)22
Vecchini, P., (14)201
Večerek, B., (24)298
Večerková, J., (7)527; (10)479
Vecsei, P., (9)525; (10)29; (14)506; (26)533
Veder, H.A., (10)507; (13)408
Vedsø, S., (19)512
Veenstra, G.J., (24)250
Veinot, R.L., (44)388
Veldhuis, M.K., (11)11
Veldink, R., (27)242; (32)413
Veltkamp, H., (24)489
Venker, P., (9)121
Venneman, E.M., (22)308
Verachtert, H., (42)349
Verbeek, A.M., (34)401
Verbeek, F., (17)558
Vercaemst, R., (43)132
Vercellotti, J.R., (18)42
Verdier, A., (41)107
Vere, D.W., (24)195
Vereš, K., (21)402
Vereshchagin, A.G., (14)184; (17)382; (40)422
Verga, R., (49)46
Vergani, C., (28)135
Vergez, S.C., (18)42
Verghese, N., (24)283
Vergnaud, J.-M., (19)495; (27)54; (38)189; (42)297; (47)297
Verhaar, L.A.Th., (41)168
Verheggen, T.P.E.M., (49)262
Verly, W.G., (30)397; (49)425
Verma, K.K., (26)292; (27)276; (29)120,258; (31)120,551; (43)524; (46)261
Verma, M.R., (3)197
Vernin, G., (46)48,66
Vernois, J., (1)52; (2)155
Vernon, F., (43)503

Veronese, F.M., (14)517
Verry, M., (13)440
Verstappe, M., (18)253; (19)504; (26)485
Verweij, A., (24)473; (30)183; (47)376
Verwey, A.M.A., (43)391
Verzele, M., (9)116; (13)377; (15)482; (17)612; (18)253; (19)504; (26)485
Vestergaard, P., (3)554,560; (19)512; (24)417,422; (31)213,337; (40)16; (50)239
Vetters, A.F., (31)261
Via, H., (23)325
Viala, A., (45)94
Vicedomini, M., (11)101; (33)566; (37)538
Vidal, G., (41)279
Vigdergauz, M.S., (18)226
Vigne, J., (1)309
Vijayanagar, H.M., (43)295
Villar del Fresno, A., (45)407
Villee, C.A., (21)113
Villena-Blanco, M., (16)214
Villeneuve, D.C., (48)567
Vimercati, A., (13)571
Vink, H., (15)488; (18)25; (20)305,496; (24)39; (25)71; (36)237
Vinkenborg, C., (47)376,382
Vinter, J., (41)188
Vioque, E., (39)235
Virus, W., (12)406
Viswanathan, C.V., (6)264; (7)507; (24)357; (30)237,405; (34)195,241; (35)66,113; (38)267; (40)225
Viswanatha Rao, V.N., (24)283
Vivaldi, G., (28)55
Vlies, C. van der, (12)533
Vodička, L., (42)207
Völlmin, J.A., (37)216
Vofsi, D., (10)417; (13)565
Vogel, J., (9)381
Vogt, V., (38)133
Voigt, R., (36)120
Voigt, S., (17)180
Volkov, S., (49)76
Volpert, E.M., (50)507
Vomhof, D.W., (17)300; (21)335
Von Arx, E., (8)145; (12)329; (25)109; (33)217
Vondráčková, J., (11)62; (32)780
Von Langbein, G., (8)442
Von Stryk, F.G., (31)574; (41)125
Voronkova, V.V., (15)191
Vriandi-Piskou, D., (22)449
Vries, B. de, (14)525
Vries, G. de, (13)119; (18)142; (22)407; (23)287; (25)447; (31)182
Vries, R. de, (10)248
Vrieze, W.D., (48)123
Vroman, H.E., (18)190
Vuataz, L., (2)173; (5)17
Vuylsteke, P., (2)308
Výboh, P., (39)33
Vymětal, J., (11)55

# W

Wachter, H., (44)651
Wachter, R. de, (36)109
Wachtmeister, C.A., (7)311
Wada, A., (11)562
Waddington, D.J., (36)145; (42)183,195
Wade, R.H., (14)37
Wässle, W., (34)357
Wagener, H., (43)278
Wagman, G.H., (2)428; (34)210; (41)263
Wagner, C., (40)308
Wagner, F.W., (23)280
Wagner, H., (7)211; (10)108; (13)235; (26)549; (31)455; (35)301; (42)75; (49)488
Wagner, J., (26)41; (33)316
Wagner, M., (15)107
Wagstaffe, P.J., (43)361; (44)284
Wainer, A., (20)143; (21)126; (24)215; (26)48; (37)55; (39)79
Waiss, Jr., A.C., (33)539
Waitzman, M.B., (47)536
Waki, H., (25)398
Waksmundzki, A., (3)252; (5)170; (18)232; (33)90,96; (46)204; (49)313
Waldi, D., (6)61; (18)417
Waldron-Edward, D., (20)556,563; (24)125
Walerych, W., (3)359
Walker, E.A., (45)14; (48)521
Walker, H., (45)322,324
Walker, R.I., (50)157
Walker, W.P., (29)103
Wall, J.S., (10)432
Wall, I.L., (37)398
Wall, R.A., (37)549
Wallace, A.L.C., (4)233
Wallenius, L.O., (12)236
Wals, G.D., (20)197
Walsh, D.E., (17)278
Walsh, L.B., (44)452
Wang, C.S., (26)323
Wang, I.S.Y., (22)362; (24)458,460; (26)323; (27)318
Wang, K.-T., (20)610; (21)158; (22)362; (24)458,460; (26)323; (27)318; (29)391; (31)587; (32)591; (37)353,499; (38)153; (41)487,489; (44)635
Wang, R.-T., (42)416; (43)522
Warchol, A., (29)362
Waring, P.P., (15)168
Waring, R.H., (26)255
Warner, W.C., (44)315
Warren, B., (20)603
Warren, F.L., (18)189
Warren, H.D., (15)344
Warren, J.C., (8)359
Warren, R.N., (40)468
Warren, R.W., (8)127
Warrender, R.W., (9)485,493,506,513; (10)73,78
Warshawsky, A., (8)429; (10)114
Warth, R., (33)558
Wasserman, R.H., (17)261
Wassink, J.G., (18)159
Wasternack, C., (48)551
Watanabe, H., (47)408
Waterfield, M., (40)213,294
Waterfield, W.R., (40)309
Waterhouse, C., (11)241
Waters, R.M., (35)92
Watkins, D.A.M., (43)110; (48)523
Watson, C.J., (37)76; (38)100
Watson, D.J., (22)192
Watson, J., (31)396
Watson, J.R., (44)109
Watson, J.T., (43)339
Watson-Walker, J., (45)155
Watt, R., (29)223
Watzke, E., (1)434
Way, E.L., (16)558
Way, J.L., (21)280; (26)202
Weatherall, I.L., (26)251
Weatherston, J., (31)258
Weaver, Jr., T., (47)369
Weaver, T.D., (41)118
Weaver, V.C., (33)49
Weber, D.J., (30)130
Weber, E., (33)328
Webster, H.L., (33)534
Weder, H.J., (37)181
Weeks, W.W., (43)506
Weg, M.W., (28)482
Wegmann, K., (2)321
Wehrli, A., (3)313
Weiffenbach, H., (7)45
Weigel, H., (11)253; (16)360
Weil, J.T., (36)381
Weimar, W.M., (12)469
Weinberg, B.B., (16)40

Weiner, L.M., (13)255; (20)157; (27)512; (34)275
Weinert, G.W., (30)305
Weinstein, B., (15)149; (32)591
Weinstein, M.J., (34)210
Weintraub, M., (24)68
Weis, A., (46)116
Weiss, J.B., (28)494
Weisser, W., (38)156
Weisz, P., (9)525; (10)29; (14)506
Wekell, J.C., (14)529
Welford, G.A., (25)144
Weliky, I., (12)115
Wellburn, A.R., (23)51
Welling, W., (47)281
Wellings, J.L., (18)612
Wells, J., (3)545
Wells, M.A., (18)503
Welsh, B., (27)512
Welsh, B.A., (34)275
Welsko, T.E., (29)58
Welti, D., (3)589
Wendenburg, J., (15)538; (18)397
Wender, S.H., (3)505; (8)82; (19)564; (28)427; (35)329,570
Wenzel, U., (49)520,527; (50)319
Werner, G., (20)580; (22)400; (24)153
Werner, M., (25)63; (28)59; (40)254
Werthessen, N.T., (46)149
Werum, L.N., (3)125; (4)351; (6)131; (9)44; (13)272
West, C.E., (30)62
West, P.W., (6)220
Westhoff, M.H., (22)391
Westmore, J.B., (32)740
Westphal, O., (33)514
Westrop, J.W., (16)233
Wharry, D.M., (20)27; (31)69; (33)471
Whatley, J.A., (49)303
Wheals, B.B., (30)92; (31)37; (32)17,402; (33)430; (34)14; (37)369; (41)180; (43)233; (44)251; (49)215
Wheeler, L., (45)362
Wheelock, T.D., (13)361
Whereat, A.F., (36)390
Whetter, J.M., (21)247
Whistler, R.L., (14)532
White, B.J., (7)516
White, D.A., (26)255
White, D.C., (45)446
White, Jr., H.B., (21)213; (30)228; (32)451
White, J.M., (40)225
White, L.M., (15)111; (43)399
White, L.R., (50)145
White, R.C., (30)622
White, R.H., (29)108
Whitehouse, M.W., (1)385
Whitfield, A.E., (4)350; (20)401
Whitney, G., (32)749
Wicken, A.J., (47)124
Widdop, B., (47)485
Widén, R., (15)429
Widmark, G., (45)256; (47)27; (49)334
Widmer, H., (11)459
Wiechmann, M., (28)351
Wiedenhof, N., (15)100
Wiek, K., (13)111
Wieland, T., (28)2
Wiele, H., (47)527
Wieme, R.J., (1)166
Wienhaus, E., (8)90
Wiersma, J.H., (20)374
Wierzchowski, P., (14)194
Wiesner, H.-J., (33)307
Wightman, S.L., (32)315
Wijesekera, R.O.B., (32)75; (35)117
Wijsbeek, J., (48)222
Wikstrom, S., (19)22
Wilcox, M., (30)428; (34)391
Wildenhain, W., (19)438; (28)468; (45)158
Wilhelmsen, J.B., (2)217
Wilk, M., (24)414; (27)311
Wilke, J., (18)482
Wilkins, T., (3)589
Wilkinson, G.R., (30)199
Wilkinson, J., (10)239
Williams, A.D., (45)371
Williams, A.H., (21)357
Williams, D.A., (26)280
Williams, D.H., (24)203
Williams, D.J., (13)61
Williams, E.B., (40)285
Williams, H.H., (15)546
Williams, I.H., (5)457
Williams, J.C., (38)136
Williams, J.P., (31)62; (35)223; (36)504
Williams, K.T., (2)199; (4)391
Williams, M.J., (31)284
Williams, M.W., (15)95
Williams, R.O., (45)250
Williamson, M.B., (4)80
Willis, D.E., (30)86
Wills, R.B.H., (30)208
Wilmshurst, J.R., (17)50
Wilshire, J.F.K., (6)385
Wilson, A.T., (18)76
Wilson, D.W., (3)221
Wilson, J.D., (19)486
Wilson, J.L., (35)329
Wilson, P.W., (39)75

Wilson, R.E., (24)412; (36)551; (37)310
Wilson, T.M., (41)410
Wilson, W.D.C., (40)164
Wilt, H.G.J. de, (41)168
Winand, L., (7)400
Winchester, J.W., (10)502
Windsor, M.L., (27)355; (32)433
Winefordner, J.D., (30)339; (31)1
Winek, C.L., (10)246
Wing, R.E., (32)303
Winkle, E. van, (11)272
Winkler, B.C., (35)570
Winkler, C., (18)69
Winkler, J., (21)302
Winter, J., (21)338
Winzler, R.J., (28)344; (34)471
Winzor, D.J., (48)393,400
Wise, R.W., (12)178
Wiseman, E.H., (28)104
Wish, L., (20)585; (29)203
With, T.K., (42)389
Witherell, C., (31)337
Witherell, C.S., (24)417
Withers, M.K., (38)1
Witkop, B., (43)127
Witte, K., (28)413
Witting, L.A., (13)22
Witzke, F., (42)271
Wobben, H.J., (50)127
Wódkiewicz, L., (32)394
Woiwod, A.J., (3)278
Wojdała, T., (36)429
Wojtalik, R.S., (15)267
Wolf, F., (24)297; (30)378; (34)59; (35)489; (39)53;475
Wolf, G., (20)48
Wolf, M., (19)170
Wolf, W.J., (15)247
Wolfe, R.G., (7)516
Wolff, H.P., (26)533
Wolfrom, M.L., (17)488; (18)42; (22)474; (23)309
Wollenweber, J., (21)439; (24)99; (43)278
Wollenweber, P., (7)557; (9)369; (33)175
Wollmann, Chr., (2)525
Wollmann, H., (2)525
Wolman, Y., (24)277; (38)152
Wong, C.S.C., (25)367
Wong, D.L., (26)542
Wong, E., (9)449
Wong, F.F., (10)242; (12)408
Woo, H.S.L., (43)141
Wood, N.F., (34)14; (42)83
Wood, R., (20)613; (21)318
Wood, R.D., (16)555
Wood, T., (6)142; (8)475; (34)122; (35)352
Woodhouse, J.M., (31)284
Woods, W.D., (47)536
Woof, J.B., (28)94
Woolf, L.I., (2)431
Worth, H.G.J., (40)31
Wragg, J., (15)118
Wren, J.J., (4)173; (5)370; (12)32; (14)405; (17)257
Wright, L.D., (21)419
Wright, R.S., (37)363
Wright, W.B., (11)504
Wrigley, C.W., (11)552; (33)534; (36)362
Wrolstad, R.E., (18)318; (37)542; (50)311
Wroński, M., (24)480
Wu, C.-H., (29)235
Wu, F.F.H., (48)515
Wu, P.-H., (37)353; (38)153; (44)635
Wu, Y.-C., (45)161
Wünsch, A., (30)225
Wüthrich, A., (45)351
Wulff, G., (12)342; (18)285
Wunderly, Ch., (3)536
Wusteman, F.S., (16)334; (21)32
Wuu, T.-C., (38)396
Wyborny, L., (24)285

# Y

Yakerson, V.I., (23)67
Yakubov, G.Z., (8)522
Yamabe, T., (41)163
Yamada, M., (42)226
Yamamoto, M., (24)182
Yamane, M., (9)162; (11)158; (14)355
Yamanouchi, K., (31)535
Yamauchi, K., (36)545; (42)419
Yamazaki, H., (27)14
Yang, C., (50)510
Yang, C.H., (8)82
Yang, K., (47)108
Yang, T.-I., (20)610; (21)158
Yaphe, W., (49)482
Yasuda, S.K., (13)78; (14)65; (16)488; (27)72; (35)323; (37)393; (50)453
Yates, S.G., (12)423
Yauger, Jr., W.L., (38)467; (50)334
Yee, A.W.G., (20)154
Yeo, C.Y., (42)45
Yocum, C.F., (35)101
Yoneya, T., (35)573
Yoshidome, H., (39)282; (43)473
Yoshikuni, N., (47)453
Youdina, I., (38)240
Young, B., (29)304
Young, C.L., (27)355
Young, D.D., (14)469
Young, J.O., (44)133
Young, O.M., (19)611
Young, R., (41)12
Youngs, C.G., (26)268
Youzhelevski, Y., (38)240
Yoza, N., (24)300; (41)429
Yuknis, L., (20)150

# Z

Zabin, B.A., (14)534; (20)154
Zacharius, R.M., (7)51; (30)190
Zagórski, Z., (17)288
Zahn, C., (3)154; (12)104
Zahuta, J., (12)404
Zaika, L.L., (49)222
Zaitlin, M., (1)186
Zajacz, G.F., (41)125
Zajíc, J., (28)484
Zak, B., (13)255; (20)157; (27)512; (34)275
Zalite, I.I., (24)243
Zalucky, T.B., (12)420; (15)76
Zamojski, A., (32)581
Zamorani, A., (46)315; (47)261
Zane, A., (38)130
Zappi, E., (30)611; (31)241; (35)441; (42)524; (43)543
Závodný, R., (18)162
Zawta, B., (30)607
Zdrojewski, A., (28)317
Zeeuw, R.A. de, (32)43; (33)222,227; (47)376,382; (48)27,222
Zeitler, G., (44)362,374
Zeitler, H.-J., (18)180
Zeleznick, L.D., (14)139
Zeller, N., (14)560
Zelnik, R., (9)371; (15)9
Zeman, I., (10)15
Zetlmeisl, S.J., M.J., (30)637
Zhukhovitzkii, A.A., (18)243; (49)153
Zhuravleva, I.L., (44)262
Ziegert, R.M., (38)544
Ziegler, A., (30)259
Zieliński, J., (36)540
Zielinski, Jr., W.L., (18)581; (20)9,140; (23)175,298,302; (24)186; (25)475; (27)255; (28)293,418; (29)58; (30)77,596
Zikánová, A., (28)209
Zilio-Grandi, F., (34)394
Zimiński, T., (23)480
Zimmerhackl, E., (44)362,374
Zimmerman, H.K., (7)77
Zimmermann, E., (23)471
Zimmermann, H., (32)760
Zingales, I.A., (31)405; (34)44; (44)547
Zinkel, D.F., (13)74
Zinsser, H.H., (19)130
Ziporin, Z.Z., (15)168
Zirker, K., (7)1
Ziska, P., (48)544
Ziti, L.M., (9)371; (15)9
Zittle, C.A., (3)369
Zlatkis, A., (12)314
Zoccolillo, L., (43)497; (49)18
Zoch, E., (4)21; (18)198; (48)558
Zowall, H., (8)363
Zürcher, H., (33)103; (43)457,551; (45)284
Zuidweg, M.H.J., (42)552
Zumwalt, R.W., (37)398; (43)311; (45)24
Zuska, J., (49)262
Zvára, I., (44)604; (49)290
Zvarova, T.S., (44)604; (49)290
Zwaving, J.H., (35)562
Zweig, G., (2)202; (6)457; (13)319; (14)297; (31)439,589
Zwol, D.E. van, (24)26
Zyskowski, D., (13)556

# SUBJECT INDEX

## VOLUMES 1–50

# A


Abscisic acids, dry CC of two isomers of, (39) 228

Acaricide, TLC determination of β-fluoroethyl ester of xenyl acetic acid in the technical product and in 2% liquid formulations, (44) 103

Accelerators, identification of rubber compounding ingredients using TLC, (44) 315

Acetals, dimethyl, of aldehydes, TLC, (24) 357

———, ———, of fatty aldehydes, GLC, (25) 204

———, GC relative detector response to, (8) 544

2-Acetamido-1-(β′-L-aspartamido)-1,2--dideoxy-β-D-glucose, chromatographic isolation from urine, (50) 534

Acetanilide, and some related analgetics, TLC determination, (38) 145

$^{14}$C-Acetate, demonstration by TLC of non-volatile contaminants of, (36) 393

Acetates, separation factors for their systematic identification by GC, (26) 8

Acetate sheets, use as records for chromatographic patterns, (13) 251

Acetic acid, a GC study of the kinetics of the uncatalysed esterification by ethanol, (47) 265

Acetoacetic acid and acetone, detection in urine, (12) 249

Acetone, analysis of the products of hydroammonolysis of, (46) 312

———, improved GC determination and separation from diacetyl and $C_1$ - $C_7$ alcohols, (42) 541

Acetonitrile, and its chlorinated derivates, analysis by GC, (23) 165

———, GLC analysis of trace amounts in acrylonitrile, (32) 184

——— and other trace impurities, determination in acrylonitrile, (39) 500

Acetylacetone, analysis by GC, (16) 221

N-Acetylaspartic acid in brain, analysis by GC, (25) 11

Acetylcholine, GC estimations of compounds derived from, (47) 482

Acetylene, analytical and preparative scale separations of protiodeutero isomers by GC, (30) 211

——— derivatives, a reagent for the determination on thin-layer plates, (49) 317

Acetylenic compounds, fatty, separation by TLC, (16) 106

N-Acetylneuraminic acid, quantitative determination by GLC, (37) 414

Acids, aliphatic, ammonium salts, diazotised *p*-nitroaniline as a location reagent, (4) 350

———, ———, branched chain, GLC, (4) 214

———, ———, dibasic, separation by TLC, (39) 88

———, ———, dicarboxylic, separation by TLC, (24) 217

———, ———, esters, GC, (4) 420

———, ———, normal gas chromatographic behaviour of esters of, (14) 104

———, ———, ———, resolution by "adsorption" chromatography on kieselguhr films, (14) 62

———, ———, PC, (1) 367, 368; (4) 476

———, ———, saturated dicarboxylic, TLC, (7) 56, 128

———, ———, sulphonic and sulphocarboxylic, separation of positional isomers by GC of their methyl esters, (19) 277

———, ———, TLC behaviour and chemical structure, (45) 104

———, ———, TLC of *cis-trans* isomeric, (10) 517

———, amino, see Amino acids

———, aromatic, carboxylic, determination by PC and paper electrophoresis, (33) 319

———, ———, chromatography food preservatives on polyamide layers and columns, (43) 473

———, ———, GC as their trimethylsilyl derivatives, including applications to urine analysis, (45) 230

———, ———, α-keto derivatives, PC, (10) 463

———, ———, new method for detection on paper chromatograms, (10) 511

(Acids, aromatic)
———, ———, PC, (1) 361, 362; (4) 468, 469, 470; (9) 66
———, ———, ——— separation and identification, (13) 483, 484
———, ———, ——— and paper electrophoresis, (1) 374
———, ———, TLC, (7) 56; (18) 179
———, carboxylic, of biological interest, TLC, (14) 289
———, ———, *cis-trans* isomeric, TLC, (10) 517
———, ———, detection on paper chromatograms by means of the dimethylglyoxime nickel biuret reaction, (14) 549
———, ———, methyl esters relation between their structure and GC retention data, (14) 157
———, ———, as stationary phases in the GLC of volatile fatty acids, (16) 306
———, ———, TLC, (7) 56, 128; (10) 517; (26) 512
———, ———, ——— on cellulose, (34) 407
———, ———, two-way separation by thin-layer electrophoresis and chromatography, (30) 240
———, chlorinated phenoxy derivatives, separation and determination by GLC, (13) 319
———, cyclic imino, PC identification, (4) 228
———, detection of their hydrazides on paper chromatograms, (32) 784
———, determination of the residues of branched decanoic acids in the presence of some naturally occurring carboxylic acids by TLC, (31) 96
———, dicarboxylic, $C_6$-$C_{12}$, separation in the presence of monobasic acids by PC, (5) 373
———, ———, chromatographic behaviour of structural analogues of Krebs cycle acids, (6) 159
———, ———, cyclic anhydrides and imides, GC, (29) 224
———, ———, electrophoretic behaviour of structural analogues of Krebs cycle acids, (8) 227
———, ———, paper ionophoresis, (2) 380
———, ———, separation by GLC with ethylene 4-ketopimelic acid as liquid phase, (17) 456
———, ———, TLC, (7) 56, 128; (10) 517
———, esters, retention indices, (11) 467
———, fatty, see Fatty acids
———, GC analysis of nitrobenzoic acid isomers, (43) 503
———, herbicidal, GC, (22) 446
———, heterocyclic, PC separation and identification, (4) 469, 470; (13) 484
———, hydrazides, separation by paper electrophoresis and some other techniques, (19) 199
———, *p*-hydroxybenzoic, identification and quantitative analysis using reversed-phase TLC, (50) 436
———, hydroxy-carboxylic, chromatographic behaviour towards aluminium oxide (3) 285
———, hydroxy derivatives, TLC on microcrystalline cellulose, (17) 488
———, $\alpha$-hydroxy and $\alpha$-keto derivatives, identification and quantification with a ceric ammonium nitrate reagent (38) 411
———, ———, a visualising reagent for their identification in PC, (32) 426
———, hydroxy, paper electrophoretic separati as xanthates, (37) 279
———, important in metabolism, contribution t the chemistry and physiology, of, (2) 525
———, indolic, separation by TLC, (22) 330
———, iodoamino, see Iodoamino acids
———, $\alpha$-keto, see $\alpha$-Keto acids
———, keto derivatives, see Keto acids
———, long-chain aliphatic, argentation TLC of isomeric octadecenoates, (31) 69
———, maleic and fumaric, separation by gel filtration on Sephadex G-10, (39) 328
———, metabolic, quantitative measurement by GLC, (24) 325
———, new reagents for the identification of, (48) 241
———, *n*-octenecarboxylic acids, methyl esters, GC analysis, (19) 177
———, organic, analysis in cell sap of plants, (7) 493
———, ———, anion-exchange separation in acetate medium, influence of the temperature, (22) 102
———, ———, anion-exchange separation in bo medium, influence of the temperature, (19) 404
———, ———, apparatus for collecting and dryi organic acid fractions, (3) 491
———, ———, automated ion-exchange chroma in acetate media, (30) 556
———, ———, automatic determination of, (35)
———, ———, automatic registration in CC, (5)
———, ———, of biological material, separation and identification by PC, (6) 505
———, ———, chromatographic behaviour on Dowex 1$\chi$10, (18) 47

———, ———, a detection reagent for identification on paper chromatograms, (4) 241
———, ——— 2,4-dinitropenyl-hydrazides, separation by TLC and analytical determination, (21) 13
———, ———, the effect of pH on the $R_F$ values in PC with neutral solvents, (5) 308
———, ———, esterification by alcoholic solvents, (6) 486
———, ———, ethyl esters, flash exchange GC, (7) 288
———, ———, from fermentations, PC identification, (2) 211
———, ———, high voltage electrophoresis, (1) 114
———, ———, identification and determination of their individual amounts in grape juices and wines by chromatography and photodensitometry, (50) 83
———, ———, improved methods of PC, (4) 410
———, ———, interactions with Sephadex gels, (42) 112
———, ———, micro determination of their dissociation constants by paper electrophoresis, (20) 556
———, ———, PC and structural relationships, (3) 389
———, ———, partition chromatography on a cation-exchange resin, (22) 498
———, ———; from plants, sequence of elution from silica gel columns, (28) 338
———, ———, $R_F$ values in selected solvents, (7) 69
———, ———, in a selected dialysate of air particulate matter, (2) 615
———, ———, separation by PC, (27) 326
———, ———, sodium salts, chloranilic acid as reagent in the PC of, (5) 1
———, ———, ———, morphological identification (2) 620
———, ———, standard ionophoretic mobilities, (6) 135
———, ———, urinary, PC studies, (19) 130
———, ———, the use of TLC in following product formation in the photolysis of α- lipoic acid, (43) 515
———, oxo derivatives, 2,4-dinitrophenylhydrazones, identification by means of diazotised sulphanilic acid reagent, (20) 401
———, ———, mixtures with lactones, quantitative analysis by GC, (20) 397
———, oxy-, mono- and bidimensional separation by TLC, (42) 125
———, PC, a contribution to the theory, (15) 361
———, phenolic, chromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, (50) 251
———, ———, from coffee, separation by PC and cellulose CC, (4) 396
———, ———, free, in cigarette smoke and tobacco, separation and identification by PC, (8) 82
———, ———, isolation from urine by the wedge-strip method, (15) 88
———, ———, new solvents for PC, (19) 619
———, ———, separation by high-voltage electrophoresis, (16) 194
———, ———, see also Phenolic acids
———, phenylalkanoic, separation by TLC of their anilides, (36) 377
———, polybasic, their behaviour and that of their alkaloid salts on aluminium oxide columns, (5) 259
———, polyhydroxy monocarbonic, obtained by oxygenation of hexoses in aqueous alkaline solutions, GC determination of, (41) 168
———, polyunsaturated, of fish oils, isolation as their methyl esters by preparative scale GC, (27) 474
———, ———, methyl esters, loss during GC, (23) 61
———, quantitative GC determination of 5,5-dimethyl-2,4-oxazolidinedione, (44) 611
———, a quantitative indicator for the PC or paper electrophoretic determination of polyaminocarboxylic acids, (34) 270
———, resin, methyl esters, TLC, (13) 74
———, saturated aliphatic monocarboxylic, separation on cellulose layers, (27) 104
———, separation of benzenecarboxylic acid methyl esters by TLC, (24) 222
———, separation of hippuric and mandelic acids by TLC, (24) 463
———, separation and identification of geometrical isomers of 9,12-octadecadienoic and 9,12,15-octadecatrienoic acids, (36) 181
———, separation of isomeric *n*-hexenoic acids by GC of their methyl esters, (24) 161
———, steroid, PC, (8) 32
———, straight chain carboxylic, analysis by TLC, (15) 108
———, TLC of vinyl monomers of undecenoic acid, (34) 543

(Acids)
———, triterpenoid, PC, (8) 32
———, α- and β- unsaturated, separation of *cis* and *trans* isomers by TLC, (29) 263
Aconitic acid, double spots in PC due to esterification, (3) 90
Acridine, ternary mobile phases in adsorption TLC, (49) 313
Acriflavine and related compounds, purification and properties, (26) 158
Acrylamide electrophoresis gels, flat, preservation of, (28) 494
Acrylate ions, separation by PC, (44) 188
Acrylonitrile, GC determination of acetonitrile and other trace impurities in, (39) 500
Actinides, electrophoretic separation, (20) 197
———, ion-exchange chromatography with hydroxyethylenediaminetriacetic acid, (22) 164
———, separation of the elements actinium to americium by PC, (7) 535
———, separation by ion-exchange chromatography using hydroxyethylenediaminetriacetic acid, (26) 471
———, separation on paper treated with liquid anion exchanger, (20) 122
———, separation from lanthanides by ion exchange chromatography using hydroxyethylenediaminetriacetic acid, (35) 549
Actinium, radiocolloidal behaviour, (5) 147
———, separation from other actinides by PC, (7) 535
———, separation from scandium, yttrium and the lanthanides by PC, (3) 193
Actinium-227, isolation from its daughters and from $^{231}$Pa, (16) 538
Actinomycetales, identification of 9,10-methylene-hexadecanoic acid in, (35) 211
Actinomycins, separation by TLC, (13) 238
Activity coefficients, of alkanes, alkyl nitrates, nitroalkanes and alcohols, determination by GC, (4) 451
———, in GLC, correlation with the structure of the stationary phase, (20) 15; (23) 382
——— ———, non-ideality of the gas phase in frontal analysis, (16) 543
———, at infinite dilution, determination from GC measurements, (2) 490
Activity, determination by GLC, (2) 14
Acyl carnitines, CC separation from phosphatides and carnitine, (34) 103
Acyl hydrazides, detection on paper chromatograms, (32) 784
———, separation by paper electrophoresis and some other techniques, (19) 199
C-Acylmalonesters, examination by GC, (37) 108
Acyl phosphatase, visualization after zone electrophoresis and thin-layer gel filtration, (33) 553
———, GLC analysis of trace amounts of acetonitrilin, (32) 184
Adamantane, GC characterisation of its derivatives, (42) 207
Adamkiewicz-Hopkins test, modification for the detection of indole compounds, (17) 288
Adenine,
——— compounds, rapid separation by micro-electrophoresis, (27) 512
———, identification in PC and TLC by means of a new specific colour reaction, (14) 125
———, influence of eluent salt composition on the elution in poly-N-vinyl pyrrolidone CC, (43) 395
——— metabolites, separation by PC, (30) 278
——— polyphosphates, analysis by PC, (2) 418
———, separation by electrophoresis, (34) 275
Adenine nucleotides, agarose electrophoresis of, (20) 157
———, determination by paper electrophoresis, (10) 456
———, high-voltage electrophoresis on cellulose layers, (19) 201
———, a method for the separation of cyclic adenosine 3′,5′-monophosphate from other adenine nucleotides by high-voltage ionophoresis on paper, (35) 136
———, quantitative separation by ion-exchange chromatography on diethylaminoethyl Sephadex, (49) 308
———, separation and quantitative determination by PC, (26) 424
3′,5′-Adenosine monophosphate, cyclic, chromatography on silica gel glass microfibre sheets, (42) 136
———, ———, isolation on a neutral silicic acid-glass microfibre matrix, (47) 536
———, ———, a method for the separation from other adenine nucleotides by high voltage ionophoresis on paper, (35) 136

———, ———, separation from other adenine nucleotides, (40) 449
Adenosine phosphates, high-voltage paper electrophoresis, (7) 216
———, PC, (7) 223
Adenosine tetraphosphate, separation by two-dimensional chromatography on diethylaminoethyl-cellulose, (24) 279
Adrenaline,
——— derivatives, acetylated, TLC of, (44) 638
———, and noradrenaline-tetraphenylboranate mictures, separation by TLC, (21) 338
———, studies on the nature of some multispots obtained on chromatography, (27) 407
Adrenal steroids, an improved solvent system for TLC of, (42) 129
Adsorbents, preparation of a firm polyamide for use in TLC, (24) 257
———, standardization in linear elution adsorption chromatography, (11) 195
———, for TLC of carbohydrates, (15) 90
Adsorption,
——— affinity, relation with molecular structure for silic acid-celite columns, (2) 499
——— on alumina, mechanism of, (20) 463
———, colums, transfer of chromatoplate resolutions to large scale separations on, (8) 37
———, energies, functional group, on metal oxide adsorbents, (23) 388
——— heats, determination by means of GC, (16) 1
——— on inorganic materials, reaction of insoluble sulphides with metal ions in aqueous media, (17) 549
———, phenomena on Sephadex, (28) 12
——— TLC, homologous *m*-polyphenyls as reference compounds in, (48) 46
Adsorption chromatography, of inorganic compounds, (2) 334; (6) 437, 518; (7) 366
———, linear elution, (8) 178, 319
———, linear, Snyder's theory applied to heterocyclic compounds, (46) 48, 66
———, liquid, in columns and on thin layers, (38) 209
———, the role of dispersion interactions in, (36) 455
——— of solutions, temperature programming in, (21) 228
———, ———, zone profile in, (21) 223
Adsorptivity, selective, of molecular sieves with respect to different homologous series, (3) 230
Aerosols, GC collection trap for, (10) 398
———, PC analysis, (18) 198
Aerosol spray bottles for PC reagents, (2) 321
Aetiocholanolone, complete separation from lipids in plasma extracts, (34) 415
Aetiocholenic acids obtained on oxidation of corticosteroids, TLC, (19) 352
Aflatoxin $G_1$, use of antioxidant and chelating agent in the purification by TLC, (31) 420
Aflatoxins, interference of ethoxyquin in the TLC estimation of, (44) 403
———, separation by two-dimensional TLC, (31) 250
———, TLC separation on precoated silica gel plates, (49) 301
Agar
——— and agarose gel, granulation of, (46) 143
——— gel, solid, preparative separation technique for macromolecules by filtration through, (34) 537
———, TLC analysis of enzymic hydrolysates of, (49) 482
Agar gel electrophoresis, of haemoglobins, (5) 315
———, interdependence of protein diffusion, electrophoretic mobility and gel structure, (3) 536
Agarose,
——— electrophoresis of adenine nucleotides, (20) 157
———, isolation of, (46) 143
——— suspensions, zone electrophoresis in columns of, (12) 510
Agarose gel, characterisation of fiber parameters by light scattering, (37) 329
———, permeation chromatography, bacterial lipopolysaccharide as a void volume marker for, (37) 331
Aglycones, TLC of anomeric steroid tri-O-acetyl-D-glucopyranosid-uronic methyl esters, D-glucopyranoside tetraacetates, and 2′-acetamido-2′-deoxy-tri-O-acetyl-D-glucopyranosides, (48) 509
Aflatoxin, densitometric measurement, (27) 304
Air, contaminants, analysis by GLC, (24) 402
———, determination of oxygen, nitrogen and carbon dioxide in, (11) 173
———, organic acids in a selected dialysate of air particulate matter, (2) 615
——— peak in gas chromatograms, calculation of the retention time of, (34) 246

Air particulates, determination of polynuclear hydrocarbons in atmospheric dust by a combination of TLC and GC, (49) 66
———, quantitative determination of 3,4-benzopyrene in the air, (49) 334
———, qualitative determination of polyaromatic hydrocarbons in the air near gas-works retorts, (47) 27
Air pollutants, analysis by TLC, (23) 142
———, comparison of fluorimetric methods of assay for benz(*c*)acridine and benzo(*h*)quinoline, (26) 72
———, the routine determination of polycyclic hydrocarbons, (26) 456
———, use of TLC and MS for the rapid estimation of trace quantities of, (48) 328
Air pollution, CC and spectroscopy in the analysis of airborne polycyclics, (28) 317
——— particulates, characterisation of polynuclear aza heterocyclic hydrocarbons separated by CC and TLC, (18) 512
———, studied by the chromatographic equilibration procedure, (28) 285
———, studied by means of direct fluorometric scanning of thin-layer chromatograms, (20) 348
——— studies, separation of polycyclic hydrocarbons in air borne particulates, (9) 204
———, a superior TLC procedure for the separation of aza arenes, (31) 109
β-Alanylhistidine dipeptides, GC determination in soup preparations, (27) 259
Albumin, human serum, gel chromatography in eluents containing polymers, (36) 170
——— from serum, separation by radial chomatography on nitrocellulose membranes, (37) 264
Albumin-binding of amines, relationship with structure tested by crossing-paper electrophoresis, (8) 466
Alcohols, absorption in GLC applied to the determination of non-alcoholic impurities, (6) 541
———, aliphatic, 3,5-dinitrobenzoates, separation by TLC, (26) 101
———, ———, GC analysis using aromatic polymers, (36) 145
———, ———, primary, GC identification of 3-cholo-2-hydroxypropyl ethers of, (43) 431
———, ———, secondary, resolution by TLC of their N-(1-phenylethyl)urethanes, (41) 473
———, alkyl, identification of their nitrate esters by TLC, (31) 606
———, allylic, GLC, (4) 214
———, aqueous, GC analysis, (8) 429; (10) 114
———, $C_1$-$C_5$, GC behaviour on Carbowax 400, (42) 176
———, $C_1$-$C_7$, improved GC determination and separation from acetone and diacetyl, (42) 541
———, $C_9$, obtained on hydroformylation of *n*-octenes, separation by GC, (16) 216
———, cyclic, high-voltage electrophoresis, (1) 111
———, determination of isomers up to *n*-pentanol by GC, (24) 165
———, determination of retention data and activity coefficients by GC, (4) 451
———, determination of trace quantities of isoamyl chloride in aqueous isoamyl alcohol solutions, (42) 105
———, direct GC determination of polyalcohols in biological media, (42) 349
———, the effect of water on the retention time of, (30) 208
———, ester sulphates, TLC, (16) 336
———, fatty, see Fatty alcohols
———, GC, calculation of retention times, (17)
———, ——— of diols, (26) 251
———, ——— of longchain α, ω- diols and related compounds, (21) 305
———, ———, relative elution times, (17) 226
———, high-molecular weight, of human hair lipids, analysis, (29) 229
———, identification by dehydrogenation to carbonyl compounds after separation by GC, (37) 385
———, identification by reaction chromatograph using a gas-liquid/thin-layer derivatization technique, (29) 88
———, influence of electrolytes on GLC, (34) 389
———, ion exchange of polyols, (30) 566
———, long-chain monounsaturated, separation by TLC of their mercaptoacetic acid addition compounds, (24) 433
———, long-chain polyisoprenoid, GLC of derivatives of naturally-occuring mixtures, (23) 51
———, long-chain, and their derivatives, GC behaviour, (19) 263
———, measurement of the water solubilities of

tetradecanol and hexadecanol by GLC, (30) 390
———, mono- and di-hydric, isolation from complex mixtures, (14) 529
———, monohydric, paper electrophoretic separation as xanthates, (37) 279
———, new reagents for the identification of, (48) 241
———, 4′-nitroazobenzene-4-carboxylic acid esters, GC separation, (34) 253
———, normal aliphatic, resolution by "adsorption" chromatography on kieselguhr films, (14) 62
———, a novel method for their identification in complex mixtures, (28) 422
———, pentacyclic triterpenoid, PC, (5) 500
———, phenolic, chromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, (50) 251
———, polyhydric, estimation together with sugars by GLC, (36) 152
———, ———, separation and quantitative analysis in tobacco products, (35) 94
———, ———, silylation and GLC analysis of, (44) 175
———, polyvalent, high-voltage electrophoresis, (1) 108
———, quantitative GC using a thermal conductivity cell as detector, (3) 545
———, racemic, resolution by chromatography of their diastereoisomeric esters, (29) 94
———, retention indices, (11) 469
———, separation factors for their systematic identification by GC, (26) 8
———, separation and identification as N,N-dimenthyl-*p*-aminobenzeneazo-benzoates by PC and TLC, (49) 511
———, separation of mixtures by TLC, (23) 180
———, separation by PC of their 3,5-dinitrobenzoyl derivatives, (5) 466
———, separation by PC of their xanthates, (4) 138
———, straigh-chain saturated and unsaturated, separation by TLC, (30) 235
———, substituted, TLC of positional isomers, (33) 471
———, sugar, $^{14}$C-labelled, recovery in GC, (38) 18
———, ———, TLC, (18) 417
———, ———, ——— on magnesium silicate, (14) 513
———, a temperature-resistant liquid phase for the separation of polyols, (26) 495
———, terpene, separation from terpene mixtures as their 3,5-dinitrobenzoates on Kieselgel thin layers, (38) 364
———, ———, separation by TLC and identification by a colour reaction, (17) 183
———, unsaturated terpene, densitometric determination in essential oils, (15) 39
———, use of high resolution partition capillary columns in GC, (49) 18
———, water-insoluble, salting-out chromatography, (7) 273
Aldehyde hydrazones, of 2-hydrazinobenzothiazole, TLC of, (40) 465
Aldehydes, aliphatic, 2,4-dinitrophenyl-hydrazones, reverse phase TLC, (14) 273
———, ———, ———, TLC under controlled conditions, (14) 265
———, ———, ——— of vicinal dicarbonyls, separation into classes by TLC, (14) 512
———, ———, relative detector response in GC, (15) 260
———, ———, separation by TLC of stereoisomeric 2,4-dinitrophenylhydrazones of, (22) 29
———, ———, TLC of 3-methyl-2-benzothiazolone hydrazone derivatives of, (35) 111
———, aromatic, 2,4-dinitrophenylhydrazones, TLC, (17) 483
———, colour reactions with various amines, (13) 491
———, 2,4-dinitrophenylhydrazones, direct spectrophotometric examination on paper chromatograms, (16) 460
———, ———, the effect of initial solvent on their mobility in TLC, (31) 234
———, ———, GC, (28) 253
———, ——— of α-keto derivatives, separation by column partition chromatography, (9) 187
———, ———, resolution by PC, (27) 384
———, ———, separation on acetylated paper, (10) 268
———, ———, separation and identification by PC, (15) 371
———, ———, separation by liquid-liquid partition chromatography, (3) 322
———, ———, separation on paraffin-treated paper, (7) 415
———, ———, separation by TLC, (7) 407; (18) 325; (20) 528; (23) 261; (24) 451
———, ———, separation by vapour phase chromatography, (15) 435
———, fatty, see Fatty aldehydes
———, GC, calculation of retention times, (17) 1
———, ———, relative elution times, (17) 227
———, monoenoic, separation of isomers via the dinitrophenylhydrazones, (18) 424
———, phenolic, separation and quantitative determination by TLC, (21) 424

(Aldehydes)
———, retention indices, (11) 470
———, semicarbazones, separation by TLC, (20) 178
———, separation of substituted benzaldehyde 2,4-dinitrophenylhydrazones by TLC, (22) 36
———, simple semi-quantitative estimation of sinapyl and related aldehydes in wood and in other materials, (44) 396
———, straight-chain unsaturated identification by partition TLC, (24) 427
———, TLC of, (35) 108
———, ——— 2,4-dinitrophenylosazone homologues of vicinal dicarbonyls, (17) 606
———, see also Carbonyl compounds
Alditol acetates, GLC of, (28) 246
Alditols, partially methylated GC of their trifluoroacetyl derivatives, (49) 419
———, separation by TLC, (26) 116
Aldobionic and aldonic acids, anion-exchange separations, (12) 236
Aldohexose sugars, prediction of $R_F$ values of, (33) 500
Aldomethylose sugars, prediction of $R_F$ values of, (33) 500
Aldonic acid lactones, separation by TLC, (26) 116
Aldone-γ-lactones, liquid-liquid partition mobilities, (9) 251
Aldoses, separation by TLC, (26) 116
Aldomixes of the paraffin series, isomeric, separation by CC and TLC, (21) 239
Algal extracts and phosphate esters, separation by thin-layer electrophoresis and chromatography, (39) 507
Alginic acid, use for the chromatographic separation and purification of vitamins $B_{12}$, (3) 359
———, ion-exchange TLC separation of amino acids on, (40) 138
———, the mechanism of ion-exchange with; (40) 130
———, a new thin-layer material, (35) 396
———, TLC of metal ions on, (35) 396, 405
———, thin layers, a study of the hydrogen ion concentration gradient on, (42) 532
Alicyclic compounds, catalytic aromatization by GC, (24) 188
Aliphatic acids, see Acids, aliphatic
Aliphatic alcohols, see Alcohols, aliphatic
Aliphatic compounds, isomeric long-chain, chromatographic behaviour, (20) 27; (21) 69
———, oxygen-containing, separation by GC, (20) 23, 452
Aliphatic esters, GC of, (43) 33
Alizarin Complexan, separation from impurities by PC, (37) 546
Alkali halogenides, pure, preparation by ion-exchange chromatography, (21) 286
Alkali metal ions, distribution coefficients on zirconium phosphate in fused nitrates, (24) 148
Alkali metals, chloranilic acid as a reagent in the PC of, (4) 153
———, chlorides as column packings in GSC, (30) 305
———, heavy, separation by ion-exchange chromatography on vanadium ferrocyanide, (21) 85
———, quantitative analysis by PC and flame spectrophotometry, (20) 201
———, rapid separation of sodium, potassium, rubidium and caesium by TLC on zinc ferrocyanide, (26) 557
———, reversed-phase chromatography on paper treated with di-(2-ethylhexyl) orthophosphoric acid, (13) 211
———, separation and determination by PC, (1) 554
———, separation by ion-exchange procedures, (20) 107
———, separation of lithium from other alkali metals by reversed-phase chromatography, (26) 342
———, separation on paper impregnated with ammonium molybdophosphate, (4) 423
———, separation by reversed-phase partition chromatography, (19) 580
Alkali nitrites, reaction with ruthenium salts, (6) 429
Alkaline earth metal ions, chromatographic behaviour on Sephadex G-15 columns, (41) 429
Alkaline earth metals, chloranilic acid as a reagent in the PC of, (4) 153
———, chromatographic separation and automatic flame spectrophotometric determination, (11) 542; (13) 224
———, PC in nitrate media, (6) 269
———, quantitative analysis by ion-exchange chromatography and flame spectrophotometry, (10) 215
———, quantitative analysis by PC and flame spectrophotometry, (7) 248
———, reversed-phase chromatography on paper treated with di-(2-ethylhexyl) orthophosphoric acid, (13) 211
Alkaline earths, reversed-phase chromatography on paper treated with di-*n*-butyl phosphate, (32) 384

———, reversed-phase chromatography on paper treated with di-(2-ethylhexyl) orthophosphoric acid in chloride medium, (15) 236
Alkaloidal drugs, TLC in non-aqueous systems, (17) 495
Alkaloids, adaptation of Mayer's reagent as a spray reagent in the PC of, (2) 428
———, analysis in biological media by GLC, (29) 68
———, atropine, a new method of determination by TLC, (31) 252
———, in biological specimens from horses, isolation, detection and identification, (35) 234
———, *Catharanthus*, separation by TLC, (18) 184
———, chromatographic separation of lysergic acid amide and isolysergic acid amide in Morning Glory seeds, (43) 510
———, chromatography on paper impregnated with liquid ion exchangers, (27) 206
———, chromatography on plaster of Paris, (21) 332
———, cinchona, qualitative examination in commercial products, (17) 114
———, ———, separation by TLC, (16) 239
———, clavine, determination in Morning Glory seeds by a direct densitometric method on thin-layer plates, (19) 531
———, closed E ring oxindoles, the effect of methoxy substitution and configuration on their TLC behaviour, (32) 704
———, counter current distribution with a pH gradient, (17) 193
———, curare, portable apparatus for preliminary analysis by paper electrophoresis, (1) 182
———, ———, separation by various methods, (1) 411
———, detection by means of tetraphenylboro-sodium, (11) 364
———, direct colorimetric determination on papergrams, (17) 618
———, ergot, separation of diastereomeric (+) -1-hydroxy-2-butylamides of D- and L-lysergic and isolysergic acids by TLC, (50) 442
———, ergotoxine, a simple TLC method, (44) 631
———, fluorometric determination of harman after TLC separation, (33) 551
———, forensic problems in the GC of, (37) 162
———, GC determination of morphine and cocaine in urine, (40) 164
———, GC with polar stationary liquids, (19) 296
———, ———, the effect of polyvinylpyrrolidone treatment of the support, (20) 394
———, GC separation of 4′-nitroazobenzene-4-carboxamides of primary and secondary amines, (37) 205
———, gel electrophoresis, (10) 246
———, gel filtration using Sephadex, (3) 334
———, of the genus *Papaver*, determination by PC and TLC, (24) 364
———, ———, TLC characterization by, (41) 127
———, gradient method for the counter-current separation using a heavy organic phase, (45) 407
———, greenheart, paper electrophoresis, (3) 92
———, heteroyohimbine, effect of methoxy substitution and configuration on their TLC behaviour, (31) 427
——— high-voltage electrophoresis, (1) 116
———, identification of alkaloid-containing drugs by TLC after micro steam distillation, (48) 125
———, identification of drugs of abuse in urine using the Dole technique, (47) 542
———, identification of LSD and other indole alkaloids by UV degradation products, (41) 491
———, indole, determination of their pyrolysis products by GC, (16) 34
———, ——— and oxindole, correlation between stereochemistry and behaviour on thin-layer chromatograms, (24) 84
———, ———, study of the pyrolysis products by GC, (25) 15
———, influence of the pH value in TLC of caffeine, theophylline and theobromine on uniform layers, (48) 96
———, isoquinoline, study of solubilisation of, (36) 522
———, *Mitragyna* oxindole, densitometric determination after separation by TLC, (33) 347
———, ———, quantitative determination after separation by TLC, (32) 472, 489; (35) 72
———, opium, PC, (1) 327
———, ———, separation by polyamide layer chromatography, (29) 391
———, ———, separation by TLC, (11) 260; (16) 237
———, ———, solvent systems for their identification in narcotic seizures by TLC, (19) 300
———, E *seco* oxindoles, TLC behaviour and relationship with indolizidine and some simple oxindoles, (32) 692
———, partition chromatography on Kieselguhr, (9) 71

(Alkaloids)
———, of *Peganum harmala* species, separation by high voltage ionophoresis, (29) 388
———, peyote, GC of, (36) 105
———, ———, TLC, (30) 271
———, of *Phalaris* species, a GLC screening technique for the identification of, (43) 295
———, phenolic quaternary, of the isoquinoline type, separation by chromatography on polyamide columns, (25) 167
———, porous glass as an adsorbent in TLC, (46) 125
———, pyrrolizidine, characterisation by GC, TLC and PC, (20) 270
———, ———, detection by TLC, (27) 505
———, ———, TLC, (19) 433
———, quantitative determination of berberine by direct TLC evaluation, (39) 90
———, quantitative determination of cytisine and methylcytisine by GC, (42) 258
———, quaternary, quantitative determination of diallyl-bis-nortoxiferine dichloride after separation by TLC, (33) 370
———, rapid separation from plant material by anion-exchange of Mayer's complex, (19) 175
———, *Rauwolfia serpentina*, separation by TLC, (11) 260
———, salts with polybasic acids, behaviour on aluminium oxide columns, (5) 259
———, separation on paper impregnated with zirconium phosphate, (11) 238
———, separation of tomatidenol, solasodine and soladulcidine and yamogenin, diosgenin and tigogenin by TLC, (40) 97
———, *Solanum*, analytical and preparative separation by TLC, (30) 149
———, specific assay of basic drugs in urine by CM-cellulose chromatography using continuous drug-dye complex extraction as detection system, (43) 72
———, steroids, CC, (1) 164
———, ———, PC, (1) 249
———, *Strychnos*, apparatus for preliminary analysis by paper electrophoresis, (1) 182
———, ———, PC, (7) 329
———, ———, separation by various methods, (1) 411
———, *Strychnos nux vomica* L., minor, separation by CC, (32) 178
———, study of the stability of iodine and tertiary-bounded nitrogen complexes in substances separated by TLC, by means of IR spectroscopy, (48) 353
———, of tall fescue hay, PC of, (12) 423
———, tertiary *Strychnos*, correlation between $hR_F$ values in TLC and chemic structure, (48) 493
———, ———, GLC of, (37) 172
———, ———, TLC, (6) 11, 61; (31) 594
———, ———, for the quantitative separation of quinidine and quinidine metabolites from biological fluids and tissues, (37) 70
———, ———, on a special type of cellulose, (19) 172
———, tobacco, GC, (43) 506
———, ———, and related compounds, two-dimen TLC, (20) 176
———, ———, TLC, (31) 592
———, tropine, quantitative analysis by PC, (21) 495
———, use of solubilising agents in chromatography and electrophoresis of, (36) 522
———, *Veratrum*, separation by TLC, (18) 180
———, *Withania somnifera*, PC, (3) 591; (5) 178
———, xanthine, metabolism in man, (40) 468
Alkanals, 2,4-dinitrophenylhydrazones, reversed-phase TLC, (14) 273
———, ———, TLC under controlled conditions, (14) 265
———, ——— of vicinal dicarbonyls, separation into classes by TLC, (14) 512
———, TLC, (7) 407
Alkanedisulphonic acids, $C_1$ - $C_5$, PC separation of the positional isomers of, (45) 113
Alkanes, determination of retention data and activity coefficients by GC, (4) 451
———, influence of molecular form on the temperature dependence of retention indices of, (44) 167
———, influence of the stationary phase on the retention indices of, (45) 306
———, 2- and 3-methyl, GC separation on packed columns, (40) 162
———, phenyl derivatives, analysis by GC, (4) 244
———, separation on Sephadex LH-20 and its application to a rock extract, (46) 112
———, see also Hydrocarbons
Alkanoic acid, dibasic, and the three isomeric phthalic acids, GC separation of the dimethyl esters using a polyamide liquid phase, (46) 137
Alkanolamines and their salts, separation and identification by TLC, (23) 316
Alkanones, 2,4-dinitrophenylhydrazones, reversed-phase TLC, (14) 273
———, ———, TLC under controlled conditions, (14) 265

———, ———, vicinal dicarbonyls separation into classes by TLC, (14) 512
———, TLC, (7) 407
1-Alkenes, GC of long-chain 1,2-diols from the biological oxidation of, (36) 341
Alkenyl acyl- and diacyl-choline phosphatides, fractionation by argentation adsorption TLC, (34) 195
Alkenyl acyl- and diacyl-ethanolamine phosphatides, fractionation of a natural mixture by argentation adsorption TLC, (35) 113
Alkenyl acyl- and diacyl-phosphatides, reaction TLC of mixtures of, (34) 241
1-Alkoxy-2(3)-hydroxy-3(2)-aminocyclohexanes and their derivatives, chromatographic separation, (28) 462
Alkoxyphenols, calculation of $R_M$ values, (10) 42
———, chromatographic behaviour on cellulose layers impregnated with polyamide, (27) 116
Alkyl and alk-1-enyl glyceryl ethers, determination of the distribution by GLC of the diacetyl derivatives, (38) 230
Alkylates, linear detergent, GLC, (6) 74
Alkylbenzenes, $C_{10}$ - $C_{15}$ straight chain isomers, estimation of their boiling points from GC retention data, (20) 1
———, linear, determination of their boiling points by GC, (30) 86
———, pyrolysis and hydrogenation of, (48) 521
N-Alkylcyclotrisilazanes, redistribution reactions of, (40) 283
Alkyl 2,5-dichloro-4,6-dinitrophenyl carbonates, separation by GC, (39) 33
Alkyldinitrophenols, and corresponding anisoles, GC of, (48) 523
Alkyl ethers, resolution of mixtures with monoglycerides by GLC, (34) 461
Alkyl gallates, separation as complexes with cinchonine and strychnine, (46) 261
Alkyl group, identification and determination of its position in aromatic substances by reaction GC, (43) 1
Alkyl halides, separation of homologous compounds by TLC, (29) 396
———, separation of isomeric pentyl halides by GC, (29) 218
Alkyl iodides, GC, (41) 313
Alkylnaphthalenesulphonic acids, PC, (8) 90
Alkyl nitrates, determination of retention data and activity coefficients by GC, (4) 451
Alkyl oleates, oxidized, comparison of column, TLC and PC of, (33) 267
Alkyl oleates, oxidized, comparison of column, cellulose layers impregnated with polyamide, (27) 116
*p*-Alkylphenols, analysis by TLC, (32) 419
Alkyl phenols, chromatographic behaviour on cellulose layers impregnated with polyamide, (27) 116
———, chromatographic methods for analysis of mixtures of, (5) 408
———, identification in cashew-nut shell liquid by chromatographic techniques, (32) 519
———, studies in the relationship between molecular structure and chromatographic behaviour and an investigation of the validity of the additivity principle as applied to the GC behaviour of alkylphenols, (48) 418
1-Alkylphenylazo-2-naphthols, paper partition chromatography, (5) 395
Alkylpyridine mixtures, PC separation, (39) 53
4-Alkylresorcinols, colour reactions of, (12) 420
Alkyl selenium compounds, separation by GC, (21) 202
N-Alkyl substituted products, identification by a dealkylation reaction in the presence of adsorption chromatography substrates, (48) 214
Alkylthiophenes, identification in crude oil by use of a series of GLC stationary phases, (20) 240
*n*-Alkyltin compounds, TLC on silanised silica gel, (39) 84
Allergenic macromolecular compounds, preparative separation from airborne particles using continuous electrophoresis, (17) 628
*Allium cepa*, TLC investigation on flavour components of, (47) 400
Allylic alcohols, GLC, (4) 214
Allylic-propenylic isomers, separation of some pairs by TLC on silica impregnated with silver nitrate, (21) 349
Alumina, active, changes occurring on storage, (14) 499
——— chromatography, artefacts originating from, (42) 261
——— columns, new procedure for packing, (17) 411
——— impregnated glass paper, use in the chromatography of azobenzenes and aromatic nitrogen heterocycles, (6) 420
———, mechanism of adsorption on, (20) 463
———, storage and behaviour in chromatography, (1) 271
———, use of precoated sheets in TLC, (30) 493, 502
Aluminium
———, oxydes, the influence of the structure on their chromatographic properties, (33) 70

(Aluminium)
———, reversed-phase chromatography on paper treated with di-(2-ethylhexyl) orthophosphoric acid in chloride medium, (18) 124
———, separation from Ga, In and Tl by chromatography on papers treated with di-(2-ethylhexyl) orthophosphoric acid, (16) 258
Amanita toxins, improved TLC separation on Silica Gel G chromatoplates, (38) 403
Amber, archeological, and from the Baltic Sea, analysis by TLC, (33) 544
Americium, partition chromatographic studies using the tricaprylylmethylammonium thiocyanate-ammonium thiocyanate system, (27) 229
———, separation by anion-exchange, (46) 326
———, separation from curium by ion-exchange using hydroxyethylenediaminetriacetic acid as eluant, (31) 510
———, separation from other actinides by PC, (7) 535
———, separation from rare earths by reversed-phase partition chromatography, (29) 309
———, synergism in the reversed-phase partition chromatography of, (34) 520
———, variation of the $R_F$ value in *n*-butanol-HCl mixtures, (6) 85
———, variation of the $R_F$ value in *n*-butanol-$HNO_3$ mixtures, (7) 373
Amides, adsorption chromatography of polar, organic molecules on BioGel, (47) 355
———, colorimetric detection of peptides with *tert.*-butyl hypochlorite and potassium iodide, (41) 458
———, controlled hydrolysis on silica gel plates followed by separation of the reaction products, (30) 256
———, detection on paper chromatograms, (13) 262
———, short chain aliphatic, PC analysis, (15) 264
———, a simple chlorination-heat procedure for their detection on paper chromatograms, (32) 424
———, substituted, a new detection method on thin layers, (37) 364
Amido-phosphates, chromatographic studies on their hydrolysis, (16) 207
Amines, accelarated analysis of, (37) 549
———, aliphatic, deactivation of the GC support for the separation of, (50) 135
———, ———, GC analysis using ethylene glycols as stationary phases, (42) 183
———, ———, GC separation of diamines, (42) 195
———, and alkaloids, TLC, (31) 594
———, alkanol derivatives and their salts, separation and identification by TLC, (23) 316
———, aromatic, detection on thin-layer chromatograms with nitrogen dioxide as reagent, (26) 299
———, ———, GC with 1,3,5-trinitrobenzene as stationary phase, (27) 362
———, ———, separation on alginic acid and carboxymethylcellulose columns, (49) 239
———, ———, separation by TLC, (13) 571
———, ———, as spray reagents in the TLC of chlorinated organic pesticides, (23) 274
———, aryl derivatives, in oxidation-type hair dyes, analysis by PC, (16) 454
———, biogenic, detection on paper chromatograms, (5) 82
———, ———, high-voltage electrophoresis, (1) 107
———, ———, separation and detection by TLC, (33) 480
———, biological, analysis by means of chromato-ionophoresis, electrophoresis and chromatography on paper, (3) 168
———, ———, identification by chromatographic methods, (3) 11
———, ———, GLC of the trimethylsilyl derivatives of, (36) 354
———, catechol- and indolechromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, (50) 25
———, chromatographic methods for concentrating separating and identifying di- and tri-polyamines in urine, (25) 48
———, chromatographic separation of l-alkoxy-2(3)-hydroxy-3(2)-aminocyclohexanes, (28) 462
———, chromatographic spray for the identificatio of tyramine and histamine, (25) 485
———, comparison of formaldehyde gas and Prochazka reagents for the detection of biogenic monoamines by TLC, (47) 530
———, cyclohexyl derivatives, stereoisomeric, separation by GC, (10) 9
———, detection and identification in antioxidant for aviation lubricants by TLC, (26) 296
———, determination in human urine, (12) 358
———, determination of 0-methylation products of noradrenaline, (49) 425
———, l-dimethylamino-naphthalene-5-sulphonyl derivatives, TLC on silica gel, (28) 351
———, dinitrophenyl derivatives, PC, (4) 144
———, ———, TLC studies, (26) 292
———, forensic problems in the GC of, (37) 162

———, GC determination in aqueous solution, (13) 565
———, high-molecular-weight, as liquid ion exchangers in TLC and PC, (22) 407; (23) 287
———, an improved formaldehyde condensation reaction for the detection of catecholamines on sillica gel thin layers, (40) 186
———, indolic, separation by TLC, (22) 330
———, long-chain tertiary, and related compounds, TLC, (18) 426
———, MS of crude biological extracts, (48) 322
———, new reagents for the identification of, (48) 241
———, PC detection and colorimetric determination of some 5-0-substituted tryptamines, utilising the formation of xanthylium salts, (40) 125
———, pharmaceutical, use of the acid dye technique for quantitation of, (44) 109
———, phenolic, PC, (16) 254
———, ———, urinary, solvent extraction and PC, (49) 349
———, β-phenylethyl derivatives, detection on paper chromatograms, (11) 272
———, *o*-phthalaldehyde as spray reagent in TLC of, (32) 315
———, poly, separation by various forms of chromatography, (18) 535
———, primary aromatic, TLC and electrophoretic behaviour on weak ion exchangers, (43) 463
———, primary and secondary, GC separation of 4'-nitroazobenzene-4-carboxamides of, (37) 205
———, ———, GC as their trifluoroacetyl derivatives, (43) 129
———, ———, separation as their 4-(phenylazo)-benzenesulphonamides, (29) 255
———, primary, secondary, and tertiary, systematic studies of chromogenic reagents for the detection on thin-layer chromatograms, (45) 82
———, psychostimulating, detection of doping by TLC and GC, (37) 158
———, ———, separation by GC, (37) 197
———, quantitative TLC using an interference refractometer, (30) 618
———, quaternary, N-methyl-labelled, synthesis of, (39) 78
———, relationship between structure and binding by albumin tested with crossing-paper electrophoresis, (8) 466
———, secondary, some critical remarks on their colours on paper with sodium nitroprusside reagent, (37) 341
———, sensitive method for the detection of substances containing primary amino groups on thin-layer plates, (48) 184
———, separation of catecholamines and their metabolites using PC and partition TLC, (43) 135
———, separation by GC on capillary columns, (21) 302
———, separation by GLC using Teflon as support, (13) 327
———, separation and identification by PC of their 3,5-dinitrobenzoyl derivatives, (5) 466
———, studies on the nature of some multispots obtained on chromatography of adrenaline, (27) 407
———, sympathomimetic, separation and identification by GC, (24) 26
———, tertiary, a technique for the improvement of their GC properties, (32) 408
———, TLC, (6) 21; (9) 314; (20) 165
———, TLC of amine derivatives in the form of β-aminovinyl *o*-hydroxyphenyl ketones, (49) 249
———, TLC of isomeric halo and nitro derivatives of aniline, (27) 368
——— TLC studies of their charge-transfer complexes with nitro compounds, (29) 120, 258
———, *p*-toluenesulphonates, TLC study, (24) 443
———, from urea herbicide residues, separation on cellulose thin-layer plates, (27) 296
———, used in anorectic formulations behaviour in GC, (30) 199
———, use for treatment of paper in the chromatography of metal ions, (19) 630
———, use of tri-iso-octylamine as an anion exchanger for partition chromatography, (23) 457
———, in volatile substances of *Streptococcus lactis*, GC analysis of, (44) 262
Amine salts, GC determination of traces in water, (43) 25
Amino acid analyser buffers, a new mold inhibitor of, (44) 617
Amino acid analyser column, use for the chromatography of ninhydrin negative compounds, (26) 48
Amino acid analysers, single column, multi-temperature bath control units for, (48) 538
———, a versatile lithium buffer elution system for use on, (38) 460
Amino acid analysis, automatic, an improved method for preparing buffers that have low baselines, (39) 79

(Amino acid analysis, automatic)
———, ———, a new system for, (39) 262
———, a new accelerated fully automated system by ion-exchange chromatography for, (44) 620
Amino acids, accelerated analysis of, (37) 549
———, acid, neutral and basic, separation by two-dimensional TLC on cellulose, (21) 19
———, acidic and aromatic, separation by ion-exchange chromatography, (24) 264
———, acidic, ion-exchange chromatography using a weakly basic anion-exchange resin. (13) 278
———, ———, separation by high-voltage paper electrophoresis and PC, (38) 301; (48) 575
———, analysis of N-acetyl-aspartic acid in brain by GC, (25) 11
———, analysis by chromatography, using a rapid method for integrating peaks, (24) 169
———, analysis by reduction and subsequent GC of the amino alcohols formed, (15) 149
———, analysis using cysteic acid as an internal standard, (20) 143
———, aromatic derivatives, chromatography on polyamide thin layers, (42) 134
———, ———, present in the hydrolysate of a radioactive protein, quantitative analysis by PC, (1) 524
———, automatic chromatographic analysis of the dinitrophenylene and dinitrophenyl derivatives of lysine and tyrosine, (32) 786
———, an automatic eight-channel spot applicator for TLC of, (47) 116
———, from bacterial cell wall peptidoglycans, TLC and PC of dinitrophenyl derivatives of, (47) 124
———, basic, and hexosamines, a method for their separation and identification, (34) 7
———, ———, a modified two-column procedure for the analysis in elastin, collagen and anti-biotics, (38) 293
———, ———, resolution on the automatic amino acid analyser, (9) 253
———, ———, separation on the automatic amino acid analyser, (14) 295
———, behaviour of angiotensin octapeptides and dinitrophenyl-angiotensin during chromatography on polyacrylamide and dextran gels, (47) 369
———, N-benzyloxycarbonyl derivates, detection on thin-layer chromatograms, (30) 243
———, ———, separation by polyamide TLC, (32) 591
———, *n*-butyl esters, separation by TLC, (17) 576
———, *tert.*-butyloxycarbonyl derivates, detection on paper and thin-layer chromatograms, (24) 277
———, calculation of amino acid analyses with a desk-top computer, (47) 257
———, carbamoyl derivatives, TLC, (30) 250
———, carbobenzoxy derivatives, instant TLC as hydrobromides, (23) 403
———, ———, TLC, (7) 405; (16) 553
———, CC, (2) 213; (6) 252; (7) 418; (9) 253
———, CC analysis in the presence of heavy metal ions, (31) 479
———, GC of phosphoserine phosphoethanolamii and S-sulpho-glutathione, (20) 500
———, CC on polystryrene resin using aqueous systems, (49) 222
———, the characterisation of iodoamino acids and their derivatives by TLC, (40) 219
———, characteristics of the reactivity of thyronine, tyrosine and some iodinated derivatives of these substances in the presence of the ferric ferricyanide-arsenious acid reagent, (42) 524
———, chelates, PC of Cd, Cu, Ni and Zn bis(glycinates) in some alcohols, (19) 448
———, chromatographic behaviour on nitrocellulose membrane filters, (26) 121
———, chromatographic isolation of 2-acetamido-1-(β′-L-aspartamido)-1,2-dideoxy-β-D-glucose from urine, (50) 534
———, chromatographic spray for the identification of tyrosine and histidine, (25) 485
———, chromatography of *im*-benzyl-L-histidine, (43) 266
———, chromatography on short-staple paper, (19) 170
———, chromatography on strarch columns, (16) 264
———, chromatography on thin layers of Avicel and cellulose and on paper, (26) 449
———, chromatography of thymine radiolysis products, (43) 368
———, of collagen, separation and estimation by programmed analysis, (39) 326
———, color development of the spots of phenylthiohydantoin derivatives of, (44) 392
———, a combined method with kaliumpermanga and ninhydrin in the peptide mapping technique, (44) 651

———, comparison of analytical methods, (26) 41
———, comparison of formaldehyde gas and Prochazka reagents for the detection of biogenic monoamines by TLC, (47) 530
———, composition of haemoglobin, (6) 252
———, computer analysis of chromatograms of, (42) 442
———, continuous electrophoresis, (4) 306
———, cystine and cysteine peaks in analysis of, (21) 126
———, dansyl (DNS) derivatives, separation by TLC, (20) 514, 616
———, decomposition during chromatography on paper, (9) 241
———, derivatives, direct fluorometric scanning, (37) 499
———, ———, Dragendorff reactions for visualisation after PC and TLC separation, (49) 343
———, ———, PC separation and identification, (4) 470; (13) 484
———, ———, retention times of, (12) 106
———, ———, separation by GC using monosodium L-glutamate stationary phase, (14) 100
———, detection on paper chromatograms with diazotized *p*-nitro-aniline, (24) 268
———, detection on paper chromatograms by means of dehydroascorbic acid, (13) 139
———, detection of peptide hydrazides on thin-layer chromatograms, (47) 519
———, detection on thin-layer chromatograms, (16) 541
———, determination of asparagine and glutamine in a multiple-column analyser, (27) 267
———, determination by a combination of paper electrophoresis and PC, (2) 434
———, determination of ether-soluble dinitrophenyl amino acids in structural proteins by chromatography on nylon powder columns, (39) 491
———, determination of lanthionine by TLC, (32) 755
———, determination of ornithine and γ-aminobutyric acid by CC, (34) 399
———, determination by reflectance spectrophotometry on thin-layer plates, (15) 501
———, determination of selenomethionine in biological sources by chromatography and neutron activation analysis, (31) 282
———, determination of several samples on one chromatogram with an amino acid analyser, (45) 52
———, determination of N-terminal acids of a protein by the method of Edman, (44) 207
———, determination of water-soluble dinitrophenyl amino acids in structural proteins by chromatography on nylon powder columns, (39) 482
———, deuterium-containing, GLC and MS of their TMS derivates, (50) 405
———, development of a mixed stationary phase for the GLC separation of trifluoroacetylated amino acid methyl esters, (43) 11
———, diaminonaphthaline sulphonyl-, identification using thin-layer electrophoresis on cellulose, (42) 426
———, differentiation of dimethylaminonaphthalenesulphonic derivatives of valine, leucine and isoleucine by TLC on silica gel, (21) 135
———, 1-dimethylamino-naphthalene-5-sulphonyl derivatives, TLC on silica gel, (28) 351
———, 2,4-dinitro-5-aminophenyl derivatives, method of diazotization on thin-layer chromatograms, (11) 111
———, ———, separation by TLC and PC, (30) 614
———, 2,4-dinitrophenyl derivatives, chromatography on silica gel-impregnated glass paper, (18) 192
———, ———, identification on polyester film supported polyamide layers, (27) 318
———, ———, PC, (2) 225; (3) 85; (13) 488
———, ———, removal from excess dinitrophenyl-artifacts by a simple chromatographic technique, (8) 417
———, ———, separation by high-voltage paper electrophoresis, (18) 331
———, ———, separation by polyamide layer chromatography, (22) 362; (24) 460
———, ———, separation on thin layers of powdered cellulose, (22) 336, 347
———, ———, separation by two-dimensional PC, (4) 80
———, ———, standard ionophoretic mobilities, (6) 139
———, dinitropyrimidyl and nitropyrimidyl derivatives, TLC, (17) 506
———, direct determination of the enzymatic effect by TLC, (48) 558
———, DNS-, liquid-solid separation with open glass capillary columns, (46) 103
———, the effect of glycerol on their rate of movement on silica gel thin layers, (26) 503
———, efficiency of various kinds of chromatography paper and thin-layer cellulose powder for the separation of, (38) 224

(Amino acids)
———, electrophoretic behaviour of copper (II) histidinate in the presence of the other copper(II) amino acid chelates, (34) 281
———, an electrophoretic method for the determination of 'bound' ϵ-amino-lysine in proteins, (43) 382
———, electrophoretic mobility of their Cu (II) chelates in relation to pH, (31) 296
———, electrophoretic separation from their copper complexes, (3) 425
———, esterification by means of diazopropane and diazobutane, (26) 481
———, esters, decomposition occurring on treatment with HBr in glacial acetic acid, (6) 155
———, ———, GC in ammonia, (9) 122
———, experimental studies for optimising resin column dimensions in the automatic ion-exchange chromatography of, (50) 260
———, experiments with TLC on charcoal, (48) 113
———, extrusion CC on cellulose, (18) 42
———, fractionation and estimation in serum, (3) 75
———, free, in some grass pollens, identification by TLC, (38) 257
———, fully automated high-speed ion-exchange chromatography, (42) 355
———, GC, (4) 339
———. GC determination of impurities and oxidation of caprolactam, (39) 253
———, GC of volatile derivatives, (26) 35
———, gel filtration using Sephadex, (3) 332
———, GLC of, (43) 303; (49) 537
———, GLC of protein amino acid trimethylsilyl derivatives, (45) 24
——— of high mobility in PC, solvent with high separation power for, (13) 143
———, high-voltage electrophoresis, (1) 103
———, horizontal PC, (1) 317; (3) 374
——— of human haemoglobin, (17) 140
———, hydrolytic decomposition products of some carrier ampholytes used in electrophocusing, (41) 259
———, hydroxylated, ester sulphates, TLC, (16) 336
———, identification of, (12) 329
———, identification and characterisation of natural and synthetic dihydroxyprolines, (43) 127
———, identification of β-hydroxyglutamic acid in the brain, (7) 411
———, identification on paper chromatograms by means of the isatin-Cd complex, (13) 560
———, identification in the presence of 50% glycerol on silica gel thin layers, (31) 82
———, an improved method for determination by spectral reflectance, (17) 131
———, indolic, separation by TLC, (22) 330
———, iodinated, group separation of an aqueous solution by means of solvent extraction, (30) 611
———, iodo derivatives, GLC of their trimethylsilyl derivatives, (36) 351
———, ———, gel filtration, (34) 110
———, ion-exchange CC, (3) 434; (6) 333; (7) 427; (8) 205
———, ion-exchange TLC of, (43) 132
———, ion-exchange TLC separation on alginic acid, (40) 138
———, isomers, PC separation, (13) 276
———, $^{14}C$ labelled, isotope separation factors in ion-exchange on resins with carboxylic groups, (34) 515
———, labelled, local solvent structure as a factor in secondary isotope fractionation phenomena on ion-exchange columns, (42) 493
———, a method of solid injection for GC, (49) 293
———, a method of two-dimensional quantitative PC with the standard on the same paper, (17) 620
———, N-methyl derivatives, analysis by automatic amino acid analyser and GLC, (25) 1
———, ———, estimation on paper chromatogram with ninhydrin as reagent, (4) 251
———, methyl esters, GC as the free base and by dissociation of their acid salts, (11) 327
———, micro determination with a standard single-column analyser, (40) 296
———, mobilities in paper electrophoresis, (24) 125
———, modification of the controls of the Beckman amino acid analyser, (44) 389
———, a modified elution schedule for accelerated analysis, (28) 429
———, naturally occurring, rapid resolution by TLC, (24) 106
———, neutral, chromatography on cellulose powder columns, (2) 213
———, a new developing solvent for PC of, (26) 404
———, a new sampling apparatus for the analysis of, (43) 256
———, a new system of automatic analysis, (30) 100; (41) 156

———, a new technique of protein hydrolysis and analysis of the amino acids on an autoanalyser, (50) 413
———, ninhydrin-positive products of carbohydrate hydrolysis, (50) 331
———, nitro-2-pyridyl derivatives, detection and quantitative micro-determination by TLC on precoated sheets, (35) 47
———, PC, (1) 317, 363, 434, 524; (2) 188, 434; (3) 25, 75, 374, 415; (4) 470; (5) 157, 546; (8) 157, 546; (9) 241, 534; (10) 404; (22) 187
———, ———, effect of solvent volume and solvent equilibration time on Whatman filter paper No. 20, (25) 483
———, ——— identification using two reference compounds, (13) 134
———, ——— investigation of the homologous series from glycine to α-amino-*n*-tetradecanoic acid, (26) 141
———, ———, a quantitative approach, (30) 634
———, ——— of 5-substituted tryptophans, (22) 493
———, ———, using liquid ion exchangers, (11) 549
———, with a particular aptitude for esterification, chromatographic study, (21) 355
———, a perspex electrolytic desalter for desalting solutions of, (7) 485
———, β-phenylethyl derivatives, detection on paper chromatograms, (11) 272
———, phenylthiohydantoins, identification by polyamide layer chromatography, (26) 323
———, ———, increased sensivity and semiquantitative determination with a modified spray reagent, (20) 399
———, ———, PC separation, (13) 488
———, *o*-phthalaldehyde as spray reagent in TLC of, (32) 315
———, a practical quantitative GC analysis using the *n*-propyl N-acetyl esters, (36) 42
———, preparation of volatile derivatives on a solid support followed by direct injection into the GC column, (49) 298
———, preparative column for the ion-exchange isolation of, (3) 434
———, presence in the retinas of various animals, (1) 266
———, pressure-elution pump for spacecraft chromatograph, (45) 135
———, the progressive loss of aspartic and glutamic acids using a multiple column analytical system, (34) 102
———, protein, GLC of their N-trifluoroacetyl *n*-butyl esters after direct esterification, (44) 269
———, purification of N-trifluoroacetyl amino acid *n*-butyl esters for analysis by GC, (40) 294
———, pyridoxyl derivatives, separation by PC, (14) 201
———, quantitative determination, (33) 312
———, ——— of α- and γ-2,4-dinitrophenyl isomers of α, γ-diaminobutyric acid, (31) 685
———, ———, of *x*- and *y*-2,4-dinitrophenyl isomers of *x*,*y*-diaminobutyric acid, (24) 61
———, ——— by direct photometry of chromatograms, (1) 434
———, ——— on a micro scale by TLC, (18) 414
———, quantitative GC determination of glumatic acid, 2-pyrrolidone-5-carboxylic acid and 2-pyrrolidone, (47) 261
———, quantitative GLC of histidine, (43) 311
———, quantitative TLC, investigations on the reproducibility of direct spectrophotometry and fluorometry, (43) 457
———, a quick separation of the ε-N-methyl-lysines using the amino acid analyser, (44) 618
———, radioactive, GLC as their trifluoroacetyl ester derivatives, (40) 213
———, rapid automatic methods for the determination of lanthionine and lysinoalanine using an amino acid analyser, (31) 284
———, rapid chromatographic method for the estimation of lysine, (46) 317
———, rapid GC separation of amino acid enantiomers using N-perfluoroacyl esters, (50) 510
———, rapid paper ionophoresis, (3) 139
———, rapid preparative separation of methionine sulphoximine from methionine sulphoxide, (27) 269
———, rapid separation by ion-exchange paper electrophoresis, (47) 552
——— reactivity with volatile chemicals determined by a PC technique, (17) 373
———, and related compounds, in protein hydrolysates, quantitative determination on thin layers of cellulose, (43) 84
———, ———, qualitative separation on thin layers of cellulose, (41) 380
———, relationship between structure and behaviour in TLC, (17) 327
———, relative rates of movement on ion-exchange cellulose and ion-exchange resin loaded papers, (8) 205

(Amino acids)
———, the reproducibility of PC analyses in comparison with results obtained with CC, (33) 316
———, resolution by GC, (17) 408
———, selenium derivatives, identification on paper chromatograms, (15) 546
———, ———, paper chromatographic and electrophoretic systems for their identification, (8) 70
———, sensitive method for the detection of substances containing primary amino groups on thin-layer plates, (48) 184
———, a sensitive semi-quantitative method of analysis, (17) 420
———, sensitivity of the fluorescence test for, (3) 415
———, separation of γ-aminobutric acid from brain extracts by TLC, (17) 180
———, separation of ammonia, lysine, histidine, arginine and tyramine by ion-exchange chromatography, (15) 258
———, separation on an amphoteric cellulose ion exchanger, (34) 125
———, separation of ε-carboxymethyl-lysine from methionine on 60-cm columns of ion-exchange resins, (47) 114
———, separation by chromatography on plaster of Paris, (22) 452
———, separation by a combination of chromatographic and electrophoretic methods, (3) 25
———, separation by combined CC-PC, use of a new system of solvents, (14) 194
———, separation on columns of Sephadex G-10, (47) 100
———, separation and determination on thin layers, (29) 349
———, separation of the diastereoisomers of 3-hydroxyglutamic acid by ion-exchange chromatography, (40) 316
———, separation factors in the GLC of, (37) 398
———, separation by high- voltage electrophoresis combined with circular PC, (23) 333
———, separation and identification on starch thin layers, (21) 313
———, separation of isoasparagine from asparagine, (44) 425
———, separation by means of a liquid-liquid ion-exchange system, (32) 364
———, separation by a new technique for preparative PC, (16) 547
———, separation by one-dimensional PC, (26) 325
———, separation of ornithine and lysine by CC, (30) 225; (39) 506
———, separation on paper impregnated with zirconium phosphate, (9) 534
———, separation from peptides in urine by ligand exchange chromatography, (29) 398
———, separation of phenylalanine, tyrosine and tryptophan by chromatography on poly-N-vinyl pyrrolidone, (42) 415
———, separation by TLC on celite-starch, (14) 532
———, separation by TLC on DEAE-cellulose, (14) 136
———, separation by TLC using a mixed layer, (21) 129
———, separation on thin layers of powdered cellulose, (22) 336
———, Sephadex LH-20 column separation of thyroidal iodoamino acids, (45) 371
———, simplification of sample loading in continuous automatic analysis of, (34) 401
———, simplified buffer system for automated CC of, (46) 107
———, a simplified buffer system for gradient elution in the analysis of, (43) 260
———, simultaneous analysis of several spots of their dansyl derivatives on the same thin layer by one-dimensional chromatography, (43) 93
———, a stable ninhydrin reagent for use in the automatic determination of, (7) 418
———, sulpho- and selenoderivatives, separation by GLC of their silyl derivatives, (32) 635
———, sulphur containing, chromatography on cation and anion exchange resins with an automatic analyser, (27) 242
———, ———, chromatography of disulphides an trisulphides with an automatic analyser, (38) 346
———, ———, colorimetric detection, (12) 408
———, ———, CC, (18) 492
———, ———, ion-exchange chromatography an separation of diastereoisomers, (10) 439
———, ———, a new technique of PC, (9) 262
———, ———, PC and electrophoretic systems fo their identification, (8) 70
———, ———, quantitative GLC of, (36) 31
———, ———, selective test for the detection of, (40) 470
———, synthesis, purification and GC of N,O-dipivalyl methyl esters of the thyroid hormones and related compounds, (50) 50
———, C-terminal, loss by hydrasidation during

hydrasinolysis, (37) 132
———, N-terminal, identification in the form of fluorescent thiohydantoins, (48) 231
———, TLC, (6) 11, 15, 21; (9) 369; (47) 119
———, ——— behaviour and chemical structure, (45) 104
———, ——— of diamines, dicarboxylic acids and ω-amino acids, (47) 224
———, ———, influence of the quality of the thin layer on the separation, (17) 580
———, ———, on microcrystalline cellulose, (17) 488
———, ———separation of Δ-face-(N) and Δ-mer(N) isomers of tris(S-(+)-α-alaninato)cobalt(III), (45) 319
———, ——— separation of *cis-trans* isomers of trisglycinatocobalt(III), (35) 126
———, ——— separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides, (46) 267
—, ——— of N-thiobenzoylamino acid anilides, (39) 47
———, ———, using a quantitative method of application to the chromatogram, (27) 496
———, as trifluoroacetylated phenylthiohydantoins, GC analysis of, (46) 315
———, N-trifluoroacetyl *n*-butyl esters, separation by GC, (18) 487
———, twin-film technique for desalting and chromatography in two dimensions, (45) 480
———, two-dimensional electrochromatography, (3) 25; (4) 313
———, two-dimensional PC, (3) 25; (5) 546; (8) 546
———, two-dimensional TLC on microcrystalline cellulose, (23) 309
———, an ultra-micro method for the sequential analysis of peptides, (47) 238
———, an unusual reaction of ninhydrin with inorganic cations present in a sample, (10) 233
———, use as stationary phase in GC, (14) 100
———, a useful TLC method for the determination of cytidine aminohydrolase activity in serum, (43) 376
———, use of ninhydrin-hydrindantin as a staining reagent for autoanalysis of, (45) 142
———, use of peak height as the sole index of concentration in the chromatography of, (41) 456
———, the use of Sephadex G-25 in thin-layer electrophoresis and chromatoelectrophoresis of, (36) 262
———, use of 2,4,6-trinitrobenzenesulphonic acid for their determination in automatic amino acid analysers, (32) 258
———, volatile derivatives, GC, (17) 31, 445
———, ———, preparation on a solid support followed by direct injection into the GC column, (49) 298
———, ——— separation by GC using mixed stationary phases, (29) 49
α-Amino acids, isomeric, GC identification, (47) 182
L-Amino acid oxidase of snake venom, paper chromatographic detection and estimation, (14) 205
$^{14}$C-Amino acids, dinitrophenyl derivatives, TLC, (9) 376
Amino acyl-acceptor RNA, chromatography on paper sheets of DEAE-cellulose, (14) 46
Amino alcohols, anomalous compounds produced in paper electrophoresis of reaction mixtures encountered in the synthesis of, (2) 440
———, GC, (15) 149
———, migration on paper, (7) 77
Aminoanthraquinones, separation and identification by PC, (4) 75
———, separation and determination by TLC, (16) 345
4-Aminoazobenzene, fluorinated, TLC of, (43) 536
Aminobenzenesulphonic acids, alkyl derivatives, PC, (9) 472
Aminobenzoates, TLC, (41) 274
———, separation from brain extracts by TLC, (17) 180
γ-Aminobutyric acid, CC determination of, (34) 399
Aminocaproic acid, gel permeation chromatography of the linear monomer and oligomers in polyamides, (50) 419
ε-Aminocaproic acid, rapid TLC microassay in urine, (38) 143
———, separation from α-amino acids and oligo-ε-amino-caproic acids by PC, (22) 187
5-Amino-4-chloro-2-phenyl-3(2H)-pyridazinone, determination by CC and TLC, (31) 354
Amino compounds, detection on paper chromatograms with diazotized *p*-nitroaniline, (24) 268
——— preparative column for the ion-exchange isolation of, (3) 434
———, separation by partition CC on Sephadex G-25, (14) 139
———, standard ionophoretic mobilities, (6) 133, 138

21-Amino corticosteriods, detection on thin-layer chromatograms, analysis of steriods, (43) 541
2-Aminoethanol, PC study of the catalytic conversion to piperazine, (7) 261
β-Aminoisobutyric acid, urinary, some remarks on the PC study of, (43) 554
ε-Aminolysine, "bound", electrophoretic determination in proteins, (43) 382
Aminophenazone, sources of error in TLC fluorometry of, (38) 156
Aminopurines, interaction with fluorescent thin-layer plates, (21) 146
Aminopyrimidines, interactions with fluorescent thin-layer plates, (21) 146
Amino steroids, PC, (1) 249
Amino sugar antibiotics and their degradation products, separation and quantitative determination by chromatography on resin, (13) 536
Amino sugars, and their alcohols, separation on an amino acid analyser, (35) 106
———, determination of glucosamine and galactosamine by GC, (20) 457
———, determination in the hydrolysates of mucopolysaccharides by GLC, (28) 232
———, electrophoretic separation of their molybdate complexes, (33) 514
———, GLC of, (49) 537
———, a method for the separation and identification of hexosamines, (34) 7
———, quantitative determination on a micro scale by TLC, (18) 414
———, a rapid micro-determination in glycopeptides by TLC, (31) 561
———, TLC on cellulose powder, (17) 602
———, TLC on microcrystalline cellulose, (17) 488
———, the use of triphenyltetrazolium chloride for the quantitative analysis of, (43) 480
Amino sulphones, TLC of arylsulphonamides and isomeric, (39) 195
Amitriptyline, specific GC determination in human urine following therapeutic doses, (49) 303
———, a technique for the improvement of its GC properties, (32) 408
Ammonia, determination together with several amino acid samples on one chromatogram with an amino acid analyser, (45) 52
———, isolation using zirconium phosphate cation exchanger, (50) 157
Ammonium compounds, quaternary, artifacts on chromatograms of, (2) 115
———, ———, associated with the oxidation of choline, chromatographic methods for isolation and identification, (35) 497
———, ———, as detection reagents for monomer sugars in PC, (13) 152
———, ———, separation by thin-layer electrophoresis, (24) 372
Ammonium ions, aliphatic, calculation of the zone mobilities in paper electrophoresis, (1) 449
Ammonium molybdophosphate, separation of alkali metal ions on, (4) 423
———, separation of radionuclides on paper impregnated with, (6) 361
——— paper, use for the separation of inorganic ions, (31) 177
Ammonium phosphotungstate for impregnation of paper in the chromatography of cations, (14) 555
Ammonium salts of aliphatic acids, diazotised *p*-nitroaniline as a location reagent for, (4) 350
———, quaternary low-melting, adsorption chromatography, (20) 38
———, substituted, as liquid ion exchangers in TLC and PC, (22) 407; (23) 287
Ammonium thiocyanate, in systems for the PC of metallic nitrates, (2) 362
Amphetamine and related drugs, detection of doping by TLC and GC, (37) 158
———, separation by GC, (37) 197
Amphetamines, identification in human urine, (39) 302
———, identification of submicrogram amounts by direct derivative formation within the gas chromatograph, (41) 358
———, occurrence of cyclohexylamine in urines studied for drugs use by TLC, (48) 565
———, specific assay of basic drugs in urine by CM-cellulose chromatography using continuous drug-dye complex extracti as a detection system, (43) 72
———, TLC detection in urine of patients receiving psychotropic drugs, (41) 367
Ampholines, artifacts in isoelectric focusing, (50) 469
———, fractionation of cobra venom by electrofocusing, (44) 209
Amphoteric elements and their complexes with polyhydroxy compounds, paper electropho in KOH, (2) 658
α-Amylase, purification from $C_3H$ mouse submaxillary gland by gel filtration, (48) 547
Anabasine, GC separation of, (43) 506
Anabolic steroids, GLC analysis of, (47) 186
Analgesic drugs, TLC in non-aqueous systems, (17) 495

Analgetics, TLC determination of acetanilide and some chemically related analgetics, (38) 145
Analoque integration techniques in chromatographic analysis, (5) 185
Analoque integrator for use in GC, (3) 265
Analytical reagent grade chemicals, impurities in, (12) 112
Anatabine, GC separation of, (43) 506
Androgenic steroids, GLC analysis of, (47) 186
Androstane derivatives, TLC, (13) 391
Androstanes, $\Delta^5$-3-hydroxy derivatives, TLC, (19) 333
——— $\Delta^4$-3-oxo derivatives, TLC, (19) 81
———, structural analysis by means of chromatography, (19) 551
5 $\alpha$-Androstanes, C-14-epimeric, separation by GC, (25) 248
Androstenedione, structural analysis of steroids by association of TLC techniques with GC-MS, (48) 364
———, TLC of the chromogens from the ALLEN reaction, (49) 558
$\Delta^4$-Androstene-3, 17-dione from bovine foetal testicular tissue, TLC determination of, (36) 74
Androst-16-enes, GLC of the trimethylsilyl and chloromethyldimethylsilyl ethers of, (36) 338
Androstenol, GLC of the trimethylsilyl and chloromethyldimethylsilyl ethers of, (36) 338
Androsterone, complete separation from lipids in plasma extracts, (34) 415
Angiotensin, behaviour of angiotensin octapeptides and dinitrophenyl-angiotensin during chromatography on polyacrylamide and dextran gels, (47) 369
Anhydrides, cyclic of dicarboxylic acids, GC, (29) 224
Anhydroglycoses, detection and quantitative determination by GC, (20) 260
Anhydroribitol, identification by GLC and TLC, (36) 342
Aniline derivatives, investigations of the relationship between molecular structure and chromatographic parameters in liquid-liquid partition chromatography, (42) 516
Aniline-diphenylamine spray reagents, colour reactions with sugars, (4) 206
Anilines, halo and nitro derivatives, TLC, (27) 368
———, interaction with Sephadex gels, (47) 1
———, relationship of structure to sensitivity in electron capture analysis, (30) 77
Anion-exchange behaviour of some rare earths in dilute sulphuric acid solutions containing ethanol, (6) 452
Anion-exchange chromatography, artificial zoning in, (8) 479
———, behaviour of rare earth elements in potassium sulphate medium, (16) 396
———, double-fronting phenomena in, (2) 536
———, isolation and quantitative determination of pseudo-uridine in urine, (16) 407
——— of nucleotides on poly-(ethyleneimine)-cellulose thin-layers, (16) 111, 126
———, the relationship between chemical structure and elution position, (40) 270
——— of transition metals in tartrate medium, (16) 201
Anion-exchange paper, chromatographic behaviour of light rare earths on, (16) 365
———, chromatography of nucleotides on a new, (10) 235
Anion-exchange resin, strongly basic, used in equilibrium separation of glucose, galacturonic acid and sulphuric acid, (20) 421
Anion exchangers, adsorption of tellurium(IV), iodide and iodate on, (3) 275
———, liquid, separation of fission products and actinides on paper treated with, (20) 122
——— ———, ———, for treatment of paper in the chromatography of cations, (5) 236
———, ———, use in chromatographic techniques, (22) 407; (23) 287; (25) 447
———, use of tri-iso-octylamine in partition chromatography, (23) 457
Anion-exchange studies, adsorption of germanium tetrachloride from gas streams, (3) 279
———, a column method for measurement of ion-exchange equilibria at high temperature, (3) 178
Anionic complexes, PC, (3) 146
Anions, halide, their position and sequence of adsorption on aluminium oxide, (31) 270
———, ———, separation on hydrous zirconium oxide, (31) 268
———, inorganic, see Inorganic anions
———, polarographic determination in the effluent from chromatographic columns, (31) 266
———, see also Ions
Anisoles, GC of alkyldinitrophenols and the corresponding anisoles, (48) 523
Anomalous compounds produced in paper electrophoresis by high concentrations of base, (2) 440
Anterior pituitary hormones, behaviour on cross-linked dextran polymer gels, (13) 148

Anthochlor pigments, TLC, (11) 396
Anthocyanin pigment, characterisation of an additional anthocyanin pigment in extracts of strawberries, *Fragaria*, (50) 311
———, chromatographic identification, (1) 473
Anthocyanins, from blackcurrent juice, TLC, (28) 480
———, cellulose thin layers for the analysis in black raspberries, (38) 382
———, in grape varieties, TLC separation of, (34) 419
———, preparative TLC, (16) 602
———, separation by complex formation on aluminium oxide, (22) 303
———, solvents for use in their chromatography, (28) 471
———, techniques and solvents for two-dimensional TLC, (39) 291
———, TLC on Kieselgel G impregnated with basic lead acetate, (43) 530
———, TLC on mixed layers of polyvinylpyrrolidone and cellulose, (37) 542
———, TLC separation from anthocyanidins in *Medicago* (Papilionaceae), (36) 115
Anthracene, enhanced photoemulsion sensitivity at low temperatures used in radiochromatography, (46) 129
Anthraquinone, separation by polyamide layer chromatography of, (44) 635
——— derivatives, separation by TLC, (19) 613
——— dyes, purification by CC, (26) 62
——— glycosides, separation from dianthrone glycosides on columns of Sephadex LH-20, (35) 562
Anthraquinones, GLC, (21) 116
Anthrone, use in the spectrophotometric determination of sugars separated by cellulose TLC, (21) 335
Antibiotics, analysis by GC, (47) 341
———, analysis of lincomycin by GC, (37) 46
———, bioautography on thin-layer chromatograms, (26) 531
Antibiotic 136, chromatographic fractionation and characterization of its components, (19) 147
Antibiotics, chromatographic separation of the components of the gentamicin complex, (34) 210
——— crude, classification by instant TLC, (37) 487
———, and their degradation products, separation and quantitative determination by chromatography on resin, (13) 536
———, an electrophoretic method for the detection and estimation of microgramme quantities of neomycin in serum protein solutions, (19) 456
———, evaluation of solvents used in summarized chromatograms, (46) 274
———, identification of colistin and polymyxin B by TLC, (30) 630
———, investigation of polymyxin E derivatives by TLC, (34) 546
——— of the macrolide group, PC, (20) 295
———, a method for the quantitative analysis of streptothricin hydrolysates, (19) 214
———, a modified two-column procedure for the analysis of the basic amino acids found in, (38) 293
———, partition data of penicillins determined by means of reversed-phase TLC, (41) 371
———, quinomycin, circular TLC, (26) 306
———, separated by TLC bioautography of, (14) 129
———, separation and differentiation of the gentamicin complex, (30) 572
———, separation of mixtures by PC, (5) 126
———, separation of neomycin sulphate, polymyxin B sulphate and zinc bacitracin, (45) 155
———, a simple technique in developing thin-layer bioautographs, (18) 409
———, systematic analysis by PC, (15) 379
———, TLC on Sephadex for the identification of, (42) 552
———, tuberculostatic, TLC separation and identification, (36) 120
———, violarin-mycetin, impurities in commercial formamide as critical factors in PC of, (8) 522
Antibody-antigen reactions, on chromatographic columns, (7) 155
Antibody-hapten reactions, on chromatographic columns, (7) 165
Antidiuretic hormone, purification by high-voltage electrophoresis, (34) 278
Antigen-antibody reactions, on chromatographic columns, (7) 155
Antihistaminics, relation between PC behaviour and structure, (7) 527
Antimicrobial substances, bioautography on thin-layer chromatograms of, (35) 295
——— ———, use of silicic acid-glass fiber sheets for bioautography of, (41) 263
Antimony, separation of $Sn^{2+}$ and $Sb^{3+}$ by PC, (8) 276
Antimony trichloride, behaviour in various chromatographic systems, (6) 518
———, use for detection of plant phenols in PC, (23) 487

Antineoplastic agent, 2-dimethylamino-3′, 4′-dihydroxyacetophenone hydrochloride, in biological fluids, use of ion-exchange chromatography in the spectrophotometric assay for, (36) 229
Antioxidants, containing nitrogen in aviation lubricants, detection and identification after separation by TLC, (26) 296
———, GC, (12) 171
———, GC separation of BHA and BHT, (19) 599
———, identification of rubber compounding ingredients using TLC, (44) 315
———, interference of ethoxyquin in the TLC estimation of aflatoxin, (44) 403
———, PC, (2) 384
———, phenolic, determination in polyethylene, (12) 178
———, reagents for their detection on thin layers of silica, (24) 239
———, simple and rapid polyamide chromatography of, (43) 522
———, TLC, (6) 13
———, TLC determination in polyethylene and polypropylene films, (40) 110
———, for TLC of lipids, (21) 138
Antiozonants, identification of rubber compounding ingredients using TLC, (44) 315
Antipyretics, polyamide-kieselguhr layer chromatography of, (47) 128
———, polyamide layer chromatography of, (41) 489
Antipyrine, separation from human tissue and identification by PC, (3) 190
Apparatus, accurate siphon for measuring fractions during CC, (37) 320
———, adaptation of Swinny filter holders for the collection and elution of samples from thin-layer plates, (42) 121
———, adjustable column endpiece for gel filtration, (24) 195
———, aerosol spray bottles for PC reagents, (2) 321
———, air stream evaporator for multiple samples, (15) 431
———, analogue integrator for use in GC, (3) 265
———, application of the Nano-Jector to the GC of solid samples, (35) 92
———, applicator for preparative TLC and PC, (20) 182
———, for applying fairly large quantities of fluids on paper chromatograms, (2) 436; (3) 488
——— for applying multiple spots simultaneously on thin-layer plates, (9) 379
——— for applying reagents to paper chromatograms, (6) 94
——— for applying samples in continuous paper electrophoresis, (3) 501
——— for applying samples in PC, (5) 207
——— for applying solutions to non-bound preparative TLC plates, (16) 412
———, argon ionisation detector for GC, (9) 162
———, assembly for automated CC, (24) 348
———, an automated fluorescence-monitored system for the separation of serum proteins on Sephadex, (20) 299
———, an automated gel filtration system for determining the molecular weight of polysaccharides, (47) 92
——— for automated quantitative spotting for analytical TLC, (32) 751
———, an automatic chromatography chamber (41) 494
———, an automatic device for the application of evaporated samples to the gas chromatogram, (20) 131
———, an automatic eight-channel spot applicator for TLC, (47) 116
———, an automatic fraction collector control and fraction counter, (28) 415
——— for automatic GC determinations of pesticides, (45) 351
———, an automatic injection system for high-temperature GC, (27) 47
——— for the automatic introduction of samples in GLC, (26) 258
——— for automatic preparative GC, (25) 198
———, automatic read-out systems for multiple CC with an adaptation to computer calculations, (15) 512
———, automatic recorder for radioactive paper chromatograms, (1) 309; (9) 96
——— for automatic recording of the radioactivity of zones eluted from the GLC, (5) 265
——— for automatic spraying of paper chromatograms, (10) 250
———, automatic stepwise elution dispenser for CC, (7) 424
———, autoradiography of thin-layer radiochromatograms using Polaroid film, (48) 555
——— for autotransfer chromatography, (20) 541
——— for the fully automatic application of solutions in the form of streaks in chromatography, (39) 157
———, brush type sample applicator for TLC, (19) 429
———, capillary teflon columns for adsorption and partition chromatography, (24) 422
———for carrier-free preparative continuous electrophoresis, (13) 111

(Apparatus)
——— for centrifugal chromatography, (3) 225; (7) 19; (9) 92; (10) 497
——— for circular TLC, (20) 605
——— for cleaning and coating capillary columns, (11) 124
——— for collecting and drying organic acid fractions, (3) 491
———, collector, GC for compounds that tend to form aerosols, (10) 398
———, ——— for the simultaneous collection of fractions from a number of chromatographic columns, (3) 554
———, ———, Volman, for GC, (9) 244
———, column for reverse-flow Sephadex gel permeation chromatography, (18) 36
———, combination of a gas chromatograph and a fraction collector using a small condenser, (47) 469
———, compact dual-channel flame ionisation-cum-thermionic detector for high-specificity chromatographic analysis, (36) 269
———, considerations for the design of a rotating unit for continuous production by GC and its application, (49) 27
———, constant volume pulseless pump for gel permeation chromatography, (28) 128
———, a continuous chromatographic column, (21) 312
——— for continuous chromatography, application of, (43) 61
———, ———, construction of, (43) 48
———, ———, operation of, (43) 55
——— for continuous elution in film chromatography, (14) 57
——— for continuous flow development in TLC, (48) 143
———, a continuous flow-meter for automatic quantitative liquid chromatography, (31) 218
——— for the continuous monitoring of radioactive effluents from a chromatography column, (2) 572
——— for crushing glass ampoules in GC, (15) 538
——— for decoloration of the background in disc-electrophoresis, (15) 256
———, a demountable tube for large-scale chromatography of haemoglobin $A_{Ic}$, (23) 248
———, densitometer, automatic recording, for PC, (2) 513
———, ——— for direct colorimetry of irregularly shaped chromatographic spots, (1) 166
———, deposits on flame ionisation detectors with silicone gum rubber columns, (38) 392
——— for destaining disc electrophoresis gels, (24) 204
——— for the detection of UV absorbing substances, (8) 125
———, detectors for GC, (1) 35; (2) 148; (3) 372, 406; (6) 110, 312; (8) 410; (9) 162; (10) 294
———, a detector system for use in liquid CC, (42) 219
——— for developing thin-layer plates under nitrogen, (30) 619
———, devices for TLC, (25) 109
———, differential flame ionisation detector, (13) 305
———, direct current discharge detector for GC, (26) 248
———, a disc splitter for capillary columns, (47) 313
———, distributor for centrifugal chromatograph (9) 92
———, drier for thin-layer chromatograms, (29) 296
——— for dynamic TLC, (31) 224
———, electrodeless discharge for use as detector in GC, (26) 30
———, ———, comparison with a thermal conductivity detector, (38) 126
———, electrolytic desalter, perspex, (7) 485
———, electronic systems for the photometric scanning of paper chromatograms, (30) 164
——— for electrophoresis, (8) 52
———, ——— of ions in strong electrolytes, (13) 440
———, an eluent programmer for CC, (50) 137
——— for elution in CC, (7) 424
———, elution device for the automatic stepwise chromatography of lipids, (14) 502
———, for elution of, in PC, (3) 273, 496; (5) 365
——— for the equilibration of columns in vapour phase chromatography, (3) 87
———, equilibration device for PC, (3) 202
——— for estimating the product of peak height and retention time in GC, (8) 280
———, event marking system for use with fraction collectors and effluent analysing devices, (8) 201
———, extra-long tanks for PC, (21) 352
——— for extraction of compounds from paper chromatograms, (11) 125
———, extremely small separation chambers for use in TLC, (14) 261
———, flame ionisation detectors, (2) 148; (10) 294; (30) 117

———, ———, behaviour in the presence of organosilicon compounds, (24) 8
———, ———, critical examination of commercial apparatus, (15) 471
———, ———, to detect components separated by TLC, (39) 37
———, ———, linearity and response characteristics, (6) 110
———, ———, a theoretical approach, (6) 312
——— for flow-rate control in ion-exchange chromatography, (4) 501
———, fog precipitator for GC, (6) 454
———, fraction collector for gradient elution chromatography, (5) 116
———, fraction collector for preparative CC, (2) 140
———, fraction collector and transfer system for GC, (9) 264
———, fraction-sampling device, (6) 58
———, frame for photographic processing of autoradiograms, (9) 260
———, frosted glass plates as an aid to TLC, (15) 267
———, gas density balance, comments on the construction and operation, (4) 429
———, for gel ionophoresis in non-aqueous solvents, (49) 527
———, glass building blocks as chromatography jars, (2) 666
———, glass-plate heater for PC, (6) 80
———, a glass-Teflon continuously variable splitter assembly for the Autoprep 705, (29) 223
———, GLC, (2) 17; (5) 418; (8) 44
———, Golay columns of larger internal diameter, (11) 440
———, gradient spreader for TLC, (20) 603
——— for handling radioactive substances in TLC, (20) 600
——— helium ionisation detector, anomalous response of, (24) 412
———, ——— of high sensitivity, (37) 310
———, high-capacity multi-channel computerised read-out system for multi-column chromatography, (40) 16
———, high efficiency glass bead columns for GC, (11) 295
———, high-temperature ionisation chamber or radioisotope analysis of GC vapours, (13) 354
——— for high-voltage paper electrophoresis, (1) 95; (5) 194
——— for holding paper chromatograms during equilibration and development, (20) 180
——— for impregnating thin-layer plates, (34) 549
———, improved preparative collections from the Autoprep gas chromatograph, (37) 307
———, increase in detection and resolution power in TLC by means of heating during development, (39) 81
———, an inexpensive device for rapid semi-automatic multiple spotting of samples for chromatography, (36) 112
———, injection device for use in the GC determination of volatile components in blood, (27) 237
———, injection device for use with gas samples in the micron pressure range, (27) 479
———, injection system for a GLC apparatus, (7) 433
———, ——— for use at higher temperatures, (16) 217
——— for the introduction of sampless on to GC columns, (8) 343; (9) 519
———, ionisation chamber for high temperature GC, (2) 322
———, ionisation detector for GC, (3) 372
———, katharometers, tungsten wire, (4) 130
——— for keeping the final pressure in gas chromatographs constant, (8) 278
——— for labelling or staining chromatograms, (13) 10
——— for large-scale preparative chromatography, (5) 93
———, liquid elution column system, (10) 131
———, a liquid scintillator-based continuous radio chromatogram scanner, (17) 355
——— for liquid-solid chromatography, (2) 136
——— for locating and eluting radioactive streaks on an electropherogram or a chromatogram, (32) 356
———, long-path infra-red cell for use in GC, (11) 434
———, machine for the treatment of paper strips with chemical reagents, (23) 94
———, macro argon detectors, critical examination of commercial apparatus, (15) 471
———, magazine fed fraction collector for multi-column liquid chromatography, (31) 337
———, magnification of resolving power of collectors in free flow electrophoresis, (17) 532
——— for maintaining a constant pressure in liquid-solid chromatography, (11) 423
——— for making a concave concentration gradient for general use in CC, (23) 168
——— for making a gradient for chromatography, (27) 263
——— for measuring radio chromatograms and pherograms, (1) 471
———, for mechanical column packing in ion-exchange chromatography, (9) 528

(Apparatus)
———, a micro-chromatograph for quantitative estimation of sugars, using a paper strip as partition support, (15) 252
———, a micro-fraction collector for GC, (13) 244
——— for micro IR spectroscopy of GC fractions, (38) 200
———, micro, for lipid methanolysis, (32) 745
———, a micro TLC sublimation apparatus, (31) 576
———, migration chamber for electrophoresis in solid gels, (23) 325
———, miniature column chromatography of haemoglobins, (47) 493
———, modification of the controls of the Beckman amino acid analyser, (44) 389
———, modified applicator for uniform coating of thin-layer plates, (21) 318
———, a modified design of a high-temperature argon $\beta$-ray detector, (11) 404
———, a modified loop for sample application in TLC, (43) 272
———, multichamber gradient mixers, (5) 330; (9) 528
———, multipipetting device, semi-automatic, for PC, (2) 58
———, multiple-temperature bath control units for single-column amino acid analysers, (48) 538
———, multi-purpose device for collecting fractions in GC, (18) 159
———, new device for automatic streaking of samples for TLC, (47) 509
———, a new gradient elution chromatograph, (43) 332
———, a new quantitative integral detector for GC, (11) 301
———, a new sampler for GC analysis of liquids and solutions, (40) 155
———, a new sampling apparatus for amino acid analysis, (43) 256
———, a new saturation chamber for TLC, (32) 422
——— a new universal radioionising detector for GC, (44) 46
———, optimum operation of recording count rate meters for radioactive paper chromatograms, (20) 100
——— for paper electrophoresis, portable, (1) 182
———, peak simulator for testing pen recorders, (6) 539
———, photoelectrically-programmed electrolytic gradient generator, (7) 24
———, photoionisation detector for GC, (14) 35
——— for polyacrylamide gel electrophoresis, (43) 145
———, polytetrafluoroethylene-glass pump for CC, (3) 411
———, preparative column for the ion-exchange isolation of amino compounds, (3) 434
——— for preparative electrophoresis in liquid columns stabilised by electromagnetic rotation, (26) 164
——— for preparative-scale centrifugal chromatography, (10) 497
——— for preparative-scale GLC, (5) 418; (6) 97; (8) 44
———, for preparative-scale reversed phase CC, (5) 93
——— for preparing wedge-compressed membran filters, (28) 124
———, a pressure control valve as an aid in CC, (18) 589
———, pressure-elution pump for spacecraft chromatograph, (45) 135
——— for producing thin layers, (8) 37
———, programmer for use in GC, (9) 405
———, a protection device for temporary power failure to automatic fraction collectors, (44) 388
———, pyrolytic device suitable for the study of polymer microstructure by pyrolysis GC, (24) 404
——— for quantitative application of samples as streaks in PC and TLC, (16) 552; (22) 471; (27) 496
——— for quantitative scanning of fluorescent or light-absorbing spots on thin-layer chromatograms, (22) 60
——— for the quantitative *in situ* analysis on thin layer chromatograms using UV light (47) 386
———, radioactive scanner for thin-layer chromatograms, (26) 89
——— for rapid circular electrophoresis on thin layers, (42) 432
——— for rapid drying of paper strip chromatograms, (5) 372
——— for rapid measurement of $R_F$ values on paper chromatograms, (5) 177
——— for the rapid quantitative determination of inorganic substances by PC, combined with conductrometric and polarographic methods (20) 627
——— for the rapid quantitative photometry of paper chromatograms, (29) 157
———, recirculation columns for GC, (30) 25
———, recording gas chromatograph based on Janák's principle, (14) 13

——— for recording short-wave UV absorption on thin-layer chromatograms by pinhole photography, (29) 252
———, a refillable constant head device for continuous operation in CC, (40) 171
———, rotating cooling trap for use in preparative GC, (3) 313
———, rotating unit for preparative-scale GC, (7) 477
———, ———, theoretical aspects, (11) 19
———, round tank for plastic sheet TLC, (22) 478
———, sample applicator for continuous paper electrophoresis, (3) 501
———, sample applicator for PC, (2) 436; (5) 207; (21) 350
———, sample applicator for preparative TLC, (21) 155
———, sample applicators for TLC, (25) 102, 109
———, sample injection port, water-cooled, for high-temperature GC, (5) 88
———, sample introduction device for capillary chromatography, (11) 151
——— for sample loading in continuous automatic amino acid analysis, (34) 401
——— for sample loading in TLC, (34) 357
———, sample-solvent evaporator for PC, (5) 84
———, a sampling device for viscous and solid materials for GC, (18) 158
———, sampling valve for GC, (9) 266
——— sandwiched capillary columns for GC, (38) 282
———, saturation chamber for TLC, (10) 518
———, scintillation counter for continuous monitoring of radioactivity in solutions, (40) 377
———, semi-automatic mixing device for producing density gradients, (23) 471
———, sensitive dual wavelength densitometer, (26) 434
———, a sensitive, low background detector for radio GLC, (38) 24
———, a sensitive low-cost UV strip-scanner for paper chromatograms, (31) 630
———, a sensitive probe for the Photovolt densitometer, (2) 429
———, a separation chamber for high-voltage electrophoresis, (33) 558
———, a septum-less injection system for use in GC, (19) 604
——— for sequential washing of chromatographic columns, (31) 217
———, a simple accessory to a commercial gas chromatograph for micro-catalytic studies, (3) 524
———, a simple arrangement for more economical scanning of chromatoplates on the Vitatron densitometer, (32) 580
———, a simple constant head device for CC, (40) 169
———, a simple device for descending preparative TLC, (45) 471
———, a simple device for filling a chromatographic column, (28) 438
———, a simple device for spotting preparative thin-layer plates, (18) 594
———, a simple electrometer for linear, logarithmic and integral responses, for use with the flame ionisation detector, (15) 461
———, a simple GC injection system, (44) 609
———, a simple microcell for photometric monitoring of flowing materials, (31) 204
———, a simple pattern for drawing the starting line in PC, (11) 117
———, a simple spectrophotometric scanning procedure for the quantitative estimation of protein in polyacrylamide gels, (41) 53
———, simple system for creating a concentration gradient, (9) 257
———, simple valve for changing eluants in CC, (19) 431
———, for simultaneous application of multiple spots on TLC plates, (9) 379
——— for simultaneous development of several two-dimensional chromatograms, (1) 552
———, a solvent equilibrator inside the descending chromatography tank, (28) 482
———, solvent evaporator for PC, (6) 95
———, a spot drier for paper chromatograms, (13) 250
——— for spraying paper chromatograms, (2) 321; (5) 86; (10) 250
——— for staining thin-layer chromatograms with volatile reagents at higher temperatures, (14) 286
——— for starch gel electrophoresis, (5) 90
——— for streaking thin-layer chromatograms, (34) 114
———, a stream division valve for use in automatic CC, (15) 1
———, a stream splitter and functional group tester for use with a flame ionisation detector, (26) 491
———, a stream splitter for liquid chromatography, (31) 549
———, subsidiary discharge argon ionisation detector, (11) 158
——— for the successive passage of solvents in CC, (30) 600
———, support for ascending and descending chromatography, (7) 570
———, support-coated open tubular columns, selected applications, (24) 335

(Apparatus)
———, a system for simultaneous 25-column, capillary column, liquid-solid chromatography, (50) 239
———, tank for paper microelectrophoresis of proteins from biological fluids, (3) 586
———, a technique for sample application in preparative-layer chromatography, (41) 118
——— for temperature control in PC, (14) 111
———, temperature gradient device for studying collagen-gelatin transition, (21) 454
———, temperature-programmed preparative-scale gas chromatograph, (11) 11
———, Tesla discharge detector for GC, (3) 406
———, thermal conductivity detection in liquid chromatography, (38) 393
——— for thermal micro separation and application of samples, (37) 99
——— for TLC, (11) 270, 405; (13) 56; (15) 105, 115; (31) 226
——— for tracing the extinction curves of chromatograms and pherograms, (1) 434
——— for transferring small volumes of gas from a vacuum line to a gas chromatograph, (10) 239
———, transistorised solvent front detector, (24) 482
———, trap for the collection of a series of fractions in preparative-scale GC of high-molecular weight compounds, (17) 177
———, a trough for descending PC with a solvent gradient, (36) 109
——— for two-dimensional chromatography and chromato-electrophoresis of thin layers, (22) 336
——— for two-dimensional paper electrophoresis, (31) 274
———, two-dimensional pipette for sample application in preparative TLC, (47) 505
———, two-recorder integrator-readout system for GLC, (4) 435
———, the use of a computer in GLC, (30) 62
———, U-shaped columns for adsorption and partition chromatography, (24) 417
———, vapour dilution system for detector calibration, (11) 1
———, for the vertical equilibration of columns, (29) 244
———, a windowless gas-flow counter for detecting weak β-emitters on paper chromatograms, (15) 29
———, zoning machine for PC, (15) 411
Application of fairly large quantities of fluids on paper chromatograms, (2) 436; (3) 488
Application of material to paper strips, apparatus for, (12) 252
Applicator, for applying solutions to non-bound preparative TLC plates, (16) 412
———, automatic, for the application of evaporated samples to the gas chromatogram, (20) 131
———, modified, for uniform coating of thin-layer plates, (21) 318
——— for reagents in paper chromatography, (6) 94
——— for samples in PC, (5) 207
———, ———, device for, (21) 350
——— for samples in continuous paper electrophoresis, (3) 501
——— for samples in preparative TLC, (21) 155
——— for simultaneous application of multiple spots on thin-layer plates, (9) 379
——— for solutions to chromatography paper, a simple technique for automatic, (5) 452
——— for use in GC at higher temperatures, (16) 217
——— for use in PC and TLC, (16) 552
———, ———, preparative, (20) 182
Arabinose, labelled anomeric methyl glycosides, study by means of countercurrent distribution, (29) 103
———, quantitative TLC in the presence of other sugars, (49) 469
Arabogalactan solutions from *Larix occidentalis* Nutt., sorption by anion exchangers of phenols from, (7) 419
Arenes, monoalkyl and polymethyl derivatives, TLC on alumina, (30) 476
———, polynuclear, analysis by GC, (17) 50
———, ———, evalution in atmospheric dust by GC, (17) 60
———, ———, the fluorescence-quenching effect in TLC of, (17) 120
Argentation TLC, detection of rearrangement reactions of triglycerides, (31) 556
——— of isomeric methylene interrupted methyl *cis, cis*-octadecadienoates, (34) 405
——— of isomeric octadecanoates, (31) 69
Arginase, in animal tissues, PC studies, (2) 76
———, bacterial, purification, (20) 325
Arginino-succinate, chromatographic separation using a buffer gradient, (20) 310
Argon, chromatographic separation from carbon dioxide and phosgene by temperature programming, (47) 555
———, and helium in ionisation detector comparison, (9) 13

———, mixtures with hydrocarbons, second virial coefficients and their comparison with chromatographic values, (32) 433
———$\beta$-ray detector, high-temperature, for GC, (11) 404
Argon ionisation detectors, (9) 13, 162
———, critical examination of commercially available apparatus, (15) 471
———, macro, variation with polarizing voltage of the response to methane, carbon dioxide and nitrous oxide, (32) 737
———, subsidiary discharge, operational mechanism and performance, (11) 158
———, use for the detection of trace components in inorganic gases, (19) 1
Aromatic amino acid derivatives, chromatography on polyamide thin layers, (42) 134
Aromatic compounds, basic polynuclear, column chromatographic separation from complex mixtures, (17) 252
———, $C_6$-$C_{11}$, systhesis of isomers for identification purposes in capillary column GC, (26) 262
———, chromatographic adsorption on alumina, (6) 420
———, detection by means of phosphorescense at normal temperature in PC and chromatography on cellulose layers, (30) 276
———, determination of the position of an alkyl group by reaction GC, (43) 1
———, gel filtration using Sephadex, (3) 335
———, high-boiling, selective separation, (6) 385
———, identification by "electrophoretic spectra" using paper electrophoresis, (18) 100
———, identification on paper and thin-layer chromatograms by reaction chromatography, (27) 311
———, identification by reaction chromatography, (48) 207
———, identification as simple azines by PC and TLC, (27) 398
———, interpretation of GC data obtained on Carbowax 400, (35) 309
———, isomeric, analysis of mixtures by GLC, (7) 438
———, a new detection method, (11) 416
———, non-volatile, identification by means of GC, (6) 396
———, polycyclic, separation by GLC using picric acid as complexing agent, (24) 469
———, ———, spectrofluorometric *in situ* analysis after separation on acetylated cellulose layers; qualitative and quantitative evaluation, (50) 72
———, selective GLC separation with tetrahalophthalate esters, (3) 154
Arsenate ions, separation from arsenite ions by PC using a methanol-ammonia-water solvent system, (34) 284
Arsenic, radioactive, kinetic study of the oxidation by hydrogen peroxide, (37) 327
Arsenic compounds, aromatic, radio TLC, (20) 406
Arsenate ions, separation from arsenite ions by PC using a methanol-ammonia-water solvent system, (34) 284
Artefact involving iodide-131, (5) 363
N-Arylglucosylamines, trimenthylsilyl derivatives, GLC, (30) 204
Aryloxyalkyl ammonium compounds, chromatographi and electrophoretic study of, (40) 440
Arylphenols, chromatographic behaviour on cellulose layers impregnated with polyamide, (27) 116
Arylsulphonamides and isomeric aminosulphones, TLC, (39) 195
Asarones, chromatographic estimation in Indian *Acorus calamus* Linn-oil, (17) 195
Ascorbic acid, determination by GC of its trimethylsilyl ether derivative, (26) 22
*Ashbya gossypii,* assay of flavines and lumazines in the study of flavinogenesis in, (29) 182
Asparagine, determination in an automatic multiple-column analyser, (27) 267
———, separation from isoasparagine, (44) 425
Aspartate-$^{14}$C, chromatographic separation on silica gel glass fibre paper of compounds from yeast labelled by, (26) 542
Aspartic acid, N-acetyl derivative, analysis in brain by GC, (25) 11
———, the formation of esters occasioned by the use of methanol in ion-exchange chromatography, (36) 398
———, progressive loss when using a multiple column analytical system, (34) 102
———, sensitive and specific test, (3) 150
Asphalt fraction, use for the GLC of steroids, (6) 535
Ataraxics, relation between PC behaviour and structure, (7) 527
ATP and its derivatives, quantitative determination in muscles *post mortem,* (42) 558
Atranorin, separation from lichen acids by TLC, (31) 580
———, a standardised method for the identification of lichen products, (46) 85
Atropine alkaloids, a new method of determination by TLC, (31) 252
Aurones, TLC, (11) 369

Automatic read-out system for multiple CC with an adaptation to computer calculations, (19) 512
Autoradiograms, a frame for photographic processing of, (9) 260
Autoradiography of $^{14}C$, paper thickness as factor in, (33) 329
Autoradiography of tritium chromatograms, (11) 118
Autotransfer chromatography, facile two-dimensional chromatography in which the stationary phase is changed, (20) 541
Auxins, separation of 2,4-dinitrophenylthio-derivatives of naturally occurring indoles by TLC, (44) 199
Aviation lubricants, detection and identification of nitrogen-containing antioxidants in, (26) 296
Aza arenes, PC, (31) 618
———, a superior TLC procedure for their separation, (31) 109
Aza aromatics, adsorption on alumina, a comment on the paper of Klemm, Kloppenstein and Kelley, (28) 432
———, polynuclear, a unique system for the separation using magnesium hydroxide as a TLC adsorbent, (47) 20
———, separation on alumina, (17) 73
Aza compounds, CC separation from complex mixtures, (17) 252
———, the fluorescence-quenching effect in TLC of, (17) 120
Aza-heterocycles, determination on thin-layer chromatograms using 4-(*p*-nitrobenzyl)-pyridine as reagent, (30) 514
———, polynuclear, separation by paper and thin-layer electrophoresis, (30) 522
Aza-heterocyclic hydrocarbons, PC study using aqueous solvents, (19) 624
———, PC and TLC, (37) 333
———, polynuclear, from air pollution particulates, separation by CC and TLC, (18) 512
Azapetine, quantitative gas chromatographic determination in pharmaceutical preparati (37) 200
6-Azauracil, and its derivatives, chromatography and photographic detection in UV light, (14) 112
Azines, of aromatic compounds, identification by PC and TLC, (27) 398
———, TLC on alumina, (23) 428
Aziridines, *cis*- and *trans*-alkyl substituted, separation by GC, (21) 408
———, N-carbamoyl derivatives, separation and identification by TLC, (26) 522
———, substituted, GC and structural correlation of, (29) 58
Azo and azomethine dyes, ionic, separation and purification by gel permeation chromatography, (47) 217
Azobenzenes, chromatographic adsorption on alumina, (6) 420
Azo dyes, detection and determination of the number of hydroxy groups by means of acetylation and $\Delta R_{M_T}$ values, (35) 362
——— used as fluorometric chelating agents, separation on a Sephadex column, (34) 534
Azo-dyestuffs, thin-film chromatography, (16) 231, 233

# B

Bacitracin, separation from neomycin sulphate and polymyxin B sulphate, (45) 155
Bacteria, application of circular PC to the differentiation of bacteria by enzymic tests, (1) 380
Bacterial arginase, purification, (20) 325
Bacterial surface colonies, simple and rapid technique for studying their enzymic reactions by PC, (19) 215
Bactericides, nitrofuran derivatives, PC, (23) 446
*Bacterium cadaveris* extracts, CC using carboxymethylcellulose, (6) 53
Baleen S-carboxymethyl-kerateines, a comparative study by automated chromatography, (28) 326
Band spreading in molecular-sieve chromatography, (46) 33
Barbiturates, chromatography on modified cellulose ion-exchange paper, (7) 64
———, chromatography on polyester-based polyamide layers, (31) 587
———, with double bonds in the C-5 side chain, thin-layer chromatographic characterisation, (40) 182
———, identification by a combination of GLC, PC and TLC, (48) 291
———, identification in human urine, (39) 302
———, identification of submicrogram amounts by direct derivative formation within the gas chromatograph, (41) 358
———, methyl derivatives, GC, (6) 182
———, porous glass as an adsorbent in TLC, (46) 125
———, reaction TLC after bromation at the starting point, (48) 222
———, and related drugs, analysis by GLC, (23) 232
———, separation by reversed phase PC, (7) 523
———, TLC, (14) 526
———, ——— detection in urine of patients receiving psychotropic drugs, (41) 367
Barbituric acid, I-benzoyl-5,5-diethyl-, separation of the degradation products by means of vapour programmed TLC, (49) 541
Barium, separation from radium by anion-exchange procedure, (16) 403
Barium-140, carrier-free, separation from briefly irradiated uranium by ion-exchange chromatography, (20) 193
Barley ribonuclease, CC, (7) 269
Bases, long-chain, characterisation through oxidative cleavage, (44) 649
———, organic, used in conjunction with thiocyanic acid as chromatographic solvents, (7) 120
———, ———, interactions with Sephadex gels, (42) 112
———, ———, micro determination of their dissociation constants by paper electrophoresis, (20) 556
———, ———, a new method for their detection by means of tetraphenylborosodium, (11) 364
———, production of anomalous compounds in paper electrophoresis by high concentration of, (2) 440
———, racemic, chromatographic resolution on polygalacturonic acid, (37) 297
———, separation on cation exchangers, (37) 518
———, weak, distribution between anhydrous acetonitrile and cross-linked polystyrene-sulphonic acids, (18) 542
Beer, GC evidence for the occurrence of hop oil components in, (21) 1
Bee venom, investigation of the lecithinase activity by chromatography, (3) 111
Benefin and related substances, separation by TLC, (30) 253
Bentone 34, its use as a stationary phase in GC, (27) 54
Bentones, new lipophilic phases for TLC, with selective properties in the separation of polyphenyl isomers, (19) 304
Benz(*c*)acridine, estimation in urban atmospheres and air pollution source effluents, (26) 72
Benzal chloride, quantitative GC analysis in mixtures with benzyl chloride and benzotrichloride, (16) 285
Benzaldehyde cyanohydrin glycosides, diastereomeric, GLC of, (50) 518
Benzaldehyde 2,4-dinitrophenylhydrazones, alkyl and halogen substituted, TLC of, (44) 569
Benzaldehydes, substituted, 2,4-dinitrophenylhydrazones, separation by TLC, (22) 36
7H-Benz(*de*) anthracen-7-one, rapid fluorimetric methods by instant TLC for the assay in polluted urban atmospheres, (37) 508

Benzene, alkyl derivatives, GC retention data, (18) 1
———, *m*- and *p*-derivatives, separation by PC, (10) 372
———, determination of minute amounts in air, (28) 285
——— GC behaviour of, (12) 8
———, halo and nitro derivatives, TLC, (27) 368
———, investigation of the structure by gas adsorption chromatography, (49) 21
———, linear alkyl derivatives, determination of their boiling points by GC, (30) 86
———, separation from deuterobenzenes by GC, (10) 396
Benzeneboronic acid, detection and chromatography on paper using chlorogenic acid, (16) 262
———, use in the PC of carbohydrates and related compounds, (11) 253
Benzenecarboxylic acids, methyl esters, separation by TLC, (24) 222
———, partition TLC, (20) 160
Benzenedicarboxylic acids, esters, as stationary phases in GLC, correlation between their structure and activity coefficients, (23) 382
Benzene-gas mixtures, from high pressure solubility measurements, second cross virial coefficients of, a comparison with GC values, (44) 429
Benzene hexachloride isomers, separation and determination in soil by GLC, (26) 250
Benzene hydrocarbons, GC, (3) 494
Benzene metabolites, GLC determination, (44) 386
Benzenesulphonic acid, PC analysis of some by-products from alkaline fusion of, (20) 546
Benzenoid analogues of ferrocene compounds, TLC, (26) 501
Benzenoid compounds, isomeric, analysis of mixtures by GLC, (7) 438
Benzhydrols, methyl substituted, thermal decomposition, (43) 391
Benzoates, amino-, TLC, (41) 274
Benzodiazepines, a method for GC determination of, (37) 318
Benzoic acids, derivatives, PC separation and identification, (13) 483
———, ———, radiolysis products of *o*-iodobenzoic acid, separation by PC, (17) 624
———, GC analysis of, (43) 503
———, interaction with Sephadex gels, (47) 1
———, separation from volatile fatty acids using Sephadex, G-10, (39) 519
Benzoins, reaction occurring with quinone on a GC column, (14) 98
———, self oxidation-reduction during GC, (19) 12
Benzomac, determination in soil, (44) 60
3,4-Benzoprene, quantitative determination in the air, (49) 334
Benzo(*h*)quinoline, estimation in urban atmospheres and air pollution source effluents, (26) 72
7,8-Benzoquinoline as stationary phase in GLC, behaviour in the vicinity of the melting point, (28) 409
Benzoquinones, chromatographic analysis of, (12) 352
———, separation by polyamide layer chromatography of, (44) 635
———, simple naturally occurring, TLC, (31) 258
*p*-Benzoquinones, naturally occurring, separation on chromatoplates, (2) 649
Benzotrichloride, quantitative GC analysis in mixtures with benzyl chloride and benzal-chloride, (16) 285
Benzoylecgonine, separation from cocaine and ecgonine by PC, (20) 187
Benzyl chloride, quantitative GC analysis in mixtures with benzal chloride and benzotrichloride, (16) 285
N-Benzyloxycarbonyl-amino acids and esters, separation by polyamide TLC, (32) 591
Benzyloxycarbonyl dipeptide phenylhydrazides, quantitative TLC, (34) 551
Benzyloxycarbonyl-protected amino acid and peptide derivatives, detection on thin-layer chromatograms, (30) 243
Benzyl salicylate, rapid method for detecting the presence of small amounts, (30) 261
Berberine, quantitative determination by direct TLC evaluation, (39) 90
Bergamot oil, preparative chromatographic isolation of trace components in, (35) 475
Beryllium, GC determination of neutron-produced gases in, (10) 309
Betaines, N-methyl-labelled, synthesis of, (39) 78
———, separation from choline on ion exchangers, (9) 117
BHA, GC separation, (19) 599
BHT, GC separation, (19) 599
Biflavonoid compounds, separation by PC, (7) 13
Biflavonyls, correlations between structure and chromatographic behaviour on silica gel thin layers, (48) 484
Bile acids, colour detection using TLC, (13) 567
———, CC, (1) 149, 164
———, and their derivatives, systematic analysis by TLC, (11) 565
———, free, separation by continuous TLC, (43) 278
———, GC of new bile acids and their derivatives, (44) 452

———, methanesulphonates and mixed silyl ethers, GLC behaviour, (31) 9
———, PC, (1) 248
———, quantitative determination by direct densitometry of thin-layer chromatograms, (21) 27
———, quantitative determination in human duodenal contents by TLC, (24) 99
———, reversed phase partition chromatography on methylated Sephadex as support, (17) 574
———, separation of structural isomers by chromatography on polyamide layers, (30) 607
———, spray detection on thin-layer chromatograms, (47) 126
———, TLC, (11) 565; (13) 567
———, TLC separation, especially of the free dihydroxycholanic acids, (41) 132
Bile pigments, densitometric determination on thin-layer chromatograms, (50) 447
———, separation by TLC, (37) 76
———, TLC behaviour of urobilinoid pigments, (34) 421
Bile, rat, TLC following i.v. administration of pesticidal synergists, (27) 153
Bilins, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, (50) 458
Bilirubin, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, (50) 458
Biliverdin, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, (50) 458
Bioautography of antibiotic spreadlayer chromatograms, (14) 129
Bioautography of antibiotics on thin-layer chromatograms, (26) 531
Bioautography of antimicrobial substances on thin-layer chromatograms, (35) 295
Bioautographic technique for antibiotic identifications in TLC, (18) 409
Biochemical acids and bases, separation on columns of Sephadex G-10, (47) 100
Biochemicals, standard ionophoretic mobilities at several pH values, (6) 131
Biological compounds, chromatography on glass-fibre, paraffin-coated and untreated cellulose paper, (11) 349
———, preparation and properties, (20) 147
Biological extracts, analysis by high-temperature GC, (27) 40
Biological material, homogenisation and extraction for chromatographic purposes, (2) 220
———, PC fractionation of crude extracts, (9) 44
———, rapid identification of low molecular weight compounds in extracts of, (49) 402
———, a simple microtechnique for preparing samples for PC analysis, (8) 129
———, unstable, CC, (7) 573
Biologically active material, bioautographic technique for identification on thin-layer chromatograms, (27) 494
Biologically active nitrogen compounds, PC, (1) 363; (4) 471; (13) 485
Bio-organic substances, correlation between PC mobility and the chemical structure, (48) 11
Biphenyls, polychloro-, the use of Florisil adsorbent for the separation of polychlorobiphenyls from chlorinated pesticides, (50) 142
———, separation from terphenyls by GSC on graphitised carbon black and on Chromosorb coated with caesium chloride, (34) 81
———, TLC on graphitised carbon black, (32) 403
N,N-Bis-(chloroethyl) carbamates, GC, (23) 175
Bis(dimethylamino)fluorophosphine oxide, see Dimefox
Bis-(2-ethylhexyl) orthophosphoric acid, use in the chromatography of rare earths, (8) 232; (10) 502
Bis-(hydroxymethyl)-aminomethane, monomethyl derivative, influence on mercurimetric chloride determinations, (4) 88
N,N′-Bis-(2-hydroxyethyl)- derivatives, detection and PC, (20) 283
Bismuth, sequence of separation from cadmium in PC, effect of presturation of paper, (2) 69
———, triphenyl derivative, labelling with radiobismuth studied by PC, (15) 70
Bisphenol A, quantitative analysis by direct GC, (26) 254
Bithienyls, isomeric, separation and identification by GC, (15) 540
Bithionol, TLC identification, (42) 548
———, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, (49) 567
Biuret derivatives, chromatographic behaviour, (31) 77
Blackcurrant juice, TLC of anthocyanins from, (28) 480
Blood, chromatographic studies on isonicotinic acid hydrazide and its metabolic derivatives isolated from, (11) 344
———, deproteinisation by paper electrophoresis through dialysing barriers, (9) 173
———, detection of minute traces by TLC, (21) 156

(Blood)
——— fractionation of lipoproteins by gel filtration, (25) 63
———, injection device for use in the GC determination of volatile components, (27) 237
———, isonicotinic acid hydrazide metabolites in, isolation and identification by PC, (7) 82
———, rapid separation of serum mucoproteins from other Folin-Ciocalteupositive substances by means of gel filtration, (11) 71
———, TLC of serum lipid fractions, (9) 301
Blue tetrazolium, $^{14}C$-labelled, use in the quantitative estimation of corticosteroids, (26) 533
Boiling points of $C_{10}$-$C_{15}$ straight chain alkylbenzene isomers from GC retention data, (20) 1
Borate complexes, rapid paper ionophoresis, (3) 141
Borates, chromatographic behaviour, (1) 47
———, its use in the anion-exchange chromatography of sugar phosphates, (15) 495
Borazine, B-trichloro derivatives, separation by TLC, (27) 302
Borazoles, alkyl derivatives, GC retention data, (18) 1
Boric acid, PC and detection using chlorogenic and caffeic acids, (16) 262
Boromolybdates, chromatographic behaviour, (1) 50
Boron compounds, detection and chromatography on paper of boric acid, sodium tetraborate and benzeneboronic acid, using chlorogenic and caffeic acids, (16) 262
Borotungstates, chromatographic behaviour, (1) 49
Boundary spreading, estimation of molecular weight distribution by gel chromatography, (48) 400
———, experimental and theoretical investigation in gel chromatography, (48) 393
Bractein-aglycone, identification by means of TLC, (11) 369
Brain cerebroside, sulphatide and sphingomyelin, a preparative method of isolation, (18) 503
Brain lipid extracts, quantitative determination of cholesterol using GLC, (27) 246
Brightening agents, derivatives of 4,4′-diaminostilbene-2,2′-disulphonic acid, separation by PC and TLC, (14) 482
———, optical, chromatographic analysis (27) 413
Bromacil, determination by GC, (46) 110
Bromchlorophene, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, (49) 567
Bromide-chloride anion-exchange reaction, temperature coefficient, (3) 178
Brominated methyl octadecanoates, GC, (6) 118
Bromine, determination in organic compounds by (17) 23
Bromoauric acid, adsorption on cellulose from aqueous solutions of acids, (6) 437
Bromo-octadecanoic acids, methyl esters, GC, (6) 118
Bromophenol Blue staining, certain aspects deduced from spot tests on filter-paper, (3) 531
Bromopyridines, separation by GC, (16) 293
N-Bromosuccinimide as reagent in TLC of lipids, (24) 432
5-Bromouracil, a two-dimensional TLC technique for the separation of admixtures with DNA bases, (34) 554
Brucine, correlation between $hR_F$ values on thin-layer chromatograms and chemical structure of some tertiary *Strychnos* alkaloids, (48) 493
"Brunel" mass integral detector for GC, (11) 301
Bufadienolides, CC, (1) 148
———, from the venom of the parotid glands of *Bufo paracnemis* Lutz 1925, chromatographic study, (15) 9
———, isolated from taod venoms, TLC, (9) 371
———, PC, (1) 244
Buffer cations, effects on chromatography of proteins on hydroxylapatite, (15) 247
Buffer gradient, production of, and use for the separation of arginino-succinate, (20) 310
Buffering substances, gel filtration using Sephadex, (3) 332
Buffers, improved method for preparing buffers that have low baselines in automated amino acid analysis, (39) 79
Bufotenine, a GLC screening technique for the identification of the alkaloids of *Phalaris* species, (43) 295
Butane, analysis of vapour phase nitration products by gas chromatography, (19) 17
———, vapour-phase nitration, product analysis, GC, (10) 1
———, ———, by on-line multiple column GC, (35) 10
Butanol, quantitative analysis in aqeous solution containing non-volatile salts by GC, (10) 114
Butanol-2, separation of its lactate and mandelate by CC, (29) 94

Butanol-containing solvents, the distribution of acids, water and butanol on ascending chromatograms, (10) 347
Butenes, polymerised, composition analysis, (11) 177
Butter fat, detection of aldulteration of, (36) 84
———, ———, ghee by random rearrangement reaction and TLC, (44) 116
9-*sec*-Butylanthrene, optical resolution by molecular complexation chromatography, (14) 300
*tert.*-Butyl chromate as reagent for locating steroids on paper chromatograms, (21) 275
Butyl halides, analysis of mixtures of isomers by GC, (27) 240
*tert.*-Butyl-4-hydroxyanisole, see BHA
*tert.*-Butyloxycarbonyl derivatives, detection on paper and thin-layer chromatograms, (24) 277
*tert.*-Butylphenols, separation of mixtures containing phenol by GLC, (11) 38
Butyltin halides, GC analysis, (19) 182
2-Butyne-1,4-diol and its esters, separation by glass PC and TLC, (11) 496

# C

Cacao, paper-electrophoretic fractionation of polyphenolic substances from, (4) 347
Cadmium, complex with isatin, use as a detection reagent for amino acids on paper chromatograms, (13) 560
———, separation by ion-exchange chromatography, (22) 149
———, sequence of separation from bismuth in PC, effect of presaturation of paper, (2) 69
——— ions, quantitative determination of their equilibria on chloride solutions by means of ion-exchange papers, (15) 510
Cadmium bis(glycinate), PC in some alcohols, (19) 448
Caeruloplasmin, detection by means of an improved method, (16) 181
Caesium, rapid separation from other alkali metals by TLC on zinc ferrocyanide, (26) 557
Caesium(I), spot test for, (31) 177
Caesium-137, separation from fission products by means of a Kel-F column supporting tetraphenylboron or dipicrylamine, (19) 589, 594
———, sorption on ammonium and thallous salts of phosphotungstic and phosphomolybdic acid, (27) 460
Caesium chloride, quantitative analysis by PC and flame spectrophotometry, (20) 201
Caffeic acid, magnesol TLC of flavonoid compounds, (43) 287
———, use in PC for the detection of ions of B, W, Mo and Ge, (16) 262
Caffeine, influence of the pH value in TLC of caffeine, theophyline and theobromine on uniform layers, (48) 96
———, a rapid micro-method for the quantitative estimation of, (32) 75
———, separation from human tissue and identification, (3) 190
———, TLC together with theophylline and theobromine on pH gradient layers, (48) 106
Caffeine-steroid complex, possible presence in human urine, (10) 493
Calcium, separation from magnesium by cation exchange at high ionic strenght, (11) 258
———, separation from strontium by means of chelating ion-exchange resins, (18) 572
Calcium phosphate, preparation for use in CC of ribonucleic acid, (25) 314
Calcium sulphate, as adsorbent for TLC, (30) 26[illegible]
———, as binder in DEAE-cellulose TLC of nucleic acid degradation products, (11) 3[illegible]
Calibration of plate differences in the TLC determination of $R_M$ values, (26) 280
Calibration samples for GC, preparation of, (11) 120
Campesterol, analysis of free phytosterols by GC using liquid phase OV-101, (44) 173
Camphor, investigation into the composition of lavender and lavandin oil, (50) 127
Camphoramic acid, N-allyl-*dl*-, TLC of the $\alpha$ and $\beta$ structural isomers of, (36) 543
Canada Balsam, studies on the chromatographic separation of, (32) 53
Cancer, electrophoresis tests to investigate the effect of trace substances in the treatment [illegible] of, (25) 124
*Candida utilus*, use for detection of stable phosphates on chromatograms, (34) 560
Cannabinoids, simple TLC by means of silica gel sheets treated with amines, (48) 562
*Cannabis sativa L.*, a screening technique using TLC, (31) 584
Capillary absorption of liquids in paper and other porous materials, (18) 615
Capillary chromatography, a new sample introduction device for, (11) 151
Capillary column GC of $C_6$-$C_{11}$ aromatic compou[illegible] (26) 262
Capillary columns, cleaning and coating by means of a simple device, (11) 124
———, in GC, (12) 406
———, ———, the application of Golay columns of larger internal diameter, (11) 440
Caprolactam, cyclic oligomers, PC, (9) 199
———, GC determination of impurities and oxidation of, (39) 253
———, gel permeation chromatography of the cyclic monomers and oligomers in nylon 6 and nylon 66, (49) 230
———, gel permeation chromatography of the linear monomer and oligomers in polyamid[illegible] (50) 419
$\epsilon$-Caprolactam, detection on paper chromatograms, (6) 89
———, and its cyclic oligomers, separation by TLC, (24) 447

Capsaicin, separation from *"cis*-capsaicin", pelargonic acid vanillylamide and dihydrocapsaicin, (41) 265
Captan, determination by TLC, (23) 476
———, and Phaltan, GC examination of mixtures of, (36) 529
Captax, determination by TLC, (23) 476
Carbamates, analysis of residues in soil and water by TLC, (30) 136
———, N-chloroethyl and N,N-bis(chloroethyl) derivatives, GC, (23) 175
———, N-*m*-fluorosulphonylphenyl derivatives, GC, (24) 186
———, herbicidal, separation and determination by reaction GC, (49) 205
———, ———, TLC separation and detection methods, (49) 329
———, insecticidal, electron-capture GC method for the determination as 2,4-dinitrophenyl derivatives of their phenol moieties, (49) 215
———, ———, separation and detection by TLC, (21) 346
———, medicinal, identification by TLC, (29) 283
———, N-methyl-, chromatography in the gaseous phase, (45) 362
———, 3,4-methylenedioxyphenyl, study on their gas chromatographic behaviour, (27) 255
———, ———, and 3,4-methylenedioxybenzyl derivatives, detection and TLC, (20) 521
———, pesticidal, GC of trimethylsilyl derivatives, (20) 9
———, ———, sensitivity of pig liver esterase in the detection of 12 carbamate pesticides on thin-layer chromatograms, (50) 92
———, pharmacologically active, PC separation by means of a new solvent system, (6) 540
———, N-(*p*-toluenesulphonyl) derivatives, GC, (30) 596
———, ———, TLC, (30) 245
———, trace determination of phenols by GC as their 2,4-dinitrophenyl ethers, (44) 251
———, N-trichloroacetyl derivatives, GC, (23) 298
———, ———, TLC, (24) 245
N-Carbamoyl-aziridines, separation and identification by TLC, (26) 522
Carbamoyl compounds, separation by TLC, (30) 250
Carbaryl, direct GC determination, (42) 464
Carbazoles, derivatives, TLC, (42) 555
———, separation of sodium salts of sulphocarbazole acids by TLC, (46) 204
———, ternary mobile phases in adsorption TLC, (49) 313
Carbene-cyclopentadienes, evidence of the stereospecific carbene reaction by TLC, (48) 53
Carbides, studies on the hydrolysis of, (15) 211, 223
Carbobenzoxy-amino acids, TLC, (7) 405; (12) 541; (16) 553
Carbobenzoxy derivatives of amino acids and peptides, instant TLC as hydrobromides, (23) 403
Carbohydrate activity, detection in commercial papain by PC, (4) 21
Carbohydrate-protein complexes of an enzymic and immunological nature, a method for resolving and characterising, (49) 503
Carbohydrates, analysis in biological fluids by means of TLC, (36) 191
———, anion-exchange chromatography of sugar phosphates with triethylammonium borate, (15) 495
———, anomerisation of D-glucose as determined by GC, (37) 103
———, application of combined pyrolysis-TLC to the study of chemical kinetics, (48) 268
———, application of paper and vapour-phase chromatography to polysaccharides, (20) 78
———, an artefact in the chromatography of sugar nucleotides using solvents containing ammonium acetate, (47) 287
———, artefacts in amino acid analysis; ninhydrin-positive products of carbohydrate hydrolysis, (50) 331
———, artefacts in the PC of D-mannosamine-1-$^{14}$C hydrochloride, (40) 312
———, an automated gel filtration system for determining the molecular weight of polysaccharides, (47) 92
———, automated molecular-sieve chromatography of polysaccharides, (44) 178
———, bidimensional TLC on silica gel impregnated with boric acid, (34) 26
———, CC of polysaccharides in the presence of urea, (15) 246
———, characterisation of an additional anthocyanin pigment in extracts of strawberries, *Fragaria*, (50) 311
———, chromatography of methylated methyl glycosides on natural sorbents, (30) 643
———, countercurrent distribution of labelled anomeric methyl arabinosides and methyl α-D-mannoside, (29) 103
———, countercurrent distribution of D-lyxose-1-$^{14}$C, (15) 97
———, derivatives, separation by GLC, (1) 556
———, detection of chitin oligosaccharides on paper chromatograms, (17) 621

(Carbohydrates)
———, detection and estimation on chondroitin sulphate in submicrogram quantities as a complex on acrylamide gel, (40) 145
———, detection of saccharification products by TLC, (15) 103
———, determination of the degree of polymerisation of oligo- and polysaccharides by GLC, (47) 195
———, determination of di-, tri-, and tetrasaccharides in mixtures with their component moieties by TLC, (41) 475
———, determination of glucosamine and galactosamine by GC, (20) 457
———, determination of sugars by PC using anthrone as colorimetric reagent, (16) 176
———, differentiation of some deoxy-sugars, (21) 160
———, effect of ionic strenght of eluting solutions on behaviour of sialomucopolysaccharides from rat brain on Sephadex G-200, (32) 749
———, the effect of sample concentration on gel chromatography of polysaccharides on polyacrylamide gels, (47) 97
———, an efficient polar liquid phase for analysis of trimethylsilyl derivatives of sugars and sugar alcohols, (42) 108
———, electrophoretic separation of hexosamine and hexuronic acid derivatives as their molybdate complexes, (33) 514
———, estimation of radioactive acid mucopolysaccharides, (39) 96
———, evidence for the ninhydrin-positive reaction of some ketoses, (19) 622
———, fluorescent visualisation of trioses on silica gel thin-layer chromatograms, (50) 338
———, free, identification in grass pollens, (40) 458
———, GC characterisation of electrophoretically separated fractions of acid mucopolysaccharides, (24) 179
———, GC determination of polyhydroxy monocarbonic acids obtained by oxygenation of hexoses in aqueous alkaline solutions, (41) 168
———, GC of partially methylated alditols as trifluoroacetyl derivatives, (49) 419
———, GLC of methylated D-galactose derivatives, (36) 531
———, GLC of trimethylsilyl derivatives of N-arylglucosylamines, (30) 204
———, gel filtration, (14) 317
———, high-voltage electrophoresis, (1) 108
———, identification of acid mucopolysaccharides by PC, (13) 157
———, inexpensive adsorbents for TLC, (15) 90
———, limitations of some common indicators of electroendosmosis in paper electrophoresis (including interactions between carbohydrates and inorganic phosphate), (48) 577
———, liquid phases and solid supports for GLC of trimethylsilyl derivatives of monosaccharides, (41) 335
———, a micro-chromatograph for quantitative estimation of sugars using a paper strip as support, (15) 252
———, a micro-method for the determination of acid mucopolysaccharides in vascular tissue, (31) 473
———, modified celite partition chromatography, (14) 490
———, monitoring of reactions by TLC, (20) 163
———, a new method for the detection of sugars, specific for fucose, by TLC, (32) 188
———, non-reducing, detection with complex cuprates(III), (14) 228
———, ———, detection with orcinol in phosphoric acid, (16) 252
———, partition CC on Sephadex G-25, (14) 139
———, partition chromatography of sugars on ion-exchange resins, (50) 429
———, partition TLC on silica gel using dimethyl sulphoxide as stationary phase, (20) 417
———, PC behaviour of hexosamine-containing compounds from urine, (10) 104
———, PC of oligogalacturonides, (16) 248
———, PC and paper electrophoresis, (1) 378
———, PC in the presence of benzeneboronic acid, (11) 253
——— PC using quaternary salts for identification, (13) 152
——— PC using two reference compounds for identification, (13) 128
———, phosphates, separation by electrophoresis using sodium carbonate-sodium bicarbonate buffer, (16) 415
———, prediction of $R_F$ values of aldohexoses and aldomethyloses, (33) 500
———, quantitative analysis of sorbose by TLC in the presence of some frequently occurring monosaccharides, (46) 207
———, quantitative chromatography of homologous glucose oligomers and other saccharides using polyacrylamide gel, (42) 476

———, quantitative chromatography of the oligosaccharides in wort, beer and brewing syrups, (49) 462
———, quantitative determination, (33) 312
———, ———, of the free sugars of plants by GC of their trimethylsilyl ethers, (41) 12
———, ———, of mono- and oligosaccharides in potato tubers by GLC, (41) 110
———, ———, by PC, (10) 190
———, quantitative estimation of neutral sugars by GLC, (41) 350
———, quantitative glass-PC of fungal cell wall acid hydrolysates, (41) 113
———, quantitative recovery of sugars from silica gel thin layers, (49) 473
———, quantitative TLC of arabinose, ribose and xylose in the presence of other sugars, (49) 469
———, rapid paper ionophoresis, (3) 139
———, and related non-nitrogenous compounds, behaviour with ninhydrin during automatic ion-exchange chromatography, (30) 190
———, reversed phase PC of some substituted hydrazine derivatives of monosaccharides and related compounds, (15) 111
———, a sensitive detecting reagent for 2-deoxy-sugars, (21) 163
———, separation of acid polysaccharides by starch gel electrophoresis, (20) 191
———, separation from the bark of *Populus tremula* by gel filtration, (35) 99
———, separation on borate-impregnated silica gel plates, (18) 170
———, separation of cello-oligosaccharides by TLC, (38) 400
———, separation of chitin oligosaccharides by TLC, (29) 115
———, separation of fructosans by TLC, (44) 413
———, separation of glucosamine and galactosamine and their glycitols on an amino acid analyser, (35) 106
———, separation of glycopyranosides on ion-exchange resins, (32) 602
———, separation of hexose phosphates and triose phosphates by TLC, (15) 168
———, separation and identification of acid polysaccharides by TLC, (21) 40
———, separation of maltodextrins by charcoal chromatography, (24) 68
———, separation of simple sugars by cellulose TLC, (17) 300
———, separation of starch oligosaccharides by high-temperature PC, (19) 445
———, separation of sugar phosphates and sugar nucleotides by TLC, (15) 277
———, separation by TLC, (26) 111
———, silylation and GLC analysis of an aqueous polyhydric alcohol mixture, (44) 175
———, a simple, rapid, isothermal GC procedure for the analysis of monosaccharide mixtures, (47) 199
———, solvents for the formation and quantitative chromatography of trimethylsilyl derivatives of monosaccharides, (41) 325
———, sorption heats of volatiles on some components of foodstuffs, (45) 57
———, spectrophotometric determination using anthrone for sugars separated by cellulose TLC, (21) 335
———, standard ionophoretic mobilities, (6) 134
———, structure and chromatographic properties, (9) 251
———, studies on the acid stability of neutral monosaccharides by GC, with reference to the analysis of sugar components in the polysaccharides, (45) 244
———, studies on the ring structures of ketoses by means of GC and MS, (37) 216
———, studies on the temperature dependence of chromatography on a dextran gel, (31) 48
———, thin-film chromatography, (11) 479
———, thin-layer electrophoresis, (31) 466
———, TLC, (9) 278, 283, 374
———, TLC of aldonic acid lactones, aldoses and alditols, (26) 116
———, TLC analysis of enzymic hydrolysates of agar, (49) 482
———, TLC on celite-starch, (14) 532
———, TLC of cyclodextrins and some other sugars using microchromatoplates, (15) 100
———, TLC on magnesium silicate, (14) 513
———, TLC of malto-oligosaccharides, (44) 307
———, TLC on microcrystalline cellulose, (17) 488
———, TLC in the presence of bisulphite, (17) 295
———, TLC, a procedure for the direct reading of fluorescent spots using the Turner fluorometer, (16) 243
———, TLC and rapid identification of common acidic glycosaminoglycans, (21) 32
———, TLC on silica gel impregnated with sodium acetate, monosodium phosphate and disodium phosphate, (39) 407
———, TLC of substituted glycosides, (32) 303
———, TLC of sugar mixtures, (47) 527

(Carbohydrates)
———, TLC of sugar phenylosazones, (13) 573
———, TLC of sugar phosphates, (21) 319
———, trimethylsilylated, TLC, (32) 685
———, two-dimensional PC of oligosaccharides, interspersed with reaction on the paper, (24) 271
———, an ultrasensitive chemical test for quantitative chromatography of sugars, (30) 178
———, use of normalisation techniques for establishing elution positions of chromatographic peaks, (47) 272
———, visualisation reagents for quantitation on thin-layer chromatograms by transmission densitometry, (45) 150
———, see also Sugars
β-Carbolines, PC and TLC, (31) 446
Carbon, determination in organic halogen compounds by GC, (17) 23
———, determination of trace amounts by GC, (11) 320
Carbon-14, effects of asymmetrical drying of paper chromatograms on the autoradiography of, (36) 557
———, paper thickness as factor in autoradiography of, (33) 329
Carbonates, alkyl 2,5-dichloro-4,6-dinitrophenyl, separation by GC, (39) 33
Carbon dioxide, chromatographic separation from argon and phosgene by temperature programming, (47) 555
———, determination in air samples, (11) 173
———, separation from carbonyl fluoride by GC, (34) 77
———, variation with polarizing voltage of the response of a macro-argon ionisation detector to, (32) 737
Carbon disulphide, determination by GC, (17) 14
Carbon isotopes, enrichment by means of GC, (28) 177, 194
Carbon monoxide, separation of mixtures with oxygen, nitrogen and methane, (13) 382
Carbon tetrafluoride, separation from nitrogen trifluoride by GC, (2) 562
Carbonyl compounds, *x*-alkyl substituted, 2,4-dinitrophenylhydrazones, separation by TLC, (24) 451
———, aromatic, identification as simple azines by PC and TLC, (27) 398
———, chromatographic identification, (28) 253, 259, 263, 270, 440, 443
———, 2,4-dinitrophenylhydrazones, PC by the Huelin method, (6) 187
———, ———, separation by two improved methods, (6) 187
———, identification by chromatography, (27) 374, 380, 384
———, identification in crude spirits, (28) 270
———, identification in a fermented glucose solution, (28) 443
———, identification by reaction chromatography using a gas-liquid/thin-layer derivatisation technique, (29) 80
———, isolation from solutions as their 2,4-dinitrophenylhydrazones, (27) 374
———, TLC investigations of their 2,4-dinitrophenylhydrazones, (27) 290
———, TLC of their nitroguanylhydrazones, (28) 468
———, volatile phenylhydrazones, separation by vapour-phase chromatography, (15) 435
Carbonyl derivatives, separation of, (12) 380
Carbonyl fluoride, separation from carbon dioxide by GC, (34) 77
Carboxyl cellulose, synthesis and chromatographic properties, (17) 149
Carbowax 20M, low temperature discontinuity of retention times with, (21) 481
Carboxylic acids, adsorption chromatography of polar organic molecules on Bio Gel, (47) 355
———, aromatic, determination by PC and paper electrophoresis, (33) 319
———, detection on thin-layer chromatograms by their reaction with iodide-iodate and amylose, (49) 340
———, GC separation and determination of microquantities of the esters of the tricarboxylic acid cycle acids and related compounds, (42) 157
———, separation of benzoic acid from volatile fatty acids using Sephadex G-10, (39) 519
———, separation and detection by TLC, (26) 512
———, two-way separation by thin-layer electrophoresis and chromatography, (30)
Carboxylic oxyacids, mono- and bidimensional separation by TLC, (42) 125
Carboxymethylcellulose as a binder for TLC of lipids and indoles, (16) 226
S-Carboxymethyl-kerateines of baleen, a comparative study by automated chromatography (28) 326
ϵ-Carboxymethyl-lysine, separation from methionine on 60-cm columns of ion-exchange resins, (47) 114
Carcinogen-DNA interactions, demonstration by a non-specific method of TLC, (31) 384
Carcinolipin, a chromatographic method for its

quantitative determination in biological materials, (32) 511
———, isolation by combined liquid-solid and liquid-liquid chromatography, (32) 230
— —, purification of the fatty acid present in, (32) 502
Cardanol, methylol derivatives TLC, (9) 395
Cardenolide TLC, derivatives and their acetates, (42) 146
Cardenolides, CC, (1) 148
——— of *Digitalis*, an improved method for the GC identification of, (45) 68
———, PC, (1) 244
Cardiac glycosides, separation of digitoxin and digoxin from their 20,22-dihydro-derivatives by TLC on cellulose layers, (35) 122
Cardiotonic steroids, reagent for their detection on thin-layer chromatograms, (27) 172
Carnitine, column separation from phosphatides and acyl carnitines, (34) 103
Carotene, stabilisation by ethoxyquin during TLC, (28) 465
β-Carotene, determination in biological material by PC, (28) 363
Carotenoids, from leaves of sweet cherry trees, determination by TLC, (19) 75
———, in serum of plasma, separation and determination by PC, (36) 54
Carotid actin peptides, bovine, separation on cellulose thin layers, (38) 408
Carrier gases in GC, choice of, (15) 482
———, using the vapour of organic solvents as, (46) 241
Cartilage, chromatographic detection of sugars of growing, (3) 377
γ-Casein, chromatography and characterisation, (43) 322
*K*-Casein, chemical and chromatographic isolation of, (46) 280
———, human, chromatographic purification, (44) 573
Cashew nut-shell liquid, composition and detection of a novel phenolic ingredient, (27) 287
———, identification of some alkyl-substituted phenols in, (32) 519
Castor-based products, TLC, (42) 267
Castor oil, determination in heveacrumb rubber by TLC, (30) 125
Catecholamines, chromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, (50) 251
———, detection on chromatograms by heating with paraformaldehyde, (35) 389
———, an improved formaldehyde condensation reaction for the detection on silica gel thin layers, (40) 186
———, metabolites, CC on Amberlite CG 50, (34) 106
———, ———, separation using PC and partition TLC, (43) 135
———, precursors and metabolites, $R_F$ values, (14) 107
———, and related compounds, PC, (16) 254
———, TLC of some acetylated adrenaline derivatives, (44) 638
———, trimethylsilylation with dimethylsulphoxide as solvent, (25) 471
———, urinary, isolation by means of alumina and estimation, (6) 164
*Catharanthus* alkaloids, separation by TLC, (18) 184
Cation exchange in concentrated HCl and $HClO_4$ solutions, (13) 503
Cation exchange separation of calcium and magnesium at high tonic strength, (11) 258
Cation-exchange, see also Ion exchange
Cation-exchanger, polyphosphate cellulose as a new, (10) 509
Cation exchangers on polystyrene basis, sorption behaviour in aqueous dioxan and dimethylsulphoxide solutions, (42) 53
Cations, adsorption PC, (1) 274; (4) 477, 481, 485,
———, adsorption and precipitation chromatography, (2) 334
———, chromatography by means of paper treated with a liquid anion exchanger, (5) 236
———, chromatography on paper impregnated with ammonium phosphotungstate, (14) 555
———, detection by means of glyoxal bis-(2-hydroxyanil) after separation by PC, (14) 560
———, high-voltage paper electrophoresis, (10) 221
———, identification in mixtures by means of coloured (ring) products formed on agar gel, (2) 324
———, inorganic, see Inorganic cations
———, interference of anions in paper electrophoresis of, (2) 216
———, oxine as complexing agent in the paper electrophoretic separation of, (2) 438
———, separation by chromatography on paper impregnated with ion-exchange resins, (1) 314
———, separation by electrolytic chromatography, (2) 640
———, separation on paper impregnated with inorganic ion exchangers, (4) 83, 86
———, separation on paper impregnated with zirconium molybdate, (4) 86

(Cations)
———, separation on paper impregnated with zirconium phosphate, (4) 83, 86
———, separation by PC using the wedge-strip technique, (27) 326
———, separation by reduction chromatography, (2) 634
———, an unusual reaction with ninhydrin, (10) 233
———, see also Inorganic ions or Metals
Celite ion-exchange resins in the chromatography of proteins, (2) 388, 398
Celite partition chromatography of carbohydrates, (14) 490
Cello-oligosaccharides, separation by TLC, (38) 400
Cellulase, fungal, resolution by zone electrophoresis, (3) 576
———, size of sample in starch electrophoresis of, (7) 33
Cellulose, adsorption of chloro-complexes on, (3) 498
———, changes in the immobile aqueous phase during chromatograms formed with absolute ethanol, (16) 40
———, chromatography of inorganic ions on, (3) 48
———, of cotton, decrystallised, gel permeation properties of, (28) 139
———, microcrystalline, TLC on, (17) 488
Cellulose acetate pretreated paper impregnated with 2-thenoyltrifluoroacetone for inorganic chromatography, (34) 72
Cellulose ester supports, identification of substances on these supports by spectrophotometry in the IR region, (27) 510
Cellulose ion exchangers, application to the separation and purification of vitamins of the $B_{12}$ group, (3) 359
Centrifugal chromatography, apparatus for, (3) 225; (7) 19; (9) 92; (10) 497
———, of cations, (18) 435
———, of 2,4-dinitrophenylhydrazones, (6) 187
———, of gallic acid esters, (11) 419
———, of inorganic ions, (11) 93
———, on plaster of Paris, (22) 1
———, of some substances of the vitamin $B_6$ group, (8) 537
Centrifugal paper chromatography, fundamental aspects, (1) 259
———, of soluble collagens, (11) 110
———, and some of its applications, (13) 467
———, of steriods, (9) 195
———, ———, some remarks on a recent paper on, (11) 556
Cephalosporins, partition data determined by means of reversed-phase TLC, (44) 195
Cereal seedlings, qualitative and quantitative detection of soluble nucleotides and their derivatives by PC, (31) 279
Cereals, a thin-layer method of the determination of trace metals in, (34) 563
Cerebrosides, brain, a preparative method of isolation, (18) 503
———, PC separation of different types of, (44) 643
———, in presence of phosphatides and sulphates, simultaneous separation by PC, (14) 189
———, and related compounds, TLC separation, (39) 229
Cerenkov counting, application to CC of $^{32}P$-labelled substances, (36) 302
Ceresol mixtures, analysis by partition chromatography, (5) 98
Cerium, adsoption on a strong base anion-exchange resin from dilute nitric acid solutions containing aliphatic alcohols, (8) 419
———, synergism in the reversed-phase partition chromatography of, (34) 520
Cerium(IV) phosphate sheets, use for the separation of inorganic ions, (30) 579
Cetyltrimethylammonium borate, use in the paper electrophoresis of sugars, (8) 63
Chaconine, separation from solanine and solanidine, (12) 57
Charcoal chromatography, separation of maltodextrins, (24) 68
Charge-transfer chromatography of aromatic hydrocarbons on thin layers and columns, (25) 294
Charge-transfer complexes, of aromatic amines with aromatic nitro compounds, study by TLC, (29) 120, 258
———, of aromatic nitro compounds with some amines, (31) 120
Charge-transfer interactions between carbon tetrabromide and aromatic donors, investigation by GC, (49) 161
Chaulmoogra oil, GC analysis of cyclopentenyl fatty acids, (10) 15
Chemicals, volatile, reactivity with the constituents of foods determined by PC, (17) 37
Chenodeoxycholic acid, quantitative determination in human duodenal contents by TLC, (24)
———, separation of free bile acids by continuous TLC, (43) 278
Cherries, sweet, determination of chlorophylls and carotenoids in leaves by TLC, (19) 75
Chitin oligosaccharides, PC, (17) 621
———, TLC, (29) 115

Chitosan, ion-exchange chromatography of nucleic acid constituents on chitosan-impregnated cellulose thin layers, (47) 408
———, separation of trace elements from sea water, brine and sodium and magnesium salt solutions by chromatography on, (47) 414
Chloramphenicol, analysis by GC, (47) 341
———, and its derivatives, polyamide layer chromatography, (21) 158
———, determination of thiamphenicol in biological fluids by GC, (43) 253
Chloranilic acid, as a reagent in the PC of inorganic compounds, (4) 153; (5) 5
———, as a reagent in the PC of nitrogenous compounds, (6) 416
———, as a reagent in the PC of sodium salts of organic acids, (5) 1
Chlorate, PC of mixtures with chloride, chlorite and perchlorate, (13) 271
Chlorbromuron, determination in soil, (44) 60
Chlordane, GC characteristics; observed compositional changes in aqueous and non-aqueous environments, (42) 54
*Chlorella pyrenoidosa*, chromatographic separation and identification of chloroplast pigments, (31) 589
Chloresterol esters as liquid phases in GC, (21) 392
Chloresterol, importance of *in vitro* transformations during chromatographic analyses, (21) 189
———, quantitative determination in autoxidation mixtures by TLC, (22) 52
Chloride, influence of Tris and Bis buffers on mercurimetric determinations of, (4) 88
———, PC of mixtures with chlorite, chlorate and perchlorate, (13) 271
Chlorinated hydrocarbons, determination with use of the negative alkali flame detector response, (44) 472
———, residue analysis, single-stage clean-up of animal tissue extracts for, (44) 481
Chlorine, determination in organic compounds by GC, (17) 23
———, organic compounds, pesticides, TLC, (16) 481
Chlorins, methyl esters, TLC with Eastman "Chromatogram", (21) 46
Chlorite, PC of mixtures with chloride, chlorate and perchlorate, (13) 271
Chlormezanone, location on chromatograms by detection of volatile hydrolysis products, (27) 317
Chloroanilines, GC, (34) 529
———, GC separation from cresol and xylenol isomers, (46) 200
Chloro-aquo-complexes, anionic, separation by ion-exchange PC, (19) 412
Chloroauric acid, adsorption on cellulose from aqueous solutions of acids, (6) 437
Chlorobenzene, determination of minute amounts in air, (28) 285
Chloro-complexes, adsorption on cellulose, (3) 498
Chloro compounds, GC, calculation of retention times, (17) 1
Chlorocresols, PC, (18) 197
———, TLC, (18) 419
N-Chloroethyl carbamates, GC, (23) 175
2-Chloroethyl derivatives, N-substituted, detection and PC, (20) 283
Chlorogenic acid, isomers, TLC, (29) 362
———, magnesol TLC of flavonoid compounds, (43) 287
———, quantitative determination in plant tissue by combined polyvinylpyrrolidone CC and GC, (35) 329
———, use in PC for the detection of the ions of B, W, Mo and Ge, (16) 262
Chlorohydrins, a simple method for the determination of, (36) 528
3-Chloro-2-hydroxypropyl ethers, aliphatic, PC, (31) 137
Chloronitrobenzenes, relationship of structure to sensitivity in electron capture analysis, (30) 77
———, TLC, (26) 301
Chlorophenes, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of, (49) 567
Chlorophenols, free, electron-capture GC, (47) 474
———, isomeric, detection and TLC, (24) 245
———, pH-chromatography, (19) 572
Chlorophenothiazine, quantitative analysis by TLC, (21) 341
Chlorophenyl *m*-fluorosulphonylbenzoates, isomeric, structural correlations to solute elution and molecular sensitivity data in electron capture analysis, (28) 293
———, TLC, (32) 596
Chlorophyll *a*, GC determination of some maleimides produced by the oxidation of Haeme, (50) 131
Chlorophylls *a* en *b* and related compounds, separation by TLC on cellulose, (17) 322
Chlorophylls, from leaves of sweet cherry trees, determination by TLC, (19) 75
———, purification of dihydroporphyrins for specific activity determination by TLC, (47) 395
———, separation by two-dimensional TLC, (26) 442

Chloroplast pigments, centrifugally accelerated PC, (4) 93
———, of *Chlorella pyrenoidosa*, chromatographic separation and identification, (31) 589
———, chromatography on preformed thin layers, (41) 220
———, PC, (1) 293
———, separation of phosphate esters and algal extracts by thin-layer electrophoresis and chromatography, (39) 507
———, separation on Sephadex LH-20, (46) 120
———, separation by TLC on cellulose, (17) 322; (31) 439
Chloropyridines, GC, (16) 293
Chloroxylenols, PC, (18) 197
———, quantitative separation by TLC, (22) 180
———, TLC, (18) 419
Chlorpromazine, derivatives, a chromatographic procedure for separation, (4) 329
———, detection in human erythrocytes of, (44) 547
———, effect of UV irradiation on, (13) 246
———, metabolites, TLC, (9) 388
Chlorpromazine sulphoxide, conversion into chlorpromazine by use of metals in acid solution, (31) 538
Chlorzoxazone, determination of degradation kinetics by TLC, (46) 211
Cholanic acids, hydroxy derivatives, reversed, phase partition chromatography, (9) 439
Cholanoates, GC of new bile acids and their derivatives, (44) 452
Cholecalciferol, GLC of ergocalciferol and cholecalciferol in nanogram quantities, (39) 75
Cholestanols, characterisation by TLC and GC, (34) 251
Cholestanones, characterisation by TLC and GC, (34) 251
Cholesterin stearate in human serum, quantitative evaluation in *situ* of substances aplied in the form of bands in TLC, (40) 235
Cholesterol, analysis of free phytosterols by GC using liquid phase OV-101, (44) 173
———, autoxidation examined by TLC, (27) 187
———, autoxidation products, chromatography on Sephadex LH-20, (41) 37
— —, degradation during transesterification of cholesterol stearate, (18) 599
———, epimeric 24-hydroxy-, chromatographic resolution, (49) 555
———, estimation in tissue lipid extracts after separation by TLC, (39) 512
———, faecal, separation from coprosterol by TLC, (14) 508
———, fatty acid esters, separation by GLC, (15) 79
———, $^{14}$C-labelled, quantitation together with $^{14}$C-labelled long-chain fatty acids by PC, (35) 129
———, quantitative determination in brain lipid extracts using GLC, (27) 246
———, separation from its esters by PC, (4) 254
———, separation by TLC, after propionylation, (17) 596
———, separation from vitamin D by TLC, (42) 271
Cholesterol esters, comparison of their separation by PC and TLC, (33) 262
———, PC, (11) 241
Cholesterol and esters, a simple two-stage, one-directional TLC procedure for separating the products of fat digestion, (43) 276
Cholesterol 14-methylhexadecanoate, see Carcinolipin
Cholesteryl esters, of fatty acids, use of a computer in the GC of, (30) 62
———, fractions of serum, determination of the fatty acid composition by TLC, (34) 413
———, separation from cholesterol by PC, (4) 254
———, separation of critical pairs by two-dimensional PC, (9) 237
Cholic acid, free and conjugated, quantitative determination in human bile and duodenal contents by TLC, (21) 439
Choline, esters, qualitative separation by high-voltage paper electrophoresis, (4) 257
— —, separation from betaine in ion exchangers, (9) 117
Choline-containing phospholipids, identification of an artifact in hydrolysis of, (12) 264
Choline oxidation products, chromatographic isolation and identification, (35) 497
Choline phosphatides, alkenyl acyl, alkylacyl and diacyl, two-dimensional reaction TLC in the analysis of mixtures of, (38) 267
———, fractionation by argentation adsorption TLC, (34) 195
Chondroitin sulphate, detection and estimation in submicrogram quantities as a complex on acrylamide gel, (40) 145
Chorionic gonadotropin, human, purification on DEAE-Sephadex, (28) 104
Chromagram sheet, Eastman's, a technique for the removal of the active silica gel layer and its subsequent replication, (28) 446

Chromanols, calculation of $R_M$ values, (10) 42
Chromates, preparation and separation of mixed hexapseudohalogenochromates(III), (50) 319
Chromato-electrophoresis of dinitrophenyl amino acids, (12) 542
Chromatograms, apparatus for labelling or staining, (13) 10
———, resolving power of, (7) 467
———, simultaneous development of several two-dimensional, (1) 552
Chromatographic artefact involving iodide-131, (5) 363
Chromatographic curves, correlation analysis of seven procedures for determining areas of, (35) 469
Chromatographic data, key-punched IBM cards for the storage of, (5) 541
Chromatographic spectra, (12) 22
Chromatography, comparative study of the influence of restricted diffusion upon the moving rate of the solute in various forms of, (36) 50
——— on paper between glass plates, application to the separation of 3,5-diiodothyronine and 3,5,3-tri-iodothyronine, (7) 341
Chromatography jars, use of glass building blocks as, (2) 666
Chromatoplate resolutions, transfer to large scale separations on adsorption columns, (8) 37
Chromatoplates, recording of data, (7) 266
———, use in the analysis of mixtures of sugars, (5) 351
———, use in the chromatography of triterpenoids, (5) 217
———, use in the rapid separation of digitalis glycosides and podophyllum glycosides, (5) 458
———, see also Thin-layer chromatography
Chromato-stack, a simple technique for improving the efficiency of TLC, (14) 118
Chromatostrips, microchromatography on, (1) 24
———, see also Thin-layer chromatography
Chromium, cationic complexes, detection with ninhydrin, (18) 194
———, separation of Cr(III) and Cr(IV) by PC and TLC, (19) 208
Chromium(III) thiocyanate complexes, anionic, separation by displacement analysis, (34) 289
Chromogens, from the ALLEN reaction, TLC of, (49) 558
Cigarette smoke, $C_6$ hydrocarbons in the gas phase of, (20) 250
———, free phenolic acids in, (8) 82
Ciliatine and phosphoethanolamine, chromatographic separation, (39) 238
Cinchona alkaloids, qualitative examination in commercial products by TLC, (17) 114
———, TLC, (16) 239
Cinchonine, for separation of alkyl gallates as complexes, (46) 261
1,8-Cineol, investigation into the composition of lavender and lavandin oil, (50) 127
Cinnamic acid, magnesol TLC of flavonoid compounds, (43) 287
*trans*-Cinnamic acid, separation from $\alpha$-truxillic and $\beta$-truxinic acids by PC, (26) 544
Cinnamic acid derivatives, *cis*- and *trans*-isomers, PC separation and behaviour, (21) 357
Cinnamylideneacetone, isolation from the rhizome of *Piper methysticum* by chromatography on non-bound thick layers, (31) 375
Circular PC, combination with high-voltage electrophoresis, (23) 333
———, wick systems in, (9) 118
Circular TLC, for the separation of quinomycin antibiotics, (26) 306
———, a simple apparatus for, (20) 605
———, techniques, (33) 175
Citric acid, cycle intermediates, TLC of, (36) 390
———, used as electrolyte in the paper electrophoretic separation of rare earths, (1) 86
Citrus oil, qualitative and quantitative *in situ* fluorimetry of thin-layer chromatograms of, (50) 288
Clavine alkaloids, determination in Morning Glory seeds by a direct densitometric method on thin-layer plates, (19) 531
Coal, GC of the liquid products of low-temperature fluidized-bed carbonisation, (10) 324
Coal-tar-distillates, use of the "$\pi$"-electron interaction for selective separation of aromatic and heterocyclic compounds by GLC, (3) 297
Coal-tar food colours, electrophoretic behaviour on paper and thin films, (16) 350
Coal-tar fractions, TLC of phenolic components of, (23) 483
Coal-tar mixtures, separation by means of multi-dimensional chromatography, (15) 15

Cobalamines, derivatives, separation by TLC, (24) 263, 452
———, separation by means of ion exchangers, (7) 86
———, separation of neutral and alkaline by ion-exchange papers, (12) 464
Cobalt, cationic complexes, detection with ninhydrin, (18) 194
———, quantitative analysis together with Zn, Ni and Cu by displacement chromatography, (13) 203
———, Raney, use as column material for the separation of organo-sulphur compounds, (13) 234
———, separation by ion-exchange chromatography, (22) 149
———, and vitamin $B_{12}$ metabolism in the hen, (7) 86
Cobalt (III), ammine and ethylenediamine complexes, PC separation, (2) 372
Cobalt chloride as a detection reagent in PC and TLC of organic phosporus esters, (17) 349
Cobalt(II) chloride, PC, (2) 372
Cobalt complexes, adsorption of $[Co(NH_3)_6]^{3+}$ and $[Co(en)_3]^{3+}$ on various cation-exchange papers, (49) 573
———, ion pair formation studied by paper electrophoresis, (31) 196; (35) 201
———, partition and ion-exchange studies of, $[CO(NH_3)_6]^{3+}$ and $[CO(EN)_3]^{3+}$, (40) 197
———, separation and identification of some nitrocobaltate(III) complexes in aqueous acetic acid solution, (31) 653
Cobalt(III) complexes, separation of stereoisomers by ionophoretic methods, (18) 134
Cobalt ions, quantitative determination of their equilibria in chloride solutions by means of ion-exchange papers, (15) 510
Cobra venom, fractionation by electrofocusing of, (44) 209
———, investigation of the lecithinase activity by chromatography, (3) 111
Cocaine, GC determination in urine, (40) 164
———, separation from benzoylecgonine and ecgonine by PC, (20) 187
Cocoa powder, examination by two-dimensional TLC of sugars in, (35) 117
Coenzymes, $B_{12}$, separation by TLC, (24) 452
———, chromatographic separation of biologically important phosphate esters, (35) 37
———, selectivity properties of Sephadex gels in CC of, (39) 132
Coffee, phenolic acids from, separation by PC and cellulose CC, (4) 396
Colchicine, quantitative colorimetric determination, studies on its application to urine, (2) 108
Colistin, TLC, (30) 630
Collagen amino acids, separation and estimation by programmed analysis, (39) 326
Collagen-gelatin transition, analysis by combination of temperature gradient with gel electrophoresis, (21) 454
Collagens, chromatographic separation of molecular subunits, (34) 332
———, a modified two-column procedure for the analysis of the basic amino acids found in, (38) 293
———, PC of its denaturation and degradation products, (14) 537
———, separation by gradient elution chromatography of molecular subunits, (27) 490
———, soluble, centrifugal PC, (11) 110
Collectors, in free flow electrophoresis, magnification of resolving power, (17) 532
———, for GC, (9) 244; (10) 398
———, see also Fraction collectors
Colorimetry, of sulphur-containing amino acids, (12) 408
———, in TLC, reproducibility of determination methods, (33) 400
Colour reactions, of 4-alkylresorcinols and naturally occurring phenolics, (12) 420
———, specific, for organic acids in biological materials, (6) 505
———, on thin-layer chromatograms, (12) 250
Colour recording of UV fluorescense in TLC, (20) 410
Colubridae, separations of their venoms by TLC on gel filtration media, (32) 598
Colubrine, correlation between $hR_F$ values on thin-layer chromatograms and chemical structure of some tertiary *Strychnos* alkaloids, (48) 493
Column adsorption chromatography, liquid level detector for, (40) 303
Column extractions, graft copolymers as substrates in, (30) 438, 447
Column chromatography, apparatus for making concentration gradients, (23) 168, 471
———, apparatus for the successive passage of solvents, (30) 600
———, artefacts found during alumina chromatography, (42) 261
———, automatic, evaluation of an assembly for, (24) 348
———, ———, stream division valve for use in, (15) 1

———, behaviour of some Sephadex gels in dioxane–water mixtures, (49) 448
———, changes in the immobile aqueous phase of cellulose during chromatograms formed with absolute ethanol, (16) 40
———, computer program for calculation of gradients for column chromatographic elution, (41) 250
———, continuous, (21) 312
———, contribution to, (48) 446
———, contribution of eddy diffusion and of the macroscopic mobile phase velocity profile to plate height in chromatography, (49) 393
———, correlation between chromatographic and diffusional behaviour of substances in beds of pore controlled glass, (32) 676
———, determination of the adsorption capacity of polyamide powder, (37) 422
———, determination of the desorption – mass-transfer coefficients in chromatographic processes, (43) 175
———, an eluent programmer for, (59) 137
———, high-capicity multi-channel computerised read-out system for multi-column chromatography, (40) 16
———, improved flow rate with Sephadex superfine, G-200, (35) 565
———, impurities in silica gel as a critical factor in the qualitative evaluation of an organic compound, (42) 384
———, large-scale, demountable tube for, (23) 248
———, liquid, a detector system for use in, (42) 219
———, method for automatic packing of Sephadex columns, (15) 429
———, miniature CC of heamoglobins, (47) 493
———, mobile-phase dispersion in liquid chromatography, (47) 307
———, multiple, automatic read-out systems with an adaptation to computer calculations, (19) 512
———, a new gradient elution chromatograph, (43) 332
———, a new method of supporting columns, (20) 596
———, new procedure for packing alumina columns, (17) 411
———, nitration of aromatic compounds during development of silver nitrate-impregnated silicic acid columns with carbon tetrachloride, (48) 532
——— on polystyrene resin using aqueous systems, (49) 222
———, practical method of closing small columns, (2) 217
———, preparation of high-resolution micro granular carboxymethyl cellulose columns, (41) 188
———, pressure control valve for, (18) 589
———, protection device for temporary power failure to automatic fraction collectors, (44) 388
———, a refillable constant head device for continuous operation, (40) 171
———, relation between results obtained in PC and the separation efficiency of cellulose columns, (32) 346
———, sample applicator for, (12) 113
———, scintillation counter for continuous monitoring of radioactivity in solutions, (40) 377
———, a simple constant head device, (40) 169
———, a simple method for the calculation of the minimum number of theoretical plates required for a chromatographic separation, (50) 112
———, simple valve for changing eluants in, (19) 431
———, a system for simultaneous 25-column, capillary column liquid–solid chromatography, (50) 239
———, theory of partition chromatography, (36) 237
———, the use of continuous linear gradients to approximate curved gradients by means of layered solutions, (18) 498
———, use of normalisation techniques for establishing elution positions of chromatographic peaks, (47) 272
Column ion-exchange chromatography, comparison with ion-exchange PC, (26) 327
Column packing, alkali metal fluorides as column packing in GSC, (50) 118
———, mechanical, in ion-exchange chromatography, (9) 528
Columns, capillary, cleaning and coating by means of a simple device, (11) 124
———, ———, for liquid chromatography, dry filling technique, (31) 213
———, ———, teflon, for adsorption and partition chromatography, (24) 422
———, ———, use of Golay columns of larger internal diameter, (11) 440
———, chromatographic, prediction of separation and specifications of, (8) 308
———, ———, a simple device for filling, (28) 438
———, coiled, in GC, (3) 520
———, GC, scale-up of, (9) 21

(Columns)
———, glass bead, high efficiency, for GC, (11) 295
———, large divided, (12) 410
———, large scale, particle size nonuniformity in, (7) 255
———, micro pore structure of porous polymer packings, (31) 547
———, preparative gas chromatographic, design and construction, (6) 97
———, reference high-efficiency nonpolar, for the gas–liquid chromatography of nanogram amounts of steroids, (38) 439
———, for reverse-flow chromatography, (18) 36
———, support-coated open tubular, selected applications, (24) 335
———, two simple methods for sequential washing of, (31) 217
———, U-shaped, for adsorption and partition chromatography, (24) 417
Combustion method for the quantitative estimation of chromatographic spots, (6) 122
Complexation, molecular, application to chromatographic separations, (8) 413
Complex compounds, determination of the composition by means of paper electrophoresis, (13) 451
———, studied in solution by means of paper electrophoresis, (14) 71
Complex equilibria, investigation by means of chromatography with ion-exchange papers, (11) 101
———, studied by chromatography on paper impregnated with ion-exchange resins, (7) 242
Complexes, paper electrophoresis of organolead compounds in chloride solutions, (15) 207
———, between polyhydroxy compounds and inorganic oxy-acids, paper electrophoresis, (16) 360
———, quantitative determination of the equilibria of Cu, Co, Ni and Cd ions in chloride solutions by means of ion-exchange papers, (15) 510
———, squar planar, separation by TLC, (24) 491
$\pi$-Complexes, use in TLC, (14) 280
——— in solution, studied by measuring diffusion rates inside filter paper, (8) 404
Complex ions, Cr(III), separation, identification and estimation of, (36) 332
———, kinetically stable, behaviour during ionophoresis in ammonia, (41) 500
———, studied by electromigration in fused salts, (11) 122
Complex mixtures, preliminary results of thin-layer gel filtration on pearl-condensed agar, (43) 268
Complexons, and their iron chelates, PC, (8) 261
———, use in the ion-exchange separation of metal ions, (14) 244
Component bands in chromatography, detection and recording, (2) 53
Compound identification by GC, (12) 15, 22
Compound S, fluorometric quantitative routine TLC determination in plasma, (35) 526
Compounds of biological interest, preparation and properties, (20) 147
Computer programme to process data from a simulated distillation gas chromatograph, (28) 219
Computers, use in the elaboration of separations of inorganic ions by CC, (45) 453
———, use in GLC of fatty acids, (30) 62
Continuous horizontal TLC for concentration compounds, (24) 250
Concentration gradients, apparatus for production of, (23) 168, 471
Conductometric method combined with PC for the rapid quantitative determination of inorganic substances, (20) 627
Conidendrins, reaction with chromatographic solvents, (17) 412
Conifers, chromatographic investigation of the presence of preservatives in the wood of, (31) 345
Conservation of thin-layer chromatograms, (26) 79
Constant pressure device for use in liquid-solid chromatography, (11) 423
Contact prints of starch gel electrophoresis patterns, (5) 91
Continuous chromatography, additivity of rate and diffusion phenomena, (15) 5
Continuous extraction of chromatographic paper, apparatus for, (12) 253
Continuous horizontal TLC for concentrating compounds, (24) 491
Contour thin-layer chromatography, (32) 278
Copper, quantitative analysis together with Co, Zn and Ni, by displacement chromatography, (13) 203
———, separation by ion-exchange chromatography, (22) 149
Copper bis(glycinate), PC behaviour of *cis* and *trans* isomers, (26) 339
———, PC in some alcohols, (19) 448
Copper(II) histidinate, electrophoretic beha-

viour in the presence of the other copper (II) amino acid chelates, (34) 281
Copper(III) complexes, use for the detection of non-reducing carbohydrate compounds, (14) 228
Copper ions, quantitative determination of their equilibria in chloride solutions by means of ion-exchange papers, (15) 510
Copper salts, sorption by filter paper, (47) 86
Coproporphyrin isomers, separation by TLC, (10) 236
Coprosterol, faecal, separation from cholesterol by TLC, (14) 508
Corticosteroids, CC, (1) 146
———, concentration of spots in PC, (5) 274
———, detection of 21-amino corticosteroids on thin-layer chromatograms, (43) 541
———, dimethyldiacetoxy silane as a reagent for forming siliconides of, (43) 229
———, fluorometric quantitative routine TLC determination in plasma, (35) 526
———, gangliosides and water-soluble non-lipids from lipid extracts, separation by Sephadex columns, (47) 15
———, oxidation products, TLC, (19) 352
———, PC, (1) 237
———, quantitative estimation by means of $^{14}C$ blue tetrazolium, (26) 533
———, reaction with tetrazolium salts on paper chromatograms, (10) 29
———, separation by TLC on silica gel plates containing tetrazolium blue, (14) 506
———, TLC, (9) 348; (36) 63
———, new TLC solvent systems for separating steroid hormones, (44) 193
Cortisol, fluorometric quantitative routine TLC determination in plasma, (35) 526
———, partition TLC of its urinary metabolites, (32) 311
———, tetrahydro derivatives, isolated from urine, GLC, (13) 350
Cortisone, fluorometric quantitative routine TLC determination in plasma, (35) 526
Cotton cellulose, decrystallised, gel permeation properties of, (28) 139
Coumaranols, calculation of $R_M$ values, (10) 42
Coumaric acid, magnesol TLC of flavonoid compounds, (43) 287
Coumarins, GLC, (29) 382
———, PC, (1) 364; (6) 481
———, qualitative and quantitative *in situ* fluorimetry of citrus oil thin-layer chromatograms, (50) 288
———, separation and identification by TLC on silica gel, (16) 229
———, TLC, (6) 10; (20) 48
Coumestrol, determination in plant extracts by PC, (27) 329
Counter-current distribution, of labelled anomeric methyl arabinosides and methyl α-D-mannoside, (29) 103
———, with a varying partition ratio, (21) 119
Counter-current electrophoresis on paper, comparison of electrophoretic, chromatographic and static distribution isotherms, (14) 464
———, electrophoretic distribution isotherms, (7) 228
———, measurement of mobilities by means of the frontal method, (9) 154
———, the nature of the so-called "decrease in relative thermodynamic activity" in paper electrophoresis, (14) 456
Count rate meters, recording, for radioactive paper chromatograms, optimum operation, (20) 100
Cr(III) complex ions, separation, identification and estimation of, (36) 332
Creatine, determination in urine by TLC, (25) 80
———, N-phospho derivatives, separation by TLC, (25) 161
———, TLC, (25) 161
Creatine phosphate, an improved method for separation from nucleotides and nucleosides, (14) 569
Creatinine, determination in soups and soup preparations by ion-exchange chromatography, (45) 264
———, determination in urine by TLC, (25) 80
———, Dragendorff reactions for visualisation of amino acids and derivatives separated by PC or TLC, (49) 343
———, N-phospho derivative, TLC, (25) 161
———, TLC, (25) 161
Creosote, TLC detection of petroleum oil diluents in, (38) 522
*p*-Cresol–formaldehyde condensation products, TLC, (11) 487
Cresols, chlorinated, PC, (18) 197
———, ———, TLC, (18) 419
———, GC separation from xylenol and chloroaniline isomers, (46) 200
Crossing paper electrophoresis, for the detection of complexes of enzymes with their inhibitors, (13) 251

(Crossing paper electrophoresis)•
———, use in investigating relationships between structure and albumin-binding of amines, (8) 466
Crotolactones, substituted, PC, (9) 60
Cucurbitacin B, separation from 23,24-dihydrocucurbitacin B by TLC and PC, (31) 235
Cucurbitacins, TLC, (36) 540
Curare alkaloids, portable apparatus for preliminary analysis by paper electrophoresis, (1) 182
———, separation by various methods, (1) 411
———, synthetic, detection of *a*-tubocurarine, gallamine, decamethonium and succinylcholine in biological materials, (31) 171
Curium, separation from americium by ion exchange using hydroxyethylenediaminetriacetic acid as eluant, (31) 510
Cyanocobalamin, separation by TLC, (24) 263, 452
Cyanoglycosides, detection on paper and on cellulose thin layers, (34) 428
Cyano–thiocyanatochromates, separation and characterisation by gel ionophoresis of, (50) 319
Cyano-thiocyanatochromates(III), paper ionophoretic investigation of the composition of a mixture of, (49) 520
Cyclamates, occurrence of cyclohexylamine in urines studied for drug use by TLC, (48) 565
Cyclic hydrocarbons, investigation of the structure by adsorption GC, (49) 21
Cyclizine, specific assay of basic drugs in urine by CM-cellulose chromatography using continuous drug–dye complex extraction as a detection system, (43) 72
Cycloaliphatic epoxides, PC, (35) 83
Cycloalkylamines, stereoisomeric alkyl derivatives, separation by TLC, (15) 314
Cyclodextrins, analysis by GC of their dimethylsilyl ethers, (42) 201
———, TLC using microchromatoplates, (15) 100
Cyclohexanes, l-alkoxy-2(3)-3(2)-amino derivatives, chromatographic separation, (28) 462
Cyclohexanetricarboxylic acid, of the nine structure- and stereoisomers of, (38) 133
Cyclohexenes, isomeric $C_8$ and $C_9$, GC, using stationary phases containing silver nitrate, (8) 349
Cyclohexylamines, occurrence in urines studied for drugs use by TLC, (48) 565
———, stereoisomeric, separation by GC, (10) 9
———, ———, separation by TLC, (15) 314
Cycloketone 2,4-dinitrophenylhydrazones, TLC separations of, (44) 563
Cycloparaffins, influence of the temperature on elution in GC, (22) 221
Cyclopentane, alkylidene derivatives, separation from isomeric alkylcyclopentenes by partition GLC, (2) 406
Cyclopentanyl fatty acid methyl ester, TLC behaviour, (39) 182
Cyclopentene, alkyl derivatives, separation of isomeric alkylcyclopentenes and alkylidenecylopentanes by partition GLC, (2) 406
Cyclopentenyl fatty acids, GC analysis, (10) 15
Cyclopropanes, *cis*- and *trans*-isomeric, TLC separation using the stereospecific carbene reaction, (48) 53
Cyclopropenoid acids, analysis by GLC, (30) 35
Cyclosiloxanes, chromatographic analysis of methyl (propyl) dimethylcyclosiloxanes, (38) 240
Cyclotrisilazanes, tris(N-alkyl)hexamethyl-, redistribution reactions of, (49) 180
Cylindrical TLC, 26) 276
Cymene isomers, quantitative separation by GC, (18) 150
Cysteic acid, determination, (3) 431
———, as an internal standard in amino acid analysis, (20) 143
Cysteine, and cystine peaks in amino acid analysis, (21) 126
———, and its oxidation products, separation of, (12) 52
Cysteines and sulphoxides, 2,4-dinitrophenyl S-alkyl derivatives, PC, (10) 242
Cystine, simplified buffer system for automated CC of amino acids including methionine sulphone, (46) 107
$^{35}S$-DL-Cystine metabolites, radioautografic detection, (3) 20
Cystine peptides, chromatography and formation of mixed disulfides, (37) 55
Cytidine, aminohydrolase activity in serum, TLC determination, (43) 376
Cytidines, separation by electrophoresis, (34) 275
Cytisine, quantitative determination by GC, (42)
Cytochrome C, of beef heart, purification by chromatography on a "tandem" column, (41) 236
———, chromatographic behaviour on ion-exchange resins, (2) 388
———, chromatography on carboxyl cellulose, (17) 152

Cytochrome oxidase, identification by means of polyacrylamide electrophoresis, (30) 284
Cytogenetics of Lotus (Leguminosae), (21) 247; (24) 243
Cytokinins, GC, (38) 136

# D

2,4-D, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, (50) 334
Dansyl(DNS) amino acids, TLC, (20) 514, 616
Dansyl derivatives, see Dimethylaminonaphthalenesulphonic derivatives
Dansyl peptides, corresponding to bovine carotid actin peptides, separation on polyamide thin layers, (38) 408
Daphnetin, quantitative PC, (6) 481
DDT, isolation from Biological fatty materials by liquid-liquid partition chromatography, (9) 245
———, use of Florisil adsorbent for the separation of polychlorobiphenyls from chlorinated pesticides, (50) 142
——— and related compounds, separation on a silicic acid column using gradient elution, (21) 483
*p,p'*-DDT and *p,p'*-DDE, a rapid method for determination of their ratios in fish, (34) 120
Decamethonium, detection in biological material, (31) 171
Decanoic acids, branched, determination of their residues in the presence of some naturally occurring carboxylic acids by TLC, (31) 96
Dehydroascorbic acid, use for the detection of amino acids on paper chromatograms, (13) 139
Dehydroepiandrosterone, complete separation from lipids in plasma extracts, (34) 415
16-Dehydro-steroids, $C_{19}$, separation by PC and TLC, (14) 424
Densitometer, automatic recording, for PC, (2) 513
———, for direct colorimetry of irregularly shaped chromatographic spots, (1) 166
———, dual wavelength, with suppression of the support introduced background optical density, (26) 434
———, photovolt, a sensitive probe for, (2) 429
———, Vitatron, a simple arrangement for more economical scanning of 20 x 20 cm chromatoplates, (32) 580
Densitometric analysis of glycine, determination of errors in, (12) 39
Densitometric determination of unsaturated terpene alcohols and esters in essential oils, (15) 39
Densitometric thin-layer chromatography, an improved method as applied to the determination of sapogenin in *Dioscorea* tubers, (38) 355
Densitometry, direct, of coloured compounds on thin-layer chromatograms, precision of, (33) 337
———, quantitative determination of some oxindole alkaloids after separation by TLC, (33) 347
Deoxycholic acid, quantitative determination in human duodenal contents by TLC, (24) 99
2-Deoxyglucose, indentification on chromatograms with glucose oxidase, (24) 487
Deoxguanosines, methylated, isomeric, seperation by TLC, (11) 265
11-Deoxy-17-ketosteroids, unirary, analysis by GC, (24) 407
11-Deoxy-17-oxosteroids, estimation in urine, (14) 28
3-Deoxy-polyols, a sensitive detecting reagent for, (21) 163
Deoxyribonucleases, direct detection after electrophoresis in agar gel, (15) 107
Deoxyribonucleic acid alkylation products, estimation of, (35) 292
Deoxyribonucleic acid bases, a two-dimensional TLC technique for the separation of admixtures with 5-bromouracil, (34) 554
Deoxyribonucleic acid from *Escherichia coli*, fractionation using poly-L-lysine Kieselguhr columns, (37) 326
Deoxyribonucleic acid, fractionation on paper strips or on centrifuged paper pulp, (19) 382, 396
———, interaction with carcinogens demonstrated by a non-specific method of TLC, (31) 384
———, micro-method for the determination of the nucleotide composition of, (49) 563
———, preparation in a pure from by electrophoresis, (32) 790
———, separation by gel filtration, (28) 30

———, separation from phenol by Sephadex gel filtration, (9) 445
———, separation from transfer-ribonucleic acid by gel filtration, (24) 197
———, TLC separation of pyrimidine oligonucleotides from, (30) 143
———, two-dimensional TLC of $^{32}P$ apurinic oligonucleotides from, (34) 202
Deoxyribonucleic acids, fractionation on ECTEOLA, (7) 45; (16) 519
Deoxyribonucleohistone, behaviour of histones in exclusion chromatography and gel electrophoresis in relation to their molecular weights, (46) 320
Deoxyribonucleotides, ion-exchange TLC, (31) 598
Deoxy-sugars, chromatographic differentiation, (21) 160
———, differentiation of hexamethyloses and their 3-O-methyl derivatives by PC, (3) 63
2-Deoxy-sugars, sensitive detecting reagent for, (21) 163
Depressors of the central nervous system, characterisation by TLC, (20) 61
Dermatophytes, pigment patterns on thin-layer chromatograms, (35) 573
Desalter, electrolytic, made of perspex, (7) 485
Desalting, incomplete, of certain solutions of proteins by filtration through dextran gels, (7) 130
———, methodological aspects of gel filtration, (5) 103
——— of small samples prior to PC, (4) 494
——— of sugars samples, (24) 484
Desmosterol, separation by TLC after propionylation, (17) 596
Desorption-mass-transfer coefficients, methods for the determination in chromatographic processes, (43) 175
Desoxycholic acid, separation of free bile acids by continuous TLC, (43) 278
———, use in column liquids for GC, (29) 7
Destaining apparatus for disc electrophoresis gels, (24) 204
Destaining of polyacrylamide gels, a simple procedure by current at right angles to the direction of the electrophoretic separation, (32) 191
Detection, anomalies in the flame ionisation detector response, (42) 408
———, approximate solutions to the KUBELKA AND MUNK equations, (50) 39
———, of component bands in chromatography, (2) 53
——— of compounds on paper by fluorescence and phosphorescence at liquid nitrogen temperatures, (10) 513
———, continuous recording of density variations in flowing liquids, (42) 376
———, a detector system for use in liquid CC, (42) 219
———, effect of pressure on the performance of flame ionisation, (43) 431
———, an electrical model for the optical behaviour of thin-media chromatograms, (50) 19
———, flame ionisation detection under elevated pressures, (48) 412
———, liquid level detector for adsorption CC, (40) 303
———, micro IR spectroscopy of GC fractions, (38) 200
———, non-linearity effects in optical scanning of chromatograms, (50) 30
———, optical noise in photometric scanning of thin-media chromatograms, (45) 189, 200
———, performance characteristics of the Brunel mass detector, (42) 336
———, quantitative analysis by mass detection, (43) 192
———, reliability of peak area measurements, (45) 14
———, scintillation counter for continuous monitoring of radioactivity in solutions, (40) 377
———, a spray reagent for methylated phenolic compounds on thin-layer plates, (50) 148
———, thermal conductivity detection in liquid chromatography, (38) 393
———, an unusual ninhydrin reaction with inorganic cations, (10) 233
Detector(s), argon ionisation, (9) 162
———, ———, use for the detection of trace components in inorganic gases, (19) 1
———, calibration of GC detectors using the mass detector, (44) 25
———, calibration, vapour dilution system for, (11) 1
———, compact dual-channel flame ionisation-cum-thermionic, for high-specificity chromatographic analysis, (36) 269
———, comparison of mass detector and gas density detector for quantitative analysis, (44) 14

(Detector(s))
———, differential flame ionisation, application with packed and Golay type columns, (13) 305
———, direct current discharge, for GC, (26) 248
———, electrodeless discharge, for use in GC, (26) 30; (38) 126
——— for electron capture GC, a protected radioactive source for, (13) 26
———, ———, relationship of structure to sensitivity in, (30) 77
———, flame ionisation, critical examination of commercially available apparatus, (15) 471
———, ———, for GC, (2) 148; (10) 294
———, ———, linearity and response characteristics, (6) 110
———, ———, nonlinearity of the signal response and the inversion effect. (4) 249
———, ———, relative response, (8) 525
———, ———, ———, for fatty acid methyl esters, (11) 114
———, ———, a simple electrometer for linear, logarithmic and integral responses, (15) 461
———, ———, a theoretical approach, (6) 312
———, ———, use in the determination of retention data of silicon compounds, (14) 1
———, ———, use of a stream splitter and functional group tester (26) 491
———, gas density balance, comments on the construction and operation, (4) 429
———, ———, Martin's, use for determining molecular weights, (5) 131
———, for GC, (1) 35; (8) 410
———, for GLC, (2) 21; (6) 457
———, high-temperature argon $\beta$-ray, for GC, (11) 404
———, ionisation, comparison of helium and argon in, (9) 13
———, ———, effect of an argon-nitrogen carrier gas mixture on the sensitivity, (3) 589
———, ———, for GC, (3) 372
——— for liquid-solid chromatography, (2) 136
———, macro argon, critical examination of commercially available apparatus, (15) 471
——— for measuring radioactive effluents from a chromatography column, (2) 572
———, a new universal radioionising detector for GC, (44) 46
———, performance of a high-temperature ionisation chamber for radioisotope analysis, (13) 354
———, photoionisation, for GC, (14) 355
———, projected radioactive source for, (13) 26
———, quantitative integral for GC, (11) 301
———, radioactive, possible radiation hazards arising from their use in GC, (9) 28
———, ——— ionisation, increased sensitivity, (19) 425
———, $\beta$-ray ionisation, partially overloaded, use in GC, (8) 538
———, ———, response to lower fatty acids in GLC, (3) 582
Detector response, relative, in GC (3) 464 494, 545; (4) 420; (8) 525, 544: (15) 260
———, ———, of the alkali flame ionisation detector to halogen compounds, (44) 40
———, ———, in GC, a gas dilution system for control of, (13) 33
———, semiconductor photodetectors for quantitative assessment of thin-media chromatograms, (46) 247
———, sensitive, with low background, for radio GLC, (38) 24
———, subsidiary discharge argon ionisation, operational mechanism and performance, (11) 158
———, Tesla discharge, for GC, (3) 406
———, thermal conductivity cell, for quantitative GC, (3) 545
———, windowless gas-flow counter for detecting weak $\beta$ emitters on paper chromatograms, (15) 29
Detergent alkylates, linear, GLC, (6) 74
Detergent formulations, reversed-phase TLC for the identification of hydrotropes in, (27) 300
Deuterated methanes, separation by GC, (18) 390
Deuterated molecules, molecular-statistical calculation of the thermodynamic characteristics for separation by adsorption, (49) 146
Deuterium substituted, isotopic molecules, GC separation by means of porous polymer beads, (38) 492
Deuterobenzenes, seperation by GC, (10) 396
Dextrans, gel diffusion chromatography, (8) 491
———, gel filtration, (14) 317
———, molecular weight distribution analysis by gel chromatography on Sephadex, (28) 69

Dextran gels, incomplete desalting of certain solutions of proteins by filtration through, (7) 130
———, ion-exchange properties, (7) 142
———, polymer, cross-linked, behaviour of hormonally-active proteins and peptides of the anterior pituitary on, (13) 148
———, selectivity for simple cations and anions, (34) 382
Dextrins, cyclo-, reproducible separation on charcoal columns, (41) 462
Diacetyl, improved GC determination and separation from acetone and $C_1 - C_7$ alcohols, (42) 541
Diacetyl peroxide, isolation and determination by GC, (25) 472
Dialkyl peroxides, identification by PC, (16) 416
Diamines, aliphatic, GC separation, (42) 195
———, TLC of, (47) 224
——— in urine, chromatographic methods for their concentration, separation and identification, (25) 48
α, γ- Diaminobutyric acid, α- and γ-2,4-dinitrophenyl derivatives, quantitative determination with an automatic amino acid analyser, (24) 61; (31) 685
*trans*-1,2-Diaminocyclohexane-N,N′-tetraacetic acid, complexes with rare earths, anion-exchange behaviour, (32) 394
4,4′-Diaminodiphenyl sulphone and its acetylated derivatives, microbore CC of, (47) 269
*meso*-α, α′ Diaminopimelic acid peptides, behaviour in PC, (13) 273
4,4′-Diaminostilbene-2,2′-disulphonic acid derivatives, separation by PC and TLC, (14) 482
Diamond, synthetic, as solid adsorbent for corrosive gases, (34) 78
Dianthrone glycosides, separation from anthroquinone glycosides on columns of Sephadex LH-20 (35) 562
Diastereoisomers, of amino acids, separation by PC, (13) 276
———, of dipeptides, separation by PC, (13) 269
———, of methyl-branched fatty acids, prediction of retention times in GLC of, (34) 165
———, separation by TLC on Silica Gel D, (22) 460
Diastereoisomeric esters, studies on the GLC separation of, (39) 17
Di-aza-aromatics, separation on alumina, (17) 73
Diazinon and related compounds, separation from plant material by dual-band preparative TLC, (21) 148
Diazobutane, preparation for the esterification of amino acids, (26) 481
Diazonium salts, separation by TLC, (20) 416
Diazopropane, preparation for the esterification of amino acids, (26) 481
Diazotised sulphanilic acid as a reagent for oxo acid, 2,4-dinitrophenyl-hydrazones, (20) 401
Dibenz[*a,h*]antracene, chromatographic separation of hydrogenation products of, (29) 232
Dibromoethane, determination in gasolines by means of an electron capture detector, (24) 32
3,5-Di-*tert.*-butyl-4-hydroxytoluene, see BHT
Dicamba, and its metabolites, separation of alkyl and trimethylsilyl derivatives by TLC and GLC, (30) 428
———, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, (50) 334
Dicarbonyl compounds, TLC of their bishydrazone derivatives, (27) 380
———, vicinal, 2,4-dinitrophenylosazones, TLC, (17) 606
———, see also Carbonyl compounds
Dicarboxylic acids, aliphatic, separation by TLC, (24) 217
———, cyclic anhydrides and imides, GC, (29) 224
———, methyl esters, structural effects on quantitative GC detector response, (12) 401
———, TLC of, (47) 224
Dichloran (2,6-Dichloro-4-nitroaniline) and its metabolites, determination by TLC, (31) 574
3,6-Dichloro-*o*-anisic acid, see Dicamba
3,6-Dichlorogentisic acid, assay of alkyl and trimethylsilyl derivatives by TLC and GLC, (30) 428
3,6-Dichloro-5-hydroxy-*o*-anisic acid, assay of alkyl and trimethylsilyl derivatives by TLC and GLC, (30) 428
Dichlorophene, determination by paper and plate chromatographic methods, (7) 60
———, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, (49) 567
2,4-Dichlorophenoxyacetic acid, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, (50) 334

Dicyclohexylurea derivatives, detection of small quantities in samples of activated phthaloyl-L-amino acid esters, (36) 205
Dienes, conjugated, sulphone addition products quantitative determination by GLC and IR analyses, (30) 215
Dienestrol diacetates, GC separation and analysis of industrial products, (42) 452
Dienoic acids, separation and identification of geometrical isomers of 9, 12-octadecadienoic and 9, 12, 15-octadecatrienoic acids, (36) 181
Diethylamine, use in the PC separation of isomeric mononitrophenols, (20) 190
Diethyldithiocarbamates of Hg, Pb, Cu, Bi, and Cd, separation by TLC, (21) 363
Diethylcarbonate, a new mold inhibitor for amino acid analyser buffers, (44) 617
Di-(2-ethylhexyl) orthophosphoric acid, as the stationary phase in reversed-phase partition chromatography, (16) 376, 385
———, use in the chromatography of rare earths, (8) 232; (10) 502
———, use in a TLC method for the separation of rare earths, (18) 144
———, use for the treatment of paper in the reversed-phase chromatography of Al, Ga, In and Tl, (16) 258
———, use for treatment of paper in the reversed-phase chromatography of alkali metals and alkaline earths, (13) 211; (15) 236; (18) 124
Diethylstilboestrol, detection in urine by TLC, (31) 237
Diffusion, lateral and local nonequilibrium in GC, (5) 61
———, ———, as a rate-controlling mechanism in chromatography, (5) 46
———, and non-equilibrium as a common basis for theories of chromatography, (2) 44
———, and rate phenomena in continuous chromatography, additivity of, (15) 5
——— rates, measurement inside filter paper and its application to the study of complexes in solution, (8) 404
——— of zones and kinetic processes in chromatography, (3) 443
Digalactosyldiglycerides from spinach leaves, isolation and separation with Sephadex LH-20, (28) 131
Digermane, alkyl derivatives, GC retention data, (18) 1
*Digitalis* cardenolides, an improved method for the GC identification, (45) 68
*Digitalis* glycosides, a rapid method for separating mixtures by means of chromatoplates, (5) 458
Digitoxigenin and digoxigenin, GC, (12) 268
Digitoxin, and gitoxin, colorimetric assay after TLC separation, (41) 91
———, quantitative PC and TLC of cardenolide glycosides with use of 2,4,2′4′-tetranitrodiphenyl (41) 96
———, separation from its 20,22-dihydro-derivative by TLC on cellulose layers, (35) 122
Diglycerides, a new method for detection on a microscale, (5) 368
Diglycerol, estimation in the presence of glycerol, (16) 223
Digoxigenin glycosides, a time-saving method of PC, (20) 627
Digoxin, separation from its 20,22-dihydro-derivatives by TLC on cellulose layers, (35) 122
Dihydrocapsaicin, separation from capsaicin, "*cis*-capsaicin" and pelargonic acid vanillylamide, (41) 265
Dihydrocholesterol, separation by TLC after propionylation, (17) 596
23,24-Dihydrocucurbitacin B, separation from cucurbitacin B by TLC and PC, (31) 235
Dihydroporphyrins, purification for specific activity determination by TLC, (47) 395
Dihydroquercetin in wood, microanalytical method for the determination of, (43) 250
Dihydrosafrole, TLC studies on rat bile and urine following intravenous administration of, (29) 267
*o*-Dihydroxybenzenes, selective detection on cellulose thin-layer plates, (35) 567
4′,4′-Dihydroxydiphenylisatin and its acetyl derivatives, TLC investigations of, (45) 324
Di-(hydroxymethyl)-3-hydroxypyridines, chromatography and structure elucidation, (24) 203
Dihydroxyprolines, natural and synthetic, identification and characterisation, (43) 127
Diiodobenzenes, separation by PC and determination by neutron activation, (13) 266
3,5-Diiodothyronine, separation by chromatography on paper between glass plates, (7) 341
Diiodotyrosine, $^{131}$L-labelled, separation from $^{131}$L-labelled monoiodotyrosine by TLC, (14) 516
$\beta$-Diketones, metal complexes, as liquid phases in GLC, (20) 278

2,3-Diketones, 2,4-dinitrophenylosazones, partition CC, (9) 187
Diketopiperazines, GLC of, (37) 315
Dimefox, detection in TLC using the ninhydrin reaction, (34) 558
Dimethoate, determination by TLC, (22) 316
Dimethyl acetals, TLC, (24) 357
4-Dimethylaminoazobenzene and its metabolites, TLC, (16) 233
2-Dimethylamino-3′,4′-dihydroxyacetophenone hydrochloride in biological fluids, use of ion-exchange chromatography in the spectrophotometric assay for, (36) 229
4-Dimethylamino-3, 5-dinitrobenzoates, behaviour in CC and PC, (13) 558
Dimethylaminoethanol, rapid identification of low molecular weight compounds in extracts of biological material, (49) 402
5-Dimethylaminonaphthalenesulpho derivatives of hexosamines separation by TLC, (24) 440
1-Dimethylaminonaphthalene-5-sulphonamido acids (Dansyl amino acids), separation by TLC, (20) 514, 616
Dimethylaminonaphthalenesulphonic derivatives of valine, leucine and isoleucine, differentiation by TLC on silica gel, (21) 135
1-Dimethylaminonaphthalene-5-sulphonyl derivatives, TLC on silica gel, (28) 351
1-Dimethylaminonaphthalene-5-sulphonyl-labelled protein digests, fingerprinting technique on a millimicromole scale, (28) 458
N-Dimethylamino-succinamic acid, a CC and PC method for separation from plant extracts, (15) 95
1,1-Dimethylcyclopropane, separation from 3-methylbut-1-ene using a silicone grease/silicone oil stationary phase, (38) 1
Dimethylglyxomide-nickel biuret reaction for the detection of carboxylic acids on paper chromatograms, (14) 549
1,1-Dimethylhydrazine, separation from hydrazine and methylhydrazine by GC, (18) 297
0,0-Dimethyl-S-N-methyl-carbamylmethyl dithiophosphate (Dimethoate), determination by TLC, (22) 316
0,0-Dimethyl-0-(3-methyl-4-nitrophenyl) thiophosphate, determination in commercial products, (11) 412
5,5-Dimethyl-2,4-oxazolidinedione, quantitative GC determination of, (44) 611
Dimethyl sulphoxide, separation and quantitative determination by ion-exchange chromatography, (26) 336
———, as a solvent for trimethylsilylation of catecholamines, (25) 471
———, as stationary phase in partition TLC on silica gel, (20) 417
Dimethylurea herbicides, a chromogenic agent for detection on TLC plates, (50) 145
Dinitriles, separation by TLC, with special reference to the tautomeric forms of malonodinitrile, (36) 198
2,4-Dinitro-5-aminophenyl amino acids, method of diazotisation on thin-layer chromatograms, (11) 111
———, TLC and PC, (30) 614
*m*-Dinitrobenzene, TLC study of its charge-transfer complexes with some amines, (29) 120
Dinitrobenzenes, isomeric, chromatographic separation and quantitative estimation, (21) 123
3,5-Dinitrobenzoates of aliphatic alcohols, separation by TLC, (26) 101
3,5-Dinitrobenzoyl derivatives of alcohols, glycols, polyethylene glycols, phenols, mercaptans and amines, PC, (5) 466
3,5-Dinitrobenzoyl derivatives of polyethylene glycols, partition chromatography, (14) 209
2,4-Dinitro-6-*sec.*-butylphenyl carbonates, behaviour in GC, (20) 143
2,4-Dinitrochlorobenzene, TLC study of its charge-transfer complexes with some amines, (29) 258
Dinitrogen tetrafluoride, purification by gas chromatography its mass spectrum, IR spectrum and vapour pressure curve, (7) 281
Dinitrophenols, anomalous behaviour in PC, (15) 83
———, chromatography of, (43) 110
2,4-Dinitrophenyl-S-alkyl-cysteines and corresponding sulphoxides, PC, (10) 242
Dinitrophenylamines, PC, (4) 144
2,4-Dinitrophenylamines TLC, (26) 292
Dinitrophenyl amino acids, chromato-electrophoresis of, (12) 542
———, ether-soluble, determination in structural proteins by chromatography on nylon powder columns, (39) 491
———, identification on polyester film supported polyamide layers, (27) 318

(Dinitrophenyl amino acids)
———, Pc, (2) 225; (3) 85; (4) 80
———, polyamide layer chromatography, (24) 460
———, removal from excess dinitrophenyl-artifacts by a simple chromatographic technique, (8) 417
———, standard ionophoretic mobilities, (6) 139
———, water-soluble, determination in structural proteins by chromatography on nylon powder columns, (39) 482
$^{14}$C-Dinitrophenylamino acids, TLC, (9) 376
2,4-Dinitrophenyl amino acids, chromatography on silica gel-impregnated glass paper, (18) 192
———, high-voltage paper electrophoresis, (18) 331
———, PC separation, (13) 488
———, separation by chromatography and chromato-electropheresis on thin layers of powdered cellulose, (22) 336, 347
———, separation by polyamide layer chromatography, (22) 362
Dinitrophenyl derivatives of long-chain bases, separation by reaction PC, (36) 369
2,4-Dinitrophenyl derivatives of glutamic and aspartic acids, separation and estimation, (12) 183
Dinitrophenyl and dinitrophenylene derivatives of lysine and tyrosine, automatic chromatographic analysis, (32) 786
2,4-Dinitrophenyl esters of hydroxy compounds, TLC, (21) 261
Dinitrophenyl-ethanolamine, determination by cation-exchange resin PC, (32) 777
2,4-Dinitrophenyl ethers of phenolic compounds, separation by TLC, (19) 438
2,4-Dinitrophenylhydrazides of lower fatty acids, separation by CC, (3) 376
2,4-Dinitrophenylhydrazine derivatives of hydroxycarbonyl compounds, TLC, (9) 291
2,4-Dinitrophenylhydrazines of organic acids, separation by TLC and analytical determination, (21) 13
2,4-Dinitrophenylhydrazones, of aldehydes, effect of initial solvent on their mobility in TLC, (31) 234
———, ———, GC, (28) 253
———, ———, PC resolution, (27) 384
———, ———, TLC, (24) 357, 427
———, aliphatic, TLC of, (12) 196
———, of aliphatic carbonyl compounds, reserved-phase TLC, (14) 273
———, ———, TLC under controlled conditions, (14) 265
———, of *x*-alkylsubstituted carbonyl compounds, TLC (24) 451
———, of aromatic aldehydes and ketones, TLC, (17) 483
———, of cabonyl compounds, separation by TLC, (18) 325
———, centrifugal chromatography, (6) 187
———, chromatography on acetylated paper, (10) 268
———, chromatography on paraffin-treated paper, (7) 415
———, of dicarbonyl compounds, TLC, (27) 380
———, direct spectrophotometric examination on paper chromatograms, (16) 460
———, isolation from solutions, (27) 374
———, isomers of steroids, resolution by TLC, (22) 192
———, of keto acid methyl esters, TLC, (20) 403; (28) 440
———, of keto acids, an artefact in the chromatographic analysis of, (18) 174
———, ———, PC, (30) 273
———, ———, technical improvements in the PC of, (26) 539
———, ———, TLC, (27) 142; (28) 263
———, ———, detection by two-dimensional PC, (33) 508
———, of ketosteroids, TLC, (20) 614
———, liquid-liquid partition chromatography, (3) 322
———, of monoenoic aldehydes, separation of isomers by TLC, (18) 424
———, of oxo acids, identification by means of diazotised sulphanilic acid reagent, (20) 401
———, of oxo-terpenes, separation by TLC, (18) 412
———, PC in acid systems, (8) 433
———, PC, extension of the HUELIN-method, (6) 185
———, of *p*-substituted benzophenones, separation of stereoisomers of, (40) 462
———, stereoisomers of aliphatic aldehydes and ketones, TLC, (22) 29
———, of substituted benzaldehydes, TLC, 371
———, of substituted benzaldehydes, TLC, (22) 36
———, TLC, (6) 187; (23) 261; (20) 528; (27) 290, 380
2,4-Dinitrophenylosazones, partition CC, (9) 187
———, of vicinal dicarbonyls, separation into classes, by TLC, (14) 512
———, ———, TLC, (17) 606

Dinitropyridyl amino acids, TLC, (17) 506
4,5-Dinitroveratrole, use for the ultramicrodetermination of reducing sugars on paper chromatograms, (2) 199
Dinonylphthalate, comparison of activity coefficients measured by a static and by a dynamic method, (50) 10
Di-*n*-nonyl tetrachlorophthalate as an electron-acceptor stationary phase, (29) 1
Diols, diastereoisomers, chromatographic behaviour, (16) 246
———, GC, (26) 251
———, GC analysis using aromatic polymers, (36) 145
α ω-Diols, long-chain, and related compounds, GC, (21) 305
[$^{32}$P]-Dioxathion components, separation on a silicic acid column, (27) 272
Dipeptides, diastereoisomeric, PC, (13) 269
———, quantitative TLC of benzyloxycarbonyl dipeptide phenylhydrazides, (34) 551
———, separation on an amphoteric cellulose ion exchanger, (34) 125
———, separation of diastereoisomers by TLC and CC, (18) 403
*o*-Diphenoloxidase as spray reagent for the detection of phenols on thin-layer chromatograms, (30) 259
Diphenyl, quantitative determination in the presence of polyphenyls, (14) 539
———, separation from terphenyls by PC of their sulphonic acid derivatives, (11) 339
Diphenylamine-aniline-phosphoric acid reagent, use for the detection and differentiation of monosaccharides and their derivatives on paper chromatograms, (24) 117
Diphenylamine-aniline spray reagents, colour reaction with sugars on paper chromatograms, (4) 206
Diphenylamine-*p*-anisidine spray reagents, colour reactions with sugars on paper chromatograms, (8) 57
Diphenylamine derivatives, TLC, (9) 385
Diphenylamines, N-nitroso- and nitro derivatives, identification by two-dimensional TLC, (14) 65
Diphenylethenes, substituted, PC characteristics, (11) 331
Diphenyliodonium ion, detection and separation in the presence of thallium(I), tetraphenylarsonium and tetraphenylphosphonium ions, (30) 287
———, electrophoretic separation and detection in presence of thallium(I), tetraphenylarsonium and tetraphenylphosphonium ions, (32) 793
Diphenylamine-urea spray reagents, colour reactions with sugars on paper chromatograms, (8) 57
Diphenylmercury, labelling with $^{203}$Hg studied by PC, (13) 497
N,N′-Diphenyl-*p*-phenylenediamine determination in milk by PC, (2) 81
Diphosphorus tetrachloride, determination of hydrolysis products by anion-exchange chromatography, (20) 374
Diphosphorus tetraiodide, determination of hydrolysis products by anion-exchange chromatography, (20) 374
Dipicrylamine, use for the separation of $^{137}$Cs from fission products, (19) 594
α, α′-Dipyridyl as a phenol-detecting reagent, (20) 189
Diribonucleoside monophosphates, PC, (33) 557
Disaccharides, separation from mono- and trisaccharides on carbon-aluminium oxide columns, (5) 453
Disc electrophoresis, apparatus for destaining gels, (24) 204
———, patterns, permanent record and scanning of, (11) 559
Disc electrophoretic method for animal blood serum proteins, (16) 187
Dispersion in gel permeation chromatography, evaluation of, (34) 316, 322
Dispersion interactions in adsorption chromatography, (36) 455
Displacement chromatography, distribution of species along a band in separations by, (9) 461
Displacement effect of water in GC, (23) 468
Displacement electrophoresis, experiments with counterflow of electrolyte, (49) 262
Dissociation constants of acids and bases, micro determination by paper electrophoresis, (20) 556
Distillation, simulated by GC, (28) 219
Distributor for use in centrifugal chromatography, (9) 92
Disulphoton, GLC and TLC of, (44) 67
Disulphides, chromatographic detection with 5,5′-ditrio-bis(2-nitrobenzoic acid), (50) 151
———, chromatography with an automatic analyser, (38) 346

(Disulphides)
———, organic, detection on paper chromatograms by means of hydrogen selenide, (24) 480
Diterpene acetates, phenolic, TLC and GLC, (38) 141
Dithiocarbamates, GC of metallic derivatives of ethylene-bis(dithiocarbamic acids), (23) 302
———, microdetermination by GC, (14) 348
Diuron, determination in soil, (44) 60
DNA, see, Deoxyribonucleic acid
DNS-amino acids, see Dansyl amino acids
DNS derivatives, see Dimethylaminonaphthalenesulphonic derivatives
Documentation of thin-layer chromatograms, (26) 79
DOPA, application of PC and partition TLC to the separation of catecholamines and their metabolites, (43) 135
Dopamine, application of PC and partition TLC to the separation of catecholamines and their metabolites, (43) 135
Doping, detection by TLC and GC, (37) 158
Double-fronting phenomenon in one-step development chromatography on anion exchangers, (2) 536
DPPD, see N,N′-Diphenyl-*p*-phenylenediamine
Drier for paper chromatograms, (5) 372; (13) 250
Drier for thin-layer chromatograms, (29) 296
Drugs, alkaloid containing, identification by TLC after micro steam distillation, (48) 125
———, analgenic, TLC in nonaqueous systems, (17) 495
———, analysis of lincomycin by GC, (37) 46
———, anorexigenic, separation and identification of sympathomimetic amines in drugs by GC, (24) 26
———, antitubercular, GC, (37) 194
———, assay of glutethimide in plasma, (44) 279
———, basic, GC of ion-pair complexes, (41) 105
———, ———, specific assay in urine by CM-cellulose chromatography using continuous drug-dye complex extraction as detection system, (43) 72
———, chromatography of some barbiturates on polyester-based polyamides, (31) 587
———, classification of crude antibiotics by instant TLC, (37) 487
———, conversion of chlorpromazine sulphoxide to chlorpromazine by use of metals in acid solution, (31) 538
———, detection of chlorpromazine and thioridazine metabolites in human erythrocytes, (44) 547
———, detection of doping by TLC and GC, (37) 158
———, detection of sulphonamido groups, (44) 422
———, determination of hydantoins in pharmaceutical preparations by GC, (45) 63
———, direct microanalysis of LSD by GC, (31) 545
———, forensic problems in the GC of amines and alkaloids, (37) 162
———, GC behaviour of some amines used in anoretic formulations, (30) 199
———, GC determination of methaqualone at therapeutic levels in human plasma, (42) 39
———, GC determination of morphine and cocain in urine, (40) 164
———, GC determination of succinodinitrile in pharmaceuticals, (37) 213
———, GC measurement of levels of fenfluramine and norfenfluramine in human plasma, red cells and urine following therapeutic doses, (49) 442
———, GC separation of 4′-nitroazobenzene-4-carboxamides of primary and secondary a (37) 205
———, GLC of submicrogram amounts, (22) 27; (23) 232; (29) 68
———, GLC of tertiary *Strychnos* alkaloids, (37) 172
———, homeopathic, TLC and UV absorption of Ipecac mother tincture, (32) 774
———, identification by a combination of GLC, PC and TLC, (48) 291
———, identification of LSD and other indole alkaloids by UV degradation products, (41) 491
———, identification of narcotics, barbiturates, amphetamines, tranquilizers and psychotomimetics in human urine, (39) 302
———, identification of submicrogram amounts by direct derivative formation within the gas chromatograph, (41) 358
———, identification in urine using the DOLE technique, (47) 542
———, an improved method of detecting imipramine and some of its metabolites on paper chromatograms, (31) 612
———, influence of humidity variations in the TLC of hypnotics, (33) 227

———, in medicated feeds, TLC, (29) 277
———, method for the determination of metyrapone in plasma and tissues, (40) 417
———, method for GC determination of benzodiazepines, (37) 318
———, microbore CC of 4,4′-diaminodiphenyl sulphone and its acetylated derivatives, (47) 269
———, occurrence of cyclohexylamine in urines studied for drug use by TLC, (48) 565
———, phenothiazine derivatives, conversion to the corresponding sulphoxides on thin-layer plates, (23) 410
———, ———, TLC, (24) 261
———, polyamide-kieselguhr layer chromatography of antipyretics, (47) 128
———, polyamide layer chromatography of some antipyretics, (41) 489
———, preparative GC as a clean-up procedure in toxicology, (50) 513
———, production of the parent hydrocarbons from steroid drugs and their separation by GC, (42) 29
———, psychotropic, colour reaction for their detection on TLC, (24) 259
———, ———, paper electrophoretic separation of Tofranil and some of its metabolites, (37) 348
———, ———, systematic application of GC to the analysis of pharmaceutical preparations, (37) 190
———, ———, systematic identification by TLC, (31) 405; (34) 44
———, ———, TLC separation using homogenous azeotrope mixtures, (42) 131
———, quantitative GC determination of azapetine and phenoxybenzamine in pharmaceutical preparations, (37) 200
———, rapid measurement of therapeutic levels of glutethimide in plasma, (47) 485
———, a screening technique for Indian hemp, (31) 584
———, separation and detection of oral hypoglycaemic agents by TLC, (24) 455
———, separation and determination of imipramine and its metabolites from biological samples by GLC, (37) 181
———, separation and determination of opiates and diluents in illicit narcotic mixtures, (33) 526
———, separation of guanethidine and its metabolites on carboxymethyl cellulose columns, (41) 188
———, separation of parasympatholytics by TLC, (45) 478
———, separation of psychostimulating amines by GC, (37) 197
———, simple TLC of cannabinoids by means of silica gel sheets treated with amines, (48) 562
———, solvent systems for the identification of opiates in narcotic seizures by TLC, (19) 300
———, specific GC determination of amitriptyline in human urine following therapeutic doses, (49) 303
———, TLC, (20) 61
———, TLC characterisation of barbiturates with double bonds in the $C_5$ side chain, (40) 182
———, TLC detection of barbiturates, narcotics, and amphetamines in urine of patients receiving psychotropic drugs, (41) 367
———, TLC identification of medicinally important carbamates, (29) 283
———, TLC for the quantitative separation of quinidine and metabolites from biological fluids and tissues, (37) 70
———, TLC on Sephadex for the identification of antibiotics, (42) 552
———, TLC using alcoholic solutions of inorganic salts as solvents, (19) 522
———, thymoanaleptic, derived from dibenzoazepine, separation and identification by TLC, (45) 94
———, use of acid dye technique for quantitation of, (44) 109
———, see also Pharmaceuticals
Drying temperature, effect on the ion-exchange properties of zirconium phosphate, (5) 244
*Dryopteris* species, two-dimensional TLC of polyphenols from, (36) 383
Dust, GC determination of polynuclear hydrocarbons in, (15) 141
Dyes, aniline, zone electrophoresis in ethanolic buffers, (7) 385
———, azo, thin-film chromatography, (16) 231, 233
———, ———, TLC of fluorinated 4-aminoazobenzene and its N-methylated and 4′-ethyl derivatives, (43) 536
———, ———, used as fluorometric chelating agents, separation on a Sephadex column, (34) 534
———, chromatography in selfcoated tubes, (43) 355
———, coal-tar food colours, electrophoretic behaviour on paper and thin films, (16) 350

(Dyes)
——, continuous electrophoresis, (4) 304
———, demonstration of continuous "electrochromatography" and "electrophoresis," (2) 202
———, desalting with Sephadex, (21) 122
———, detection and determination of the number of hydroxy groups in disperse azo dyes by means of acetylation and $\Delta R_{mr}$ values, (35) 362
———, disperse, PC, (9) 476
———, experiments with TLC on charcoal, (48) 113
———, fat-soluble for foodstuffs, chromatography on thin starch layers with stationary non-polar phases, (15) 542
———, food, chromatography on Sephadex, (33) 542
——, ———, determination of molecular weights by thin-layer gel filtration on Sephadex LH-20, (43) 545
——, ———, partition chromatography on polycarbonate-coated foils, (43) 547
———, ———, water-soluble, separation by TLC using polyamide, (26) 529
——, front indicators in the PC of, (2) 327
———, hair, oxidation-type, analysis of arylamines and phenols by PC, (16) 454
———, indentification on thin-layer plates by spectral reflectance, (13) 61
———, interaction with ion-exchangge resins, (2)
———, ionic azo and azomethine, separation and purification by gel permeation chromatography, (47) 217
———, membrance chromatography on nitrocell filters, (34) 21
———, organic, purification by CC, (26) 62
———, PC, (11) 524; (12) 453
———, photosensitising analysis by PC, (24) 131
———, polyamide-silica gel TLC of red food dyes, (40) 189
———, separation by liquid-liquid partition chromatography with the system chloroform-cyclohexane-nitromethane, (22) 296
———, substantive, PC and TLC, (14) 484
——, TLC, (7) 577
———, TLC on polyamide and "silver nitrate" layers, (20) 43
———, TLC studies of some dianilino quinones, (48) 572
———, two-dimensional electrochromatography (4) 313, 314
———, water-soluble, PC, (15) 57

# E

Eastman Chromagram sheet, a technique for the removal of the acitive silica gel layer and its subsequent replication (28) 446
Ecgonine, separation from cocaine and benzoylecgonine by PC, (20) 187
ECTEOLA-cellulose, chromatography at neutral pH values on, (13) 408
———, of various capacities, preparation, (10) 507
EDTA-metal complexes, separation by TLC, (39) 521
Ehrlich reagent, modified, for detection of indoles on paper chromatograms, (3) 97
———, purple compounds formed with resorcinol derivatives, (7) 520
"Elapidae" snake venoms, separation of proteins on polyacrylamide gel, (34) 531
Elastin, determination of cross-links in, (31) 56
———, a modified two-column procedure for the analysis of the basic amino acids found in, (38) 293
Electrochromatography, (2) 640
———, continuous, a demonstration of, (2) 202
———, two-dimensional, a review, (4) 261
Electrofocusing, hydrolytic decomposition products of some carrier ampholytes used in, (41) 259
Electrofocusing techniques, artefacts arising from the use of sucrose solutions, (35) 575
Electrogel filtration, a combination of thin-layer gel filtration and electrophoresis, (28) 135
Electrolytes, organic, chromatography on paper impregnated with liquid ion exchangers, (27) 206
———, in the stationary phase, effect on GLC elution, (39) 125
Electrolytic desalter made of perspex, (7) 485
Electrometer for linear, logarithmic and integral responses, for use with the flame ionisation detector, (15) 461
Electromigration in fused salts in the study of complex ions, (11) 122
Electron capture detector, see Detector, electron capture
Electron-donor-acceptor systems, GLC studies, (29) 1
Electronic effects in PC, (10) 42
"$\pi$"-Electron interaction, use for selective separation of aromatic and heterocyclic compounds from coal tar distillates by GLC, (3) 297
Electrophoresis, apparatus for, (1) 95, 182; (3) 501, 586; (4) 264; (5) 90, 194; (8) 52
———, ——— circular thin-layer electrophoresis, (42) 432
———, ——— carrier-free preparative continuous, (13) 111
———, ——— the fully automatic application of solutions in the form of streaks in chromatography, (30) 157
———, on cellulose acetate paper in strong electrolytes, (13) 440
———, continuous, a demonstration of, (2) 202
———, ———, a review, (4) 261
———, descending density gradient, applications of a new method, (31) 145
———, disc, apparatus for destaining gels, (24) 204
———, ———, permanent record and scanning of patterns in, (11) 559
———, displacement, experiments with counterflow of electrolyte, (49) 262
———, free flow, magnification of resolving power of collectors, (17) 532
———, high-voltage, combination with circular PC, (23) 333
———, ———, a review, (1) 93
———, ———, a separation chamber for, (33) 558
———, ———, thin-layer, for the separation of lanthanides, (23) 336
———, "molecular-sieve", in cross-linked polyacrylamide gels, (11) 66
———, a nomogram for calculating percentage ionisation of acids and bases, (47) 45
———, photographic recording of cellulose acetate strips, (19) 198
——— on plaster of Paris, (31) 646
——— on polyacrylamide gel, a new apparatus for, (43) 145
———, preparative, in liquid columns stabilised by electromagnetic rotation, (26) 164, 180

(Electrophoresis)
———, a simple method for the application of two samples to polyacrylamide gel for comparative electrophoresis, (42) 152
——— in solid gels, migration chamber for, (23) 325
———, starch-Pevikon C-870 gel as a supporting medium in, (11) 515
———, two dimensional, ionophoretic pattern in, (2) 308
———, use of current-voltage curves in high-voltage paper electrophoresis, (39) 344
Electrophoretic distribution isotherms, (7) 228
Electrophoretic mobilities, correlation with protein diffusion and gel structure in agar gel electrophoresis, (3) 536
———, on paper, measurement by means of the frontal method, (9) 154
———, in paper-stabilised media, conversion to free solution values, (4) 34
Eluent programmer, for CC, (50) 137
Eluents, relationship between their composition and elution strength, (16) 55
———, role in linear elution adsorption chromatography, (8) 178
Elution, apparatus for CC, (7) 424
———, apparatus for PC, (3) 273, 496; (5) 365
———, in PC, a new method for, (5) 365
———, ———, use of sheet paraffin and plastic films in methods of, (7) 29
———, simultaneous, of multiple papergrams, (12) 419
Elution chromatography, linear non-equilibrium, (19) 237
Elution device, for the automatic stepwise chromatography of lipids, (14) 502
———, for continuous elution in film chromatography, (14) 57
Elution peaks in GC, shape of, (11) 289
Elution time, in PC and TLC, conditions for minimum values, (35) 269
Elymoclavine, chromatographic separation of, (43) 510
Energy parameters, application to obtain a relation between GC behaviour and chemical structure, (30) 17
Enthalpy of adsorption, determination by GC, (16) 1
Entropy of solution, determination by GLC, (2) 14
Enzymes, arginase in animal tissues, PC studies, (2) 76
———, carbohydrase activity in commercial papain, detection by PC, (4) 21
———, CC of papaya proteinases on hydroxylapatite, (35) 283
———, cellulase, fungal, resolution by zone electrophoresis, (3) 576
———, ———, starch electrophoresis, (7) 33
———, complexes with their inhibitors, detection by crossing paper electrophoresis, (13) 251
———, detection by PC, (2) 566, 670
———, detection of proteolytic activity by means of nitrocellulose membranes impregnated with proteins, (26) 127
———, detection after separation by electrophoresis on polyacrylamide columns, (23) 177
———, determination of the Stokes radius of native and succinylated glutamate dehydrogenase on Sepharose 4B, (50) 66
———, dextran-gel filtration of rat liver $\alpha$ -glucosidases, (28) 26
———, direct detection of deoxyribonucleases after electrophoresis in agar gel, (15) 107
———, direct determination of the enzymatic effect by TLC, (48) 558
———, esterase, detection by PC, (1) 202
———, gel filtration behaviour and molecular weight of NAD-glycohydrolase from streptococci in CC on Sephadex gels, (41) 43
———, gel filtration chromatography for the quantitative purification and stabilisation of cellulases of turbid solutions, (44) 629
———, glycolytic, lattice entrapment of, (35) 103
———, lecithinase activity of bee venom and cobra venom investigated by chromatography, (3) 111
———, lysosomal, chromatography on hydroxylapatite, (44) 133
———, micro-analysis of enzymes involved in the metabolism of tissue amines, (33) 480
———, nitrate reductase, purification by chromatography, (7) 573
———, purification of $\alpha$ -amylase from $C_3H$ mouse submaxillary gland by gel filtration, (48) 547
———, purification of beef heart cytochrome C by chromatography on a "tandem" column, (41) 236
———, purification of testicular hyaluronidase by chromatography on a mixed column, (17) 538

———, ribonuclease, barley, CC, (7) 269
———, a sensitive method to detect traces of peptidase activity, (34) 259
———, starch block electrophoresis, (2) 132
———, starch gel electrophoresis, (3) 516
———, succinic dehydrogenase activity, quantitative determination, (9) 525
———, urinary, studied by gel filtration, application to clinical problems, (28) 37
———, ———, use of gel filtration in the assay of, (40) 254
———, visualisation of acyl phosphatase after zone electrophoresis and thin-layer gel filtration, (33) 553
Enzymic digests of ribonucleic acids, TLC, (19) 615
Enzymic reactions of bacterial surface colonies studied by PC, (19) 215
Epinephrine, application of PC and partition TLC to the separation of catecholamines and their metabolites, (43) 135
———, separation from norepinephrine on glass fibre paper, (30) 632
Epitestosterone, separation from testosterone by TLC on silca gel, (32) 760
Epithio, fatty acids and their derivatives, separation by TLC, (21) 324
Epoxides, cycloaliphatic, PC of, (35) 83
———, determination of the geometrical configuration, (39) 235
———, a spray reagent for their identification on thin-layer plates, (32) 761
Epoxy fatty acids and their derivatives, separation by TLC, (21) 324; (24) 93
Equation for the plate height in various chromatographic methods, (13) 301
Equilenin, separation from oestrone and equilin by partition CC, (14) 492
Equilibration apparatus for columns in vapour phase chromatography, (3) 87
Equilibration device for PC, (3) 202
Equilibration experiments, correlation with ion-exchange column experiments under non-ideal conditions, (1) 386
Equilibrium constants, relative, for iodine-olefin interactions, (27) 20
Equilin, separation from oestrone and equilenin by partition CC, (14) 492
Equivalent chain length values, fatty esters, calculation of, (43) 487
Equol, separation from oestrogens by TLC, (13) 570
Ergocalciferol, GLC of ergocalciferol and cholecalciferol in nanogram quantities, (39) 75
Ergot alkaloids, separation of diastereomeric (+)-1-hydroxy-2-butylamides of D- and L-lysergic and isolysergic acids by TLC, (50) 442
Ergotoxine alkaloids, a simple TLC method for separating, (44) 631
Errors due to baseline drift in the measurement of peak areas in GC, elimination, (19) 486
Errors, operator, in PC measurements, (19) 443
Erythritol glycosides, of D-glucopyranose and maltose, separation by GLC, (36) 283
Erythrocyte porphyrins, determination as their methyl esters, (35) 248
Erythromycins and their degradation products, TLC and CC, (32) 581
———, TLC, (14) 127
*Escherichia coli* B, TLC separation of oligonucleotides from the phenylalanine transfer ribonucleic acid of, (39) 147
*Escherichia coli* DNA, fractionation using poly-L-lysine Kieselguhr columns, (37) 326
Esculetin, quantitative PC, (6) 481
Essence, strawberry, combined MS and GC, (18) 10
Essential oils, chromatographic estimation of asarones in Indian *Acorus calamus* Linn. oil, (17) 195
———, and their constituents, GC of terpenoids, (23) 217, 227, 363
———, densitometric determination of unsaturated components in, (15) 39
———, direct PC using impregnated paper, (14) 439
———, GC analysis of lavender oil, (14) 331
———, GC analysis of oil of *Monarda punctata* L, (19) 601
———, GLC of the aromatic ether fraction of, (30) 632
———, high-resolution trimer acid-coated glass capillary columns, (43) 497
———, identification of sesquiterpene hydrocarbons in oil of opoponax, (34) 85
———, injection system for a GLC apparatus for the analysis of, (7) 433
———, investigated with a temperature-programmed preparative-scale GC, (11) 11
——— of the Kumquot, isolation and examination, (5) 137
———, PC, (10) 108
———, some new trace constituents in the essential oil of *Salvia Lavandulaefolia*, Vahl., (50) 59

(Essential oils)
———, study of sesquiterpene dehydrogenation reactions by GLC, (17) 466
———, TLC, (6) 9
Estane, microdetermination in explosive mixtures, (37) 393
Esterase, PC, (1) 202
———, inhibitors, weak, activation of, (36) 309
Esterification of organic acids by alcoholic solvents, (6) 486
Esters, aliphatic, GC, (4) 420; (43) 33
———, ———, influence of stationary phase polarity on GC retention of, (49) 409
———, controlled hydrolysis on silica gel plates followed by separation of the reaction products, (30) 256
———, diastereoisomeric, CC, (29) 94
———, ———, studies on the GLC separation of, (39) 17
———, the effect of water on the retention time of, (30) 208
———, ethyl, of higher organic acids, flash exchange GC, (7) 288
———, evaluation of polyesters as stationary phases in GLC, (23) 227, 363
———, fatty, see Fatty acids
———, GC, calculation of retention times, (17) 1
———, ———, relative elution times, (17) 224
———, methyl, of fatty acids, retention time relationships in GC, (23) 375
———, ———, of polyunsaturated acids, loss during GC, (23) 61
———, retention indices, (11) 467
———, sulphates studied by TLC, (16) 334, 340
———, unsaturated, GC, (43) 43
———, ——— terpene, densitometric determination in essential oils, (15) 39
Estrogens, see Oestrogens
Ethanol, direct quantitative determination in aqueous solutions by GC, (26) 1
Ethanolamine, determination in plant tissues as dinitrophenyl derivative by cation-exchange resin PC, (32) 777
Ethanolamines, long-chain N-acyl derivatives, isolation and determination, (17) 257
Ether homologues, separation by adsorption TLC, (30) 237
Ethers, alkyl, resolution of mixtures with monoglycerides by GLC, (34) 461
———, GC, (29) 239
———, ———, analysis using aromatic polymers, (36) 145
———, ———, calculation of retention times, (17) 1
———, ———, relative detector response to, (8) 544
———, phenolic, use as stationary phase in GC, (20) 452
Ethoxyquin, interference in the TLC estimation of aflatoxin, (44) 403
———, use for the stabilisation of xanthophyll and carotene during TLC, (28) 465
Ethyl bromide, determination in the presence of methyl bromide, (9) 247
Ethyl centralite, products of its reaction with nitrogen tetroxide identified by TLC, (16) 488
2-Ethylcyclohexenyl-1-acetic acid ethyl ester, determination in the presence of *cis*- and *trans*-2-ethylcyclohexylideneacetic acid ethyl ester by GC, (19) 181
2-Ethylcyclohexylideneacetic acid ethyl ester, *cis* and *trans* isomers, determination in the presence of 2-ethylcyclohexenyl-1-acetic acid ethyl ester by GC, (19) 181
Ethylene, determination in the presence of other volatile natural products, (41) 442
———, GC analysis, (15) 250
Ethylenebis(dithiocarbamates), determination of their degradation products by TLC and investigation of their decomposition *in vitro*, (31) 89
Ethylenebis (dithiocarbamic acid), metallic derivatives and their degradation products, TLC, (19) 364
———, ———, GC, (23) 302
Ethylene diamine di-(O-hydroxyphenylacetic acid) metal chelates, electrophoretic separation and detection of isomers, (14) 544
Ethylene glycol 4-ketopimelic acid polyester as liquid phase in partition GLC, (17) 450
Ethylene glycol oligomers, determination of molecular weight by TLC and photometric evaluation, (46) 255
Ethylene glycol as stationary phase in the paper chromatography of steroids, (2) 304
Ethyleneimine derivatives, detection and TLC, (26) 522
Ethylene oxidation products, GC analysis, (19) 179
Ethylenic compounds, fatty, separation by TLC, (16) 106
2-Ethylhexyl phenylphosphonic acid, use in reversed-phase partition chromatography, (17) 542

Ethyl paraoxon, separation by GC, the effect of the column support material, (35) 17
Ethyl parathion, separation by GC, the effect of the column support material, (35) 17
Ethylvinylbenzene polymers, porous, application to TLC, (33) 132
Europium, adsorption on a strong base anion-exchange resin from dilute nitric acid solutions containing aliphatic alcohols,(8) 419
———, mixtures with gadolinium and with samarium, augmentation of the separation in ion-exchange elutions with EDTA,(29) 210
Evaluation methods for paper chromatograms of derivatives of higher fatty acids, (12) 374
Evaporation of the stationary phase from GLC columns, (34) 310
Evaporator for removing sample-solvent in PC, (5) 84
Evaporator for removal of solvent from multiple samples, (15) 431
Event marking system for use with fraction collectors and effluent analysing devices, (8) 201
Exchange capacity of papers impregnated with zirconium phosphate, (13) 561
Explosives, charge-transfer complexes of aromatic nitro compounds with some amines, (31) 120
———, containing diphenylamine derivatives, TLC, (9) 385
———, microdetermination of Estane in, (37) 393
———, rapid estimation of nitrates, (31) 551
Extinction curves, tracing apparatus for chromatograms and pherograms, (1) 434
Extraction columns, characteristics of hydrophilic-organophilic columns in chromatographic separations, (30) 447
———, the use of graft copolymers as substrates in non-chromatographic separations, (30) 438
Extraction of compounds from paper chromatograms, apparatus for, (11) 125
Extraction and homogenisation of biological material for chromatographic purposes, (2) 148
Extrusion CC on cellulose, (18) 42

# F

Farnesols, separation of stereoisomers and their derivatives by GC and TLC, (11) 45
Fat digestion products, a simple, two-stage, one-directional TLC procedure for the separation of, (43) 276
Fats, animal and vegetable, analysis of mixtures, (5) 500; (9) 316
———, ———, TLC, (17) 99
———, calculation of equivalent chain length and modified equivalent chain length values in the GC analysis of, (39) 71
———, correlation of retention data with polarity of stationary phase in GC analysis, (42) 304
———, detection of adulteration by TLC of trisaturated glycerides, (36) 84
———, determination of the trisaturated glyceride content by CC of the mercuric acetate adducts, (24) 56
———, estimation of trisaturated glycerides by argentation TLC, (37) 123
———, GC, (17) 230; (20) 232; (26) 8; (29) 44
———, GC separation of long-chain fatty alcohols as their trifluoroacetyl and trimethylsilyl derivatives, (40) 160
———, quantitative determination of saturated triglycerides in, (37) 121
Fatty acetylenic, ethylenic and saturated compounds, TLC, (16) 106
Fatty acids, alcohols and esters, hydroxy derivatives, separation of close positional isomers by TLC, (16) 235
———, analysis by a complementary TLC and GLC procedure, (21) 213
———, analysis by GLC using a computer, (30) 62
———, analysis by GLC using a keto acid polymer as substrate, (13) 337
———, analysis of phenyl esters by TLC techniques, (43) 519
———, analysis of thermal polymeric fatty acids, methyl esters and alcohols on Sephadex LH-20, (47) 348
———, from barley and malt lipids, TLC separation and colorimetric analysis, (17) 278
———, $C_1$ - $C_7$ branched and straight-chain saturated, GC separation and determination of micro quantities, (39) 398
———, chromatographic investigation of the component glycerides of kusum oil, (41) 276
———, chromatographic separation of higher fatty acid monoglycerides according to chain length and unsaturation, (40) 422
———, collection of esters labelled with tritium and $^{14}C$ after GLC, (14) 368
———, comparison of CC, TLC and PC of oxidised alkyl oleates, (33) 267
———, complete structural analysis of mixtures by TLC, (15) 191
———, composition of serum cholesteryl ester fractions isolated by TLC, (34) 413
———, correlation of retention data with polarity of stationary phase in the GC analysis of oils and fats, (42) 304
———, cyclopentenyl derivatives, GC analysis, (10) 15
———, derivatives, GLC, (13) 22
———, ———, separation by GC using mono-sodium L-glutamate as stationary phase, (14) 100
———, detection of adulteration of butter fat by random rearrangement reaction and TLC, (44) 116
———, epithio and epoxy, and derivatives, separation by TLC, (21) 324
———, epoxy, hydroxy, halohydroxy and keto derivatives, separation by TLC, (24) 93
———, esters, contaminations occurring in GC on polyester stationary phases, (10) 125
———, ———, flame ionisation detector response for the carbonyl carbon atom in the carboxyl group, (16) 298
———, ———, GC behaviour of isomers, (14) 104
———, ———, GLC, (6) 178
———, ———, labelled with tritium and $^{14}C$, collection after GLC, (14) 368
———, ———, long chain, prevention of condensation in gas chromatographs, (29) 227
———, ———, quantitative gravimetric analysis by TLC, (17) 501
———, ———, rational identification by programmed distribution of fractions in two-dimensional (GC-TLC) chromatograms, (21) 207

———, ———, trap for use in the preparative-scale GC of, (17) 177
———, multiple-branched esters and ketones, temperature effects in the calculation of equivalent chain length values on polar and non-polar open tubular columns, (42) 170
———, examination of fatty and non-fatty acids extractable from muscle tissue and meat products by TLC and GC, (44) 537
———, fluorinated, GC, (20) 134; (28) 399
———, from fossil lipids, rapid separation by impregnated adsorbent TLC, (43) 241
———, GC, (17) 230
———, GLC retention volumes of the methyl esters with special reference to *n*-odd-numbered, *iso* and (+)-*anteiso* acids, (2) 547
———, GLC separation of diastereoisomers of L-menthyl esters of phytanic acid, (44) 256
———, from glyco- and phospholipids, quantitative determination, (49) 488
———, higher, analysis by reversed-phase circular PC, (7) 507
———, ———, detection on paper chromatograms, (19) 204
———, ———, esters with saccharose, PC, (28) 484
———, ———, evaluation of paper chromatograms of derivatives of, (12) 374
———, identification, estimation and preparation by circular PC, (6) 264
———, isolation of fish oil polyunsaturated acids as their methyl esters by preparative scale GC, (27) 474
———, isomeric, GC of methyl esters of, (37) 312
———, of linseed oil triglycerides, determination by TLC, (18) 20
———, long-chain, apparatus for large-scale preparative chromatography (5) 93
———, ———, $^{14}C$-labelled, quantitation together with $^{14}C$-labelled cholesterol by PC, (35) 129
———, ———, determination of the degree of unsaturation by GLC, (2) 552
———, ———, methyl esters, method for the introduction of samples on to GC columns, (8) 343
———, ———, methyl and ethyl esters of, computerised quantitative analysis by GLC using relative molar response, (42) 435
———, ———, monosaturated, separation by TLC of their mercaptoacetic acid addition compounds, (24) 433
———, ———, PC, (3) 503
———, lower, CC separation of N-2,4-dinitrophenylhydrazides, (3) 376
———, ———, GLC, (3) 582
———, ——— than hexanoic, convenient chromatographic procedure for the separation of, (43) 444
———, methyl-branched, prediction of retention times in GLC of diastereoisomers, (34) 165
———, methyl esters, influence of the support on the quantitative GC analysis of, (11) 452
———, ———, from lipids, GC analysis after transesterification of the lipids on thin-layer plates, (32) 439
———, ———, quantitative micro TLC, (26) 286
———, ———, relation between structure and GC retention data, (14) 157
———, ———, relative response on the flame ionisation detector, (11) 114
———, ———, retention time relationships in GC, (23) 375; (26) 17
———, ———, separation by GLC with ethylene glycol 4-ketopimelic acid polyester as liquid phase, (17) 452
———, ———, TLC, (15) 191, 200
———, ———, TLC under controlled conditions, (14) 265
———, ———, TLC separation according to chain length and unsaturation, (21) 141
———, microdetection of kusum oil, (46) 324
———, multiple-branched, calculation of equivalent chain length values in GLC, (28) 225
———, oxygenated derivatives, TLC, (20) 27
———, PC using cupric hydroxide impregnated paper, (17) 188
———, from phosphatide plasmalogens, two-dimensional reaction TLC, (35) 66
———, polyene, a standardised micromethod for the separation and oxidative cleavage by TLC and GC, (42) 75
———, polyunsaturated, isolation of lipid hydroperoxides by preparative TLC of autoxidized esters of, (4) 177
———, purification of the fatty acid present in carcinolipin, (32) 502
———, quantitative GC determination as their trimethylsilylester, (43) 490
———, resolution by "adsorption" chromatography on Kieselguhr films, (14) 62
———, separation of branched-chain and straight-chain acids on columns containing urea, (32) 657

(Fatty acids)
———, separation by GC on salts with extremely thin liquid layers, (30) 378
———, separation and identification of geometrical isomers of 9, 12-octadecadienoic and 9, 12, 15-octadecatrienoic acids, (36) 181
———, separation in a reversed-phase chromatographic system, (14) 184
———, separation on Sephadex LH-20, (46) 120
———, a simple two-stage, one-directional TLC procedure for separating the products of fat digestion, (43) 276
———, a spray sequence for their detection, (31) 560
———, substituted, TLC of positional isomers, (33) 471
———, TLC, (16) 106
———, TLC behaviour and chemical structure, (45) 104
———, TLC behaviour of cyclopentanyl and cyclopentenyl fatty acid methyl esters, (39) 182
———, TLC in the form of their 2,4-dinitrobenzoic and N,N-dimethyl-*p*-aminobenzeneazophenylacetic acid esters, (48) 250
———, TLC on silanised silica gel, (33) 62
———, trienoic and tetraenoic, isolation and analysis with complementary TLC and GLC, (32) 451
———, tritium-labelled, an isotope effect during chromatography on silica-silver nitrate columns, (16) 448
———, unsaturated, direct hydrogenation on the support of the GC column, (45) 311
———, ———, esters, identification through GLC on polyester substrates, (11) 185
———, ———, PC of their $\pi$-complexes with silver ions, (17) 382
———, ———, separation of geometrical isomers by TLC, (15) 186
———, urea clathrates in TLC and PC, (18) 177
———, volatile, analysis of dilute solutions by GLC using a thermal conductivity detector, (22) 261
———, ———, of black tea, separation by GC, (7) 137
———, ———, GLC, the instability of silicone oil-fatty acid stationary phases, (22) 251
———, ———, ———, using carboxylic acids as stationary phases, (16) 306
———, ———, quantitative GLC, (17) 238
———, ———, in rumen fluid, separation by GLC, (27) 482
———, ———, sample introduction in analyses in rumen fluid by GC, (30) 203
———, ———, separation from benzoic acid using Sephadex G-10, (39) 519
———, ———, technique for sample introduction in analyses by GC, (24) 167
———, see also Lipids
Fatty alcohols, analysis of thermal polymeric fatty acids, methyl esters and alcohols on Sephadex LH-20, (47) 348
———, chromatographic investigation, (32) 297
———, hydroxy derivatives, separation of close positional isomers by TLC, (16) 235
———, long-chain, GC separation as their trifluoroacetyl and trimethylsilyl derivatives, (40) 160
———, separation by GC on salts with extremely thin liquid layers, (30) 378
———, separation by GLC with ethylene glycol 4-ketopimelic acid polyester as liquid phase, (17) 457
Fatty aldehyde dimethyl acetals, GLC, (25) 204
Fatty aldehydes, branched chain, naturally occurring, structural identification, (6) 236
———, GLC of their dimethyl acetals, (25) 204
———, long-chain, GLC, (4) 52
———, from phosphatide plasmalogens, two-dimensional reaction TLC of, (35) 66
———, saturated and unsaturated, GC separation and determination of, (43) 492
———, TLC of homologues and vinylogues, (24) 357
Fatty compounds, oxygenated, TLC, (9) 295
Fatty esters, calculation of equivalent and modified equivalent chain length values, (43) 487
———, contaminations occurring during GC on polyester phases, (10) 125
———, flame ionisation detector response for the carbonyl carbon atom in the carboxyl group, (16) 298
———, GLC, (2) 547; (6) 178
———, hydroxy derivatives, separation of close positional isomers by TLC, (16) 235
———, limitations of systematic relationships of retention behaviour and structure of, (39) 245
———, method for introducing samples on to GC columns, (8) 343
Fatty materials, quantitative micro TLC, (26) 286

Fatty methyl esters, analysis of thermal polymeric fatty acids, methyl esters and alcohols on Sephadex LH-20, (47) 348
Fenfluramine, GC measurement in human plasma, red cells and urine following therapeutic doses, (49) 442
Fenticlor, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, (49) 567
Fermentations, PC identification of organic acids resulting from, (2) 211
Ferric ions, adorption by filter paper, (4) 485
Ferric iron, chromatographic studies on the oxidation of sulphurous acid by, (5) 68
———, kinetic study of the oxidation of hydrazine by, (4) 196
———, separation from ferrous iron and determination, (4) 108
Ferricyanide test for the quantitative chromatography of sugars, (30) 178
Ferrocene compounds and their benzenoid analogues, TLC, (26) 501
Ferrous iron, separation from ferric iron and determination, (4) 108
Ferulic acid, quantitative PC, (6) 481
FFCA-reaction, application for the detection of thyroid hormones and iodinated derivatives in TLC, (31) 241
Ficin, purification by gel filtration,(28) 44
Ficus latex protein fractions, characterisation by gel filtration, (28) 44
Filling of wide diameter GC columns, novel technique for, (12) 163
Film chromatography, simple device for continuous elution in, (14) 57
Filter paper, measurement of diffusion rates in, (8) 404
Filtration and quantitative transfer of lambda amounts of liquids, (6) 278
Fingerprints, of DNS-labelled protein digests on a millimicromole scale, (28) 458
———, rapid development on silica gel thin-layer chromatograms, (27) 499
Fish oil polyunsaturated acids, isolation as their methyl esters by preparative scale GC, (27) 474
Fish pituitary extracts, chromatography on Sephadex G-100 of, (44) 624
Fission products, carrier-free separation of the rare earth radionuclides from, (20) 585
———, paper electrophoretic separation, (9) 255
———, separation on paper treated with liquid anion exchanger, (20) 122
———, separation from uranium (VI) by reversed-phase partition chromatography, (21) 98
———, separation using vanadium ferrocyanide as ion exchanger, (20) 384
Flame emission GC detector, estimation of limits of detection, (31) 1
———, use for the measurement of permanent gases, (30) 339
Flame ionisation detectors, (2) 148; (10) 294
———, critical examination of commercially available apparatus, (15) 471
———, differential, application with packed and Golay type columns, (13) 305
———, irreproducibility in quantitative calibration of, (21) 296
———, linearity and response characteristics, (6) 110
———, relative response of, (8) 525
———, response for the carbonyl carbon atom in the carboxyl group of fatty acids and esters, (16) 298
———, with silicone gum rubber columns, deposits on, (38) 392
———, a simple electrometer for linear, logarithmic and integral responses, (15) 461
———, studies on the signal in the presence of organosilicon compounds, (24) 8
———, a theoretical approach, (6) 312
Flame ionisation gauge in the determination of retention data of silicon compounds, (14) 1
Flame spectrophotomeric determination of the alkaline earth metals, (13) 224
Flash exchange GC, extension to ethyl esters of higher organic acids, (7) 288
Flat-bed chromatography, a method for the accurate determination of $R_M$ values, (10) 35
Flavan, hydroxy derivatives, chromatografic on carboxymethylcellulose, (4) 489
Flavanone aglycones, positive identification by PC of their alkaline degradation products, (3) 505
Flavanones, 3-hydroxy derivatives, detection on papergrams and thin-layer plates, (34) 562
———, an improved method of detection on paper chromatograms, (18) 604

(Flavanones)
———, separation and identification of 3,3',4',5,7,- pentahydroxyflavanone and related compounds by TLC, (48) 363
Flavin analogues, PC, (12) 394
Flavin nucleotides, chromatographic determination in yeast, (18) 609
Flavins, chromatographic studies of the products of photolysis of, (35) 376
———, natural, isolation using phenol-type resins, (34) 216
———, separation on an analytical and preparative scale, (29) 182
Flavinogenesis in *Ashbya gossypii*, assay of flavines and lumazines in the study of, (29) 182
Flavones, separation and identification of 3' 3' 4' 5' 7'-pentahydroxyflavanone and related compounds by TLC, (48) 363
———, TLC on cellulose layers using acetic acid, (39) 93
Flavonoid glycosides, a chromatography-densitometry method for quantitative analysis of their sugars, (28) 427
Flavonoid pigments, correlation between structure and chromatographic behaviour on silica gel thin layers, (48) 484
Flavonoids, aglycones, chromatography in the solvent system benzene-acetic acid-water, (9) 449
———, cellulose CC, (2) 173
———, chromatographic behaviour in aqueous medium of some stereochemically interrelated, (5) 9
———, correlation of electrophoretic mobilities in borate buffer with structural factors, (17) 396
———, correlation between structure and chromatographic behaviour, (1) 537; (10) 473
———, of hops, identification by TLC, (16) 130
———, magnesol TLC, (43) 287
———, in *Medicago* (Papilionaceae), TLC separation of, (36) 258
———, a microanalytical method for the determination of dihydroquercetin in wood, (43) 250
———, pigments, review of the chromatography of, (2) 581
———, and related compounds, separation by TLC using polyvinylpyrrolidone as adsorbent, (34) 52
———, ———, trimethylsilyl ethers, GLC, (19) 607
———, selective spray reagents for identification and estimation, (4) 65
———, separation on columns of Sephadex, (28) 94
———, separation on Sephadex LH-20, (33) 53
———, TLC on silica gel, (13) 235
Flavonol glycosides and their acylated derivatives from pea tissues, analytical and preparative TLC, (41) 138
Flavonols, chromatography using the solvent system chloroform-acetic acid-water, (5) 74
Flavour components, of onion, TLC investigation of, (47) 400
Flavour volatiles, class separation by liquid chromatography on silica gel at 1°, (34) 174
Flavylium perchlorate as a reagent in PC, (2) 652
Florisil, deactivated, as adsorbent in linear elution adsorption chromatography, (12) 488
Flow meter, automatic absolute, for GC, (12) 99
———, continuous, for automatic quantitative liquid chromatography, (31) 218
Flow rate control in ion-exchange chromatography, (4) 501
Flow velocity and paper geometry in PC, (3) 438
Fluometuron, determination in soil, (44) 60
Fluoranthene, ternary mobile phases in adsorption TLC, (49) 313
Fluorene-9-carboxylic acid derivatives, TLC, UV and fluorescence spectra of, (36) 318
Fluorenes, substituted, TLC, (18) 526
Fluorescence detection of organic compounds at low temperatures on thin-layer chromatograms, (27) 279
Fluorescence indicators in TLC, (12) 342
Fluorescence-quenching effect in TLC of polynuclear aromatic hydrocarbons and their aza analogues, (17) 120
Fluorescence test for amino acids, sensitivity, (3) 415
Fluorescent compounds, improved technique for their detection on chromatograms, (20) 595
———, water-soluble, partition and ion-exchange TLC, (26) 315
Fluorescent phenolic and heterocyclic compounds, gel filtration chromatography of, (34) 342
Fluorescent solvent impurities as chromatogram artifacts, (25) 330

Fluorescent spots, key for marking their colour on chromatograms, (26) 520
Fluorescent thin-layer plates, interaction with aminopurines and aminopyrimidines, (21) 146
Fluorescing components of a water-soluble fraction of cigarette smoke condensate, gel filtration chromatography of, (40) 264
Fluorides, inorganic, GC analysis, (15) 228
Fluorimetric methods of assay for benz(*c*) acridine and benzo(*h*)quinoline, comparison of, (26) 72
Fluorinated alicyclic olefins, GC analysis, (20) 138
Fluorinated compounds, GC on porous polymers, (49) 36
———, organic, detection and isolation of traces in plants, (14) 37
Fluorocarbons, labelled with a short lived isotope, analysis by GC using a column-switching technique, (26) 273
———, of low molecular weight, GC separation of, (35) 217
———, as solvents for TLC analysis, (31) 231
Fluoro-compounds, organic, determination by a combustion method, (6) 122
Fluoroethylenes, GC, (15) 250
Fluorofatty acid, long chain, apparatus for separation of, (5) 93
2-Fluorofatty acids, lower, separation and identification by GC, (20) 134
———, separation and identification of their methyl esters by GC, (28) 399
Fluorohydrocarbons, separation of $C_6F_{14}$ isomers by GC and effect of stationary phase concentration, (9) 419
6-Fluoro-16 $\alpha$-hydroxycorticosteroids, TLC separation of, (43) 539
Fluorometric scanning, direct, of thin-layer chromatograms, (20) 348
Fluorometry, direct, quantitative analysis of nucleic acid bases, nucleosides, nucleotides and related compounds, (23) 465
———, of pharmaceuticals, after TLC, sources of error in, (38) 156
———, quantitative, of thin-layer chromatograms, (33) 391
Fluorophosphine oxide, bis(dimethylamino), ninhydrin reaction used for TLC detection, (34) 558
*m*-Fluorosulphonyl-benzoic acid chlorophenyl esters, TLC, (32) 596
N-*m*-Fluorosulphonylphenyl carbamates, GC, (24) 186
Fluorothionodiphosporic acid alkylamides, separation by PC, (9) 224
Fluorotoluenes, nitration studied by GLC, (16) 437
Foaming of aqueous solutions during concentration, prevention of, (9) 121
Fog precipitator for GC, (6) 454
Folic acid, radioactive, anomalous behaviour on TLC, (45) 476
Folin reagent, use in PC and paper electrophoresis, (11) 278
Food colours, coal-tar, electrophoretic behaviour on paper thin films, (16) 350
Food constituents, reactivity with volatile chemicals determined by PC, (17) 373
Food dyes, determination of molecular weights by thin-layer gel filtration on Sephadex LH-20, (43) 545
———, fat-soluble, chromatography on thin starch layers with stationary non-polar phases, (15) 542
———, partition chromatography on polycarbonate-coated foils, (43) 547
———, polyamide-kieselguhr TLC of, (44) 203
———, separation on Sephadex, (33) 542
———, water-soluble, separation by TLC using polyamide, (26) 529
Food preservatives, chromatography on polyamide layers and columns, (43) 473
———, combined extraction and PC of, (29) 369
———, polyamide-silica gel TLC of, (44) 201
Foodstuffs, determination of creatinine in soups and soup preparations by ion-exchange chromatography, (45) 264
———, separation of permitted and non-permitted solvents for use in, (44) 465
———, sorption heats of volatiles on some components of, (45) 57
Formaldehyde, analysis by GC using Porapak N, (40) 209
Formamide, commercial, impurities as critical factors in the PC of the violatin-mycetin antibiotics, (8) 522
Formic acid-glucose solutions, PC of, (37) 545
Fractional distillation of multi-component systems, GC analysis in, (5) 179
Fraction collector, for collecting and drying organic acid fractions, (3) 491
——— control and fraction counter, automatic, (28) 415
——— for gradient elution chromatography, (5) 116
———, magazine fed, for multi-column liquid chromatography, (31) 337

(Fraction collector)
———, micro, for GC, (13) 244
——— for preparative CC, (2) 140
——— for the simultaneous collection of fractions from a number of chromatographic columns, (3) 554
———, and transfer system for GC, (9) 264
——— for use in GC, (18) 159
——— for use in the preparative-scale GC of high molecular weight compounds, (17) 177
Fraction-sampling device, (6) 58
*Fragaria*, characterisation of an additional anthocyanin pigment in extracts of strawberries, (50) 311
Fragilin, separation of phenolic glucosides by gel filtration, (44) 184
Frame for photographic processing of autoradiograms, (9) 260
Francium, cation exchange in HCl and $HClO_4$ solutions, (16) 538
Frontal analysis in GLC, non-ideality of the gas phase, (16) 543
Frontal analysis phenomena during development in ion-exchange PC, (17) 387
Front indicators in PC, (2) 327
Fructosans, separation by TLC, (44) 413
Fructose derivatives, studies on the ring structures of ketoses by means of GC and MS, (37) 216
Fucose, quantitative chromatographic determination as tritiated fucitol, (28) 344
———, a specific method of detection by TLC, (32) 188
Fumaric and maleic acids, separation by gel filtration on Sephadex G-10, (39) 328
Fumigants, a PC technique for screening volatile chemicals for their reactivity with the constituents of foods, (17) 373
Fungicidal additives to wood preservatives, application of TLC within the framework of DIN (German Industrial Standard) regulations to their determination, (33) 280
Fungicides, GC of metallic derivatives of ethylenebis(dithiocarbamic acids), (23) 302
———, metallic derivatives of ethylenebis (dithiocarbamic acid) and their degradation products, TLC, (19) 364
———, organomercurial, identification and determination of residues by TLC and GC, (44) 284
———, TLC of Captan and Captax, (23) 476
———, see also Pesticides
2-Furaldehyde, 5-hydroxymethyl-, quantitative determination of, (36) 359
Furanocoumarins, TLC, (42) 550
Furans, GC, (23) 79
———, nitro derivatives, PC, (23) 446
———, relation between structure and chromatographic behaviour, (3) 317
Furocoumarins, partition TLC, (20) 173
———, PC, (13) 181
———, PC on paper impregnated with dimethylformamide, influence of the temperature and humidity during impregnation on the $R_F$ values, (32) 87
Fused salts, chromatography and electrophoresis of inorganic ions in, (15) 420

# G

Gadolinium and europium mixtures, augmentation of the separation in ion-exchange elutions with EDTA, (29) 210
Galactolipid components of broad bean leaves, separation and estimation, (35) 223
Galactolipids, TLC separation of animal lipid mixtures, (49) 255
Galactosamine, determination by GC, (20) 457
— ——, separation from glucosamine on an amino acid analyser, (35) 106
Galactosaminoglycans and glucosaminoglycans, a simple method for the separation of, (48) 535
Galactose, evaluation of methanolysis for TLC analysis of the monosaccharides in an immunologically active polysaccharide-peptide complex, (43) 528
D-Galactose derivatives, methylated, GLC of, (36) 531
Galactose/mannose ratio in glycoproteins, determination by TLC on cellulose, (31) 565
Galacturonic acid, equilibrium separation from glucose and sulphuric acid with a strongly basic anion-exchange resin, (20) 421
———, oligo-, isolation by CC, (41) 410
———, separation from glucuronic acid by PC using a new solvent system, (14) 551
Gallamine, detection in biological material, (31) 171
Gallates, alkyl, separation as complexes with cinchonine and strychnine, (46) 261
Gallic acid and its alkyl esters, separation and detection by polyamide TLC, (45) 269
Gallic acid esters, rapid detection by centrifugal chromatography, (11) 419
Gallic acid and its esters, TLC, (9) 363
Gallium, reversed-phase chromatography on paper treated with di-(2-ethylhexyl) orthophosphoric acid in chloride medium, (18) 124
———, separation from Al, In and Tl by chromatography on papers treated with di-(2-ethylhexyl) orthophosphoric acid, (16) 258
Gallium complexes, zone electromigration, (18) 374
Ganglioplegic substances, relation between PC behaviour and structure, (7) 527
Gangliosides, corticosteroids and water-soluble non-lipids from lipid extracts, separation by Sephadex columns, (47) 15
———, PC of, (36) 553
———, separation by glass fiber chromatography, (42) 148
Gas chromatograph, apparatus for keeping the final pressure constant, (8) 278
———, based on Janák's principle, (14) 13
———, a simple accessory for micro-catalytic studies, (3) 524
———, temperature-programmed, preparative-scale, (11) 11
Gas chromatographic columns, modification of, (12) 266
Gas chromatographic detector response, structural effects on quantitative, (12) 401
Gas chromatographic elution, the effect of electrolytes in the stationary phase, (39) 125
Gas chromatography, analysis of gas mixtures, (30) 593
———, anomalous sorption in the injection port of the gas chromatograph, (41) 145
———, apparatus for automatic determination of pesticides, (45) 351
———, application of gas flow variation and backflushing, (19) 495
———, application of Golay columns of larger internal diameter, (11) 440
———, application of a long-path IR cell in, (11) 434
———, application to the microdetermination of the poorly resolved component, (35) 318
———, application of the Nano-Jector to solid samples, (35) 92
———, application of repeated wide-range zero shifting, (34) 249
———, aromatic interactions in, (29) 15
———, automatic absolute flow meter for, (12) 99
———, behaviour of the flame ionisation detector in the presence of organosilicon compounds, (24) 8
———, calculation of area factors for quantitative determinations, (7) 1
———, calculation of equivalent chain length and modified equivalent chain length values in the analysis of oils and fats, (39) 71
———, calculation of the retention time of the air peak, (34) 246

Gas chromatography)
———, calculation of retention times from "polarities" determined statistically, (17) 1
———, calculation of retention values with the aid of IR spectroscopic measurements, (38) 332
———, capacity of laboratory scale preparative chromatography columns in, (49) 76
———, capillary columns in, (12) 406
———, characterisation of stationary liquids in, (22) 6
———, chloresteryl esters as liquid phases in, (21) 392
———, classification of separating liquids, (38) 332
———, coiled columns and resolution in, (3) 520
———, collection of effluents for IR spectral analysis, (13) 366
———, a combination of a gas chromatograph and a fraction collector using a small condenser, (47) 469
———, combination with other chromatographic principles, (48) 279
———, combination with PC or TLC, (15) 15
———, compound identification by, (12) 15, 22
———, considerations for the design of a rotating unit for continuous production by GC and its application, (49) 27
———, continuous elementary analysis of the separated substances, (32) 2
———, continuous, with phase modulation, (32) 8
———, contribution of eddy diffusion and of the macroscopic mobile phase velocity profile to plate height in chromatography, (49) 393
———, contribution of gas expansion to peak width, (27) 1
———, contribution to the theory of GC and to the computation of the HETP value, (38) 309
———, contribution to the theory of the retention index system, (50) 379
———, correlational analysis of seven procedures for determining areas of chromatographic curves, (35) 469
———, correlation between the structure of the stationary phase and activity coefficients in, (42) 311
———, critical inlet pressure for separation in, (18) 221
———, dependence of the HETP on the column length, (35) 1
———, dependence of film thickness on column radius and coating rate in preparation of capillary columns for, (45) 469
———, derivation of the differential heat of dissolution from GLC measurements, (50) 1
———, derivation of thermodynamic informatio from asymmetrical chromatographic peaks when more than one distribution mechanism contributes to retention, (39) 273
———, derivatographic studies of partition liquids, (24) 22; (34) 1
———, determination of the relationship between retention index and column temperature through the temperature-dependence of the net retention volume, (42) 19
———, direct current discharge detector, (26) 248
———, a disc splitter for capillary columns, (47) 313
———, displacement effect of water, (23) 468
———, double programmed, carrier gas programming following temperature programming, (38) 317
———, effects of the column length on the HETP, (50) 385
———, effect of pressure differentials in, (10) 314
———, effect of pressure on the performance of the flame ionisation detector, (43) 431
———, effect of terminal "groups" on GLC retention times of long-chain compounds, (49) 534
———, effect of thin liquid layers on sodium chloride and micro glass beads as supports in, (39) 475
———, the effect of trimethylsilylation on the detector response, (27) 85
———, efficient trapping and transfer of microgram GC fractions for IR analysis, (47) 464
———, the elimination of errors due to baseline drift in the measurement of peak areas, (19) 486
———, errors in head-space analysis, (50) 329
———, estimation of limits of detection for the flame emission detector, (31) 1
———, examination of commercially available detectors, (15) 471
———, flame ionisation detection under

elevated pressures, (48) 412
———, for following fractional distillations of multi-component systems, (5) 179
———, a gas dilution system for control of detector response in, (13) 33
———, a glass-Teflon continuously variable splitter assembly for the Autoprep 705, (29) 223
———, high-efficiency glass bead columns for, (11) 295
———, high-resolution trimer acid-coated glass capillary columns, (43) 497
———, high-temperature argon $\beta$-ray detector, a modified design, (11) 404
———, high-temperature, an automatic injection system, (27) 47
———, ———, an improved technique for the analysis of biological extracts, (27) 40
———, ———, sampling method for solid substances in, (4) 1
———, ———, the use of Kovar seals with glass columns, (20) 392
———, hydrogenation and dehydrogenation reactions in an inert carrier gas containing hydrogen, (31) 28
———, imbrication patterns, (50) 114
———, improved resolution through compressed beds, (47) 490
———, improved resolution through the use of recirculation columns, (30) 25
———, improved technique for back-flushing columns, (18) 477
———, improvement of the efficiency of a preparative column, (30) 222
———, improvement in the elution technique for measurement of adsorption isotherms, (50) 209
———, impurities in, (15) 432
———, increased efficiency for large-volume samples in, (6) 243
———, influence of esterifying and acetylating groups on retention times of amino acid derivatives, (12) 106
———, influence of support modificants on substrate selectivity in, (11) 27
———, influence of the treatment of the support on properties of thin-film column packings, (25) 242
———, information storage and retrieval by the Uniterm system, (11) 307
———, IR microspectrometry of effluents and gas-phase free radicals, (24) 1
———, injection device for use in the determination of volatile components in blood, (27) 237
———, injection device for use with gas samples in the micron pressure range, (27) 479
———, interpretation of data, (35) 309
———, investigation of the changes in relative retention data accompanying the oxidation of apolar stationary phases, (28) 277
———, investigation of charge-transfer interactions between carbon tetrabromide and aromatic donors, (49) 161
———, irreproducibility in the quantitative calibration of a flame ionisation detector, (21) 296
———, isotopic exchange in the column, (30) 433
———, kinetic theory of the retention volume corrected for pressure drop, (19) 478
———, with longitudinal temperature gradient, graphical determination of the retention times obtained by, (47) 297
———, loss of chromatographic resolution in the vacuum line of a gas chromatograph mass spectrometer system, (32) 740
———, with low pressure, (40) 152
———, measurement of peak areas, (20) 598
———, measurement of permanent gases by a flame emission detector, (30) 339
———, method for the characterisation of stationary liquids in, (39) 383
———, a method of solid injection, (49) 293
———, micro pore structure of porous polymer columns, (31) 547
———, microscopic and colorimetric investigation of compounds separated by, (16) 494
———, modified porous glasses as supports in, (35) 489
———, molecular sieves as subtractors in, (3) 230, 235; (11) 108
———, molecular weight determinations using GC detectors, (44) 241
———, negative peaks due to the vacancy chromatography phenomenon, (32) 625
———, a new equation for the height equivalent to a theoretical plate, (27) 33
———, a new method of collecting micro fractions, (28) 413
———, a new method of temperature-programming at high sensitivities, (30) 198
———, a new polar liquid phase, (20) 23
———, a new quantitative integral detector for, (11) 301
———, a new sample introduction device for capillary columns, (11) 151

(Gas chromatography)
——— -, a new sampler for analysis of liquids and solutions, (40) 155
———, a new stationary phase for, (22) 229
———, new techniques in, (49) 153
———, new variable path length column for, (39) 373
———, nickel complexes as adsorbents, (50) 120
———, nonlinearity of the signal response and the inversion effect in flame ionisation detection, (4) 249
———, novel technique for filling, (12) 163
———, the obstructive coefficient and stationary phase distribution over solid support surfaces, (34) 301
———, of polar compounds using a nonpolar liquid phase, (2) 65
———, preparation of calibration samples for, (11) 120
———, preparation of porous layer open tubular columns using powdered glass as a binding agent, (48) 406
———, preparative scale, (3) 313; (6) 97; (7) 477; (9) 116; (18) 253; (26) 485
———, ———, an automatic apparatus for, (25) 198
———, ———, the choice of carrier gas, (15) 482
———, ———, experiments with very long columns, (19) 504
———, ———, by means of a laboratory rotating unit, (20) 226
———, ———, rotating unit for, (11) 19
———, ———, substance recovery in, (13) 377
———, problems of molecular adsorption chromatography, (49) 84
———, production of pure helium carrier gas by diffusion, (22) 175
———, programmation by several independent ovens and its influence on the retention times, (42) 297
———, programmed-flow, (15) 301
———, ———, analytical application, (29) 24
———, ———, of the inlet pressure of the carrier gas, (20) 221
———, ———, study on continuous and "combined" programming of the inlet pressure of the carrier gas under isothermal conditions, (25) 260
———, ———, theoretical basis of flow programming, (34) 157; (36) 18
———, programmed-temperature, analytical application, (29) 24
———, ———, correlation isothermal index for, (36) 276
———, ———, quantitation in, (17) 612
———, ———, retention times in, (4) 11
———, ———, theory of the retention index system, (46) 29
———, a progress report on the precision of pyrolysis-GC of polymers, (47) 291
———, properties of polyethylene and polypropylene columns, (45) 220
———, a protected radioactive source for detectors in, (13) 26
———, pyrolytic-hydrogenation, analysis of polymers, (27) 72
———, quantitative, (15) 263
———, ———, analysis by mass detection, (43) 192
———, ———, comments on the standard addition method used in, (28) 392
———, ———, statistical analysis of the techniques of, (42) 1
———, rapid method for calculating percentage recoveries of compounds from gas chromatograms, (34) 100
———, reference high-efficiency nonpolar columns for the GLC of nanogram amou of steroids, (38) 439
———, relation between molecular structure and behaviour in, (30) 17, 77, 357
———, relationship between net retention volume and column temperature, (41) 4
———, relative detector response, (3) 464, 494, 545; (4) 420; (8) 525, 544
———, reliability of peak area measurements, (45) 14
———, retention indices and structure of chemical compounds, (23) 1,18
———, revision of the Van Deemter theory for diffusion pressure drop in the gas phase, (21) 383
———, role of the stationary phase in, (10) 284
———, sample injection system for use at higher temperatures, (16) 217
———, sandwiched columns, (49) 57
———, ———, capillary, (38) 282
———, scale-up of columns, (9) 21
———, second cross virial coefficients of benzene-gas mixtures from high pressure solubility measurements, (44) 429
———, separation of compounds with high boiling points on salts with extremely thin liquid layers, (30) 378
———, a septum-less injection system for use in, (19) 604
———, the shape of the elution peaks in, (11) 2
———, on silica gel, influence of the column material, (2) 664

———, a simple device for cleaning and coating capillary columns, (11) 124
———, a simple expression for peak symmetry characterisation, (11) 267
———, a simple injection system, (44) 609
———, single detector and forecolumn trap for series analysis, (13) 361
———, on small diameter columns, (18) 226
———, solid support as subtractor in trace analysis, (32) 413
———, some pitfalls in studies related to, (11) 409
———, spinal needle as injection device for solid substances, (12) 404
———, standard columns and operating conditions for diverse analysis by, (45) 208
———, with stationary phases containing silver nitrate, (11) 32; (18) 302
———, statistical investigation of the various quantitative methods used for the evaluation of differential curves in, (3) 308
———, stepwise programming of the carrier gas under isothermal conditions, (23) 42
———, storage of data on IBM punched cards, (5) 541
———, study of the polarity of some stationary phases, (49) 175
———, in the study of rapid degradative reactions in solids, (2) 272
———, study on retention times and molecular shapes, (29) 7
———, at superhigh temperatures, (47) 320
———, support-coated open tubular columns, selected applications, (24) 335
———, technique for separation, concentration and chemical identification of compounds in the $\mu$ grange, (31) 319
———, temperature dependence of the HETP, (17) 66
———, thermal conductivity cell response and its relationship to quantitative, (3) 545
———, theory of mean values of velocity, pressure and HETP, (38) 189
———, three-dimensional model for the optimum column conditions in, (37) 304
———, the use of a Bentone 34-silicone grease mixture as stationary phase (27) 54
———, use for the determination of heats of adsorption, (16) 1
———, use for an electrodeless discharge as detector, (26) 30; (38) 126
———, use of high-resolution partition capillary columns in, (49) 18
———, the use of open tubular thick layer graphitised carbon black columns for the determination of isotopic molecules, (34) 96
———, use of organic complexes of the clay minerals in, (49) 70
———, the use of polyglycerol and its ethers as liquid phases, (33) 411, 422
———, use to simulate distillation, (28) 219
———, using the vapour of organic solvents as carrier gases, (46) 241
———, vapour-phase butane nitrationproduct analysis by one-line multiple column GC, (35) 10
———, the variation with polarizing voltage of the response to methane, carbon dioxide and nitrous oxide of a macro-argon ionisation detector, (32) 737
Gas density balance, comments on the construction and operation, (4) 429
———, Martin's, use for determining molecular weights, (5) 131
Gas density detector, comparison with mass detector for quantitative analysis, (44) 14
Gas elution chromatography with large samples, theory and calculation of the necessary sensitivity of the detection system, (18) 243
Gases, corrosive, separation by GC using synthetic diamond as solid adsorbent, (34) 78
———, determination of traces of water vapour in gases by GC, (16) 7
———, fixed, analysis using a single detector and forecolumn trap, (13) 361
Gas-liquid chromatography, behaviour of 7,8-benzoquinoline as stationary phase in the vicinity of the melting point, (28) 409
———, of $C_5$–$C_8$ hydrocarbons, temperature effect in, (12) 104
———, changes occurring with the immobile liquid phase, (8) 157; (9) 1; (12) 150
———, comparison of two partitioning phases, with two types of detectors, utilizing four halogenated hydrocarbons, (6) 457
———, contribution to the molecular theory of solutions, (25) 252
———, a contribution to the theory of separation in open hole tubes, (11) 141

(Gas-liquid chromatography)
———, correlation between the structure of the stationary phase and activity coefficients, (20) 15; (23) 382
———, determination of relative retentions and retention index units, (12) 2
———, device for the automatic introduction of samples, (26) 258
———, direct measurement of column hold-up when using ionization detectors, (17) 407
———, dual column-differential flame ionisation detector system and its application with packed and Golay type columns, (13) 305
———, effect of surface area on the separation in, (4) 166
———, errors in peak areas due to irregular travel of recorder charts, (31) 525
———, evaluation and comparison of Indian fire-brick as a support with Celite, (32) 648
———, evaluation of polyesters as stationary phases for the separation of terpenoids, (29) 333
———, the evaluation of polymeric stationary phases, (36) 489
———, evaporation of the stationary phase from the columns, (30) 332; (34) 310
———, ground unglazed tile as a new support for, (3) 303
———, the introduction of samples, the preconditioning of polyester liquid phases and the measurement of $R_F$ values in the analysis of fatty esters, (6) 178
———, isotopic effects in, (12) 8
———, linear temperature programmed, a generalization of the retention index system, (11) 463
———, a lumped-film model, experimental evaluation of analytical solutions, (6) 281
———, ———, numerical methods of solution, (6) 193
———, a new phase for, (22) 23
———, non-ideality of the gas phase in frontal analysis, (16) 543
———, preparative scale, (5) 418; (8) 44
———, in qualitative analysis, calculation of $R_{Xg}$ values at elevated column temperatures, (9) 147
———, ———, the constancy of $\Delta Me$ values within homologuous series and relations within the periodic table, (8) 303
———, ———, an interpolation method for the prediction of retention data, (5) 300
———, ———, the reproducibility of retention data, (6) 293
———, rapid method for evaluating stationary phases, (11) 401
———, a review, (2) 1
———, the role of the support in retention measurements, (30) 325
———, sebum, a common contaminant of samp for, (21) 113
———, second virial coefficients of some argon-hydrocarbon mixtures and their comparison with chromatographic values, (32) 433
———, studies of electron-donor-acceptor systems, (27) 362; (29) 1
———, a temperature-resistant liquid phase for use in, (26) 495
———, a two-recorder integrator-readout system for, (4) 435
———, use of adsorption of polar substances on the solid support of column packings for the analysis of air contaminants, (24) 402
———, use of binary stationary phases in, (18) 232
———, use for the determination of thermodynamic data, (27) 355
———, use for the evaluation of hydrogen-bond energies, (28) 391
———, vented programmed temperature precolu in, (13) 14
Gas mixtures, analysis by GC, (26) 482; (30) 593
———, light, analysis by GC, (8) 550
Gasolines, determination of dibromoethane by means of an electron capture detector, (24) 32
Gas-solid chromatography, alkali metal chlorides and nitrates as column packings, (30) 305
———, alkali metal fluorides as column packing, (50) 118
———, investigation of the adsorbent behaviour of the isomeric phthalic acids, (25) 213
———, statistical moments theory, diffusion controlled kinetics, (28) 209
———, theory relating solute retention volumes with those obtained in liquid-solid chromatography, (18) 461
———, use of high efficiency packed columns for, (49) 139
Gel chromatography, column packings as observed with the scanning electron microscope, (47)

———, continuous recording of density variations in flowing liquids, (42) 376
———, dependence of separation efficiency on experimental conditions, (36) 290
———, in eluents containing polymers, (36) 170
———, estimation of molecular weight distribution by, (48) 400
———, experimental and theoretical investigation of boundary spreading, (48) 393
———, improvement of the chromatographic properties of Sephadex G-15, (45) 139
———, molecular weight distribution analysis on Sephadex, (28) 69
———, some recent developments, with special reference to thin layers, (28) 2
———, studies on the temperature dependence of chromatography on a dextran gel, (31) 48
Gel diffusion chromatography of dextran, (8) 491
Gel filtration, an adjustable column endpiece for, (24) 195
———, application to some clinical problems, (28) 37
———, application to the measurement of the binding of phenol red by human serum proteins, (10) 68
———, chromatographic study of human serum by, (6) 258
———, determination of protein molecular weights by means of Sephadex, (17) 245
———, effect of the phosphorylation state of thimidine derivates on Sephades $K_d$ values, (16) 410
———, of hormonally-active proteins and peptides of the anterior pituitary, (13) 148
———, incomplete desalting of certain solutions of proteins by, (7) 130
———, ion-exchange properties of dextran gel, (7) 142
———, of lipid mixtures, (14) 486
———, methodological aspects, with special reference to desalting operations, (5) 103
———, of modified bovine serum on Sephadex G-200, (19) 64
———, in organic solvents, (28) 21
———, on pearl-condensed agar thin layers, (43) 26
———, preparative thin-layer, (32) 577
———, a procedure for viscous solutions, (32) 243
———, a recycling method, (28) 143
———, for the seperation of serum mucoproteins from other Folin-Ciocalteu-positive substances, (11) 71
———, on Sephadex, separation of phenol and deoxyribonucleic acid, (9) 445
———, ———, TLC of proteins, (16) 167
———, sorption properties of the bed material Sephadex, (3) 330
———, studied by means of an electrical analogy, (16) 89
———, a theory and its experimental verification, (14) 317
Gel permeation chromatography, basic studies with small molecules using benzene as the elution solvent, (32) 543
———, constant volume pulseless pump for, (28) 128
———, evaluating dispersion in, (34) 316, 322
———, reverse-flow, column for, (18) 36
Gel permeation properties of decrystallized cotton cellulose, (28) 139
Gels, properties of and use in chromatography, (49) 40
Gentamicin complex, chromatographic separation of the components of, (34) 210
———, separation and differentiation by ion-exchange resin chromatography, (30) 572
Germanium, alkyl derivatives, GC retention data, (18) 1
———, ———, redistribution reactions studied by chromatography, (19) 28
Germanium ions, detection in PC by means of chlorogenic and caffeic acids, (16) 262
Germanium tetrachloride, adsorption from gas streams on anion-exchange resins, (3) 279
Gibberellic acid, PC determination in fermentation liquids, (4) 91
Gibberellins, separation in plant extracts by TLC and horizontal CC, (16) 99
———, thin-layer electrophoresis, (19) 358
———, twin-film chromatography of, (36) 388
Girard hydrazones, formation and separation on TLC by elatographic techniques, (24) 475
Gitoxin and digitoxin, colorimetric assay after TLC separation, (41) 91
Glass bead columns of high efficiency for GC, (11) 295
Glass building blocks as chromatography jars, (2) 666
Glass-fibre paper, chromatography of compounds of biological interest on, (11) 349
Glass-paper chromatography, of 2-butyne-1,4-diol and its esters, a comparison with TLC, (11) 496
———, of glycerides, (5) 153
Glass paper impregnated with alumina, use in the chromatography of azobenzenes and aromatic nitrogen heterocycles, (6) 420

Glass-plate heater for PC, (6) 80
Glass, powdered, as an adsorbent in TLC, (18) 591
Globulins, acrylamide gel electrophoresis of aggregation and degradation products of myosin, (41) 423
———, isoelectric fractionation of bovine metmyoglobin, (41) 417
———, preparation of immunoglobulin G by gel filtration-centrifugation, (45) 147
Glucitols, mono-O-methyl-per-O-TFA-D-, separation by GC of their trifluoroacetyl derivatives, (49) 419
Glucopyranosides, TLC of anomeric steroid tri-O-acetyl-D-glucopyranosiduronic methyl esters, D-glucopyranoside tetraacetates, and 2′-acetamido-2′-deoxy-tri-O-acetyl-D-glucopyranosides, (48) 509
β-D-Glucopyranuronosides (tri-O-acetylmethyl esters) of hydroxysteroids, GC behaviour, (38) 290
Glucosamine, determination by GC, (20) 457
———, separation from galactosamine on an amino acid analyser, (35) 106
Glucosaminoglycans and galactosaminoglycans, a simple method for the separation of, (48) 535
Glucose, equilibrium separation from galacturonic acid and sulphuric acid with a strongly basic anion-exchange resin, (20) 421
———, evaluation of methanolysis for TLC analysis of the monosaccharides in an immunologically active polysaccharide-peptide complex, (43) 528
———, identification on chromatograms with glucose oxidase, (24) 487
———, oligomers, quantitative chromatography using polyacrylamide gel, (42) 476
D-Glucose, anomerisation determined by GC, (37) 103
Glucose-formic acid solutions, PC of, (37) 545
α-Glucosidases of rat liver, dextran gel filtration of, (28) 26
Glucosides, chromatography and detection of some β-D-glucosides, (46) 134
———, GLC examination of stilbene derivatives, (50) 391
———, phenolic, chromatography and detection of some β-*D*-glucosides, (46) 134
———, ———, separation from the bark of *Populus tremula* by gel filtration, (35) 99
———, ———, separation by gel filtration, (44) 184
Glucosiduronic acids, steroidal, use of anionic liquid ion exchangers in the chromatography of, (48) 123
Glucosinolates, new TLC solvent systems for, (49) 323
Glucosylamines, trimethylsilyl N-aryl derivatives, GLC, (30) 204
D-Glucosyl α-hydroxycinnamic acid, UV-induced isomerisation on filter paper, (22) 184
Glucuronic acid, separation from galacturonic acid by PC using a new solvent system, (14) 551
Glucuronosides, chromatography on anion-exchange paper or DEAE-cellulose, (8) 486
Glutamate dehydrogenase, native and succinylated, determination of the Stokes radius on Sepharose 4B, (50) 66
Glutamic acid, the formation of esters occasioned by the use of methanol in ion-exchange chromatography, (36) 398
———, progressive loss when using a multiple column analytical system, (34) 102
———, quantitative GC determination, (47) 261
L-Glutamic acid, monosodium salt, use as stationary phase in GC, (14) 100
Glutamine, determination in an automatic multiple-column analyser, (27) 267
Glutarimides, α-phenyl-, identification and determination in biological media by GC, (36) 347
———, $R_F$ values, (17) 416
Glutathione, compounds related to, preparation of tissue extracts for chromatography and assay of, (23) 474
Glutethimide, assay in plasma, (44) 279
———, identification and determination in biological media by GC, (36) 347
———, rapid measurement of therapeutic levels in plasma, (47) 485
Glycans, a simple method for the separation of glucosaminoglycans and galactosaminoglycans, (48) 535
Glycerides, analysis of mixed triglycerides by GC, (22) 266
———, chromatographic separation of higher fatty acid monoglycerides according to chain length and unsaturation, (40) 422
———, DEAE Sephadex LH-20, a new chromatographic medium for the fractionation of, (43) 512

———, detection of adulteration of butter fat by random rearrangement reaction and TLC, (44) 116
———, determination of triglyceride composition by horizontal TLC, (14) 525
———, di- and tri, a simple two-stage, one-directional TLC procedure for separating the products of fat digestion, (43) 276
———, from kusum oil, chromatographic investigation, (41) 276
———, natural, detection of rearrangement reactions by chromatography, (22) 84
———, a new method for detection of diglycerides on a micro scale, (5) 368
———, PC using cupric hydroxide impregnated paper, (17) 188
———, separation by glass PC, (5) 153
———, separation in a reversed phase chromatographic system, (14) 184
———, synergistic complexation effects in the TLC of certain triglycerides on silica impregnated with silver nitrate, (44) 399
———, trisaturated, determination in fats by CC of the mercuric acetate adducts, (24) 56
———, ———, estimation in fats by argentation TLC, (37) 123
———, ———, quantitative determination in fats, (37) 121
———, see also Lipids
Glycerogalactolipids, of nerve tissue, recovery using modified CC on silicic acid with chloroform and acetone mixtures, (42) 237
Glycerol, effect on the rate of movement of amino acids on silica gel thin layers, (26) 503
———, estimation in the presence of diglycerol (16) 223
———, identification by GLC and TLC, (36) 342
———, quantitative estimation in lipids as its trimethylsilyl ether by GLC, (38) 35
Glycerol esters, separation and identification by PC, (14) 432
Glycerol glycosides, of D-glucopyranose and maltose, separation by GLC, (36) 283
Glyceryl ethers, of the aliphatic groups, determination of the distribution by GLC of the diacetyl derivatives, (38) 230
Glyceryl nitrates, identification and assay of the $^{14}C$ labelled compounds, (35) 506
Glycide ethers, identification by PC, (14) 432; (15) 371
Glycine, complexes with Cd, Cu, Ni and Zn, PC in some alcohols, (19) 448
———, condensation with phenol during PC, (15) 50
———, direct determination of the enzymatic effect by TLC, (48) 558
Glycitols of glucosamine and galactosamine, separation on an amino acid analyser, (35) 106
Glycogen, quantitative determination by PC, (10) 190
Glycolipids, in animal lipid mixtures, TLC separation of, (49) 255
———, plant, separation and identification by two-dimensional TLC, (13) 99
———, quantitative densitometric TLC of lipids using copper acetate reagent, (43) 120
———, TLC separation of glyco- and phospholipids and quantitative determination of their fatty acids, (49) 488
Glycols, separation and identification by PC of their 3,5-dinitrobenzoyl derivatives, (5) 466
———, trimethylsilyl ethers, TLC and GC, (32) 757
Glycolysis intermediates, anion-exchange chromatography of, (49) 53
———, phosphorylated, TLC, (18) 612
Glycolytic enzymes, lattice entrapment of, (35) 103
Glyconolactones, GLC separation of heptono-1,4-lactones as trimethylsilyl derivatives, (44) 614
Glycopeptides, a rapid micro-determination of the neutral sugar and amino sugar components by TLC, (31) 561
Glycoproteins, determination of the molar ratio galactose/mannose by TLC on cellulose, (31) 565
———, GLC determination of neutral sugars from, (34) 471
———, the relative sensitivity of various reagents for the detection and differentation of sugars and sugar derivatives in, (38) 120
———, the use of triphenyltetrazolium chloride for the quantitative analysis of sugars and sugar derivatives reported in, (43) 480
Glycopyranosides, separation on ion-exchange resins, (32) 602

Glycosaminoglycans, acidic, separation and identification by TLC, (21) 32, 40
———, microfractionation and determination of microquantities by electrophoresis on gelatinized cellulose acetate strips, (42) 396
Glycosides, analytical and preparative TLC of flavonol glycosides and their acylated derivatives from pea tissues, (41) 138
———, cardenolide, quantitative PC and TLC with use of 2,4,2′,4′-tetranitrodiphenyl, (41) 96
———, chromatography of methylated methyl glycosides on natural sorbents, (30) 643
———, colorimetric assay of digitoxin and gitoxin in mixtures after TLC, (41) 91
———, digitalis and podophyllum, rapid method for separating mixtures by means of chromatoplates, (5) 458
———, digoxigenin, time-saving method of PC, (20) 629
———, direct quantitative determination of Scilla glycosides on thin-layer chromatograms by means of remission measurements, (40) 244
———, GLC of diastereomeric benzaldehyde cyanohydrin glycosides, (50) 518
———, glycerol and erythritol, of D-glucopyranose and maltose, separation by GLC, (36) 283
———, PC and paper electrophoresis, (1) 374
———, phenolic, effect of extraction procedures on the apparent free phenolic glycoside content of *Salix* species, (40) 370
———, ———, separation and identification by GLC, (36) 22
———, ———, separation by TLC, (25) 367
———, plant, GLC, (18) 152
———, quantitative sugar determination by GC, (18) 285
———, the relationship between chemical structure and chromatographic behaviour of heart glycosides, (32) 93, 123, 141; (39) 419, 450
———, steroidal, CC, (1) 148, 161
———, ———, PC, (1) 244
———, substituted, TLC, (32) 303
———, TLC investigations of heart glycosides and their genins, (39) 419
———, TLC structure determination of heart glycosides using silica gel as the absorbent, (39) 450
Glyoxal bis-(2-hydroxy-anil) as a reagent for cations in PC, (14) 560
Glyoxylic acid, TLC of α-keto acids, (43) 103
Golay columns of larger internal diameter, (11) 440
Gold, determination of auric ions in colloidal gold-198 by paper electrophoresis, (17) 631
Gonadotropin, human chorionic, purification on DEAE-Sephadex, (28) 104
Gradient elution, (12) 32
———, in CC, the use of continuous linear gradients to approximate curved gradients by means of layered solutions, (18) 498
———, in linear elution adsorption chromatography, (15) 344
———, production of a desired buffer gradient, (20) 310
———, semiautomatic mixing apparatus for producing density gradients, (23) 471
———, a simple device for making a concave concentration gradient for use in CC, (23) 168
———, theory, (13) 415
———, in TLC of lipids on Silica Gel G, (21) 326
Gradient elution chromatography, with an ion exchanger, calculation of elution peak positions, (27) 214
———, nomograms for, (6) 324
———, a photoelectrically-programmed electrolytic gradient generator, (7) 24
———, a simple device for making a gradient, (27) 263
———, a simple system for creating a concentration gradient in the mobile phase, (9) 257
———, a simplified fraction collector for, (5) 116
———, technique for simultaneous multiple-column, (3) 560
Gradient mixer, multichamber, for use in chromatography, (5) 330
———, ———, for use in ion-exchange chromatography, (9) 528
Gradient spreader for TLC, (20) 603
Graft copolymers as substrates in column extractions, (30) 438, 447
Grandidentatin, separation of phenolic glucosides by gel filtration, (44) 184
Granine, a GLC screening technique for the identification of the alkaloids of *Phalaris* species, (43) 295

Granular materials, a method of fractionation by sedimentation, (7) 392
Grass lignins, estimation of oxidation products by GLC, (26) 373
———, studies on, (21) 424
Greenhart alkaloids, paper electrophoresis, (3) 92
Grignard addition reaction studied by temperature programmed GC, (17) 612
Griseofulvinand and griseofulvin-4′-alcohol, quantitative determination in plasma by fluorimetry on thin-layer chromatograms, (21) 268
Griseofulvin, quantitative determination by GLC, (24) 182
Groundnut oil, hydrogenated, detection in butter fat (Ghee), (36) 84
Group IVB elements, redistribution reactions of the tetraalkyl derivatives, (19) 28
Group localisation in the adsorbate in linear elution adsorption chromatography, (8) 319
Growth-regulators, from *Pinus silvetris*, separation on Sephadex LH-20, (30) 605
———, separation from *Picea abies* Karst. on Sephadex LH-20, (43) 558
Guaiacylpropane monomers, TLC, (26) 320
Guanethidine and its metabolites, separation on carboxymethyl cellulose columns, (41) 188
Guanethinedine, specific assay of basic drugs in urine by CM-cellulose chromatography using continuous drug-dye complex extraction as a detection system, (43) 72
Guanidine derivatives, detection on paper chromatograms, (10) 248
———, identification by coupled electrophoresis-PC, (29) 300
———, ionic phenomena in the PC separation of, (2) 354
———, qualitative and quantitative TLC, (32) 269
Guanidines, microdetection colorimetric tests, (16) 546
Guanines, separation by electrophoresis, (34) 275
Gum turpentines of *Pinus* species, determination of their composition by GLC, (16) 29
Gyplure, determination in its mixtures by adsorption and GC, (14) 22
Gypsum, use in preparative zone electrophoresis, (18) 86

# H

Haemin, a sensitive method of documentation of thin-layer chromatograms of, (44) 407
———, TLC separation from porphyrins and lipids, (35) 248
Haemoglobin $A_{Ic}$, apparatus for isolation by large-scale chromatography, (23) 248
Haemoglobin-inositol pentaphosphate complex, gel chromatography of, (45) 400
Haemoglobin of red blood cell haemolysates, chromatographic and electrophoretic investigations, (18) 116
Haemoglobins, chromatography of normal and abnormal human haemoglobin types on CM-Sephadex, (40) 62
———, human, chromatographic behaviour on anion-exchange cellulose, (7) 180
———, ———, electrophoretic behaviour in agar gel, (5) 315
———, ———, factors influencing chromatography, differentiation of similar heamoglobins, (10) 421
———, ———, an improved method for separating the peptide chains of, (6) 252
———, ———, preparation of pure polypeptide chains of, (17) 140
———, ———, separation of different types, (2) 445
———, ———, studies on the heterogeneity of, (7) 180
———, human and animal types, chromatography on DEAE-Sephadex, (32) 723
———, miniature column chromatography of, (47) 493
———, preparation of pure myoglobin by means of gel chromatography, (43) 450
———, separation from myoglobin on Sephadex thin layers, (28) 146
———, studies on the heterogeneity of, (19) 160
Hair, human, separation and analysis of phospholipids from, (31) 20
Hair dyes, oxidation-type, analysis of arylamines and phenols by PC, (16) 454
Halide anions, their position and sequence of adsorption on aluminium oxide, (31) 270
———, separation on hydrous zirconium oxide, (31) 268
———, see also Inorganic halides
Halogen acids, TLC behaviour and chemical structure, (45) 104
Halogenated hydrocarbons, effect of column tubing composition on recovery in GC, (10) 231
———, GLC, (6) 457
———, microanalysis by GC, (12) 109
Halogenates, separation form halogenites and perhalogenates by TLC, (20) 572
Halogen compounds, characterization of the peaks on a complex chromatogram by GC, (6) 363
———, organic, determination by GC, (17) 23
———, ———, relative elution times in GC, (17) 228
———, response of the alkali flame ionisation detector to, (44) 40
Halogenites, separation from halogenates and perhalogenates by TLC, (20) 572
Halogenoalkanes, relative detector response in GC, (15) 260
Halogenopentanes, separation of isomers by GC, (29) 218
Halogenophenols, detection in TLC by means of bromine, (33) 460; (36) 205
Halogen oxy-acids, separation by TLC, (20) 572
Halohydroxy fatty acids, separation by TLC, (24) 93
*p*-Halonitrobenzenes, TLC separation of the products of the reaction between *p*-chloro- or *p*-bromonitrobenzene and sodium methoxide by spot transfer, (42) 144
Hanes-Isherwood reagent, reaction with sulphate ion, (20) 420
Hapten-antibody reactions, on chromatographic columns, (7) 165
Harderian gland lipid, TLC characterization, (35) 179
Harman, fluorometric determination after TLC separation, (33) 551
Hashish, TLC of constituents of, (13) 90; (14) 178
Heart glycosides, see Glycosides
Heat of adsorption, determination by GC, (16) 1
Heat of solution, determination by GLC, (2) 14
Heater, glass-plate, for PC, (6) 80
Heats of preferential sorption from liquid mixtures, (3) 454

Height equivalent to a theoretical plate, contribution to the computation of, (38) 309
———, new equation for, (27) 33
———, temperature dependence, (17) 66
———, velocity and pressure in GC, theory of mean values, (38) 189
Helical chromatographic columns, theoretical plate height, (12) 145
Helium, and argon in ionisation detectors, comparison, (9) 13
———, carrier gas, pure, production by diffusion, (22) 175
———, detection of volume parts per million of permanent gases in, (14) 387
——— ionisation detector, anomalous response, (24) 412
———, separation from hydrogen and determination by GC, (7) 447
———, simple method of purification, (19) 189
Heparin, and N-desulphated heparin, gel filtration behaviour of, (35) 101
———, gel filtration behaviour in solutions of various ionic strengths, (33) 456
———, solvents used in PC investigation of, (8) 117
Heptametaphosphimic acid, sodium salt, hydrolysis studied by chromatography, (10) 78
Heptasulphur imide, separation from $S_8$ and $S_4N_4$ by adsorption chromatography, (16) 214
Heptono-1,4-lactones, GLC separation as trimethylsilyl derivatives of, (44) 614
Herbicides, apparatus for the automatic GC determination of, (45) 351
———, behaviour in TLC, (14) 283
———, carbamate, separation and determination by reaction GC, (49) 205
———, ———, substituted, electron-capture GC method for the determination of 2,4-dinitrophenyl derivatives of the amine moieties of, (43) 233
———, ———, TLC separation and detection methods, (49) 329
———, CC and TLC determination of 5-amino-4-chloro-2-phenyl-3(2H)-pyridazinone, (31) 354
———, combination of TLC and the ring-oven method for the semi-quantitative estimation of, (40) 304
———, determination of bromacil by GC, (46) 110
———, dimethylurea, a chromogenic agent for detection on TLC plates, (50) 145
———, GC of phenoxyalkanecarboxylic acids and other acids, (22) 446
———, an inexpensive and efficient pyrolysis unit for the analysis by thermal decomposition, (45) 317
———, novel GLC determination of Picloram, (49) 432
———, N-phenylurea, direct determination by GC, (21) 307
———, preparation of 2-methyl-4-chlorophenoxyacetic acid and 2,3,6-trichlorobenzoic acid methyl esters by pyrolysis of their tetramethylammonium salts, (45) 132
———, separation of benefin and related substances by TLC, (30) 253
———, separation of C-6989 and some related compounds by TLC, (44) 641
———, separation of dicamba and its metabolites by TLC and GLC, (30) 428
———, separation of trifluralin and related compounds by two-dimensional TLC, (18) 406
———, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, (50) 334
———, TLC identification of the active ingredients of mixed herbicide formulations, (43) 361
———, TLC using 4-(*p*-nitrobenzyl)-pyridine as reagent, (30) 514
———, triazines, determination of their vapour pressures by GC, (16) 22
———, *s*-triazines, estimation by TLC, (21) 430
———, uracil, determination and separation by TLC, (41) 125
———, urea, determination of some substituted urea herbicide residues in soil by electron-capture GC, (44) 60
———, ———, separation and determination by reaction GC, (49) 205
———, ———, substituted, chromatographic identification, (44) 419
———, ———, ———, an electron-capture GC method for the determination of 2,4-dinitrophenyl derivatives of the amine moieties of, (43) 233
———, ———, TLC separation and detection methods, (49) 329
———, see also Pesticides
Heterocyclic compounds, adsorption of aza aromatics on alumina, a comment on the paper of Klemm, Kloppenstein and Kelley, (28) 432
———, adsorption GSC on alumina, (13) 40
———, applications of Snyder's theory on linear adsorption chromatography to, (46) 48, 66

(Heterocyclic compounds)
———, catalytic aromatisation by GC, (24) 188
———, characterisation of substituted nitroimidazoles on paper and thin-layer chromatograms by colorimetric reactions, (31) 128
———, chromatography on paper impregnated with liquid ion exchangers of heterocylic bases, (27) 206
———, fluorescent, gel filtration chromatography, (34) 342
———, nitrogen, TLC on alumina, (23) 428
———, non-aromatic, chromatographic behaviour, (31) 77
———, PC, (19) 624; (31) 618
———, study of their GLC behaviour, (23) 67
———, a superior TLC procedure for the separation of aza arenes, (31) 109
———, TLC, (11) 55
Heterocyclic sulphur compounds, determination by means of TLC combined with spectroscopy, (15) 153
———, separation and identification of isomeric bithienyls by GC, (15) 540
Heteropolyacids, ammonium and thallous salts, ion-exchange properties, (27) 460
Heterosides, cardiac, selective detection of various types of sugars present in, (20) 188
Heteroyohimbine alkaloids, effect of methoxy substitution and of configuration on their TLC behaviour, (31) 427
Heveacrumb rubber, determination by TLC of castor oil in, (30) 125
Hexachlorophene, determination by paper and plate chromatographic methods, (7) 60
———, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, (49) 567
Hexadecanol, measurement of the water solubility by GLC, (30) 390
Hexadienes and *n*-hexynes, quantitative separation of all isomers by GC on columns containing silver salts, (31) 531
Hexahydro-1,3,5-trinitro-*s*-tetrazine, separation by TLC, (18) 608
Hexametaphosphimic acid, hydrolysis studied by chromatography, (10) 73
Hexamethyldisilazane, reaction with some common GLC solid supports and its effect on their adsorptive properties, (7) 455
Hexamethylmelamine, determination in biological fluids by means of ion-exchange chromatography and spectrophotometry, (34) 67
Hexamethyloses, differentiation from their 3-0-methyl derivatives by PC, (3) 63
*n*-Hexenoic acids, separation of isomers by GC of the methyl esters, (24) 161
Hexosamine derivatives, from human urine, PC behaviour, (10) 104
———, separation by electrophoresis of their molybdate complexes, (33) 514
Hexosamines, and basic amino acids, a method for their separation and identification, (34) 7
———, detection and separation by TLC of their 5-dimethylaminonaphtalenesulpho derivatives, (24) 440
Hexosaminitols, GC, (21) 300
Hexose phosphates, separation by TLC, (15) 163
Hexoses, GC determination of the polyhydroxy monocarbonic acids obtained by their oxygenation in aqueous solutions, (41) 168
Hexuronic acids, electrophoresis of, (47) 284
———, separation by electrophoresis of their molybdate complexes, (33) 514
4-Hexylresorcinol, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, (49) 567
High-temperature GC, an automatic injection system, (27) 47
———, an improved technique for the analysis of biological extracts, (27) 40
———, ionisation chamber for, (2) 322
High-voltage electrophoresis, (1) 93; (2) 575
———, combination with circular PC, (23) 333
———, paper, apparatus for, (5) 194
———, separation of phenolic acids by, (16) 194
———, thin-layer, for the separation of lanthanides, (23) 336
Hippuric acid, determination by GC, (26) 255
———, PC separation and identification of its derivatives, (4) 474; (13) 487
———, separation from mandelic acid by TLC, (24) 463
Histamine, chromatographic spray for the identification of, (25) 485
———, chromatography and electrophoresis, visualisation by means of *o*-phthalaldehyde, (22) 130
———, GC analysis of metabolites in urine, (22) 245
———, metabolites in human urine, GC analysis, (19) 286; (23) 207

———, separation of its metabolites on cellulose phosphate paper, (14) 297
Histidine, *im*-benzyl-L-, chromatography of, (43) 266
———, copper(II) chelate, electrophoretic behaviour in the presence of the other copper(II) amino acid chelates, (34) 281
———, Dragendorff reactions for visualisation of amino acids and derivatives separated by PC and TLC, (49) 343
———, quantitative GLC of, (43) 311
———, separation from 3-methylhistidine by TLC, (13) 83
Histidine-loading test, separation of imidazoles in, (35) 445
Histone fractions F2(a)1 and F2(a)2, differentiation by starch gel electrophoresis, (34) 429
Histones, arginine-rich, demonstration of the effect of pH on their aggregation, by starch gel electrophoresis, (33) 563
———, ———, isolation by recycling chromatography, (35) 168
———, behaviour in exclusion chromatography and gel electrophoresis in relation to their molecular weights, (46) 320
———, effects of urea in the separation by polyacrylamide gel electrophoresis, (22) 496
HMX, see Octahydro-1,3,5,7-tetranitro-*s*-tetrazine
Homogenisation and extration of biological material for chromatographic purposes, (2) 220
Homogentisic acid, detection on paper chromatograms, (24) 283
Homologous series, behaviour in GC with molecular sieves as subtractors, (3) 230
Homoserine, TLC, (30) 251
Homovanillic acid, application of PC and partition TLC to the separation of catecholamines and their metabolites, (43) 135
Honey, separation of odorous substances by GC, (7) 13
Hop oil components, GC evidence for their occurrence in beer, (21) 1
Hops, identification of flavonoids of *Humulus lupulus* Linne by TLC, (16) 130
———, volatile oxygenated constituents, identification by combined GC and mass spectrometry, (18) 399
Hordein, and its fractions, analytical separation by disc electrophoresis on acrylamide gel, (46) 94
Hordenine, a GLC screening technique for the identification of the alkaloids of *Phalaris* species, (43) 295
Hormones, of the anterior pituitary, behaviour on cross-linked dextran polymer gels, (13) 148
———, purification of antidiuretic hormone by high-voltage electrophoresis, (34) 278
———, starch block electrophoresis, (2) 131
———, starch gel electrophoresis, (3) 516
———, steroid, new TLC solvent systems for separating of, (44) 193
———, thyroidal, analysis by TLC, (18) 69
Huelin method for the PC determination of 2,4-dinitrophenylhydrazones, extension of, (6) 185
Human $\kappa$ – casein, chromatographic purification, (44) 573
Humectants, polyhydric alcohols, separation and quantitative analysis in tobacco products, (35) 94
Humidity in the laboratory, effects on the TLC of insecticides, (26) 304
*Humulus lupulus* Linne flavonoids, identification by TLC, (16) 130
Hyaluronidase, testicular, purification by chromatography on a mixed column, (17) 538
Hydantoins, determination in pharmaceutical preparations by GC, (45) 63
Hydrazides, acyl derivatives, separation by paper electrophoresis and some other techniques, (19) 199
———, controlled hydrolysis on silica gel plates followed by separation of the reaction products, (30) 256
———, detection on paper chromatograms, (32) 784
———, detection of peptide hydrazides on thin-layer chromatograms, (47) 519
———, selective and specific ion exchangers prepared from, (11) 84
———, visualization in PC, (8) 421
Hydrazines, kinetic study of the oxidation by ferric iron, using an anion-exchange procedure, (4) 196
———, separation from its methyl derivatives by GC, (18) 297
———, unsymmetrical GC separation of 5-nitro-2-hydroxybenzal derivatives, (34) 257
Hydrazones, the effect of initial solvent on their mobility in TLC, (31) 234

(Hydrazones)
———, Girard, formation and separation on TLC by elatographic techniques, (24) 475
———, separation of stereoisomers of 2,4-dinitrophenylhydrazones of *p*-substituted benzophenones, (40) 462
———, substituted, as derivatives of ketones in GC, (18) 391
———, TLC of aldehyde hydrazones of 2-hydrazinobenzothiazole, (40) 465
Hydrocarbons, aliphatic straight-chain, analysis by urea partition chromatography and gas-solid chromatography, (18) 394
———, alkylbenzenes, GC rentention data, (18) 1
———, analysis of sulphur compounds in mixtures of, (36) 429, 440
———, analytical and preparative scale separations of protiodeutero isomers of acetylene, (30) 211
———, aromatic, adsorption GSC on alumina, (13) 40
———, ———, chromatography on impregnated layers, (45) 278
———, ———, chromatography on partially acetylated cellulose, (3) 101
———, ———, condensed-ring, GLC on lighty loaded columns, (13) 344
———, ———, charge-transfer chromatography on thin layers and columns, (25) 294
———, ———, GC, (3) 494; (6) 381; (49) 70
———, ———, GLC with esters of benzenedicarboxylic acids as stationary phases, (23) 382
———, ———, GLC with phthalic acid esters as stationary phases, (20) 15
———, ———, GLC with 1,3,5-trinitrobenzene as stationary phase, (27) 362
———, ———, high-boiling, selective separation, (6) 385
———, ———, polynuclear, TLC utilising $\pi$-complexes, (14) 280
———, ———, selective GLC separation with tetrahalophthalate esters, (3) 159
———, ———, separation by linear elution adsorption chromatography, (20) 463
———, ———, separation by solubilisers in the mobile phase in partition PC, (30) 543
———, ———, TLC, (10) 397; (11) 55
———, ———, TLC of tarry deposits resulting from their oxidation, (20) 404
———, ———, use of the "$\pi$ "-electron interaction for selective separation from coal tar distillates by GLC, (3) 297
———, aza-heterocyclic, PC study using aqueous solvents, (19) 624
———, ———, PC and TLC, (37) 333
———, behaviour of isobutane on a molecular-sieve GC column, (11) 108
———, $C_1$–$C_2$, GC methods for mixtures with inorganic gases, (37) 14
———, $C_1$–$C_8$, relative retention times over different columns and at different temperatures, (9) 34
———, $C_5$–$C_8$, temperature effect in GC of, (12) 104
———, $C_6$, of the gas phase of cigarette smoke, (20) 250
———, $C_6$–$C_{11}$ aromatic, capillary column GC, (26) 262
———, $C_{10}$–$C_{15}$ straight chain alkylbenzenes, estimation of their boiling points from GC retention data, (20) 1
———, CC and spectroscopy in the analysis of airborne polycyclics, (28) 317
———, chlorinated effect of column tubing composition on recovery in GC, (10) 231
———, ———, as pesticides, methyl yellow as spray reagent in PC of, (10) 515
———, chromatographic separation of hydrogenation products of dibenz[a,h] anthracene, (29) 232
———, chromatographic separation from sulphur, (50) 155
———, chromatographic study of solutions in acetonitrile, (35) 24
———, comparison of activity coefficients measured by a static and by a dynamic method, (50) 10
———, composition analysis of polybutenes, (11) 177
———, cyclic, influence of structural features on the retention index in GC, (23) 18
———, cyclohexanic, GC behaviour on the esters of phthalic acid and other similar phases, (42) 311
———, determination of traces of water by gas-gel chromatography with an electron capture detector, (31) 202
———, GC, (2) 655
———, ———, calculation of retention times, (17) 1
———, GC characterisation of adamantane derivatives, (42) 207

———, GC determination of boiling points of linear alkylbenzenes, (30) 86
———, GC determination in dust, (15) 141
———, GC determination of petrol in water, (27) 242
———, GC identification of phenylalkanes and bicyclic hydrocarbons, (11) 459
———, GC on silica gel, influence of the column material, (2) 664
———, GC, relative elution times, (17) 224
———, GC with stationary phases containing silver nitrate, (11) 32
———, GC using Bentone 34-silicone grease as stationary phase, (27) 54
———, GC using cholesteryl esters as liquid phases, (21) 392
———, GC using support-coated open tubular columns, (24) 335
———, GLC of linear detergent alkylates, (6) 74
———, halogenated, determination of activity coefficients at infinite dilution from GC measurements, (2) 490
———, ———, GC, characterisation of the peaks on a complex chromatogram, (6) 363
———, ———, GLC, (6) 457
———, heterocyclic, polynuclear, CC separation from complex mixtures, (17) 252
———, ———, use of the $\pi$-electron from coal tar distillates by GLC, (3) 297
———, homologous, prediction of GC retention volumes, (27) 63
———, of human hair lipids, fractionation by chromatographic and thermal diffusion methods, (27) 431
———, influence of electrolytes on GLC of, (34) 389
———, influence of molecular form on the temperature dependence of retention indices of isomeric alkanes, (44) 167
———, influence of the temperature on the elution of paraffins and cycloparaffins in GC, (22) 221
———, influence of the temperature on the retention index of isomeric alkanes, (30) 357
———, interpretation of GC data obtained on Carbowax 400, (35) 309
———, investigation of the structure by adsorption GC, (49) 21
———, method for the prediction of retention indices of, (44) 170
———, methods of analysis of sulphur compounds in, (40) 359
———, mixtures with argon, second virial coefficients and their comparison with chromatographic values, (32) 433
———, monoterpene, evaluation of the use of $TlNO_3$-$SiO_2$ TLC plates from the analysis of, (47) 130
———, ———, separation by TLC on silver nitrate-silica gel, (20) 618
———, ———, a systematic analysis by GLC, (7) 297
———, ———, the use of silver nitrate impregnated silica gel layers in the separation of, (38) 535
———, open-chain, influence of structural features on the retention index in GC, (23) 1
———, partial subtraction chromatography (13) 1
———, partition GLC of isomeric alkylcyclopentenes and alkylidenecyclopentanes, (2) 406
———, partition GLC of mixtures of methylenecyclohexane and isomeric methylcyclohexenes, (1) 508
———, polyaromatic, qualitative determination in the air near gas-works retorts, (47) 27
———, polycyclic, chromatography on acetylated paper, (2) 90
———, ———, method for simultaneous determination, (20) 89
———, ———, problems connected with the coupling of TLC and GC in the analysis of, (45) 415
———, ———, purification by chromatographic decomposition of their picrates, trinitrobenzene derivatives and styphnates, (23) 312
———, ———, quantitative determination by TLC, (24) 469; (29) 108; (36) 325
———, ———, routine determination in airborne pollutants, (26) 456
———, ———, separation in air borne particulates, (9) 204
———, ———, separation by CC on lipophilic Sephadex LH-20, (24) 414
LH-20, (24) 414
———, ———, separation by TLC on impregnated layers, (16) 157
———, ———, separation by TLC and spectrophotometric determination, (20) 168
———, ———, from tar, PC of, (40) 190
———, ———, ———, semiquantitative evaluation of their spots on paper chromatograms, (7) 422

(Hydrocarbons, polycyclic)
———, ———, TLC, (10) 397
———, ———, TLC separation of possible air pollutants, (41) 120
———, ———, use of TLC and MS for the rapid estimation of trace quantities of, (48) 328
———, polynuclear, analysis by GC, (17) 50
———, ———, aza heterocyclic, from air pollution particulates, separation by CC and TLC, (18) 512
———, ———, determination in atmospheric dust by a combination of TLC and GC, (49) 66
———, ———, evaluation in atmospheric dust by GC, (17) 60
———, ———, the fluorescence-quenching effect in TLC of, (17) 120
———, ———, separation by GSC on graphitised carbon black, (38) 130
———, ———, separation by TLC on magnesium hydroxide, (31) 390
———, polyphenyls, separation by TLC using bentones as adsorbents, (19) 304
———, produced by low-temperature fluidised-bed carbonisation of coal, GC, (10) 324
———, programmed flow GC, (15) 301
———, pyrolytic-hydrogenation GC of polymers, (27) 72
———, qualitative separation of diphenyl and terphenyl by means of their sulphonic acid derivatives, (11) 339
———, quantitative GC, (15) 263
———, reaction GC using a carrier gas with two constituents, (31) 28
———, relative equilibrium constants for iodine-olefin interactions from peak broadening measurements, (27) 20
———, retention data at low temperatures, (27) 239
———, sandwich columns in GLC, (49) 57
———, saturated and olefinic, separation by liquid-solid chromatography using perfluorocyclic ethers as very weak solvents, (36) 476
———, separation of biphenyl and the terphenyls by GSC on graphitised carbon black and on Chromosorb coated with caesium chloride, (34) 81
———, separation of close boiling mixtures by GC, (20) 226
———, separation factors for their systematic identification by GC, (26) 8
———, separation by GC on salts with extremely thin liquid layers, (30) 378
———, separation of naphtenes and paraffins on an alkali-treated molecular sieve, (39) 502
———, separation by TLC on Porapak Q, (33) 132
———, sesquiterpene, GC, (31) 209
———, ———, identification from GLC retention data, (44) 52
———, ———, identification in oil of opoponax, (34) 85
———, specific retention volumes for $G_5$—$C_{12}$ alkane solutes on the hydrocarbon stationary phases, squalane *n*-$C_{28}$, *n*-$C_{32}$ and *n*-$C_{36}$, (30) 344
———, standardisation of GLC for analysis of, (12) 293
———, terpene, GC, (12) 536; (23) 217, 227, 363
———, ———, isomerisation by acid-washed alumina, (4) 252
———, TLC monoalkyl- and polymethylarenes on alumina, (30) 476
———, TLC separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides, (46) 267
———, unsaturated, GC determination using columns containing silver salts, (31) 531
———, ———, a rapid method for the determinat of ethylene in the presence of other volatile natural products, (41) 442
——— used as reference standard in GLC, a comparison of their behaviour, (26) 387
———, vapour-phase butane nitration product analysis by on-line multiple column GC, (35) 10
Hydrocortisone, identification of 9 α-fluorinated homoloques of hydrocortisone and prednisolone by TLC on insoluble polyvinyl-pyrrolidone, (48) 118
Hydrogen, quantitative determination in gases by GC with helium as the carrier gas, (20) 447
———, separation from helium and determination by GC, (7) 447
Hydrogen-bond energies, evaluation by means of GLC, (28) 391
Hydrogen bonding, intramolecular, effect on PC behaviour, (10) 184, 366
Hydrogen ions, adsorption by filter paper, (4) 477
Hydrogen isocyanide, (12) 167

Hydrogen isotopes, separation by GSC, (29) 32
Hydrogen peroxide solutions, GC analysis, (31) 523
Hydrogen selenide, use for the detection of sulphur, organic disulphides and some other compounds on paper chromatograms, (24) 480
Hydrogen sulphide, determination by GC, (17) 14
Hydrolysis, controlled, on silica gel plates followed by separation of the reaction products, (30) 256
Hydrophylic substances, behaviour in reversed-phase PC, (47) 51
Hydrotropes in detergent formulations, identification by reversed-phase TLC, (27) 300
Hydroxocobalamin, separation by TLC, (24) 263, 452
Hydroxamic acids, a simple chlorination-heat procedure for their detection on paper chromatograms, (32) 424
Hydroxy acids, TLC behaviour and chemical structure, (45) 104
———, TLC on microcrystalline cellulose, (17) 488
———, see also Acids, hydroxy
α-Hydroxy acids, identification and quantitation with a ceric ammonium nitrate reagent, (38) 411
———, a visualising reagent for their identification in PC, (32) 426
*p*-Hydroxybenzaldehyde, separation and quantitative determination by TLC, (21) 424
Hydroxybenzenecarboxylic acids, partition TLC, (20) 160
*p*-Hydroxybenzoic acid, esters, sources of error in TLC-fluorometry of, (38) 156
———, ———, TLC, (6) 20
———, identification and quantitative analysis using reversed-phase TLC, (50) 436
———, methyl and ethyl ester, characterisation of their degradation products by TLC, (20) 607
———, quantitative PC, (6) 484
2-Hydroxybenzophenones, TLC, (32) 584
(+)-l-Hydroxy-2-butylamides, of D-and L-lysergic and isolysergic acids, diastereomeric, separation by TLC, (50) 442
Hydroxycarbonyl compounds, 2,4-dinitrophenylhydrazine dervatives, TLC, (9) 291
*o*-Hydroxycinnamic acid, β-D-glucosyl derivative, UV induced isomerisation on filter paper, (22) 184
Hydroxy compounds, detection on paper chromatograms, (19) 556
———, 2,4-dinitrophenyl ethers, TLC, (21) 261
17-Hydroxycorticosteroids, chromatographic separation, (27) 423; (29) 246
Hydroxy-derivatives, N-substituted, detection and PC, (20) 283
Hydroxydichlorophenoxyacetic acids, GC analysis of, (34) 391
Hydroxyethyl derivatives, GC, (28) 418
2-Hydroxyethyl derivatives, N-substituted, detection and paper chromatography, (20) 283
N-(2-Hydroxyethyl)-iminodiacetic acid, use in the separation of inorganic ions by paper electrophoresis, (26) 208
Hydroxy fatty acids, alcohols and esters, separation of close positional isomers by TLC, (16) 235
———, separation by TLC, (24) 93
3-Hydroxyflavones, detection on papergrams and thin-layer plates, (34) 562
β-Hydroxyglutamic acid, identification in the brain by PC and high-potential paper electrophoresis, (7) 411
3-Hydroxyglutamic acid, separation by ion-exchange chromatography of the diastereoisomers of, (40) 316
Hydroxyindole-3-carboxylic acids, TLC of, (47) 523
5-Hydroxyindoles, chromatography using neutral diazotized *p*-nitroaniline as a spray reagent, (19) 326
α-Hydroxy ketones, analysis by GC, (45) 341
Hydroxylamines, N,N-disubstituted, TLC of, (36) 381
Hydroxylapatite CC, separation of polar lipids, (49) 455
Hydroxyl groups, spot test diagnostic of, (40) 78
4-Hydroxy-3-methoxymandelic acid, isolation from urine by the wedge-strip method, (15) 88
N-Hydroxymethyl derivatives, behaviour in GC, (25) 475
5-Hydroxymethyl-2-furaldehyde, analysis by PC, (5) 207
———, quantitative determination by GC, (36) 359
Hydroxymethyl-3-hydroxypyridines, chromatography and structure elucidation, (24) 199, 203

$\Delta^4$ - 17 $\beta$-Hydroxyoestrene derivatives, quantitative determination by TLC, (16) 510
Hydroxyphenyl alkyl ketones, analysis of phenyl esters by TLC techniques, (43) 519
2-(O-Hydroxyphenyl)-benzoxazole in the detection of phosphate esters and other ferric-complexing compounds on paper chromatograms, (13) 272
*p*-Hydroxyphenyllactic acid, urinary, estimation by GC, (41) 262
Hydroxyprolines, GC, (20) 266
———, TLC, (18) 431
Hydroxyquinones, TLC on acetylated polyamide, (17) 585
Hydroxyskatoles, colour reactions, (17) 338
Hydroxysteroids, further studies on the GLC behaviour of sulphonate esters of, (43) 215
———, GC behaviour of some $\beta$-D-glucopyranuronosides (tri-O-acetylmethyl esters) of, (38) 290
$\Delta^5$ -3-Hydroxysteroids of the pregnane series, application of ascending TLC, (39) 173
———, $R_F$ values in TLC without binder, (17) 599
$\Delta^5$ -3-Hydroxy - $C_{19}$-steroids, separation and characterization by TLC, (19) 333
16 $\alpha$-Hydroxysteroids, recognition of the 16 $\alpha$, 17 $\alpha$-diol feature of triamcinolone by cyclic ketal formation on papergrams, (3) 381
5-Hydroxytryptophan, separation from tryptopha (11) 568
Hyperconjugation, effect on the $R_M$ value, (10) 389
Hypnotics, the influence of humidity variations in TLC of, (33) 227
Hypoglycaemic agents, oral, separation by TLC, (24) 455
Hypoglycaemic sulphonyl-ureas, detection on paper chromatograms, (8) 414
Hypophosphite, separation by anion-exchange chromatography, (9) 227

# I

Imidazole acetic acids, ring methylated, GC analysis, (19) 286; (23) 207
Imidazole compounds, diazotizable, in biological material, determination by a quantitative automated technique, (22) 391
———, GC analysis of histamine metabolites in urine, (22) 245
———, separation of histamine and some metabolites on cellulose phosphate paper, (14) 297
———, separation on polyamide thin layers, (24) 473
Imidazolepropionic acid, double spot formation in PC, (24) 285
Imidazoles, of biological interest, preparation and properties, (20) 147
———, chromatography on thin layers of Avicel and cellulose and on paper, (26) 449
———, GC separation of tricyclic compounds with bridgehead nitrogen atoms, (45) 250
———, separation by cellulose TLC, (20) 171
———, separation in the histidine-loading test, (35) 445
———, separation by TLC, (18) 605
———, substituted nitro derivatives, characterisation on paper and thin-layer chromatograms by colorimetric reactions, (31) 128
Imidazoline derivatives, TLC identification, (36) 375
Imides, cyclic, of dicarboxylic acids, GC, (29) 224
Imidodisulphamide, separation from sulphamide and trisulphimide by ion-exchange chromatography, (31) 650
Imido-phosphates, chromatographic studies on their hydrolysis, (16) 207
Imino acids, chromatographic properties of cyclic α-imino acids homologous to proline, and their DNP-, DNS- and PTH-derivatives, (44) 300
———, cyclic, PC identification, (4) 228
———, separation by TLC, (24) 224
Imipramine, and its metabolites, separation and determination from biological samples by GLC, (37) 181
———, paper electrophoretic separation of the psychotropic drug Tofranil and some of its metabolites, (37) 348
———, and some of its metabolites, an improved method of detection on paper chromatograms, (31) 612
Immunochromatography on nitrocellulose membranes impregnated with proteins, (26) 127
Immunoglobulin G, preparation by gel filtration-centrifugation, (45) 147
Immunoglobulins, mouse, separation on the basis of water-solubility on Sephadex G-25, (34) 180
Indanols, studies on the TLC of, (33) 125
———, substituted, studies on the relationship between molecular structure and chromatographic behaviour on layers of cellulose impregnated with simple amides, (46) 187
Indian hemp, a screening technique using TLC, (31) 584
Indicators, limitations of some common indicators of electroendosmosis in paper electrophoresis (including interactions between carbohydrates and inorganic phosphate), (48) 577
———, of solvent fronts in PC, (2) 327
Indium, electrophoresis in the presence of $Cl^-$ ions, (26) 350
———, reversed-phase chromatography on paper treated with di-(2-ethylhexyl) orthophosphoric acid in chloride medium, (18) 124
———, separation from Al, Ga and Tl by chromatography on papers treated with di-(2-ethylhexyl) orthophosphoric acid (16) 258
——— complexes, zone electromigration, (18) 374
Indium-115, carrier-free, preparation by a reversed-phase partition technique, (6) 248
Indole-3-acetic acid, the effect of solvent purity on the chromatography of, (29) 304
———, use of silica gel or cellulose for the TLC of, (39) 334
Indolealkaloids, correlation between stereochemistry and behaviour on thin-layer chromatograms, (24) 84
———, study of the pyrolysis products by GC, (25) 15

Indoleamines, chromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, (50) 251
———, detection on chromatograms by heating with paraformaldehyde, (35) 389
———, N-methylated, detection in urine by PC and TLC, (30) 155
3-Indolepyruvic acid from biological material, identification by TLC, (19) 320
Indoles, alkaloids, determination of their pyrolysis products by GC, (16) 34
———, autotransfer chromatography combined with MS for the characterisation of, (48) 334
———, from biological material, TLC, (19) 320
———, chromatography on thin layers of Avicel and cellulose and on paper, (26) 449
———, colour reactions, of hydroxy-skatoles, (17) 338
———, ———, with modified Ehrlich reagents, (13) 489
———, CC, (15) 118
———, detection on paper chromatograms by means of a modified Ehrlich benzaldehyde reagent, (3) 97
———, 5-hydroxy derivatives, chromatography using neutral diazotised *p*-nitroaniline as spray reagent, (19) 326
———, non-destructive detection by electron acceptors, (40) 117
———, PC detection and colorimetric determination of some 5-0-substituted tryptamines utilizing the formation of xanthylium salts, (40) 125
———, PC separation and identification, (13) 485
———, and related compounds, detection on paper chromatograms, (4) 472; (13) 173
———, ———, fractionation on Sephadex G-10, (33) 536
———, ———, PC on acetylated paper, (6) 91
———, ———, separation by TLC, (25) 87; (32) 592
———, separation of 2,4-dinitrophenylthio-derivatives of naturally occurring indoles by TLC, (44) 199
———, separation of tryptophan metabolites by two-dimensional TLC, (19) 312
———, thin-layer electrophoresis of indole derivatives, (50) 340
———, TLC separation and detection by means of a modified Adamkiewicz-Hopkins test, (17) 288
———, TLC of the hydroxyindole-3-carboxylic acids, (47) 523
———, TLC in neutral solvents, (16) 152
———, TLC using carboxymethylcellulose as binder, (16) 226
———, urinary, extraction under alkaline and acid conditions, (8) 457
———, ———, separation by TLC, (22) 330
Indolizidine, TLC behaviour and relationship with E *seco* oxindole alkaloids, (32) 692
Indolyl-acryl-glycine, TLC, (22) 330
Infrared cell, long-path, application in GC, (11) 434
Infrared microspectrometry of capillary GC effluents and gas-phase free radicals, (24) 1
Infrared spectra for identification of urinary steroids, (8) 25
Infrared spectrophotometric elution curves in the chromatography of lipids on silicic acid, (5) 370
Infrared spectroscopy, collection of GC effluents for, (13) 366
———, micro, of GC fractions, (38) 200
Inhibition and flow of common solvents in chromatography paper, (6) 461
Injection-detection system as a factor in evaluating dispersion in GPC, (34) 322
Injection system, GC, (44) 609
——— for a GLC apparatus, (7) 433
———, septum-less, for use in GC, (19) 604
——— for solid substances in GC, (12) 404
Inorganic adsorption PC, (1) 274; (3) 290; (4) 477, 481. 485; (6) 353
Inorganic anions, adsorption PC in acetate buffers, (3) 290
———, adsorption and precipitation chromatography, (2) 334
———, behaviour on papers loaded with anion-exchange resins, (9) 114
———, identification in mixtures by means of coloured (ring) products formed on agar gel (2) 324
———, interference of cations in paper electrophoresis of, (2) 216
———, paper electrophoresis and anion-exchange PC with various electrolytes, (50) 475
———, paper electrophoresis in NaOH solution, (2) 326
———, a spraying reagent for, (8) 507
———, a system of identification using PC and paper electrophoresis, (7) 351
———, TLC and CC separation on microcrystalline cellulose, (38) 544
———, see also Inorganic ions
Inorganic cations, see Cations or Inorganic ions
Inorganic chromatography, quantitative, (2) 284; (4) 108, 196; (17) 157

———, solvent effects in, (10) 338
———, see also Anions, Cations, Ions, Metal ions
Inorganic compounds, adsorption chromatography on cellulose, (7) 366
———, adsorption and precipitation chromatography, (2) 334
———, apparatus for gel ionophoresis in non-aqueous solvents, (49) 527
———, apparatus for their rapid determination by PC, combined with conductometric and polarographic methods, (20) 627
———, application of vanadium ferrocyanide as ion exchanger to the separation of metal ions, (20) 384
———, chloranilic acid as reagent in the PC of, (4) 153; (5) 5
———, chlorine-containing, certain regularities in their retention, (38) 244
———, chromatographic behaviour of metal ions on papers treated with primary, secondary, tertiary and quaternary amines, (19) 630
———, chromatographic behaviour of silicic acid on Sephadex columns, (50) 523
———, chromatographic separation of carbon dioxide, argon and phosgene by temperature programming, (47) 555
———, chromatography on paper impregnated with titanium hydroxide, (20) 358
———, determination of silicate anions by GC separation and MS identification of their trimethylsilyl derivatives, (48) 515
———, direct determination of elemental phosphorus by GLC, (47) 421
———, effect of resin cross-linking on the anion-exchange separation of rare earth-EDTA complexes, (50) 487
———, elution peak positions of linear phosphates in gradient elution chromatography with an anion-exchange resin, (50) 349
———, identification, (48) 387
———, investigation of complex equilibria by means of chromatography with ion-exchange papers, (11) 101
———, ion-exchange adsorption of radionuclides by ferrocyanide molybdate, (45) 331
———, ion-exchange PC of anionic chloro-aquo-complexes, (19) 412
———, ion-exchange properties of crystalline zirconium phosphate in molten $NaNO_3$-$KNO_3$ at 450°, (45) 298
———, micro-TLC, (41) 497
———, paper electrophoresis and chromatography of uranium(VI) in chloride-organic solvent media, (45) 291
———, paper ionophoretic investigation of the composition of a mixture of cyano-thiocyanatochromates (III), (49) 520
———, PC fractionation of complex mixtures of water-soluble substances, (9) 44
———, preparation and separation of mixed hexapseudohalogenochromates (III), (50) 319
———, quantitative chromatography, (11) 542
———, semiquantitative determination of total and free silica by PC, (19) 206
———, separation of alkali metals by reversed-phase partition chromatography, (19) 580
———, separation by GC of gases emanating from the soil atmosphere, (45) 315
———, separation of lanthanides by chromatography on the ion-exchange paper in α-hydroxyisobutyrate medium, (49) 269
———, separation of lower oxo acids of phosphorus by PC, (43) 291
———, separation of metal ions by ion-exchange TLC, (19) 458
———, separations of trace elements from sea water, brine and sodium and magnesium salt solutions by chromatography on chitosan, (47) 414
———, separation of transuranium elements by GC of their chlorides, (49) 290
———, stability trends of some 1:1 and 2:1 malonate and 1,1-cyclobutanedicarboxylate compounds , (44) 212
———, study of complex equilibria by chromatography on paper impregnated with ion-exchange resins, (7) 242
———, superhigh temperature GC, (47) 320
———, see also Anions, Cations, Ions, Metal ions
Inorganic gases, detection in GC by means of a photo-ionisation detector, (14) 355
———, detection of permanent gases in helium, (14) 387
———, detection of trace components by means of an argon ionisation detector, (19) 1
———, GC methods for mixtures with $C_1 - C_2$ hydrocarbons, (37) 14
———, increased sensitivity of a radioactive ionisation detector, (19) 425
———, influence of the degree of hydration of the adsorbent in chromatography of, (19) 249
Inorganic halides, separation of $NbOCl_3$ from $NbCl_5$ in a gas chromatograph by temperature programming, (35) 577
Inorganic ions, adsorption on cellulose ion exchangers using organic solvents , (13) 194
———, adsorption of chlorocomplexes of metal ions on a carboxylic resin from HCl solutions, (43) 149

(Inorganic ions)
———, adsorption of metal ions on anion-exchange papers, (14) 238
———, adsorption of metal ions from HCl on anion-exchange resin paper, DEAE paper and aminoethyl-cellulose paper, (13) 188
———, adsorption from sulphate solutions on cellulose and anion-exchange resin papers, (15) 514
———, analysis of contaminants in uranium compounds by postirradiation PC, (25) 464
———, anion-exchange behaviour of light rare earths in aqueous methanol solutions containing neutral nitrates, (26) 215, 225
———, anion-exchange behaviour of the rare earth complexes with *trans*-1,2-diaminocyclohexane-N,N′-tetraacetic acid, (32) 394
———, anion-exchange behaviour of rare earth elements in potassium sulphate medium, (16) 396
———, anion-exchange chromatography of transition metals in tartrate medium, (16) 201
———, behaviour of cation-exchange thin layers with alkaline and neutral salt solutions as eluents, (47) 442
———, behaviour of kinetically stable complex ions in ionophoresis in ammonia , (41) 500
———, cation-exchange of Ac(III) and Fr(I) in HCl and $HClO_4$ solutions, (16) 538
———, cation-exchange behaviour of the elements in HCl and $HClO_4$ solutions, (13) 503
———, cation-exchange behaviour of metal ions in ammonium sulphate media, (39) 61
———, cation exchange in HBr solutions, (25) 414
———, centrifugal PC, (11) 93
———, chemical forms of iodine in carrier free preparations of $Na^{131}I$, (44) 349
———, chromatographic behaviour of alkaline earth metal ions on Sephadex G-15 columns, (41) 429
———, chromatographic behaviour on crystalline titanium phosphate or zirconium phosphate thin layers, (28) 118
———, chromatographic behaviour of light rare earths on anion-exchange paper in nitrate-methanol systems, (16) 365
———, chromatographic process in a reversed-phase system for the separation of some metal ions by ion-association distribution, (49) 278
———, chromatography on acetylated filter paper, (6) 524
———, chromatography in alginic acid thin layers , (42) 532
———, chromatography of cations on paper impregnated with ammonium phosphotungstate, (14) 555
———, chromatography on cellulose, (3) 48
———, chromatography on cellulose acetate pretreated paper impregnated with 2-thenoyltrifluoroacetone, (34) 72
———, chromatography on cerium(IV) phosphate sheets , (30) 579
———, chromatography and electrophoresis in alkali nitrate and perchlorate melts, (45) 464
———, chromatography on glass fiber strips using fused salts as eluant, (4) 425
———, chromatography on paper impregnated with ion-exchange resins, (10) 82
———, chromatography of phosphorus anions, (40) 192
———, chromatography on zirconium phosphate paper with different acids at various concentrations, (8) 103
———, chromatography and zone electrophoresis of inorganic ions dissolved in fused salts, (44) 141
———, comparisons between column and paper ion-exchange chromatography, (26) 327
———, constancy of their $R_F$ values in PC under Australian field conditions, (10) 281
———, continuous electrophoresis, (4) 310
———, densitometric determination of Fe(II)-Fe(III) mixtures after electrophoretic separation using N-(2-hydroxyethyl) iminodiacetic acid, (50) 540
———, detection of BW, Mo and Ge in PC by means of chlorogenic and caffeic acids, (16) 262
———, detection of cations in PC by means of glyoxal bis-(2-hydroxyanil), (14) 560
———, detection of free ions in labelled oils, (50) 103
———, detection of metals on paper chromatograms with Rhodamine B , (24) 302
———, determination of transport quantities in molten salts with thin-layer electrophoresis and diffusion on fritted ceramic oxides, (26) 239
———, displacement chromatography of cations on ion exchangers and investigation of the possibilities of simultaneous determination, (32) 162
———, distribution coefficients of alkali metal ions on zirconium phosphate in fused nitrates , (24) 148

———, electromigration in fused salts in the study of complex ions, (11) 122
———, electromigration studies of some complexes of some group III metals , (25) 442
———, electrophoresis of indium in the presence of $Cl^-$ ions, (26) 350
———, electrophoretic behaviour in fused alkali nitrates, (31) 519
———, electrophoretic and chromatographic behaviour of xenic acid, (26) 555
———, electrophoretic mobilities in inorganic and organic acids, (2) 320
———, electrophoretic study of complex compounds of the lanthanides with 1,2-diamino-cyclohexane-N,N,N′,N′-tetraacetic acid, (42) 89
———, elution requirements for the resolution of ternary rare earth mixtures, (32) 559
———, emission spectographic monitoring of the effluent fractions from the ion-exchange chromatography of silicate rocks, (32) 606
———, fast separation of Ti(IV), As(III), W(VI), Au(III) from numerous metal ions and of Fe-Al-Ti by PC, (34) 222
———, in fused salts, ion exchange, (32) 379
———, ———, separation by means of chromatography and electrophoresis on glass fiber paper, (15) 420
———, high-voltage electrophoresis, (I) 117
———, hyperpressure GC of etioporphyrin II metal chelates, (47) 247
———, influence of temperature on tracer-level separations by ion-exchange chromatography, (31) 155
———, influence of water and acid concentration on their chromatographic behaviour, (4) 353
———, investigation of the hydrolysis of $N_4S_4$ by means of high-voltage paper ionophoresis, (26) 549
———, ion-exchange PC, (44) 161; (49) 573
———, ion exchange at high concentrations of the mobile phase, (44) 594
———, ———, using organic solvents, (34) 292
———, ion flotation, (14) 291
———, ion pair formation in the separation of metal complexes by paper electrophoresis, (31) 196
———, the nature of some metal-chloro anions present in the organic phase in reversed-phase chromatography involving liquid anion exchangers, (31) 182
———, paper electrophoresis of amphoteric elements and their complexes with polyhydroxy compounds in KOH, (2) 658
———, paper electrophoresis in sulphate solutions, (5) 121
———, paper electrophoretic separation of some fission products, (9) 255
———, partition chromatography of phosphorus oxyanions on cellulose columns, (40) 194
———, partition chromatography using tri-iso-octylamine as anion exchanger, (23) 457
———, partition and ion-exchange studies of $[Co(NH_3)_6]^{3+}$ and $[Co(en)_3]^{3+}$, (40) 197
———, PC at low temperatures, (42) 154
———, PC in nitrate media, (3) 193, 584; (6) 269
———, PC in the presence of tartrate using ethanol as solvent, (3) 146
———, PC separation of platinum metals with special reference to osmium using alcohols, ketones and ethers as solvents, (44) 362
———, PC separation of platinum metals with special reference to osmium using mixed systems and salts as solvents , (44) 374
———, polarographic determination of anions in the effluent from chromatographic columns, (31) 266
———, the position of halide anions and their sequence of adsorption on aluminium oxide, (31) 270
———, the prediction of elution maxima in the gradient elution of rare earths, (32) 195
———, qualitative analysis by paper electro-migration, (13) 119
———, quantitative determination of their equilibria of Cu, Co, Ni and Cd ions in chloride solutions by ion-exchange PC, (15) 510
———, quantitative separation of Ti from numerous metal ions and of Fe-Al-Ti by PC, (34) 237
———, quantitative TLC on liquid anion exchangers, (39) 211, 218
———, rapid separation of alkali metals on zinc ferrocyanide, (26) 557
———, reversed-phase chromatography of alkaline earths on paper treated with di-*n*-butyl phosphate, (32) 384
———, reversed-phase PC with phenyl-benzohydroxamic acid, (25) 153
———, reversed-phase partition chromatography on paper treated with di-(2-ehtylhexyl) orthophosphoric acid , (24) 383
———, reversed-phase partitition chromatogrpahy on thin layers , (24) 141
———, the salting-out effect in the adsorption of inorganic anions on ion-exchange papers, (13) 232

(Inorganic ions)
———, selectivity of polyacrylamide and dextran gels for simple cations and anions, (34) 382
———, separation of Al, Ga, In and Tl by chromatography on papers treated with di-(2-ethylhexyl) orthophosphoric acid, (16) 258
———, separation of Am and Cu by ion exchange using hydroxyethylenediaminetriacetic acid as eluant, (31) 510
———, separation of anionic chromium(III) thiocyanate complexes by displacement analysis, (34) 289
———, separation of arsenite and arsenate ions by PC using a methanol-ammonia-water solvent system, (34) 284
———, separation of Ba and Ra by an anion-exchange procedure, (16) 403
———, separation of certain metal ions by solubilisation TLC, (42) 96
———, separation by column and electro-chromatography using molten salts as liquid phase, (23) 149
———, separation and determination of zirconium in niobium using methylenebis (di-*n*-hexylphosphine oxide), (31) 292
———, separation of $Ge^{IV}$, $As^{III}$, $As^{V}$ and $Ge^{IV}$, $^{77}As^{III}$, $^{77}As^{V}$ by paper electrophoresis, (37) 527
———, separation of halide anions on hydrous zirconium oxide, (31) 268
———, separation, identification and estimation of Cr(III) complex ions using TLC and diffuse reflectance spectroscopy, (36) 332
———, separation and identification of some nitrocobaltate (III) complexes in aqueous acetic acid solution, (31) 653
———, separation by ion exchange using crystalline and amorphous zirconium arsenate , (30) 584
———, separation of isotopes, (1) 2
———, separation on Kel-F supporting tri-*n*-octylphosphine oxide, (9) 216
———, separation of lanthanides and actinides by ion-exchange chromatography using hydroxyethylenediaminetriacetic acid, (26) 471
———, separation of lanthanides and actinides on ion exchangers, (35) 549
———, separation of lanthanides by high-voltage thin-layer electrophoresis, (23) 336
———, separation of lithium from other alkali metal ions by reversed-phase chromatography, (26) 342
———, separation of lower oxo acids of phosphorus by gradient elution chromatography using an anion-exchange resin, (25) 398
———, separation by means of ion-exchange resins that form chelate complexes, (11) 84
———, separation by means of tri-*n*-octylamine-cellulose, (6) 443
———, separation of metal ions on polyaminepolyacetic acid ion exchangers, (14) 244
———, separation of metal ions by solubilisation TLC, (31) 289
———, separation of neptunium, plutonium, americium and thorium by anion exchange, (46) 326
———, separation by paper electrophoresis in solutions of N-(2-hydroxyethyl)-iminodiacetic acid, (26) 208
———, separation on paper and thin layers impregnated with liquid anion exchangers, (23) 287
———, separation on paper treated with tri-*n*-octylphosphine oxide, (7) 112
———, separation of rare earths by anion exchange in water-solvent mixtures in the presence of α-hydroxyisobutyric acid, (26) 232
———, separation of the rare earths by anion exchange in water-solvent mixtures in the presence of lactic acid, (32) 795
———, separation of rare earths by extraction chromatography using bifunctional phosphine oxides, (32) 567
———, separation of rare earths by reversed-phase partition chromatography with di-(2-ethylhexyl) orthophosphoric acid as the stationary phase, (16) 376, 385
———, separation of rare earths by reversed-phase partition chromatography using methylene [di-(2-ethylhexyl)-phosphine oxide] as the stationary phase, (24) 376
———, separation of rare earths by TLC, (24) 153
———, separation of scandium and rare earths by anion exchange in acetic acid-HCl mixtures, (25) 408
———, separation of some cations on commercially precoated sheets, (47) 435
———, separation of some inorganic anions on microcrystalline cellulose, (38) 544
———, separation of square planar complexes by TLC, (24) 491
———, separation on thin layers of ion-exchange

resins or crystalline ion exchangers, (29) 190
———, separation by TLC, (6) 17; (14) 534; (30) 637
———, ———, of some metal-EDTA complexes on microcrystalline cellulose, (48) 581
———, ———, of some trace metals with special reference to lead, (47) 427
———, separation of the valency states of some elements on paper impregnated with zirconium phosphate, (9) 250
———, the solution chemistry and chromatographic behaviour of technetium in aqueous HCl and HBr, (16) 524
———, sorption of metal salts by filter paper, (47) 86
———, spot tests for Tl(I), Hg(I) and Cs(I) after separation on ammonium molybophosphate paper, (31) 177
———, standard ionophoretic mobilities, (6) 140
———, studies on some metal ion-thiocyanate complex systems, (30) 640
———, synergism in the reversed-phase partition chromatography of Am, Ce, and La, (34) 520
———, systematic TLC of the elements in HCl systems, (25) 447
———, TLC on cellulose impregnated with thiocyanate salts of liquid ion exchangers, (46) 293, 301
———, TLC determination of trace metals in cereal, (34) 563
———, TLC of metal ions on alginic acid, (35) 396, 405
———, TLC of metal ions on cellulose impregnated with Primene JM-T hydrochlorides, (39) 200
———, TLC on microcrystalline cellulose, (24) 494
———, TLC on pure zirconium hypophosphate, (39) 101
———, TLC of radioactive ions, (13) 542
———, TLC on supports impregnated with neutral organophosphorus compounds, (24) 489
———, TLC using a liquid anion exchanger, (35) 416
———, trace analysis utilising PC and radioactive precipitants, (25) 144
———, two-dimensional electrochromatography, (4) 313
———, an unusual reaction with ninhydrin, (10) 233
———, use of computers in the elaboration of separations by CC, (45) 453
———, use of DEAE-cellulose in inorganic TLC, (47) 453
———, the use of thiocyanic acid in partition PC, (7) 120
Inorganic isotopes, separation of nitrogen isotopes by GC, (39) 99
Inorganic phosphates, limitations of some common indicators of electroendosmosis in paper electrophoresis (including interactions between carbohydrates and inorganic phosphate), (48) 577
Inorganic polyphosphates, long-chain, fractionation on Sephadex G-100, (35) 207
Inorganic salts, separation by column and electro-chromatography using molten hydrogen sulphate and pyrosulphate as liquid phase, (23) 149
Inorganic TLC, some aspects of the use of a liquid anion exchanger, (35) 416
Inosine nucleotides, high-voltage electrophoresis on cellulose layers, (19) 201
*meso*-Inositol, determination by TLC on precoated plates, (33) 385
Inositol polyphosphates, gel chromatography of, (45) 400
Inositols, trimethylsilyl derivatives, GC, (18) 147
Insecticidal additives to wood preservatives, application of TLC within the framework of DIN (German Industrial Standard) regulations to their determination, (33) 280
Insecticides, apparatus for the automatic GC determination of, (45) 351
———, carbamate, electron-capture GC method for the determination as 2,4-dinitrophenyl derivatives of their phenol moieties, (49) 215
———,———, separation and detection by TLC, (21) 346
———, choline esterase inhibiting, a spray reagent for the TLC demonstration of, (42) 140
———, detection of thiophosphoric acid esters of the "Systox" type and of their oxidised analogous, (17) 608
———, determination of Dimethoate by TLC, (22) 316
———, determination of O,O-dimethyl-O-(3-methyl-4-nitro-phenyl) thiophosphate in commercial products, (11) 412
———, effects of humidity in the laboratory on TLC of, (26) 304
———, influence of UV irradiation on the TLC of insecticidal phosphoric acid esters and on detection by the benzohydroxamic acid reaction, (46) 180

(Insecticides)
———, interference from extraction thimbles in the GC analysis of, (39) 325
———, isolation from biological fatty materials by liquid-liquid partition chromatography, (8) 245
———, ninhydrin reaction used for the detection of dimefox in TLC, (34) 558
———, organochlorine, an improved method for their separation and removal from thin-layer plates, (34) 556
———, ———, one-dimensional chromatography on commercial standard thin-layer plates with multiple development, (42) 515
———, ———, TLC-enzymatic identification and the mode of action of, (44) 95
———, ———, visualisation on thin layers, (15) 269
———, organophosphorus, metabolic products, separation from urine pigments by TLC, (22) 457
———, ———, polar, and their residues, identification using formamide-impregnated paper and thin-layer systems, (30) 626
———, ———, ———, screening procedure for the routine determination in vegetables, (48) 468
———, ———, routine determination of hexane-soluble residues in vegetables by GLC and total-phosphorus procedures, (47) 328
———, ———, separation and identification by TLC, (16) 476, 481
———, ———, TLC of degradation products, (38) 538
———, ———, TLC-enzymatic identification of, (36) 309; (44) 414
———, ———, TLC on microchromatoplates, (16) 467
———, phosphoric acid esters PC, (9) 111
———, routine method for identification of chlorinated hydrocarbon pesticides, (44) 81
———, separation of isomers of malathion monocarboxylic acid by TLC, (47) 281
———, TLC for the detection of substances that interfere with the estimation of N-methylbenzazimide dimethyl dithiophosphoric acid ester, (14) 133
———, see also Pesticides
Insect sex attractants, determination of gyplure by adsorption and GC, (14) 22
Instant TLC, classification of crude antibiotics, (37) 487
———, rapid fluorimetric methods for the assay of phenalen-1-one and 7H-benz(*de*)anthracen-7-one in polluted urban atmospheres, (37) 508
Insulin, chromatography in a celite-sulphonic acid ion-exchange resin, (2) 398
———, electrophoretic separation of the reduction products of the S-sulphonated chains, (28) 495
——— peptides, oxidized, separation by anion-exchange chromatography, (23) 280
Integral detector, quantitative, for GC, (11) 301
Integration techniques, analogue, in chromatographic analysis, (5) 185
Integrator, analogue, for use in GC, (3) 265
Integrator-readout system, two-recorder, for GC, (4) 435
Inverted dry-column chromatography of organic compounds, (26) 54
Iodate, adsorption on anion exchangers, (3) 275
——— ions, isotope exchange reaction with iodide ions studied by chromatography, (7) 362
Iodide, adsorption on anion exchangers, (3) 275
———, determination of inorganic radioiodide in $^{131}$I-labelled compounds by means of TLC, (45) 328
——— ions, isotope exchange reaction with iodate ions studied by chromatography, (7) 362
Iodide-131, a chromatographic artefact involving, (5) 363
Iodinated contrast media, GLC of their trimethylsilyl derivatives, (36) 351
Iodine, chemical forms in carrier free preparations of $Na^{131}I$, (44) 349
——— compounds, organic, an improved chromatography in Tris-maleate buffer treated paper, (35) 434
——— compounds, a thin-layer system for their separation using binary mixtures of adsorbents, (24) 465
———, determination in organic compounds by GC, (17) 23
———, as a location reagent in TLC, (26) 518
———, microdetermination, (1) 91
——— quenched fluorescence, a sensitive, non-destructive method for the detection of organic compounds on chromatoplates, (19) 194
———, separation of different oxidation states from each other and from those of tellurium by paper electrophoresis, (10) 93
———, separation by glass fibre PC, (18) 385

———, separation of periodate and iodate by thin-layer electrophoresis, (10) 98
———, study of an isotope exchange reaction by radio GC, (22) 234
———, study of the stability of iodine and tertiary-bounded nitrogen complexes in substances separated by TLC, by means of IR spectroscopy , (48) 353
———, use for the detection of lipids, (1) 385
——— vapour as detecting reagent, influence of the chemical nature of the sample on the detectability, (31) 628
——— vapour, some observations on its use as a reagent, (14) 564
——— vapour, use in an improved technique for detecting spots on paper chromatograms, (2) 433
Iodine-125, quantitative scanning on thin-layer chromatograms, (35) 436
Iodoalkanes, GC of, (41) 313
Iodoamino acids, combined chemical and isotopic detection in TLC, (35) 441
——— and their derivatives, characterisation by TLC, (40) 219
——— and derivatives, group separation of an aqueous solution by means of solvent extraction, (30) 611
———, gel filtration of, (34) 110
———, synthesis, purification and GC of N,O-dipivalyl methyl esters of the thyroid hormones and related compounds, (50) 507
———, thyroidal, Sephadex LH-20 column separation of , (45) 371
———, see also Amino acids, iodo
*o*-Iodobenzoic acid, separation of the radiolysis products of, (17) 624
Iodopyrimidines, $^{131}I$ and $^{125}I$ labelled, TLC, (17) 316
Iodotyrosines , and derivatives, adsorption properties on Sephadex, (28) 33
——— $^{131}I$-labelled, separation from $^{131}I$-diiodotyrosine by TLC, (14) 516
Ion-exchange, properties of paper impregnated with titanium hydroxide, (20) 358
———, properties of vanadium ferrocyanide, dynamic experiments, (21) 85
———, ———, experiments under static conditions, (20) 384
———, of proteins, artifact separations resulting from inadequate pH control , (21) 67
Ion-exchange chromatography, adsorption of germanium tetrachloride from gas streams on anion-exchange resins, (3) 279
———, adsorption of tellurium (IV), iodide and iodate on anion exchangers, (3) 275
———, with alginic acid, mechanism of , (40) 130
———, artificial zoning in, (8) 479
———, behaviour of uranium and thorium in sulphuric acid solutions containing aliphatic alcohols, (8) 510
———, cation exchange of Ac(III) and Fr(I) in HCl and $HClO_4$ solutions, (16) 538
———, characteristics of the radium-ethylene-diaminetetraacetate complex, (8) 265
———, a column method for measurement of ion-exchange equilibria at high temperature, (3) 178
———, in concentrated HCl and $HClO_4$ solutions , (13) 503
———, continuous elution system using linear gradients, (34) 128
———, correlation of column and equilibration experiments under non-ideal conditions, (1) 386
———, a derivative method, (32) 728
———, dynamic packing of columns for, (42) 263
———, flow rate control in, (4) 501
———, in fused salts , (24) 148; (32) 379
———, ———, behaviour of metal cations on $\gamma$-alumina and synthetic inorganic ion-exchange materials, (18) 564
———, influence of temperature on tracer-level separations, (31) 155
———, method for obtaining reproducible values in gradient chromatography on columns of shrinking ion exchangers, (40) 318
———, nonaqueous, (18) 542
———, paper, adsorption of metal ions on cation and anion resin papers from nitric acid, (17) 625
———, ———, adsorption of metal ions on cation exchangers from solutions of sodium perchlorate, (17) 425
———, ———, of anionic chloro-aquo-complexes, (19) 412
———, ———, the behaviour of some metal ions on carboxylic exchangers, (29) 306
———, ———, frontal analysis phenomena during development, (17) 387
———, ———, of inorganic ions from sulphate solutions, (15) 514
———, ———, investigation of complex equilibria, (11) 101
———, ———, of lanthanide ions, (10) 205
———, ———, of metal ions , (14) 238
———, ———, ——— in thiocyanic acid, (21) 471

(Ion-exchange chromatography, paper)
———, ———, the salting-out effect in the adsorption of inorganic anions, (13) 232
———, ———, studies on some metal ion-thiocyanate complex systems, (30) 640
———, ———, of Tc (IV), Tc (V) and Tc (VII) in hydrochloric acid , (21) 92
———, ———, of transuranium elements, (21) 105
———, ———, using organic solvents, (34) 292
———, of polyelectrolytes , (18) 359, 366
———, preparative column for, (3) 434
———, of proteins on diethylaminoethyl-cellulose, (15) 324, 336
———, the relationship between chemical structure and elution position in an anion-exchange system , (40) 270
———, separation of alkali metal ions, (20) 107
———, separation of barium and radium, (16) 403
———, separation of nucleotides on poly-(ethyleneimine)-cellulose thin layers, (16) 111, 126
———, separation of rare earths, (20) 580, 585
———, separation of silver from a number of elements by partition chromatography, (20) 378
———, separation of $^{89}Sr$ and $^{140}Ba$ from briefly irradiated uranium, (20) 193
———, separation of uronic acids, sugar acid lactones and glucuronosides, (8) 486
———, solution chemistry of technetium studied in HCl and HBr, using ion-exchange paper, (16) 524
———, sorption behaviour of cation exchangers on a polystyrene basis in aqueous dioxan and dimethylsulphoxide solutions, (42) 53
———, techniques using liquid anion exchangers, (25) 447
———, thin-layer, of oligonucleotides, (31) 485, 500
———, ———, preparation, properties and application of PEI-cellulose sheets . (22) 110
———, ———, reproducibility of $R_F$ values on poly (ethyleneimine) cellulose layers, (33) 103
———, ———, separation of certain metal ions, (19) 458
———, of triterpenoids, (5) 217
———, of weak bases, separation of basicity, capacity and selectivity effects, (18) 542
———, see also Anion-exchange chromatography
Ion-exchange papers, data for cellulose ion exchangers with organic solvents, (13) 194
Ion-exchange procedures, cation exchange in HBr solutions , (25) 414
———, separation of $^{234}Th$ ($UX_1$) from uranyl nitrate solutions, (14) 478
———, separation of uranium, neptunium and plutonium , (14) 258
———, separation of zirconium, neptunium and niobium , (14) 255
Ion-exchange resins, adsorption of germanium tetrachloride from gas streams on, (3) 279
———, bipolar, the influence of their structure on the separation of electrolyte and non-elctrolyte mixtures, (34) 59
———, Celite, in the chromatography of proteins, (2) 388, 398
———, chromatography on paper impregnated with, (1) 314; (2) 209; (7) 242, 552; (8) 205; (10) 82; (12) 89; (13) 188
———, chromatography of pteroylglutamic acid and related compounds on, (2) 296
———, containing chelating groups, use for the separation of metal ions, (14) 244
———, desalting small samples by means of paper loaded with, (4) 494
———, that form chelate complexes, (11) 84
———, ———, use of pyridine-2,6-dicarboxylic acid for the separation of calcium and strontium, (18) 572
———, a method of fractionation by sedimentation, (7) 392
———, relative rates of movement of amino acids on paper loaded with, (8) 205
———, salting-out chromatography of water-insoluble alcohols and ketones by elution through, (7) 273
———, study of complex equilibria by chromatography on paper impregnated wi (7) 242
Ion exchanger, cellulose, application to the separation and purification of vitamins of the $B_{12}$ group, (3) 359
———, ———, relative rates of movement of amino acids on, (8) 205
———, fibrous thorium phosphate, a new inorganic ion-exchange material suitable for making (support free) inorganic sheets (50) 482

———, inorganic, chromatography on paper impregnated with, (4) 83,86,423; (8) 103; (31) 177
———, liquid, use in chromatography techniques, (22) 407
———, ———, use in PC, (11) 549
———, ———, use in TLC of metal ions, (18) 142
———, polyphosphate cellulose, a new cation exchanger, (10) 509
———, use of crystalline insoluble salts of polybasic metals as , (30) 579, 584
———, see also Anion exchangers
Ionic phenomena in PC, (2) 354
Ionisation chamber, for high-temperature GC, (2) 322
———, high-temperature, for radioisotope analysis of GC vapours, (13) 354
Ionisation detectors, argon, (9) 162
———, comparison of helium and argon in, (9) 13
———, effect of an argon-nitrogen carrier gas mixture on the sensitivity, (3) 589
———, Lovelock, control unit, (12) 416
———, a modification without radiation source, (3) 372
———, $\beta$-ray, response to lower fatty acids in GLC, (3) 582
Ion flotation of inorganic ions, (14) 291
Ionophoresis, rapid paper, using organic buffers in water-formamide and water-urea, (3) 125; (4) 351
Ionophoretic mobilities, standard, of biochemicals at several pH values, (6) 131
Ionophoretic pattern in two-dimensional electrophoresis, (2) 308
Ion-pair complexes, GC of, (41) 105
Ion-pair formation, paper electrophoretic study of, (35) 201
———, with quaternary ammonium ions, paper electrophoretic study of, (37) 292
Ions, inorganic, see Inorganic ions
———, see also Anions, Cations, Metal ions
Ipecac mother tincture, studies on TLC and UV absorption, (32) 774
Iridium, complexes with $SnBr_2$ studied by chromatography, (17) 168
Iron, adsorption of ferric ions by filter paper, (4) 485
——— chelates of complexones, PC, (8) 261
———, densitometric determination of Fe(II)-Fe(III) mixtures after electrophoretic separation using N-(2-hydroxyethyl) iminodiacetic acid, (50) 540
———, ferric, chromatographic studies on the oxidation of sulphurous acid by, (5) 68
———, ———, kinetic study of the oxidation of hydrazine by, (4) 196
———, ferrous and ferric, separation and determination, (4) 108
——— group metals, reversed-phase chromatography on paper treated with di-(2-ethylhexyl) orthophosphoric acid in chloride medium, (18) 124
Isatins, complex with cadmium, use as a detection reagent for amino acids on paper chromatograms, (13) 560
——— and corresponding isatin-N-Mannich bases, TLC, (28) 478
Isoamyl chloride, determination of trace quantities in aqueous isoamyl alcohol solutions , (42) 105
Isoasparagine, separation from asparagine , (44) 425
Isobutane, behaviour on a molecular-sieve GC column, (11) 108
Isocitric acid, detection in plant material by PC, (2) 525
Isocyanides, GC, the importance of column material, (18) 156
Isoleucine, differentiation from valine and leucine by TLC of their DNA derivatives on silica gel, (21) 135
———, GLC and MS of deuterium-containing amino acids as their TMS derivatives , (50) 405
Isolysergic acid, separation of diastereomeric (+)-l-hydroxy-2-butylamines of D- and L-lysergic and isolysergic acids by TLC, (50) 442
Isolysergic acid amide, chromatographic separation of, (43) 510
———, determination in Morning Glory seeds by a direct densitometric method on thin-layer plates, (19) 531
Isonicotinic acid hydrazide and its metabolic derivatives, chromatographic studies, (11) 344
———, isolation and identification , (7) 82; (9) 180; (13) 435
Isophytol, chromatography of intermediates in the synthesis of, (22) 71
Isoprene, analysis by GC, (2) 655; (3) 593
Isoquercitin, magnesol TLC of flavonoid compounds , (43) 287
Isoquinoline alkaloids, separation of phenolic quaternary alkaloids on polyamide columns, (25) 167
———, study of solubilisation of, (36) 522
Isosafrole, TLC studies on rat bile and urine following intravenous administration of,(29) 267

Isothiocyanates, GC investigation , (41) 448
Isotope exchange reaction between iodide and iodate ions studied by chromatography, (7) 362
Isotopes, separation, (1) 2
———, separation of nitrogen isotopes by GC, (39) 99
Isotopic exchange in a GC column , (30) 433
Isotopic mixtures, semi-preparative separation on high efficiency packed columns for GLC (49) 139
Isotopic molecules, analytical and preparative scale separations of $C_2H_2$ $C_2HD$ and $C_2D_2$ by GC, (30) 211
———, gas chromatographic determination by means of open tubular thick layer graphitised carbon black columns, (34) 96
———, GC separation by means of porous polymer beads , (38) 492

# K

Katharometers, carbonaceous fouling of filaments, (9) 531
———, study of the response factor, (14) 378
———, tungsten-wire, for GC, (4) 130
Kel-F supporting tetraphenylboron or dipicrylamine, use for the separation of $^{137}Cs$ from fission products, (19) 589, 594
Kel-F supporting tri-*n*-octylphosphine oxide, use in reversed-phase partition CC, (9) 216
Kerateines, S-carboxymethyl derivatives, a comparative study by automated chromatography, (28) 326
1-Kestose, isolation by chromatography on a cation-exchange resin, (22) 195
Keto acids, 2,4-dinitrophenylhydrazones, an artefact in the chromatographic analysis of, (18) 174
——, ———, detection in biological fluids by two-dimensional PC, (33) 508
———, ———, PC, (30) 273
———, ———, technical improvements in the PC of, (26) 539
———, ———, TLC, (27) 142; (28) 263
———, methyl esters, 2,4-dinitrophenylhydrazones, TLC, (20) 403; (28) 440
———, ———, GC, (28) 259, 443
———, polymers as GLC substrates, (13) 337
———, from tissue cultures, PC separation, (2) 99
———, separation by TLC, (11) 228; (14) 289, 523
———, TLC, (11) 228
———, see also Oxo acids
α-Keto acids, aromatic, PC determination, (10) 463
———, identification and quantitation with a ceric ammonium nitrate reagent, (38) 411
———, TLC of, (43) 103
———, a visualising reagent for their identification in PC, (32) 426
α-Keto aldehydes, 2-4-dinitrophenylosalones, separation by partition CC, (9) 187
Ketobutyric acid, TLC of α-keto acids, (34) 103
7-Ketocholesterol, detection in oxidised sterol preparations, (26) 509
Keto fatty acids, separation by TLC, (24) 93
α-Ketoglutaric acid, from tissue cultures, PC separation, (2) 99
———, TLC of α-keto acids, (43) 103
α-Ketoisovaleric acid, TLC of α-keto acids, (43) 103
Ketones, aliphatic, 2,4-dinitrophenylhydrazones, reversed-phase TLC, (14) 273
———, ———, ———, TLC under controlled conditions, (14) 265
———, ———, 2,4-dinitrophenylosazones of vicinal dicarbonyls, separation into classes by TLC, (14) 512
———, aromatic, 2,4-dinitrophenylhydrazones, TLC, (17) 483
———, 2,4-dinitrophenylhydrazones, chromatography on acetylated paper, (10) 268
———, ———, direct spectrophotometric examination on paper chromatograms, (16) 460
———, ———, separation by liquid-liquid partition chromatography, (3) 322
———, ———, separation on paraffin-treated paper, (7) 415
———, ———, separation by TLC, (18) 325; (20) 528; (23) 261; (24) 451
———, ———, unsymmetrical, TLC of stereoisomers, (22) 29
———, 2,4-dinitrophenylosazones, of 2,3-diketones, partition CC, (9) 187
———, ———, TLC of homologues of vicinal dicarbonyls, (17) 606
———, GC calculation of retention times, (17) 1
———, ———, relative elution times, (17) 227
———, α-hydroxy, analysis by GC, (45) 341
———, hydroxyphenyl alkyl, analysis of phenyl esters by TLC techniques, (43) 519
———, retention indices, (11) 470
———, separation by TLC, (7) 407
———, solubilisation TLC of, (38) 54
———, substituted hydrazones, GC, (18) 391
———, vinyl, GC, (10) 303
———, water-insoluble, salting-out chromatography, (7) 273
———, see also Carbonyl compounds
4-Ketopimelic acid ethylene glycol polyester as liquid phase in partition GLC, (17) 450
Ketoses, evidence for the ninhydrin-positive reaction of, (19) 622
———, studies on the ring structures by means of GC and MS, (37) 216

Ketosteroids, chromatographic separation of 17-ketosteroids and 17-hydroxycorticosteroids on Sephadex LH-20, (42) 503
———, chromatography on acetylated paper, (1) 461
———, detection on chromatograms, (9) 235
———, 2,4-dinitrophenylhydrazones, TLC, (20) 614
———, qualitative, quantitative and preparative chromatography, (1) 461; (3) 482
———, spot test for their detection on thin-layer chromatograms, (24) 480
———, TLC of $C_{19}$-steroid 2,4-dinitrophenylhydrazones on polyamide, (44) 189
——— from urine, determination of the 2,4-dinitrophenylhydrazones by TLC, (37) 83
$\Delta^4$-3-Ketosteroids, chromatographic separation, (2) 667
———, rapid quantitation by TLC of, (44) 190
16- and 17-Ketosteroids, GC separation of isomers, (34) 526
17-Ketosteroids, CC, (1) 141, 160; (10) 400
———, chromatographic separation, (27) 423
———, determination by gradient elution chromatography, (4) 446
———, PC, (1) 233
———, a rapid TLC method for isolation in urine, (36) 246
———, resolution by means of a new PC system, (6) 514
———, separation from lipids in plasma extracts, (34) 415
———, separation by means of horizontal TLC, (35) 430
———, urinary, different methods of hydrolysis studied by GLC, (30) 410
Key-punched IBM cards for the storage of chromatographic data, (5) 541
Kinetic processes and zone diffusion in chromatography, (3) 443
Kinetic theory of the retention volume corrected for pressure drop, (19) 478
Kinins, separation by PC following paper electrophoresis, (32) 782
Kovar seals, use in high-temperature GC with glass columns, (20) 392
Krebs cycle dicarboxylic acids, structural analogues, chromatographic behaviour, (6) 159
———, ———, electrophoretic behaviour, (8) 227
Krypton, separation and determination by GC, (6) 209
Kumquot, isolation and examination of the essential oil of, (5) 137
Kusum oil, chromatographic investigation of the component glycerides of, (41) 276
———, microdetection of, (46) 324

# L

Laboratory for PC and TLC, (8) 145
Lactams, TLC, (9) 381
Lactate, TLC, (36) 390
β-Lactoglobulin, molecular weight determinations and influence of gel density, protein charges, and protein shape in polyacrylamide gel electrophoresis, (46) 286
Lactone-oxo acid mixtures, quantitative analysis by GC, (20) 397
Lactones, aromatic, PC, (9) 60
———, sugar, chromatography on anion-exchange paper or DEAE-cellulose, (8) 486
———, ———, liquid-liquid partition mobilities, (9) 251
———, TLC, (9) 381; (17) 488
Laevulinic acid, analysis by PC, (5) 207
———, identification in hydrolysed plant fractions, (7) 51
Lanthanide chlorides, separation of rare earth elements by GC of, (44) 604
Lanthanide elements, electrophoretic separation, (20) 197
Lanthanides, complexes with 1,2-diamino-cyclohexane-N, N′, N′-tetraacetic acid, electrophoretic study, (42) 89
———, electrophoresis in glycolic acid, (18) 381
———, extraction chromatography using graft copolymers as substrates, (30) 447
———, ion-exchange chromatography using hydroxyethylenediaminetriacetic acid, (22) 164
———, ion-exchange PC, (10) 205
———, PC, (3) 193; (8) 245
———, radiochemical separation in fission products, (5) 356
———, reversed-phase partition chromatography with 2-ethylhexyl phenylphosphonic acid on kieselguhr, (17) 542
———, separation from actinides by ion-exchange chromatography using hydroxyethylenediaminetriacetic acid, (35) 549
———, separation by cation-exchange elution with ammonium α-hydroxyisobutyrate and lactate, (17) 558
———, separation by chromatography on ion-exchange paper in α-hydroxyisobutyrate medium, (49) 269
———, separation by GC of their chlorides, (49) 290
———, separation by high-voltage thin-layer electrophoresis, (23) 336
———, separation by ion-exchange chromatography using hydroxyethylenediaminetriacetic acid, (26) 471
Lanthanum, adsorption on a strong base anion-exchange resin from dilute hydrochloric acid solutions containing ethanol, (5) 539
———, anion-exchange behaviour in dilute nitric acid solutions containing ethanol, (5) 526
———, synergism in the reversed-phase partition chromatography, (34) 520
Lanthionine, determination by rapid automatic methods using an amino acid analyser, (31) 284
———, determination by TLC, (32) 755
Large divided columns, (12) 410
*Larix occidentalis* Nutt., sorption of phenols by anion exchangers from arabogalactan solutions from, (7) 419
Latex, detection and estimation by TLC of pentachlorophenol in, (35) 43
Lauric acid, analysis of phenyl esters of fatty acids by TLC techniques, (43) 519
Lavandin oil, analysis by GC, (14) 331
———, investigation into the composition of lavender and lavandin oil, (50) 127
Lavender oil, investigation into the composition of lavender and lavendin oil, (50) 127
Lead, alkyl derivatives, redistribution reactions studied by chromatography, (19) 28
———, organic compounds, paper electrophoresis, (14) 207
Lead(II), separation from thallium(I) by ion exchange, (33) 566
Lecithin, transesterification on silicic acid columns, (21) 6
Lecithinase activity of cobra and bee venom, investigation by chromatography, (3) 111
Lemon oil, analysis by GLC, (3) 471
Leucine, differentiation from valine and isoleucine by TLC of their DNS derivatives on silica gel, (21) 135
———, direct determination of the enzymatic effect by TLC, (48) 558
———, rapid GC separation of amino acid enantiomers using N-perfluoroacyl esters, (50) 510

Leurocristine, separation by TLC, (18) 184
Leurosidine, separation by TLC, (18) 184
Leurosine, separation by TLC, (18) 184
Lichen acids, separation of atranorin and usnic acid by TLC, (31) 580
———, TLC using Fast Blue B salt as detecting agent, (31) 243
Lichens, products of, a standardised method for the identification of, (46) 85
Light Green, suitability as a stain for the quantitative evaluation of proteins in paper electrophoresis, (1) 285
Lignans, TLC, (26) 320
Lignins of grass, estimation of their oxidation products by GLC, (26) 373
———, studies on, (21) 424
Lignosulphonates, molecular size distributions by TLC, (32) 64
Linalol, investigation into the composition of lavender and lavandin oil, (50) 127
Linalyl acetate, investigation into the composition of lavender and lavandin oil, (50) 127
Lincomycin, analysis of antibiotics by GC, (37) 46
Lindane, isolation from biological fatty materials by liquid-liquid partition chromatography, (9) 245
Linear elution adsorption chromatography, (5) 430; (6) 22; (8) 178, 319; (12) 488
———, electronic and steric effects in hetero-aromatic solutes, (17) 73
———, functional group adsorption energies on the metal oxide adsorbents, (23) 388
———, gradient elution theory, (13) 415; (15) 344
———, separability of aromatic isomers on alumina, and mechanism of adsorption, (20) 463
———, silica as adsorbent, adsorbent standardisation, (11) 195
———, strong eluents and alumina, the basis of eluent strenght, (16) 55
———, studies on a narrow pore silica, (25) 274
——— on water deactivated magnesia, (28) 300
Linear non-equilibrium elution chromatography, (19) 237
———, with a chemical reaction of the first order, (30) 459
Linoleic acid, alkaline isomerisation studied by GC, (20) 232
——— quantitative GC determination of saturated and unsaturated fatty acids as trimethylsilylester, (43) 490
Linolenic acid, quantitative determination by means of the Lovelock ionisation detector (18) 20
———, quantitative GC determination of saturated and unsaturated fatty acids as trimethylsilylester, (43) 490
Linolenyl aldehyde, GC separation and determination of, (43) 492
Linoleyl acetate, alkaline isomerisation studied by GC, (29) 44
Linoleyl aldehyde, GC separation and determination of, (43) 492
Linuron, determination in soil, (44) 60
Lipid classes, quantitative analysis via TLC employing charring and densitometry (35) 519
Lipid composition of a single wheat kernel and its structural parts, (19) 540
Lipids, acidic, DEAE Sephadex LH-20, a new chromatographic medium for the fractionation of, (43) 512
———, analysis of oils and fats by GC, (17) 230
———, antioxidants for (thin-layer) chromatography of, (21) 138
———, of barley and malt, TLC separation and colorimetric analysis, (17) 278
———, biochemistry of sphingolipids, (28) 489
———, from cat grey and white matter, fractionation by chromatography on an organophilic dextran gel, (41) 400
———, characterisation and GC determination of active principles of biological interest in pharmaceutical products (gastric mucoprotein and thiotic acid), (49) 46
———, chromatographic one step extraction and purification from mierovolumes of plasma, (36) 366
———, chromatography on polytetrafluoroethylene, (5) 272
———, chromatography in presence of an antioxidant, (14) 405
———, chromatography on silicic acid, (4) 173
———, ———, IR spectrophotometric elution curves, (5) 370
———, chromatography in test tubes coated with a thin layer of silicic acid, (8) 75
———, continuous electrophoresis, (4) 313
———, densitometric microquantitation of lipid classes separated by TLC, (38) 148

———, determination in biological material by PC, (28) 363
———, determination of the distribution of the aliphatic groups of glyceryl ethers by GLC of the diacetyl derivatives, (38) 230
———, effect of silicic acid and alkali concentration on their saponification, (27) 485
———, estimation of blood lipoproteins by radial immunodiffusion after agarose gel filtration, (28) 59
———, estimation of cholesterol in tissue lipid extracts after separation by TLC, (39) 512
———, estimation of phospholipids after elution from chromatoplates, (41) 270
———, experimental artefacts arising from TLC, (42) 422
———, fossil, rapid separation by impregnated adsorbent TLC of the fatty acids from, (43) 241
———, fractionation by gel filtration, (14) 486
———, gel filtration of lipid-protein complexes on cross-linked polystyrene, (47) 501
———, gel filtration of native and modified pig serum lipoproteins, (35) 230
———, group separation of prostaglandins on Sephadex LH-20, (48) 542
———, of the Harderian gland, TLC characterisation, (35) 179
———, high-temperature GC separation using silicone rubber gums or grease as stationary phase, (4) 496
———, human hair, analysis of high-molecular weight alcohols of, (29) 229
———, ———, hydrocarbons of, fractionation by chromatographic and thermal diffusion methods, (27) 431
———, ———, separation and analysis of phospholipids from, (31) 20
———, isolation and determination of long-chain N-acylethanolamines, (17) 257
———, isolation of lipid hydroperoxides by preparative TLC of autoxidised esters of polyunsaturated fatty acids, (40)177
———, isolation and separation of mono- and digalactosyldiglycerides from spinach leaves with Sephadex, (28) 131
———, $^{32}$P-labelled, from brain particulates, separation and quantitative determination by TLC, (24) 435
———, limits of detection in TLC, (18) 190
———, method for charring on thin-layer chromatograms, (24) 226
———, method for unidimensional separation by TLC, (15) 180
———, microapparatus for methanolysis of, (32) 745
———, micro method for their rapid transesterification with sodium methylate on thin-layer plates for the GC analysis of the fatty acid methyl esters, (32) 439
———, of mycobacterial strains, TLC, (27) 495
———, natural, TLC method for the analysis and isolation of complex saponification products of, (36) 244
———, neutral, analytical and preparative GC with continuous monitoring of the eluate by a flame ionisation detector, (44) 493
———, ———, photodensitometry in the TLC analysis of, (38) 91
———, ———, quantitative TLC using semi-specific colorimetric and titrimetric techniques, (34) 35
———, ———, semi-automatic determination, (46) 149
———, ———, separation by unidimensional TLC, (22) 456
———, new aldehydogenic phospholipid, an artifact, (40) 225
———, new selective fluorescence indicator for TLC of, (37) 533
———, one-dimensional TLC separation of serum phospholipids, (49) 552
———, an "opposite sense" developing system in TLC, (43) 543
———, partition of polar and non-polar lipids by reversed-phase chromatography, (14) 184
———, PC determination of phospholipids, (41) 116
———, PC of human brain gangliosides, (36) 553
———, PC identification using two reference compounds, (13) 128
———, PC using cupric hydroxide impregnated paper, (17) 188
———, plant, separation and identification by two-dimensional TLC, (13) 99
———, ———, separation by PC, (13) 104
———, polar, separation by CC on hydroxyl apatite, (49) 455
———, purification of extracts using Sephadex LH-20, (31) 62
———, quantitative analysis of rat liver phospholipids by a two-step TLC procedure, (35) 297

(Lipids)
———, quantitative analysis by TLC, (17) 513
———, quantitative densitometric TLC using copper acetate reagent, (43) 120
———, quantitative determination of cholesterol in brain lipid extracts using GLC, (27) 246
———, quantitative determination of phospholipids by direct photodensitometry of thin-layer chromatograms, (27) 488
———, quantitative separation and estimation in nervous tissue by means of TLC, (15) 173
———, quantitative TLC, (27) 388
———, of rat adrenal glands, fractionation and determination by TLC, (18) 57
———, recovery of nerve tissue glycerogalactolipids using modified CC on silicic acid with chloroform and acetone mixtures, (42) 237
———, separation of dinitrophenyl derivatives of long-chain bases by reaction PC, (36) 369
———, separation and estimation of the galactolipid components of broad bean leaves, (35) 223
———, separation and estimation of quinones and α-tocopherol from *Vicia faba* leaves, (36) 504
———, separation of gangliosides, corticosteroids and water-soluble non-lipids from lipid extracts by Sephadex columns, (47) 15
———, separation and identification of long-chain bases and their degradation products on silica gel layers impregnated with silver nitrate, (41) 267
———, separation of isomeric sphingosine bases as their dinitrophenyl derivatives by TLC, (24) 228
———, separation of lipoproteins by PC, (17) 615
———, serum, a rapid preparative TLC technique for, (32) 587
———, simple elution device for automatic stepwise chromatography, (14) 502
———, simple method for the quantitative analysis of phospholipids separated by TLC, (40) 90
———, a simple two-stage, one-directional TLC procedure for separating the products of fat digestion, (43) 276
———, simplified preparative TLC of phospholipids, (40) 175
———, simultaneous PC separation of phosphatides, cerebrosides and sulphatides (14) 189
———, spray reagent for their detection on thin-layer chromatograms, (23) 172
———, a technique for improved TLC of phospholipids, (45) 326
———, TLC (6) 20, (9) 301
———, TLC of phytosphingosines, (20) 594
———, TLC separation of cerebrosides and related compounds, (39) 229
———, TLC separation of glycolipids in animal lipid mixtures, (49) 255
———, TLC separation of glyco- and phospholipids and quantitative determination of their fatty acids, (49) 488
———, TLC separation from porphyrins and haemin, (35) 248
———, TLC on Silica Gel G with gradient elution, (21) 326
———, TLC use of sequentially applied location reagents and multiple transparent overlays, (11) 263
———, TLC using carboxymethylcellulose as binder, (16) 226
———, transesterification of lecithin on silicic acid columns, (21) 6
———, two-dimensional electrochromatography, (4) 314
———, unsaponifiable, use of a liquid spectroradiochromatograph for the automated simultaneous separation, identification, purification, estimation and radioassay of the components of a mixture of, (46) 161
———, unsaturated, detection on TLC plates using indicators bleached with bromine, (16) 555
———, ———, PC of their π-complexes with silver ions, (17) 382
———, use of N-bromosuccinimide for the staining of spots in TLC, (24) 432
———, use as a computer in the GLC determination of the concentration and identification of fatty acids present as free fatty acids, triglycerides and cholesteryl esters, (30) 62
———, use of iodine for detection, (1) 385
———, use of a liquid chromatograph in lipid class separation, (40) 31
———, use of tetracyclines as a spray in TLC of, (26) 290
———, of wheat flour, identification by TLC, (47) 277
α-Lipoic acid, the use of TLC in following product formation in photolysis of, (43) 515

Lipophilic solvents, gel filtration with use of hydroxyalkoxypropyl derivatives of Sephadex, (44) 509
Lipopolysaccharide, bacterial, use as a void volume marker for agarose gel permeation chromatography, (37) 331
Lipoproteins, electrophoresis, (6) 409
———, ———, using pre-stained serum, (10) 443
———, human serum, determination of isoelectric points, (4) 34
———, from pig serum, gel filtration of, (35) 230
———, separation by PC, (17) 615
Lipoproteins of blood, estimation by radial immunodiffusion after agarose gel filtration, (28) 59
———, fractionation by gel filtration, (25) 63
Liquid chromatography, automatic quantitative, a continuous flow-meter for, (31) 218
———, combination with other chromatographic principles, (48) 279
———, dry filling of capillary columns for, (31) 213
———, mobile-phase dispersion in, (47) 307
———, multi-column, magazine fed fraction collector for, (31) 337
———, problems of molecular adsorption chromatography, (49) 84
———, stream splitter for, (31) 549
———, thermal conductivity detection in, (38) 393
Liquid ion exchangers, use in PC of organic electrolytes, (27) 206
Liquid-liquid partition chromatography, a new approach to, (37) 97
———, problems of reproducibility of $R_F$ values, (33) 40
———, with a recording detector, (16) 47
———, with the system chloroform-cyclohexane-nitromethane, (22) 296
———, two types of $R_M$-composition relationships, (32) 458
Liquid scintillator-based continuous radio chromatogram scanner, (17) 355
Liquid-solid chromatography, simple device for maintaining a constant pressure in, (11) 423
———, theory relating solute retention volumes with those obtained in GSC, (18) 461
Lithium, PC separation and determination, (1) 554
———, separation from other alkali metal ions by reversed-phase chromatography, (26) 342
Lithium chloride, quantitative analysis by PC and flame spectrophotometry, (20) 201
Lotus (Leguminosae), secondary phenolic compounds in, separation by TLC, (21) 247; (24) 243
LSD, see Lysergic acid diethylamide
Lubricants, aviation, detection and identification of nitrogen-containing antioxidants in, (26) 296
———, polytetrafluoroethylene layers for TLC, (44) 522
Lumazines, separation on an analytical and preparative scale, (29) 182
Lutidines, deactivation of the GC support for the separation of aliphatic amines, (50) 135
Lysergic acid, separation of diastereomeric (+)-l-hydroxy-2-butylamides of D- and L-lysergic and isolysergic acids by TLC, (50) 442
Lysergic acid amide, chromatographic separation of, (43) 510
———, determination in Morning Glory seeds by a direct densitometric method on thin-layer plates, (19) 531
Lysergic acid derivatives, TLC separation and detection of methysergide and methergine, (31) 255
Lysergic acid diethylamide (LSD), direct micro-analysis by GC, (31) 545
Lysergol, chromatographic separation of, (43) 510
Lysine, Dragendorff reactions for visualisation of amino acids and derivatives separated by PC and TLC, (49) 343
———, rapid chromatographic method for the estimation of, (46) 317
———, separation of lysine and ornithine by CC, (30) 225; (39) 506
Lysine peptides, purification of polyelectrolytes by ion-exchange chromatography, (41) 228
Lysine polypeptides, ion-exchange chromatography, (18) 366
Lysines, a quick separation of $\epsilon$-N-methyl-lysines using the amino acid analyser, (44) 618
Lysinoalanine, determination by rapid automatic methods using an amino acid analyser, (31) 284
Lysozymes, adsorption to polyacrylamide gel (Bio-Gel P-2), (47) 499
———, native and $\gamma$-irradiated, chromatography on dense gels, (47) 361
———, preparation and purification by chromatography, (8) 363
D-Lyxose-1-$^{14}$C, countercurrent distribution study, (15) 97

# M

Machine for the treatment of paper strips with chemical reagents, (23) 94
Macro-argon ionisation detector, critical examination of commercially available apparatus, (15) 471
Macrolide group, antibiotics, PC, (20) 295
Macromolecular compounds, allergenic, preparative separation from airborne particles using continuous electrophoresis, (17) 628
Macromolecules, preparative separation technique by filtration through solid agar gel, (34) 537
Magnesia, water deactivated, as a chromatographic adsorbent, (28) 300
Magnesium, separation from calium by cation exchange at high ionic strength, (11) 258
——— hydroxide as a TLC adsorbent, (31) 390
Magnesol TLC of flavonoid compounds, (43) 287
Malaoxon, separation by GC, effect of the column support material, (35) 17
Malathion, monocarboxylic acid, TLC separation of isomers of, (47) 281
———, separation by GC, the effect of the column support material, (35) 17
Maleic and fumaric acids, separation by gel filtration on Sephadex G-10, (39) 328
Maleic hydrazide derivatives, GC, (20) 140
———, ——— of alkyl carbonates, (18) 581
Maleimides, GC determination of some maleimides produced by the oxidation of haeme and chlorophyll *a*, (50) 131
Malonaldehyde, pH-dependent elution during gel filtration on Sephadex G-10, (24) 193
Malonates, studies by TLC, (27) 276
Malonic acid esters, C-alkyl-C-acyl, GC investigation, (47) 479
———, separation by GC, (21) 402
———, TLC of some substituted esters and diamides on silica gel, (45) 322
Malonodinitrile, separation of dinitriles by TLC, with special reference to the tautomeric forms of malonodinitrile, (36) 198
Maltodextrins, separation by charcoal chromatography, (24) 68
Malto-oligosaccharides, TLC of, (44) 307
Maltosides, substituted methyl $\beta$-, TLC of, (49) 543
Malvoside, separation from paeonoside by chromatography on paper and on cellulose thin layers, (34) 425
Mandelic acid, partial resolution with Sephadex gels, (28) 132
———, separation from hippuric acid by TLC, (24) 463
Manitoba plants, phytochemical investigations using a GLC screening technique for the identification of the alkaloids of *Phalaris* species, (43) 295
D-Mannan, synthetic, as a model in studies on the application of PC and vapour-phase chromatography to polysaccharides, (20) 78
Mannitol derivatives, tumour-inhibiting, detection by means of PC, (9) 176
D-Mannosamine-l-$^{14}$C hydrochloride, artifacts in the PC of, (40) 312
Mannose, evaluation of methanolysis for TLC analysis of the monosaccharides in an immunologically active polysaccharide – peptide complex, (43) 528
$\alpha$-D-Mannose, methyl glycoside, study by means of countercurrent distribution, (29) 103
Mannose/galactose ratio in glycoproteins, determination by TLC on cellulose, (31) 565
Martin density balance, use for determining molecular weights, (5) 131
Mass detector, calibration of GC detectors with use of, (44) 25
———, comparison with gas detector for quantitative analysis, (44) 14
Mass spectrometry, loss of chromatographic resolution in the vacuum line of a gas chromatograph MS system, (32) 740
Mass transfer term, mechanism in PC, (35) 257
Mayer's reagent, adaptation as a spray reagent for detecting alkaloids on paper chromatograms, (2) 428
———, use for the rapid separation of alkaloids from plant material, (19) 175
*Medicago* (Papilionaceae), TLC separation of anthocyanins and anthocyanidins in, (36) 115
———, TLC separation of flavonoids in, (36) 258
Melatonin, chromatographic behaviour of, (32) 406
———, decomposition in a solution in ethanol, (35) 572

Membrane chromatography, of dyes on nitrocellulose filters, (34) 21
———, PVC, use as specific chromatographic carriers for rapid ultra-microanalysis of proteins, (49) 550
———, of serum and body fluid proteins on nitrocellulose filters, (34) 370
Membrane filters, wedge-compressed, formation and application to small-scale filtration chromatography, (28) 124
———, ———, microchromatography of proteins on, (28) 89
*p*-Menthenes, GC using stationary phases containing silver nitrate, (8) 349
Menthols, stereoisomeric, GC, (3) 351
L-Menthyl esters of phytanic acid, GLC separation of diastereoisomers, (44) 256
Meprobamate and its metabolites, chromatographic detection in human urine, (19) 192
Mercaptans, detection in the presence of other types of sulphur functional groups by a quick TLC test, (38) 543
———, separation and identification by PC of their 3,5-dinitrobenzoyl derivatives, (5) 466
———, a visualising reagent for their identification in PC, (32) 426
Mercaptides, PC, (7) 516
Mercaptoacetic acid addition products of long-chain monosaturated compounds, separation by TLC, (24) 433
Mercapturic acids and related compounds, separation by GC, (26) 255
Mercuric ions, solution chemistry in nitric acid investigated by high- and low-voltage paper electrophoresis, (17) 391
Mercury, diphenyl derivative, labelling with $^{203}Hg$ studied by PC, (13) 497
Mercuryl(I), spot test for, (31) 177
Mesohaemin, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, (50) 458
Mesoporphyrins I and IX, separation by PC, (6) 350
Metabolic acids, quantitative measurement by GLC, (24) 325
Metabolic products, $^{14}C$- and $^{32}P$- labelled, TLC, separation, (41) 80
Metal-chloro anions present in the organic phase in reversed-phase chromatography involving liquid anion exchangers, a study of their nature, (31) 182
Metal complexes, of $\beta$-diketones as liquid phases in GLC, (20) 278
———, ion pair formation in their separation by paper electrophoresis, (31) 196
———, paper electrophoretic study of ion pair formation, (35) 201
Metal-EDTA complexes, separation by TLC, (39) 520
———, TLC separation on microcrystalline cellulose, (48) 581
Metal halides, separation of $NbOC1_3$ from $NbC1_5$ in a gas chromatograph by temperature programming, (35) 577
Metal ions, adsorption on cation and anion resin papers from nitric acid, (17) 625
———, adsorption on cation exchangers from perchloric acid solutions, (15) 80
———, adsorption on cation exchangers from solutions of sodium perchlorate (17) 425
———, adsorption of their chlorocomplexes on a carboxylic resin from HC1 solutions, (43) 149
———, adsorption chromatography on cellulose, (7) 366
———, adsorption on Dowex-50 from dilute HF solution, (2) 209
———, adsorption on exchangers with phosphoric groups from perchloric acid solutions, (22) 200
———, adsorption from HCl on anion-exchange resin paper, DEAE paper and aminoethylcellulose paper, (13) 188
———, adsorption from HF-$HClO_4$ mixtures on ion-exchange papers, (21) 500
———, adsorption on various anion-exchange papers, (4) 83, 86 *A*24; (5) 236; (10) 82; (14) 238; (17) 387
———, anion-exchange chromatography, (17) 567
———, their behaviour on carboxylic exchangers, (29) 306
———, cation-exchange behaviour in ammonium sulphate media, (39) 61
———, cation-exchange behaviour of the elements in HCl and $HClO_4$ solutions, (13) 503
———, chromatographic behaviour on papers treated with primary, secondary, tertiary and quaternary amines, (19) 630
———, chromatographic process in a reversed-phase system for the separation by ion-association distribution, (49) 278
———, chromatography of some cations on paper impregnated with ammonium phosphotungstate, (14) 555
———, chromatography on paper impregnated with stannic phosphate, (22) 198
———, chromatography on paper impregnated with titanium hydroxide, (20) 358

(Metal ions)
———, chromatography on paper treated with tri-*n*-octylphosphine oxide, (7) 112
———, constancy of their $R_F$ values in PC under Australian field conditions, (10) 281
———, determination of auric ions in colloidal $^{198}Au$ by paper electrophoresis, (17) 631
———, determination of the "charge" of a metal ion by ion-exchange equilibria, (44) 161
———, divalent, adsorption by filter paper, (4) 481
———, electrophoretic behaviour of some metal ions dissolved in molten perchlorates, (44) 141
———, high- and low-voltage paper electrophoretic investigation of the solution chemistry of mercuric ions in nitric acid, (17) 391
———, high-voltage electrophoresis, (1) 117; (10) 221
———, ion-exchange chromatography, influence of certain cations and anions on the accuracy of the analysis, (22) 149
———, ion-exchange at high concentrations of the mobile phase, (44) 594
———, ion-exchange PC using thiocyanic acid as eluant, (21) 471
———, oxalate complexes studied by PC, (2) 95
———, paper electrophoresis in sulphate solutions, (5) 121
———, partition chromatography using tri-iso-octylamine as anion exchanger, (23) 457
———, quantitative TLC on liquid anion exchangers, (39) 211, 218
———, reaction with insoluble sulphides in aqueous media, (17) 549
———, reversed-phase PC using nitrophenylthiophosphate derivatives as stationary phases, (22) 425
———, separation by CC and electro-chromatography using molten salts as liquid phase, (23) 149
———, separation by electrophoresis on cellulose acetate (Cellogel), (22) 431
———, separation by ion-exchange TLC, (19) 458
———, separation of lanthanides by high-voltage thin-layer electrophoresis, (23) 336
———, separation of lanthanides and actinides by ion-exchange chromatography with hydroxyethylenediaminetriacetic acid, (22) 164
———, separation of neptunium, plutonium, americium and thorium by anion exchange, (46) 326
———, separation on paper and thin layers impregnated with basic liquid ion exchangers, (22) 407
———, separation on paper and thin layers impregnated with liquid anion exchangers, (23) 287
———, separation on polyamine-polyacetic acid ion exchangers, (14) 244
———, separation of scandium by cation exchange in acid ammonium sulphate medi (22) 143
———, separation by solubilisation TLC, (42) 96
———, separation using vanadium ferrocyanide as ion exchanger, (20) 384
———, stability trends of some 1:1 and 2:1 malonato and 1,1-cyclobutanedicarboxylat cobalt, nickel, copper and zinc chelates, (44) 212
———, TLC, (14) 534
———, TLC on alginic acid, (35) 405
———, TLC on cellulose impregnated with Primene JM-T hydrochloride, (39) 200
———, TLC on cellulose impregnated with thiocyanate salts of liquid anion exchangers, (46) 293, 301
———, the use of thiocyanic acid in partition PC, (7) 120
———, see also Cations, and Inorganic ions
Metal ion-thiocynate complex systems, studies on their anion-exchange behaviour, (30) 640
Metallo-organic compounds, separation and identification of organic tin compounds by PC, (8) 393
Metalloporphyrins, chromatography, a review, (5) 277
Metals, behaviour of cation-exchange thin layers with alkaline and neutral salt solutions as eluents, (47) 442
———, centrifugal chromatography of cations, (18) 435
———, chelates with ethylenediamine di-(o-hydroxyphenyl-acetic acid), electrophoretic separation and detection of isomers, (14) 544
———, chloro-aquo-complexes, ion-exchange PC, (19) 412
———, chromatographic behaviour of cations in fused salts on $\gamma$-alumina

and syntetic inorganic ion-exchange materials, (18) 564
———, complexes with oxine, paper electrophoresis, (2) 438
———, complexes with thiourea, adsorption on cellulose, (4) 414
———, detection in PC by means of glyoxal bis-(2-hydroxyanil), (14) 560
———, etioporphyrin II chelates of, hyperpressure GC, (47) 247
———, of the Ib group, behaviour on zirconium phosphate columns and papers, (5) 456
———, heavy, chloranilic acid as reagent in the PC of, (5) 5
———, ———, separation and determination in admixtures with lead, (2) 284
———, ion-exchange PC of Pu(IV) and Pu(VI) in nitric acid, (21) 105
———, mononuclear complexes, electrophoretic mobility and stability, (14) 71
———, partition chromatographic studies of Am, Y and the rare earths in the tricaprylylmethylammonium thiocyanate – ammonium cyanate system, (27) 229
———, polybasic, use of their crystalline insoluble salts as ion exchangers, (30) 579, 584
———, radiochemical separation by partition chromatography with reversed phases on teflon in the system tri-*n*-octylamine – electrolyte, (17) 197
———, reversed-phase chromatography on paper treated with di-(2-ethylhexyl) orthophosphoric acid in chloride medium, (18) 124
———, separation by chromatographic techniques using liquid ion exchangers, (18) 142
———, separation of some fission products from uranium (VI) by reversed-phase partition chromatography, (21) 98
———, separation of Hg, Pb, Cu, Bi and Cd by TLC of their diethyldithiocarbamates, (21) 363
———, separation on ion-exchange modified cellulose paper using complexing agents, (10) 106
———, separation by PC using the wedge-strip technique, (27) 326
———, separation by TLC of their chelates with l-nitroso-2-naphthol, (27) 331
———, separation of trace elements from sea water, brine and sodium and magnesium salt solutions by chromatography on chitosan, (47) 414
———, sorption of $^{137}Cs$ and $^{86}Rb$ on ammonium and thallous salts of phosphotungstic and phosphomolybdic acid, (27) 460
Metal salts, sorption by filter paper, (47) 86
———, a TLC method for the determination of traces in cereal, (34) 563
———, TLC separation of some cations on commercially precoated sheets, (47) 435
———, TLC separation of some trace metals with special reference to lead, (47) 427
———, two-dimensional electrochromatography of $^{106}Ru$ and some other radiomicroconstituents in sea water, (27) 450
———, use of DEAE-cellulose in inorganic TLC, (47) 453
———, volatile halides, GLC, (5) 225
———, see also Inorganic ions
Metanephrine, application of PC and partition TLC to the separation of catecholamines and their metabolites, (43) 135
———, solvent extraction and PC of urinary phenolic amines, (49) 349
Methacrylate ions, separation by PC, (44) 188
Methacrylate monomer and polymer, application of a colour reaction for the identification of, (45) 346
Methane, deuterated, separation of isotopic compounds by GC, (18) 390
———, separation of mixtures with oxygen, nitrogen and carbon monoxide, (13) 382
———, variation with polarising voltage of the response of a macro-argon ionisation detector to, (32) 737
Methanesulphonates of sterols, GC behaviour, (19) 22
Methanol, determination of small amounts in water by GC with a new stationary phase, (22) 229
Methaqualone, GC determination at therapeutic levels in human plasma, (42) 39
Methergine, separation and detection by TLC, (31) 255
Methione peptides, separation by CC, (24) 215
Methionine, separation from $\epsilon$-carboxymethyllysine on 60-cm columns of ion-exchange resins, (47) 114
———, separation and detection of methionine and its $\alpha$-keto and $\alpha$-hydroxy analogues on thin-layer chromatograms, (50) 150
———, separation from selenomethionine by TLC, (21) 344
Methionine sulphone, simplified buffer system for automated CC of amino acids including, (46) 107

Methionine sulphoximine, rapid preparative separation from methionine sulphoxide, (27) 269
2-Methoxy-3,6-dichlorobenzoic acid, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, (50) 334
1-Methoxy-2(3)-hydroxy-3(2)-bromocyclohexanes and their derivatives, chromatographic separation, (20) 424
3-Methoxy-4-hydroxymandelic acid, isolation from urine by the wedge-strip method, (15) 88
4-Methoxy-3-hydroxymandelic acid, application of PC and partition TLC to the separation of catecholamines and their metabolites, (43) 135
1-Methyl-2-aldoximinopyridinium iodide, investigation of the *in vivo* metabolism by ion-exchange CC, (26) 202
1-Methyl-2-aldoximinopyridinium ion (2-PAM) and metabolite 1-methyl-2-cyanopyridinium ion, multiple spot phenomena on paper chromatograms, (21) 280
N-Methylamino acids, analysis by automatic amino acid analyser and GLC, (25) 1
N-Methylbenzazimide dimethyl dithiophosphoric acid ester, TLC for the detection of substances that interfere in the estimation of, (14) 133
3-Methyl-2-benzothiazolone hydrazone derivatives of aliphatic aldehydes, determination by TLC, (35) 111
2-Methyl-1,2-bis(3-pyridyl)-1-propanone, a new method for the determination of metyrapone in plasma and tissues, (40) 417
Methyl bromide, determination in the presence of ethyl bromide, (9) 247
3-Methylbut-1-ene, separation from 1,1-dimethylcyclopropane using a silicone grease/silicone oil stationary phase, (38) 1
N-Methylcarbamates, chromatography in the gaseous phase, (45) 362
2-Methyl-4-chlorophenoxyacetic acid, preparation of the methyl esters by pyrolysis of the tetramethylammonium salts, (45) 132
Methyl cholanoates, GC of new bile acids and their derivatives, (44) 452
Methyl *cis, cis*-octadecadienoates, isomeric methylene interrupted, argentation TLC, (34) 405
———, ———, GLC, (37) 27
Methylcyclobutenes, GC, (11) 32
Methylcycloheptenes, GC with stationary phases containing silver nitrate, (18) 302
Methylcyclohexenes, isomeric, partition GLC of mixtures with methylenecyclohexane, (1) 508
Methylcyclopolysiloxanes, objective choice of separating liquids for the GC study of homologues and isomers of, (38) 332
Methylcytisine, quantitative determination by GC, (42) 258
Methyl(propyl) dimethylcyclosiloxanes, chromatographic analysis, (38) 240
4-Methyl-2,6-di-*tert*.-butylphenol, use as an antioxidant during chromatography of lipids, (14) 405
Methylenebis [di-(2-ethylhexyl)-phosphine oxide] as stationary phase in reversed-phase partition chromatography of rare earths, (24) 376
Methylenebis (di-*n*-hexylphosphine oxide, use in reversed-phase PC of the rare earths, thorium and uranium, (21) 460
Methylene compounds, studies by TLC, (27) 276
Methylenecyclobutane, GC, (11) 32
Methylenecycloheptane, GC with stationary phases containing silver nitrate, (18) 302
Methylenecyclohexane, partition GLC of mixtures with the isomeric methylcyclohexenes, (1) 508
3,4-Methylenedioxybenzyl carbamates, detection and TLC, (20) 521
3,4-Methylenedioxycinnamylideneacetone, isolation from the rhizome of *Piper methysticum* by chromatography on non-bound thick layers, (31) 375
Methylenedioxy compounds, quantitative determination by TLC – direct densitometry, (40) 85
Methylenedioxy group, detection on TLC plates, (37) 357
3,4-Methylenedioxyphenyl carbamates, detection and TLC, (20) 521
———, study on their GC behaviour, (27) 255
3,4-Methylenedioxphenyl derivatives, TLC studies on rat bile and urine following intravenous administration of, (29) 267
———, the use of π-electron acceptors as detecting agents for, (22) 480
9,10-Methylenehexadecanoic acid, identification in aerobic "*Actinomycetales*", (35) 211
Methylene units in GLC, a comparison of the behaviour of the hydrocarbons used as reference standards in their determination, (26) 387
3-Methylhistidine, separation from histidine by TLC, (13) 83
Methylhydrazine, separation from hydrazine and 1,1-dimethylhydrazine by GC, (18) 297
ε-N-Methyllysines, a quick separation with

use of amino acid analyser, (44) 618
Methylmethionine sulphonium salts, TLC, (30) 251
1-Methyl-5-(2-methoxyethyl)-tetrazole as a stationary phase for partition GLC, (5) 461
Methyl octadecanoates, brominated, GC, (6) 118
Methyl paraoxon, and homologs, GC behaviour and chemical structure of, (46) 79
———, teflon as a superior support for GC of organophosphorus pesticides and their metabolites, (46) 108
Methyl parathion, and homologs, GC behaviour and chemical structure of, (46) 79
———, and parathion, effect of liquid phase loading and temperature on the relative retentions in GC, (50) 520
———, separation by GC, the effect of the column support material, (35) 17
Methyl pentenes, investigation of the structure by adsorption GC, (49) 21
2-Methylpiperazine diformamide, use in GC, (5) 181
Methyl reserpate derivatives, PC, (7) 337
α-Methylstyrene, GC separation and identification of dimerization products of, (38) 326
N-Methyl-N-trimethylsilyl-trifluoracetamide, a new silylating agent, (42) 103
Methyl yellow as spray reagent in the PC of chlorinated hydrocarbon pesticides, (10) 515
Methysergide, separation and detection by TLC, (31) 255
Metmyoglobin, bovine, isoelectric fractionation, (41) 417
Metobromuron, determination in soil, (44) 60
Metoxymarc, determination in soil, (44) 60
Metyrapone, a new method for the determination in plasma and tissues, (40) 417
Δ*Me* value, a new retention parameter in GLC, (8) 303
Microcell for photometric monitoring of flowing materials, (31) 204
Microchromatograph for quantitative estimation of sugars using a paper strip as partition support, (15) 252
Microchromatography, on nitrocellulose membranes impregnated with proteins, (26) 127
———, using chromatostrips and chromatoplates, see TLC
Micro electrophoresis, of mucopolysaccharides on agarose gel, (11) 421
———, of serum proteins on nitrocellulose membranes, (26) 331
Micropipettes, simple method for determining the volume, (18) 162
Migration chamber for electrophoresis in solid gels, (23) 325
Milk, PC determination of N,N′-diphenyl-*p*-phenylenediamine in, (2) 81
Milk proteins, an investigation of the interaction with tea polyphenols, (11) 504
———, separation by continuous flow paper electrophoresis, (4) 42
*Mitragyna* oxindole alkaloids, densitometric determination after separation by TLC, (33) 347
———, quantitative determination after separation by TLC, (32) 472, 489; (35) 72
Mixing device, semi-automatic, for producing density gradients, (23) 471
Mohua oil, detection in butter fat (Ghee), (36) 84
Molecular complexation chromatography for the optical resolution of 9-*sec*.-butyl-phenanthrene, (14) 300
Molecular-sieve chromatography, band spreading in, (46) 33
———, thermodynamic treatment of partition experiments with special reference to, (50) 189
Molecular-sieve electrophoresis in cross-linked polyacrylamide gels, (11) 66
Molecular-sieve gas chromatography, behaviour of isobutane in, (11) 108
Molecular sieves as substractors in GC analysis, (3) 230, 235
Molecular structure, and chromatographic behaviour, (23) 1, 18, 67, 120, 375, 388, 417, 428; (25) 347, 357; (27) 109, 116, 131; (33) 107
———, correlation with the retention index in GC, (30) 357
———, realtion to GC behaviour, (30) 17
———, relation to sensitivity in electron capture analysis, (30) 77
———, relationships with the thermodynamics of solutions studied by GLC, (25) 252
———, see also Structure
Molecular weight determinations, with the Martin density balance, (5) 131
———, using GC detectors, (44) 241
———, of proteins, estimation by Bio-Gel P gel filtration, (28) 82
Molecular weight distribution analysis by gel chromatography on Sephadex, (28) 69
Molten salts, determination of transport quantities in, (26) 239
Molybdenum ions, detection in PC by means of chlorogenic and caffeic acids, (16) 262

Molybdophosphate, ammonium for impregnation of paper in the chromatography of alkali metal ions, (4) 423
*Monarda punctata* L. oil, GC analysis, (19) 601
*n*-Monoalkenes, GLC, (12) 271
Monoamines, biogenic, comparison of formaldehyde gas and Prochazka reagents for the detection after TLC, (47) 530
Monogalactosyldiglycerides from spinach leaves, isolation and separation with Sephadex LH-20, (28) 131
Monoglycerides, resolution of mixtures with alkyl ethers by GLC, (34) 461
Monohydric alcohols, see Alcohols, monohydric
Monosaccharides, application of combined pyrolises-TLC to the study of chemical kinetics, (48) 268
———, automated chromatography on anion-exchange resins, (26) 194
———, detection and differentiation on paper chromatograms, (24) 117
———, detection and radioassay on thin-layer and paper chromatograms, (34) 266
———, evaluation of methanolysis for TLC analysis in immunologically active polysaccharide – peptide complex, (43) 528
———, fluorescent visualisation of trioses on silica gel thin-layer chromatograms, (50) 338
———, from plants, rapid quantitative method for routine determination by PC, (22) 95
———, separation from di- and trisaccharides on carbon – aluminium oxide columns, (5) 453
———, a simple, isothermal GC procedure for the analysis of, (47) 199
———, studies on the acid stability by GC, with reference to the analysis of sugar components in the polysaccharides, (45) 244
Monoterpene alcohol trimethylsilyl ethers, TLC, (34) 411
Monoterpene hydrocarbons, a systematic analysis by GLC, (7) 297
Monoterpenes, separation by TLC on silver nitrate-silica gel, (20) 618
Morphactins, TLC, UV and fluorescence spectra of some fluorene-9-carboxylic acid derivatives, (36) 318
Morphine, GC determination in urine, (40) 164
———, and related compounds, fluorometric identification of submicrogram amounts on thin-layer chromatographs, (16) 558
———, separation from normorphine and nalorphine, (14) 536
———, specific assay of basic drugs in urine by CM-cellulose chromatography using continuous drug – dye complex extraction as a detection system, (34) 72
Mould metabolites, separation and identification by PC, (1) 338, 366; (4) 474
Mowrah oil, see Mohua oil
Mucins, submaxillary, acrylamide gel electrophoresis of, (35) 134
———, ———, fractionation and isolation by cellulose CC, (23) 254
———, ———, GC characterisation of electrophoretically separated fractions, (24) 179
———, ———, micromethod for their determination in vascular tissue, (31) 473
———, ———, radioactive, estimation of, (39) 96
———, ———, separation by PC, (7) 223
———, determination of sugars and amino sugars in their hydrolysates by GLC, (28) 232
———, micro-electrophoresis on agarose gel, (11) 421
———, separation and identification by TLC, (21) 40
———, TLC and rapid identification of common acid glycosaminoglycans, (21) 32
———, thin-layer gel filtration, (22) 90
Mucopolysaccharides, acid, identification by PC, (13) 157
Mucoprotein, gastric, characterisation and GC determination of active principles of biological interest in pharmaceutical products, (49) 46
———, serum, rapid separation from other Folin-Ciocalteu-positive substances by means of gel filtration, (11) 71
Multicollector for the simultaneous collection of fractions from a number of chromatographic columns, (3) 554
Multidimensional chromatography, the use of different developing methods, (15) 15; (16) 494; (18) 270; (21) 207
Multipipetting device, semi-automatic, for PC, (2) 58
Multiple chromatography, unidimensional, quantitative approach, (12) 441
Multiple column chromatography of wheat gluten proteins, (11) 552
Multiple-column gradient elution chromatography, (3) 560
Multiple zones and spots in chromatography, (3) 205

Muscle, rat, acid-soluble phosphorus compounds of, (8) 475
Mycetin – violarin antibiotics, impurities in commercial formamide as critical factors in the PC of, (8) 522
Mycobacterial strains, distinction by a rapid chemotaxonomic method, (27) 495
Mycotoxins, separation and detection by TLC, (45) 473
Myoglobin, bovine, chromatography on CM-cellulose, (38) 250
———, of a cow heart, continuous chromatography apparatus for the purification of, (43)
———, pure, preparation by means of gel chromatography, (43) 450
——, separation from haemoglobin on Sephadex thin layers, (28) 146
Myosin, acrylamide gel electrophoresis of aggregation and degradation products of, (41) 423
Myosmine, GC separation of, (43) 506
Myristaldehyde, GC separation and determination of, (43) 492
Myristic acid, analysis of phenyl esters of fatty acids by TLC techniques, (43) 519

# N

NAD-glycohydrolase from streptococci, gel filtration behaviour and molecular weight in CC on Sephadex gels, (41) 43
*Naja naja atra*, study of the fractions obtained by chromatography on sulphoethyl-Sephadex of the venom of, (37) 463
Nalorphine, separation from morphine and normorphine, (14) 536
Nano-Jector, application on the GC of solid samples, (35) 92
Naphthalene, technical grade, GC determination of thionaphthene admixtures in, (40) 359
Naphthalene derivatives, PC separation and identification, (13) 483
———, separation and identification by PC, (1) 360; (4) 467
Napthalenesulphonic acids, PC, (8) 90
Naphthenes, a method for the prediction of retention indices of hydrocarbons on squalan, (44) 170
———, and paraffins, separation on an alkali-treated molecular sieve, (39) 502
α-Naphtholmonosulphonic acids, separation and identification by TLC, (31) 260
Naphthols, a PC method for the identification of α- and β-naphthol when present together, (3) 197
———, separation by TLC, (30) 263
Naphthoquinones, separation by polyamide layer chromatography of, (44) 635
———, separation by TLC, (30) 263
Narcotics, identification in human urine, (39) 302
———, identification of submicrogram amounts by direct derivative formation within the gas chromatograph, (41) 358
———, the separation and determination of opiates and diluents in illicit narcotic mixtures, (33) 526
———, solvent systems for their identification by PC, (6) 343
———, TLC detection in urine of patients receiving psychotropic drugs, (41) 367
———, see also Pharmaceuticals
Natural products, silylation of substances occurring in natural products and detectable by GC, (43) 247
———, of vegetable and mould origin, PC separation and identification, (1) 365, 366; (4) 474
Neburon, determination in soil, (44) 60
Neodymium, anion-exchange behaviour in dilute hydrochloric acid containing ethanol, (5) 539
———, anion-exchange behaviour in dilute nitric acid solutions containing ethanol, (5) 526
Neomycin, an electrophoretic method for detection and estimation of microgramme quantities in serum protein solutions, (19) 456
Neomycin sulphate, separation from polymyxin B sulphate and zinc bacitracin, (45) 155
Neon isotopes, enrichment by means of GC, (28) 177, 194
Neptunium, separation by anion exchange, (46) 326
———, separation from uranium and plutonium by ion exchange, (14) 258
———, separation from zirconium and niobium by ion exchange, (14) 255
Nerve growth factor from snake venom, gel filtration patterns of crude venoms, (36) 535
———, molecular heterogeneity, (37) 62
Net ionophoretic mobility as a function of pH, simple method for plotting theoretical curves of, (5) 170
Neutron activation, analysis of phosphate species in multispot chromatograms, (18) 349
———, production op $^{75}$Se-selenocystine, (21) 342
Nickel, cationic complexes, detection with ninhydrin, (18) 194
———, quantitative analysis together with Co, Zn and Cu, by displacement chromatography, (13) 203
———, separation by ion-exchange chromatography, (22) 149
Nickel bis(glycinate), PC in some alcohols, (19) 448
Nickel ions, quantitative determination of their equilibria in chloride solutions by means of ion-exchange papers, (15) 510
Nicotine, GC separation of, (43) 506
Nicotinic acid derivatives, paper electrophoresis, (2) 531
Nigrosine, stain for quantitative estimation of serum proteins in paper electrophoresis, (1) 287

Ninhydrin, behaviour with some non-nitrogenous compounds during automatic ion-exchange chromatography, (30) 190
———, preservation of paper chromatograms sprayed with, (3) 278
———, as a reagent for N-methyl-amino acids, (4) 251
———, and related compounds, PC and TLC, (29) 274
———, as a stable reagent for use in the automatic determination of amino acids, (7) 418
———, an unusual reaction with inorganic cations, (10) 233
———, use in the detection of cationic complexes of cobalt, nickel and chromium, (18) 194
Ninhydrin-negative compounds, chromatography on an amino acid analyser column, (26) 48
Ninhydrin-positive compounds, non-nitrogenous, in ion-exchange chromatography, (7) 51
Ninhydrin-positive reaction of some ketoses, (19) 622
Niobate-tantalate mixture, ion-exchange separation, (22) 500
Niobium, separation from zirconium and neptunium by ion exchange, (14) 255
———, separation from zirconium using methylenebis(di-*n*-hexylphosphine oxide), (31) 292
———, separation from zirconium by PC, (11) 389
Niobium halides, separation of $NbOCl_3$ from $NbCl_5$ in a gas chromatograph by temperature programming, (35) 577
Nitramines, aliphatic, separation by TLC, (24) 253
Nitrate esters, PC, (5) 166
Nitrate reductase, CC, (7) 573
Nitrates, as column packings in GSC, (30) 305
———, detection on paper chromatograms with a corrosive reagent, (6) 367
———, explosive, rapid estimation, (31) 551
———, metallic, PC, (1) 62, 489, 496; (2) 362; (3) 195
Nitric oxide, separation and microanalysis in mixtures of nitrogen and its oxides by chromatography on columns, (2) 218
Nitriles, aliphatic, GC, (10) 417
———, isomeric, separation by GC, (47) 176, 182
———, relative elution times in GC, (17) 227
Nitroalkanes, determination of retention data and activity coefficients by GC, (4) 451
*p*-Nitroaniline, diazotised, for the detection of amino compounds on paper, (24) 268
———, as a location reagent for ammonium salts of aliphatic acids, (4) 350
———, neutral diazotized, as a spray reagent in chromatography of 5-hydroxyindoles, (19) 326
Nitroanilines, substituted, and related compounds, TLC, (30) 130
4′-Nitroazobenzene-4-carboxylic acid esters of alcohols, GC separation of, (34) 253
Nitrobenzene, determination of minute amounts in air, (28) 285
———, GC analysis of $\gamma$-irradiated nitrobenzene for biphenyl and nitroaromatic products, (48) 526
Nitrobenzoic acid isomers, GC analysis of, (43) 503
4-(*p*-Nitrobenzyl)-pyridine as reagent for the determination of aza-heterocycles on thin-layer chromatograms, (30) 514
Nitro blue tetrazolium chloride, electrophoresis and thin-layer gel filtration of, (35) 301
Nitrocellulose filters, membrane chromatography of serum and body fluid proteins on, (34) 370
———, use in membrane chromatography of dyes, (34) 21
Nitrocellulose membrane filters, chromatographic behaviour of proteins, peptides and amino acids on, (26) 121
Nitrocellulose membranes, impregnated with proteins as a supporting medium, (26) 127
———, microelectrophoresis of serum proteins on, (26) 331
———, wedge-compressed, formation and application to small-scale filtration chromatography, (28) 124
Nitrocobaltate(III) complexes, separation and identification in aqueous acetic acid solution, (31) 653
———, ———, use in the microchromatography of proteins, (28) 89
Nitro compounds, aromatic, identification of ethyl centralite – nitrogen tetroxide reaction products, (16) 488
———, ———, reduction and detection on thin layers of silica gel, (38) 339
———, ———, TLC utilising $\pi$-complexes, (14) 280
———, $C_1$–$C_4$, relative retentions and hydrogen flame detector molar response, (25) 479

(Nitro compounds)
———, PC, (8) 399
———, relative elution times in GC, (17) 227
———, TLC studies of their charge-transfer complexes with amines, (29) 120, 258
*p*-Nitro-*m*-cresol, separation from urinary pigments by TLC, (22) 457
2-Nitrodiphenylamine, estimation of compounds formed during the production of, (43) 524
Nitrodiphenylamines, identification by two-dimensional TLC, (14) 65
Nitrofuran derivatives, PC, (23) 446
Nitrogen, complete GC separation of $^{14}N_2$-$^{15}N_2$ using high-efficiency packed columns, (45) 304
———, determination in air samples, (11) 173
———, determination of small amounts in nitrous oxide by GC, (9) 536
———, determination of very small amounts in organic substances by means of GC reaction techniques, (36) 1
———, separation and microanalysis in mixtures with its oxides by chromatography on columns, (2) 218
———, separation of mixtures with oxygen, methane and carbon monoxide, (13) 382
Nitrogen compounds, biologically active, PC separation and identification, (1) 363; (4) 471; (13) 485
———, chloranilic acid as a reagent in the PC of, (6) 416
———, heterocyclic, adsorption on alumina, (6) 420
———, N-hydroxy-, N-(2-hydroxyethyl)-, N-(2-chloroethyl)- and N,N-bis-(2-hydroxyethyl)-derivatives, detection and PC, (20) 283
———, "nonbasic", selective separation from petroleum by anion exchange of ferric chloride complexes, (38) 351
———, quaternary, as detection reagents for monomer sugars in PC, (13) 152
———, ———, chromatography on buffered cation-exchange resins, (10) 432
———, systematic analysis using cleavage reactions and GC, (26) 378
———, TLC, (6) 11, 21
Nitrogen dioxide as a reagent for the detection of aromatic amines on thin-layer chromatograms, (26) 299
Nitrogen heterocycles, sorbate – sorbent interactions in GC, (42) 457
Nitrogen isotopes, separation by GC, (39) 99
Nitrogen sulphide, investigation of its hydrolysis by high-voltage paper ionophoresis, (26) 549
Nitrogen trifluoride, separation from carbon tetrafluoride by GC, (2) 562
Nitroguanylhydrazones, TLC, (28) 468
Nitrohydroquinones, separation by TLC, (24) 230
5-Nitro-2-hydroxybenzal derivatives of unsymmetrical hydrazines, GC separation of, (34) 257
Nitroimidazoles, substituted, characterization on paper and thin-layer chromatograms by colorimetric reactions, (31) 128
Nitromethane, GC estimation in large excess of nitrogen dioxide, (18) 584
Nitroparaffins, $C_1 - C_4$, GC, ramp function temperature programming, (8) 532
———, resulting from vapour phase nitration of butane, GC analysis, (19) 17
*p*-Nitrophenol, separation from urinary pigments by TLC, (22) 457
Nitrophenols, detection in TLC by means of bromine, (33) 460
———, isomeric, PC separation using a solvent system containing diethylamine, (20) 190
———, separation by GC, (44) 437
———, separation and identification by PC, (13) 459
———, separation by TLC, (24) 230
———, separation by TLC on polyamide surfaces, (33) 118
Nitrophenothiazines, TLC studies on, (37) 535
Nitrophenyl methyl ethers, separation by GC, (44) 437
*p*-Nitrophenyl methylphosphonates and their sulphur analogues, reversed-phase PC, (30) 183
Nitrophenylthiophosphate derivatives as stationary phases in reversed-phase PC of cations, (22) 425
*p*-Nitrophenyl-$\alpha,\alpha,\alpha$-trifluoro-2-nitro-*p*-tolyl ether, herbicide C-6989, separation by TLC, (44) 641
Nitro-2-pyridyl amino acids, detection and quantitative micro-determination by TLC on precoated sheets, (35) 47
Nitropyrimidyl-amino acids, TLC, (17) 506
N-Nitroso-diphenylamines, identification by two-dimensional TLC, (14) 65
1-Nitroso-2-naphthol metal chelates, separation by TLC, (27) 331

Nitrosophenols, separation and identitification by PC, (13) 459
———, separation by TLC, (24) 230
*o*-Nitrosophenols, tautomerism and intramolecular hydrogen bonding studied by PC, (10) 366
*p*-Nitrosophenols, tautomerism, determination by PC, (10) 354
Nitrous oxide, determination of small amounts of nitrogen and oxygen in, (9) 536
———, variation with polarizing voltage of the response of a macro-argon ionization detector to, (32) 737
Nitroxides, stable, TLC of, (36) 381
Nomogram for calculating percentage ionisation of acids and bases, (47) 45
Nomograms for gradient elution chromatography, (6) 324
Non-equilibrium chromatography, estimation of iodine – olefin interactions from measurements of peak broadening, (27) 20
———, mathematical treatment of, (27) 14
Non-equilibrium and diffusion, a common basis for theories of chromatography, (2) 44
———, local and lateral diffusion in GC, (5) 61
Non-nitrogenous compounds, behaviour with ninhydrin during automatic ion-exchange chromatography, (30) 190
*p*-Nonyphenol, nine mole ethylene oxide adduct, determination of 18 to 22 mole ethoxymers in, (21) 257
Noradrenaline- and adrenaline-tetraphenylborate mixtures, separation by TLC, (21) 338
Noradrenaline, determination of O-methylation products of, (49) 425
Norepinephrine, application of PC and partition TLC to the separation of catecholamines and their metabolites, (43) 135
———, separation from epinephrine on glass fibre paper, (30) 632
Norepinephrine-2-$^{14}$C, separation of the acidic urinary metabolites by means of ion-exchange resin in paper, (14) 447
Norfenfluramine, GC measurement in human plasma, red cells and urine following therapeutic doses, (49) 442
Normetanephrine, determination of O-methylation products of noradrenaline, (49) 425
———, use of an acetylated derivative for GC analysis, (30) 397
Nornicotine, GC separation of, (43) 506
Normorphine, separation from morphine and nalorphine, (14) 536
Norparanephrine, determination of O-methylation products of noradrenaline, (49) 425
19-Nor-steroids, TLC, (9) 321
Norstictic acid, a standardized method for the identification of lichen products, (46) 85
Nucleic acid bases, estimation of the products of DNA alkylation, (35) 292
———, nucleosides, nucleotides and related compounds, quantitative analysis and *in situ* reflectance spectroscopy, (45) 284
———, resolution from complex mixtures with nucleosides and nucleotides , (35) 531
———, separation on cellulose layers, (29) 126
———, separation on PEI-cellulose layers using gradient elution and fluorometry of spots, (29) 133
———, TLC and quantitative analysis by direct fluorometry, (23) 465
———, TLC of, qualitative *in situ* reflectance spectroscopy, (43) 551
Nucleic acid components, gel chromatographic separation on Sephadex G-25 fine, G-15 and G-1- (37) 225
———, GLC analysis, (38) 473
———, ion-exchange chromatography on chitosan-impregnated cellulose thin layers, (47) 408
———, and their isomers, separation on Sephadex G-10, (48) 551
———, PC, (36) 518
———, separation on tightly cross-linked Sephadex, (31) 222
———, TLC on cellulose, (6) 365
Nucleic acid degradation products, separation by DEAE-cellulose TLC, effect of calcium sulphate as binder, (11) 376
Nucleic acid preparations, chromatography on DEAE-cellulose paper, (19) 382, 396
Nucleic acids, adsorption patterns of enterovirus ribonucleic acid on calcium phosphate columns, (25) 314, 320 , 325
———, behaviour in membrane chromatography and electrophoresis on nitrocellulose filters, (36) 91
———, desalting of nucleic acid hydrolysates, nucleosides and bases by chromatography on poly-N-vinyl pyrrolidone, (40) 299
———, determination of base ratios in ribonucleic acids, (26) 545; (34) 364

(Nucleic acids)
———, fractionation of *Escherichia coli* DNA using poly-L-lysine Kieselgühr columns, (37) 326
———, fractionation using polylysine Kieselguhr chromatography, (42) 248
———, microchromatographic separation of ribonucleic acids from proteins on nitrocellulose membranes, (32) 769
———, a non-specific TLC method for demonstrating carcinogen – DNA interactions, (31) 384
———, PC and TLC, (32) 529; (35) 538
———, preparation of pure deoxyribonucleic acid by electrophoresis, (32) 790
———, resolution of oligonucleotides from a pancreatic digest of RNA by ion-exchange TLC on PET-cellulose, (31) 500
———, separation of deoxyribonucleic acid and ribonucleic acid by gel filtration, (28) 30
———, separation of ribonucleic acids on Sephadex columns, (37) 458
———, separation of tranfer-ribonucleic acid from deoxyribonucleic acid by gel filtration, (24) 197
———, starch block electrophoresis, (2) 133
———, studies in amino acyl-acceptor RNA using paper sheets of DEAE-cellulose, (14) 46
———, a study on their adsorption by charcoal, (30) 549
———, study of depolymerisation and denaturation processes by chromatography on DEAE-cellulose paper, (25) 135
———, TLC of deoxyribonucleic acid on ECTEOLA cellulose, (16) 519
Nucleoside mono-, di- and triphosphates, separation by TLC, (31) 609
Nucleosides, and their bases, separation by high-voltage electrophoresis in borate buffers, (19) 453
———, CC on polystyrene resin using aqueous systems, (49) 222
———, chromatography on activated charcoal, (3) 221
———, comparative electrophoresis, (34) 275
———, desalting by chromatography on poly-N-vinyl pyrrolidone, (40) 299
———, gel filtration using Sephadex, (3) 334
———, high-voltage electrophoresis, (1) 111
———, an improved method of separation, (14) 569
———, an improved PC separation of four ribonucleosides and their phosphates (21) 498
———, nucleic acid bases, nucleotides and related compounds, quantitative analysis and *in situ* reflectance spectroscopy, (45) 284
———, nucleotides and bases, separation on cation exchangers, (37) 518
———, PC of diribonucleoside monophosphates, (33) 557
———, radioiodinated, TLC, (17) 316
———, rapid separation by cation-exchange CC, (44) 342
———, resolution from complex mixtures with nucleotides and nucleic acid bases, (35) 531
———, separation on cellulose layers, (29) 126
———, separation from nucleotides and bases on a new gel filtration material, (20) 154
———, separation from nucleotides, purines, pyrimidines and pyrimidine degradation products by two-dimensional PC, (20) 624
———, separation by PC, (14) 542; (18) 81; (30) 278
———, separation on PEI-cellulose using gradient elution and direct fluorometry of spots, (29) 133
———, Sephadex G-10 adsorption chromatography, (32) 662
———, a simple uni-dimensional separation, (15) 86
———, TLC on celite – starch, (14) 532
———, TLC of, qualitative *in situ* reflectance spectroscopy, (43) 551
———, TLC and quantitative analysis by direct fluorometry, (23) 465
———, UV photolysis on filter paper, (4) 376
Nucleotides, from acid-soluble tissue extracts, separation by high-voltage paper electrophoresis, (7) 216
———, adenine, agarose electrophoresis of, (20) 157
———, ———, quantitative separation by ion-exchange chromatography on diethylamin Sephadex, (49) 308
———, ———, separation and quantitative determination by PC, (26) 424
———, of an alkaline hydrolysate of ribonucleic acid, separation by TLC, (11) 414
———, an artefact in the chromatography

of sugar nucleotides using solvents containing ammonium acetate, (47) 287
———, CC on polystyrene resin using aqueous systems, (49) 222
———, chromatographic data for purines, pyrimidines and derivatives in a variety of solvents, (22) 118
———, chromatographic separation of biologically important phosphate esters, (35) 37
———, chromatography on activated charcoal, (3) 221
———, chromatography of cyclic 3′5′-adenosine monophosphate on silica gel glass microfiber sheets, (42) 136
———, chromatography on a new anion-exchange paper, (10) 235
———, $^{14}$C-labelled, quantitative determination by TLC, (37) 128
———, comparative electrophoresis, (34) 275
———, and derivatives, a preliminary report of the selectivity properties of poly-N-vinyl pyrrolidone in CC of, (37) 453
———, desalting by chromatography on poly-N-vinyl pyrrolidone, (40) 299
———, determination of ATP and its derivatives in muscles *post mortem*, (42) 558
———, electrophoresis using sodium carbonate – sodium bicarbonate buffer, (16) 415
———, flavin, chromatographic determination in yeast, (18) 609
———, fractionation of oligonucleotide isopliths by electrophoresis on polyacrylamide gels, (44) 581
———, gel filtration chromatography of polydeoxynucleotides using agarose columns, (39) 139
———, gel filtration using Sephadex, (3) 334
———, high-voltage electrophoresis, (1) 111
———, high-voltage electrophoresis on cellulose layers, (19) 201
———, an improved method of separation, (14) 569
———, an improved method for TLC of nucleotide mixtures containing $^{32}$P-labelled orthophosphate, (40) 103
———, ion-exchange chromatography on poly-(ethyleneimine)-cellulose thin layers, (16) 111
———, ion-exchange chromatography using a continuous elution system with linear gradients, (34) 128
———, ion-exchange TLC of deoxyribonucleotides, (31) 598
———, ion-exchange TLC on PEI-cellulose sheets, (22) 110
———, isolution of cyclic 3′5′-adenosine monophosphate on a neutral silicic acid – glass microfiber matrix, (47) 536
———, labelled with radioactive carbon, electrophoretic method for obtaining, (12) 229
———, a method for the separation of cyclic adenosine 3′5′-monophosphate from other adenine nucleotides by high-voltage ionophoresis on paper, (35) 136
———, micro-method for the determination of the nucleotide composition of DNA, (49) 563
———, from *Mycobacterium smegmatis*, elution sequence and characterisation, (43) 265
———, nucleic acid bases, nucleosides and related compounds, quantitative analysis and *in situ* reflectance spectroscopy, (45) 284
———, PC, (18) 81, (30) 278
———, paper electrophoresis, (10) 456
———, polyamide layer chromatography and electrophoresis, (38) 153
———, rapid CC determination of ribonucleotides in soup preparations, (40) 386
———, rapid separation by cation-exchange CC, (44) 342
———, resolution from complex mixtures with nucleosides and nucleic acid bases, (35) 531
———, resolution of complex mixtures by two-dimensional anion-exchange TLC, (16) 126
———, resolution of oligonucleotides from a pancreatic digest of RNA by ion-exchange chromatography on PEI-cellulose, (31) 500
———, resolution of RNA hydrolysis products by two-dimensional anion-exchange TLC, (49) 560
———, RNA, rapid electrophoresis in a dilute agar gel paper medium, (13) 255
———, selectivity properties of Sephadex gels in CC of, (39) 132
———, separation of adenosine phosphates by PC, (7) 223
———, separation by CC over thymidylate-cellulose, (21) 419

(Nucleotides)
———, separation on cellulose layers, (29) 126
———, separation of cyclic-3′,5′-adenosine monophosphate from other adenine nucleotides, (40) 449
———, separation from nucleosides and bases on a new gel filtration material, (20) 154
———, separation from nucleosides purines, pyrimidines and pyrimidine degradation products by two-dimensional PC, (20) 624
———, separation of oligonucleotides derived from the phenylalanine transfer ribonucleic acid of *Escherichia coli* B by thin-layer techniques, (39) 147
———, separation by PC, (14) 542
———, separation on PEI-cellulose using gradient elution and direct fluorometry of spots, (29) 133
———, separation of pyrimidine oligonucleotides by TLC, (30) 143
———, separation by two-dimensional chromatography on diethylaminoethyl-cellulose, (24) 279
———, Sephadex G-10 adsorption chromatography, (32) 662
———, soluble, and their derivatives, qualitative and quantitative detection in cereal seedlings by PC, (31) 279
———, sugar, separation by PC with solvents containing borates of organic bases, (18) 342
———, ———, separation by TLC, (15) 277
———, techniques for the preparation and analysis of oligonucleotides by ion-exchange TLC, (31) 485
———, from tissues, ion-exchange chromatography of, (44) 331
———, TLC, (21) 319
———, TLC on celite – starch, (14) 532
———, TLC of, qualitative *in situ* reflectance spectroscopy, (43) 551
———, TLC with UV transparent plates, (26) 527
———, two-dimensional chromatographic resolution of [$^{32}$P] apurinic DNA oligonucleotides on cellulose thin layers, (34) 202
———, UV -absorbent and fluorescent, photographic detection and documentatio on cellulose thin-layer plates, (33) 548
———, UV photolysis on filter paper, (4) 376
Nylon 6 and 66, gel permeation chromatography of the cyclic monomers and oligomers in, (49) 230
Nystose, isolation by chromatography on a cation-exchange resin, (22) 195

# O

Obstructive coefficient and stationary phase distribution over solid support surfaces in GC, (34) 301
Obstructive factor, in paper electrophoresis, (1) 446
Octachlorodipropyl ether, TLC of rat bile and urine following intravenous administration of the pesticidal synergist, (37) 256
Octadeca-9,12-diene, alkaline isomerisation studied by GC, (29) 44
Octadecadienoates methyl *cis,cis*-, isomeric methylene interrupted, GLC of their methyl esters, (37) 27
*cis, cis*- Octadecadienoic acids, isomeric methylene interrupted, argentation TLC of their methyl esters, (34) 405
9,12-Octadecadienoic and 9,12,15-octadecatrienoic acids, separation and identification of geometrical isomers of, (36) 181
Octadecanal dimethyl acetal, conversion to methyl 1-octadecenyl ether during GLC, (25) 204
Octadecenoates, isomeric, argentation TLC, (31) 69
Octahydro-1,3,5,7-tetranitro-*s*-tetrazine, separation by TLC, (18) 608
Octametaphosphimic acid, sodium salt, hydrolysis studied by chromatography, (10) 78
Octapamine, solvent extraction and PC of urinary phenolic amines, (49) 349
*n*-Octenecarboxylic acids, methyl esters, GC analysis, (19) 177
Octenes, branched, GC separation of position and configuration isomers of, (38) 388
*n*-Octenes, GC of the $C_9$ alcohols obtained on hydroformylation, (16) 216
———, quantitative separation of all isomers by GC on columns containing silver salts, (31) 531
*n*-Octyl bicycloheptene dicarboximide, analytical studies of pyrethrin formulations by GC, (50) 49
Octylresorcinol glycerol ether, a new stationary phase for the GC of aliphatic oxygen-containing substances in water, (22) 229
Octyltin halides, GC analysis, (19) 182
Odorous substances, of honey, GC, (7) 13
———, liquid, GC, (9) 431
Oestradiol monoesters, GC and colorimetric determination in oil solutions after separation by TLC, (40) 410
Oestratrienes, analytical chemical studies on steroids, (50) 400
Oestriol, chromatographic and fluorimetric method for the determination in pregnancy urine, (45) 76
———, determination using electron capture detection after GC of the 16,17-diheptafluorobutyrate of 3-methyl oestriol, (44) 383
Oestrogenic steroids, GLC analysis of, (47) 186
Oestrogens, application of partition chromatography to their separation and characterisation by isotope dilution, (11) 355
———, CC, (1) 147, 161
———, GC, improved method for collecting the effluent fractions, (13) 242
———, GC separation employing a solid injection system, (15) 92
———, improved solvent systems for TLC of, (37) 359
———, modified colour reaction on paper and thin-layer chromatograms, (34) 269
———, and their monosulphate esters, separation by TLC, (36) 250
———, PC, (1) 232; (7) 430; (8) 2, 274
———, preparation, purification and estimation of steroid mono- and diheptafluorobutyrates, (50) 228
———, $R_F$ values in TLC without binder, (17) 599
———, the role of elution solvent in quenching of ITTRICH-estrogen fluorescence reaction observed with silica gel eluates, (39) 510
———, separation from equol by TLC, (13) 570
———, separation by horizontal TLC, (15) 428
———, separation on Sephadex, (30) 226
———, synthetic, separation from natural oestrogens by TLC, (48) 560
———, TLC, (41) 136
———, urinary, GC, (8) 21; (10) 111
———, ———, GC determination during pregnancy and normal menstrual cycle by dry sampling, (19) 185
———, ———, separation on columns of Sephadex, (45) 381, 392

Oestrone, separation from equilin and equilenin by partition CC, (14) 492
Oils, analysis by GC, (17) 230; (20) 232; (26) 8; (29) 44
———, calculation of equivalent chain length and modified equivalent chain length values in the GC analysis of, (39) 71
———, correlation of retention data with polarity of stationary phase in GC analysis, (42) 304
———, detection of free ions in labelled oils, (50) 103
———, essential, see Essential oils
———, GC separation of long-chain fatty alcohols as their trifluoroacetyl and trimethylsilyl derivatives, (40) 160
———, separation of permitted and non-permitted solvents for use in foodstuffs by GC and the use of a solid sampler for the estimation of residual solvents in, (44) 465
Oleandomycins, acetylated, PC, (5) 126
Olefins, alicyclic, polyfluorinated, GC analysis, (20) 138
———, isomeric phenyl-substituted perfluoro derivatives, GC analysis, (28) 396
———, relative equilibrium constants for interactions with iodine from peak broadening measurements, (27) 20
———, TLC, (12) 189
———, TLC separation of *cis*- and *trans*-isomeric spiro-cyclopropanes using the stereospecific carbene reaction, (48) 53
Oleic acid, alkyl esters, oxidized, comparison of CC, TLC and PC of, (33) 267
———, quantitative GC determination of saturated and unsaturated fatty acids as trimethylsilylester, (43) 490
Oleoresins, separation of permitted and non-permitted solvents for use in foodstuffs by GC and the use of a solid sampler for the estimation of residual solvents in, (44) 465
Oleyl aldehyde, GC separation and determination of, (43) 492
Oligo-$\epsilon$-aminocaproic acids, PC, (22) 187
Oligogalacturonides, PC, (16) 248
Oligoglycosylceramides, PC separation of different types of, (44) 643
Oligomers, ethylene glycol, determination of molecular weight by TLC and photometric evaluation, (46) 255
Oligonucleotides, derived from the phenylalanine transfer ribonucleic acid of *Escherichia coli* B separation, by thin-layer techniques, (39) 147
———, fractionation by electrophoresis on polyacrylamide gels, (44) 581
———, from a pancreatic digest of RNA, resolution by ion-exchange TLC on PEI-cellulose, (31) 500
———, from [$^{32}$P]apurinic DNA, two-dimensional chromatographic resolution on cellulose thin layers, (34) 202
———, pyrimidine, separation by two-dimensional TLC, (30) 143
———, techniques for their preparation and analysis by ion-exchange TLC, (31) 485
Oligosaccharides, chitin, detection on paper chromatograms, (17) 621
———, ———, separation by TLC, (29) 115
———, chromatographic fractionation and chemical characterisation, (4) 117
———, determination of the degree of polymerisation by GLC, (47) 195
———, plant, rapid quantitative method for routine determination by PC, (22) 95
———, quantitative sugar determination by GC, (18) 285
———, starch, separation by high-temperature PC, (19) 445
———, TLC analysis of enzymic hydrolysates of agar, (49) 482
———, in wort, beer and brewing syrups, quantitative chromatography, (49) 462
Onion oil, TLC investigation on flavour components of, (47) 400
Operator errors in PC measurements, (19) 443
Opiates, in narcotic seizures, solvent systems for their identification by TLC, (19) 300
———, separation and determination in illicit narcotic mixtures, (33) 526
Opium alkaloids, partition chromatography on paper, (1) 327
———, separation by polyamide layer chromatography, (29) 391
———, TLC, (11) 260; (16) 237
Opoponax oil, identification of sesquiterpene hydrocarbons, (34) 85
Optical bleaching agents, derivatives of 4,4′-diaminostilbene-2,2-disulphonic acid, separation by PC and TLC, (14) 482
Optical brightening agents, chromatographic analysis, (27) 413
Optical resolution of 9-*sec.*-butyl-phena-

threne by molecular complexation chromatography, (14) 300
Optical resolution by molecular complexation chromatography, (3) 364
Organic acids, automated ion-exchange chromatography in acetate media, (30) 556
———, automatic determination of, (35)158
Organic compounds, aliphatic, oxygen-containing, separation by GC, (20) 23, 452; (22) 229
———, analysis using a dual column-differential flame ionisation detector system, (13) 305
———, basic GPC using benzene as elution solvent, (32) 543
———, of biological interest, chromatography on glass-fibre, paraffin-coated and untreated cellulose paper, (11) 349
———,———, preparation and properties, (20) 147
———, a catalogue of retention times, (6) 220
———, centrifugal PC, (13) 467
———, chromatography on a column of Raney cobalt, (13) 234
———, containing hydroxyl groups, detection on paper chromatograms, (19) 556
———, continuous electrophoresis, (4) 309
———, detection on chromatoplates by means of iodine quenched fluorescence, (19) 194
———, detection by means of UV fluorescence, (4) 162
———, detection and PC of N-substituted hydroxy-, 2-hydroxyethyl-, 2-chloroethyl- and N,N-bis-(2-hydroxyethyl)-derivatives, (20) 283
———, GC of fluorinated compounds on porous polymers, (49) 36
———, GSC using the isomeric phthalic acids as adsorbents, (25) 213
———, identification of aromatic compounds in PC and TLC by reaction chromatography, (27) 311
———, identification by chromatographic methods, (5) 408
———, *in situ* chemical reactions on thin layers in the identification of, (48) 193
———, identification by chromatography after decomposition and degradation, (48) 261
———, inverted dry-column chromatography, (26) 54
———, linear elution adsorption chromatography, (15) 344
———, low temperature fluorescence detection on thin-layer chromatograms, (27) 279
———, microscopic and colorimetric investigation after separation by GC, (16) 494
———, a new detection method, (11) 416
———, paper electrophoresis, (13) 451
———, PC, (2) 188; (5) 466; (9) 472
———, PC fractionation of complex mixtures of water-soluble substances, (9) 44
———, relation between molecular structure and adsorption affinity on silicic acid – celite columns, (2) 499
———, relationship between structure and behaviour in TLC, (17) 327
———, separability of aromatic isomers on alumina, (20) 463
———, separation of branched-chain and straight-chain compounds on columns containing urea, (32) 657
———, separation by means of multi-dimensional chromatography, (15) 15
———, strongly polar, separation by GLC using teflon as support, (9) 133
———, structural analysis by means of hydrogenation combined with GC, (17) 221
———, volatiles from hops, combined GC and MS, (18) 399
———, volatiles from strawberries, combined GC and MS, (18) 10
Organic sulphides, separation by GC, (5) 254
Organochlorine insecticides, an improved method for their separation and removal from thin-layer plates, (34) 556
Organochlorine pesticides, GC identification based on their UV degradation, (33) 450
———, a rapid and sensitive procedure for the routine determination of residues in vegetables, (33) 435
———, relative migration data ($R_{TDE}$) determined by TLC, (35) 119
———, residues, GC system for determining residues in wildlife, (27) 253
———,———, a screening method using TLC, (42) 83
———, single-stage clean-up of animal tissue extracts for, (44) 481
———, separation and determination of benzene hexachloride isomers in soil by GLC, (27) 250
———, TLC, (16) 481
Organomercurial fungicides, identification and determination of residues by TLC and GC, (44) 284

Organo metallic compounds, application of GC to the determination of retention data of trimethyl-silyl ethers and thioethers, (11) 312
———, chlorine-containing, certain regularities in their retention, (38) 244
———, chromatographic study of the labelling of triphenyl bismuth with radiobismuth, (15) 70
———, complexes, investigations on organotin – fluoride systems by means of anion-exchange PC and paper electrophoresis, (19) 57
———, GC analysis of butyl-, octyl-, and phenyl tin halides, (19) 182
———, GC retention data of alkyl silanes, germanes, digermanes and borazoles, (18) 1
———, paper electrophoresis of organolead compounds, (15) 207
———, redistribution reactions of alkyl derivatives of Group IV B elements studied by chromatography, (19) 28
———, TLC of ferrocene compounds, (26) 501
Organo phosphates, $^{32}$P-labelled, separation by two-dimensional TLC, (19) 440
Organo phosphoric acids, identification and separation by chromatography of their methyl esters, (19) 527
Organophosphorus compounds, new spray test for their detection on thin-layer chromatograms, (20) 334
———, radio TLC, (20) 406
———, reversed-phase PC of *p*-nitrophenyl methylphosphonates and sulphur analogues, (30) 183
———, TLC, (20) 342; (38) 296; (44) 75; (45) 432
———, use for impregnation of paper in PC, (24) 376, 383
———, use for impregnation of supports in TLC, (24) 141, 153, 489
Organophosphorus insecticides, polar, and their residues, identification using formamide-impregnated paper and thin-layer systems, (30) 626
———, routine determination of hexane-soluble residues in vegetables by GLC and total-phosphorus procedures, (47) 328
———, separation of isomers of malathion monocarboxylic acid by TLC, (47) 281
———, TLC of some degradation products, (38) 538
———, TLC-enzymatic determination, (44) 414
———, water-soluble, a screening procedure for the routine determination in vegetables, (48) 468
Organophosphorus pesticides, chromatographic determination and investigation of the effect of irradiation on the parent compounds, (32) 17
———, detection, separation and quantitative recovery on Silica Gel $GF_{254}$ thin-layer chromatograms, (48) 567
———, the effect of the column support material on the GC resolution of methyl parathion, ethyl parathion, ethyl paraoxon, malathion, and malaoxon, (35) 17
———, effect of cooking on residues investigated by GC, (32) 417
———, GC, (33) 430
———, GC behaviour and chemical structure of methyl parathion and methyl paraoxon in relation to their homologs, (46) 79
———, a GC screening technique based on the detection of methylated hydrolysis products, (41) 180
———, GLC and TLC of phorate, disulfoton and five of their oxidation products, (44) 67
———, hydrolysis rates studied by GC, (31) 37
———, identification by GC with the flame photometric detector, (40) 289
———, influence of the UV irradiation on the TLC of insecticidal phosphoric acid esters and on detection by the benzohydroxamic acid reaction, (46) 180
———, and metabolites, teflon as a superior support for GC of, (46) 108
———, and their oxidation products, examination by GC, (30) 92
———, polyamide layer chromatography, (39) 282
———, quantitative PC analysis of, VUAgT-3, (35) 277
———, separation and detection using diphasic PC, (19) 450
———, separation by gel chromatography, (34) 14
———, TLC, (16) 467, 476
Organosilicon compounds, GC studies on the flame ionisation detector signal, (24) 8
———, preparation of trimethylsilyl derivatives for GC studies, (26) 270
———, pyrolysis of aryltrimethylsilanes, (22) 286
———, systemic analysis by means of reaction chromatography, (48) 295

———, TLC of, (34) 432; (36) 512
Organotin compounds, GC, (13) 48
———, PC, (8) 393
———, reactions of trimethylstannane studied by chromatography, (17) 472
Ornithine, CC, (34) 399
———, separation from lysine by CC, (30) 225; (39) 506
Orthophosphates, separation from pyrophosphates by means of an anion exchanger, (7) 400
Osazones, 2,4-dinitrophenyl derivatives, separation of homologous series by partition CC, (9) 187
Osmium complexes, PC separation using alcohols, ketones and ethers as solvents, (44) 362
———, PC separation using mixed systems and salts as solvents, (44) 374
Osmium tetroxide, reaction with iodide in acid solution, (8) 132
Oxalacetic acid, from tissue cultures, PC, (2) 99
Oxalate complexes, PC, (2) 95
Oxalic acid, application of GC to the quantitative determination of, (48) 530
Oxaloacetic acid, TLC of $\alpha$-ketoacids, (43) 103
Oxidation reactions, a reaction GC method for the investigation of, (41) 1
Oxidising agents, determination by GC – iodometry, (36) 400
Oximes, GC, (8) 127
———, isomeric, TLC, (12) 70
Oxindole alkaloids, closed E ring, the effect of methoxy substitution and configuration on their TLC behaviour, (32) 704
———, correlation between stereochemistry and behaviour on thin-layer chromatograms, (24) 84
———, E *seco*, TLC behaviour and relationship with indolizidine and some simple oxindoles, (32) 692
———, of *Mitragyna*, quantitative determination after separation by TLC, (33) 347; (35) 72
———, quantitative determination after separation by TLC, (32) 472, 489
Oxine, as complexing agent in the electrophoretic separation of metals, (2) 438
———, separation of derivatives on thin layers impregnated with ferric chloride, (25) 164
Oxiranes, *cis*- and *trans*-alkyl substituted, separation by GC, (21) 408
Oxo acids, 2,4-dinitrophenylhydrazones, identification by means of diazotised sulphanilic acid reagent, (20) 401
———, mixtures with lactones, quantitative analysis by GC, (20) 397
———, see also Keto acids
$\Delta^4$-3-Oxosteroids, of the androstane series, TLC, (19) 81
———, characterisation by GC of their phenol heptafluorobutyrates, (28) 404
$\Delta^4$-3-Oxo-$C_{21}$-steroids, characterisation on thin-layer chromatograms by *in situ* colour reactions, (16) 136
16-and 17-Oxosteroids, GC separation of isomers, (34) 526
17-Oxosteroids, C-13-epimeric, GC, (31) 210
———, separation from lipids in plasma extracts, (34) 415
———, TLC, (18) 189
Oxo terpenes, 2,4-dinitrophenylhydrazones, TLC, (18) 412
Oxy-acids, inorganic, complexes with polyhydroxy-compounds, paper electrophoresis, (16) 360
Oxygen, determination in air samples, (11) 173
———, determination of small amounts in nitrous oxide by GC, (9) 536
———, elution from a highly activated molecular sieve 5A column, (36) 551
———, separation of mixtures with nitrogen, methane and carbon monoxide, (13) 382
1-Oxygenated steroids, PC characteristics of, (37) 89
Oxytocin and analogues, synthetic, purification by gel filtration on Sephadex G-15, (38) 396

# P

Packing material for GC columns, a rapid method for the preparation of, (5) 457
Paeonoside, separation from malvoside by chromatography on paper and on cellulose thin layers, (34) 425
Palmitaldehyde, GC separation and determination of, (43) 492
Palmitic acid, analysis of phenyl esters of fatty acids by TLC techniques, (43) 519
———, quantitative GC determination of saturated and unsaturated fatty acids as trimethylsilylester, (43) 490
2-PAM, see 1-Methyl-2-aldoximinopyridinium ion
Papain, commercial, PC investigation of carbohydrase activity in, (4) 21
*Papaver* alkaloids, characterisation by TLC, (24) 364; (41) 127
Papaya proteinases, CC on hydroxylapatite, (35) 283
Paper, capillary absorption of liquids in, (18) 615
———, effect of wetness on serum component mobility in paper electrophoresis with the Kuntel system, (5) 38
———, imbibition and flow of common solvents in chromatography, (6) 461
———, impregnated with titanium hydroxide, chromatographic properties of, (20) 358
———, short-staple, use for chromatography, (19) 170
Paper chromatograms, improved resolution on, (2) 431
———, quantitative estimation by direct photometry, (8) 369, 386
———, sprayed with ninhydrin, preservation of, (3) 278
Paper chromatographic behaviour and chemical structure, see Structure
Paper chromatography, apparatus for extraction of compounds from chromatograms, (11) 125
———, apparatus for rapid application of samples to a paper chromatogram, (21) 350
———, apparatus for the rapid quantitative photometry of paper chromatograms, (29) 157
———, an automatic chromatography chamber for, (41) 494
———, automatic starter for, (42) 563
———, automatic transfer of TLC fractions to paper, (20) 541
———, calculation of the optimum conditions for separation of two compounds with known $R_F$ values, (17) 186
———, centrifugally accelerated, fundamental aspects, (1) 259 496
———, changes in the immobile aqueous phase of cellulose during chromatograms with absolute ethanol, (16) 40
———, combination with other chromatographic principles, (48) 279
———, combination with GC in a new multidimensional technique, (15) 15
———, comparison with TLC as regards reproducibility, (33) 257
———, conditions at the boundary between the solid and the liquid phase, (33) 38
———, contamination of paper by scissors, (24) 269
———, a contribution to the theory of, (2) 204
———, correlation between PC mobility and the chemical structure of certain bioorganic substances and their significance for identification, (48) 11
———, determination and publication of $R_F$ values in the case of large groups of compounds, (33) 291
———, discussion on chamber saturation, (33) 199
———, effects of asymmetrical drying of paper chromatograms on the autoradiography of carbon-14, (36) 557
———, effect of solvent volume and solvent equilibration time on Whatman filter paper No. 20, (25) 483
———, elution devices for, (3) 273,
———, in extra-long tanks, (21) 352
———, factors with influence $R_F$ values, (33) 25
———, identification based on mobility, (48) 7
———, identification of compounds using two reference compounds, (13) 128
———, improved technique for detecting fluorescent compounds on chromatograms (20) 595
———, an inexpensive device for rapid semi-automatic multiple spotting of samples, (36) 112

———, the influence of the type of paper in the chromatography of proteins and nucleic acids, (35) 538
———, investigations on the relationship between molecular structure and chromatographic parameters, (45) 121
———, key for marking the colour of fluorescent spots, (26) 520
———, laboratory for, (8) 145
———, limits of error in the direct photometry of chromatograms, (33) 307
———, location of compounds on chromatograms by detection of volatile hydrolysis products, (27) 317
———, machine for the treatment of paper strips with chemical reagents, (23) 94
———, a new apparatus for the fully automatic application of solutions in the form of sheaks in chromatography, (39) 157
———, a new method for radiometric evaluation of chromatograms, (33) 328
———, new quantitative method, (2) 113; (12) 47
———, operator errors in measurements, (19) 443
———, optical noise in photometric scanning of thin media chromatograms, (45) 189, 200
———, paper geometry and flow velocity in, (3) 438
———, on paper impregnated with dimethylformamide, influence of the temperature and humidity during impregnation on the $R_F$ value, (32) 87
———, partition, the use of solubilising agents, (30) 543
———, peak broadening in, (33) 242; (35) 257, 269; (38) 224
———, plastic bag technique, (3) 281
———, possibilities of quantitative evaluation of chromatograms, (33) 297
———, possibility of errors and reproducibility of $R_F$ values, (33) 28
———, preparative, a new technique, (16) 547
———, publication of chromatographic data, (33) 285
———, quantitative estimation of substances on paper chromatograms, (23) 94; (30) 164
———, quantitative, sources of error, (33) 494
———, quantitative two-dimensional, a procedure whereby substances and standards are chromatographed on the same paper, (17) 620
———, rapid, technique for, (19) 114
———, relation between results obtained on paper and the separation efficiency of cellulose columns, (32) 346
———, relation between $R_M$ values and solvent composition, (8) 119
———, reproducibility of $R_F$ values on impregnated papers, (33) 45
———, reversed-phase, a contribution to the mechanism of, (47) 51
———, scales for measurement of $R_F$ values, (18) 433
———, selective determination of elements using $x$-ray fluorescence, (48) 362
———, a sensitive low-cost UV strip-scanner, (31) 630
———, separations with partition solvents on adsorbent loaded paper, (33) 49
———, simple apparatus for holding chromatograms during equilibration and development, (20) 180
———, a simple pattern for drawing the starting line in, (11) 117
———, solvation equilibria and $R_M$ *vs.* composition relationships of some phenols, (48) 57
———, a solvent equilibrator inside the descending chromatography tank, automatic application of mobile phase, (28) 482
———, some problems of reproducibility of $R_F$ values, (33) 40
———, spot distribution and size in, (2) 626
———, surface active agents in, (12) 255
———, temperature control in, (14) 111
———, a time-saving method of, (20) 629
———, a transistorised solvent front detector, (24) 482
———, a trough for descending PC with a solvent gradient, (36) 109
———, two-dimensional, interspersed with reaction on the paper, (24) 271
———, use of Folin reagent in, (11) 278
———, use of support impregnated with basic liquid ion exchangers in HCl media, (22) 407
———, use of supports impregnated with liquid anion exchangers, (23) 287
———, use of the system organic non-polar solvent/dimethyl sulphoxide + glycol, (11) 275
———, using liquid ion exchangers, (11) 549
———, using wedge-shaped paper strips and a Petri dish, (27) 326

(Paper chromatography)
———, water content of paper as a variable in, (14) 232; (33) 35
Paper electrophoresis, calculation of relative zone mobilities, (20) 563
———, effect of buffer equilibration on, (13) 556
———, effect of temperature and paper wetness on serum component mobility with the Kunkel system, (5) 38
———, obstructive of tortuosity factor in, (1) 446
———, production of anomalous compounds in, (2) 440
———, theoretical study on the zone mobility – pH curve of low-molecular-weight compounds with a dissociable proton, (36) 215
———, through dialysing barriers, (9) 173
———, two-dimensional, easily-constructed apparatus for, (31) 274
———, use of current – voltage curves in high-voltage paper electrophoresis, (39) 344
———, use of Folin reagent in, (11) 278
Paper electrophoretic study of ion pair formation (37) 292
Papergrams, simultaneous elution of multiple, (12) 419
Paper ion-exchange chromatography, comparison with ion-exchange CC, (26) 327
Paraffins, GC behaviour on the esters of phthalic acid and other similar phases, (42) 311
———, influence of the temperature on elution in GC, (22) 221
———, a method for the prediction of retention indices of hydrocarbons on squalan, (44) 170
——— and naphthenes, separation on an alkali-treated molecular sieve, (39) 502
Paraffin-treated, PC of compounds of biological interest on, (11) 349
———, use as an adhesive vapor barrier in PC, (7) 29
———, use for the separation of sulphidimines, (11) 415
Paraffin wax, determination of UV absorbers by TLC, (35) 370
Paraoxon, and homologs, GC behaviour and chemical structure of, (46) 79
Parasympatholytics, separation by TLC, (45) 478
Parathion, and homologs, GC behaviour and chemical structure of, (46) 79
———, isolation from biological fatty materials by liquid – liquid partition chromatography, (9) 245
——— and methyl parathion, effect of liquid phase loading and temperature on the relative retentions in GC, (50) 520
Parotid saliva, human, protein patterns in, (20) 150
Partial subtraction chromatography, (13) 1
Particle size nonuniformity in large scale columns, (7) 255
Partition chromatography, determination of the highest temperature at which partition solvents may be used, (16) 218
———, liquid, a new approach to, (37) 97
———, theory of, (15) 488; (20) 305; (25) 71; (36) 237
———, ———, numerical calculations, (18) 25
———, thermodynamic treatment of partition experiments with special reference to molecular-sieve chromatography, (50) 189
Peak areas in GLC, errors due to irregular travel of recorder charts, (31) 525
———, measurement of, (20) 598
Peak height, apparatus for estimating the product of peak height and retention time in GC, (8) 280
Peak positions, calculation in gradient elution chromatography with an ion exchanger, (27) 214
Peak resolution in GC, influence of experimental conditions, (8) 289
Peak simulator for testing pen recorders, (6) 539
Peak symmetry characterisation in GC, possibility of using a simple expression for, (11) 267
Peak width, estimation of iodine – olefin interactions from measurements of peak broadening, (27) 20
——— in GC, the contribution of gas expansion to, (27) 1
Peaks, chromatographic, decrease of tailing, (24) 199
———, a rapid method of integration, (24) 169
Peganum harmala alkaloids, separation by high-voltage ionophoresis, (29) 388
PEI-cellulose sheets, preparation, properties and applications in ion-exchange TLC, (22) 110

Pelargonic acid vanillylamide separation from capsaicin, "*cis*-capsaicin" and dihydrocapsaicin, (41) 265
Penicillins, partition data determined by means of reversed-phase TLC, (41) 371
———, procaine, spectrophotometric determination and TLC separation in medicated feeds, (38) 160
Pen recorders, testing with a peak simulator, (6) 539
Pentabenzoyl-α-glucose as stationary phase in GC, (6) 544
Pentachlorophenol, detection and estimation in natural latex by TLC, (35) 43
——— in human blood, determination by using a sensitive GC method, (38) 467
Pentametaphosphimic acid, chromatographic studies on the hydrolysis of, (9) 513
Pentose phosphate cycle intermediates and related compounds, detection and identification, (35) 352
Pentyl halides, isomeric, GC, (29) 218
Peptidase activity, sensitive method to detect traces of, (34) 259
Peptide chains of human hemoglobin, aan improved method for separation of, (6) 252
Peptide mapping, high resolution techniques, (38) 408
Peptide maps, method of preparation using thin-layer techniques, (16) 327
Peptides, of the anterior pituitary, behaviour on cross-linked dextran polymer gels, (13) 148
———, behaviour of angiotensin octapeptides and dinitrophenyl-angiotensin during chromatography on polyacrylamide and dextran gels, (47) 369
———, N-benzyloxycarbonyl derivatives, separation by polyamide TLC, (32) 591
———, benzyloxycarbonyl-protected, detection on thin-layer chromatograms, (30) 243
———, *tert.*-butyloxycarbonyl derivatives, detection on paper and thin-layer chromatograms, (24) 277
———, calculation of the zone mobilities from their diffusion coefficients, (1) 521
———, carbobenzoxy derivatives, instant TLC as hydrobromides, (23) 403
———, chromatographic behaviour on nitrocellulose membrane filters, (26) 121
———, chromatography of *im*-benzyl-L-histidine, (43) 266
———, colorimetric detection with *tert.*-butyl hypochlorite and potassium iodide, (41) 458
———, a combined method with potassium permanganate and ninhydrin in the peptide mapping technique, (44) 651
———, continuous electrophoresis, (4) 306
———, cystine, chromatography and formation of mixed disulfides, (37) 55
———, derived from *meso*-α, α′-diaminopimelic acid, behaviour in PC, (13) 273
———, detection on paper with chlorine and *o*-tolidine, (3) 499
———, detection of peptide hydrazides on thin-layer chromatograms, (47) 519
———, of α, γ-diaminobutyric acid, $N^{\alpha} \rightleftarrows N^{\gamma}$ migration in, (31) 685
———, of χ, *y*-diaminobutyric acid, $N^{\alpha} \rightleftarrows N^{\gamma}$ migration in, (24) 61
———, direct determination of the enzymatic effect by TLC, (48) 558
———, DNS-labelled, fingerprinting technique on a millimicromole scale, (28) 458
———, high-voltage electrophoresis, (1) 105
———, formation of artefacts during electrophoresis on acrylamide gel, (36) 549
———, fractionation by means of ion-exchange cellulose columns with the Technicon Auto Analyser technique, (32) 193
———, free and N-protected, detection of, (38) 152
———, GC determination of β-alanyl-histidine dipeptides in soup preparations, (27) 259
———, gel chromatography of structural isomeric phenylalanine peptides on Sephadex G-15, (48) 544
———, GLC of diketopiperazines, (37) 315
———, an improved method for the mapping of, (42) 429
———, ion-exchange chromatography of polylysine hydrolysates, (18) 366
———, low molecular weight, the use of Sephadex G-25 in thin-layer electrophoresis and chromatoelectrophoresis of, (36) 262
———, mapping on cellulose thin layers, (30) 469
———, methionine, separation by CC, (24) 215

(Peptides)
———, mobilities in paper electrophoresis, (24) 125
———, a new technique of protein hydrolysis and analysis of the amino acids, on an autoanalyser, (50) 413
———, oxidised insulin, separation by anion-exchange chromatography, (23) 280
———, preparation of pure polypeptide chains of human haemoglobins, (17) 140
———, protected, separation on methylated Sephadex, (24) 208
———, purification of polyelectrolytes by ion-exchange chromatography, (41) 228
———, quantitative TLC of benzyloxycarbonyl dipeptide phenylhydrazides, (34) 551
———, rapid method of fingerprinting on silica gel thin-layer chromatograms, (27) 499
———, rapid paper ionophoresis, (3) 139
———, rapid separation of some amino acids by ion-exchange paper electrophoresis, (47) 552
———, $R_F$ values of several synthetic, (1) 513
———, separation from amino acids in urine by ligand-exchange chromatography, (29) 398
———, separation of bovine carotid actin peptides on cellulose thin layers and of the corresponding dansyl-peptides on polyamide thin layers, (38) 408
———, separation on cellulose phosphate, (26) 465
———, separation of diastereoisomeric dipeptides, (13) 269; (18) 403
———, separation of dipeptides by means of an amphoteric cellulose ion exchanger, (34) 125
———, sequence analysis by means of TLC, (16) 541; (21) 133
———, simultaneous analysis of several spots of dansyl derivatives of amino acids on the same thin layer by one-dimensional chromatography, (43) 93
———, standard ionophoretic mobilities, (6) 138, 139
———, synthetic, electrophoresis and colour reactions, (43) 404
———, ———, purification by means of carrier-free preparative electrophoresis, (17) 189
———, TLC, (6) 11, 21
———, tryptic, separation by gel filtration, (28) 55
———, an ultra-micro method for the sequential analysis of, (47) 238
———, use of "lipophilic" Sephadex in their synthesis, (24) 205
———, valylprolylarginine, a ninhydrin negative tripeptide, (44) 205
Peptidoglycans, from bacterial cell walls, TLC and PC of the dinitrophenyl derivatives of amino acids from, (47) 124
Perchlorate, PC of mixtures with chloride, chlorite and chlorate, (13) 271
Perdeuterobenzene, GC behaviour of, (12) 8
Perfluorocyclic ethers, as very weak solvents for the separation of saturated and olifinic hydrocarbons by liquid-solid chromatography, (36) 476
Perfluorohexane, separation of isomers by GC and effect of stationary phase concentration, (9) 419
Perfluoro-olefins, isomeric phenyl-substituted, GC analysis, (28) 396
Perhalogenates, separation from halogenites and halogenates by TLC, (20) 572
Periodate, separation from iodate by thin-layer electrophoresis, (10) 98
Permanent gases, detection of trace components by means of an argon ionisation detector, (19) 1
———, increased sensitivity of a radioactive ionisation detector, (19) 425
———, influence of the degree of hydration of the adsorbent in chromatography of, (19) 249
——— measurement by a flame emission GC detector, (30) 339
Peroxidase, colour reaction on pherograms, (2) 578
Peroxidases, starch – iodide as a stain for, (50) 539
Peroxides, dialkyl, identification by PC, (16) 416
Peroxomonophosphoric acid, isolation by anion-exchange chromatography, (13) 199
Peroxybenzoic, acids, isomeric monosubstituted, PC, (22) 381
Peroxybenzoic acids, isomeric, TLC separation mechanism on various polyamide and cellulose adsorbents, (38) 515
Perspex electrolytic desalter, (7) 485
Pesticides, analysis of the products of hydroammonolysis of acetone, (46) 312
———, analytical studies of pyrethrin formulations by GC, (50) 49
———, apparatus for the automatic GC determination of herbicide and insecticide residues and formulations, (45) 351

———, carbamate, chromatography of N-methylcarbamates in the gaseous phase, (45) 362
———, ———, determination of the degradation products of ethylenebis(dithiocarbamates) by TLC and investigation of their decomposition in *vitro*, (31) 89
———, ———, electron-capture GC method for the determination of some carbamate insecticides as 2,4-dinitrophenyl derivatives of their phenol moieties, (49) 215
———, ———, electron-capture GC method for the determination of substituted urea and carbamate herbicides as 2,4-dinitrophenyl derivatives of their amine moieties, (43) 233
———, ———, GC of 3,4-methylenedioxyphenyl carbamates, (27) 255
———, ———, and related derivatives, analysis of residues in soil and water by TLC, (30) 136
———, ———, sensitivity of pig liver esterase in detecting 12 carbamate pesticides on thin-layer chromatograms, (50) 92
———, ———, separation and detection of carbamates by TLC, (21) 346
———, combination of TLC and the ring-oven method for the semi-quantitative estimation of some herbicides, (40) 304
———, detection of Thiram by TLC, (28) 469
———, detection after TLC using hydriodic acid, (37) 369
———, determination of bromacil by GC, (46) 110
———, determination of dichloran and metabolites by TLC, (31) 574
———, determination of pentachlorophenol in human blood, using a sensitive GC method, (38) 467
———, determination and separation of some uracil herbicides by TLC, (41) 125
———, direct GC determination of Carbaryl, (42) 464
———, effect of the column support material on the GC resolution of methyl parathion, ethyl parathion, ethyl paraoxon, malathion and malaoxon, (35) 17
———, effect of liquid phase loading and temperature on the relative retentions in the GC of methyl parathion and parathion, (50) 520
———, the examination of mixtures of Captan and Phaltan by GC, (36) 529
———, GC characteristics of chlordane; observed compositional changes in aqueous and non-aqueous environments, (42) 45
———, GC of trimethylsilyl derivatives of carbamates and ureas, (20) 9
———, GLC on OV-17 stationary phase, (43) 388
———, identification and determination of organomercurial fungicide residues by TLC and GC, (44) 284
———, identification by TLC using dip-coated presensitised microscope slides, (25) 95
———, an inexpensive and efficient pyrolysis unit for the analysis of picloram and other herbicides by thermal decomposition, (45) 317
———, influence of UV irradiation on the TLC of insecticidal phosphoric acid esters and on detection by the benzohydroxamic acid reaction, (46) 180
———, interference from extraction thimbles in the GC analysis of insecticides, (39) 325
———, metabolism of piperonyl butoxide in the rat with $^{14}C$ in the methylenedioxy or $\alpha$-methylene group, (41) 61
———, metabolites, GLC of trimethylsilyl derivatives of N-arylglucosylamines, (30) 204
———, a modified enzymatic detection method for thin-layer chromatograms, (49) 325
———, novel GLC determinations of Picloram, (49) 432
———, organochlorine, aromatic amines as spray reagents in the TLC of, (23) 274
———, ———, determination using the negative alkali flame detector response, (44) 472
———, ———, GC identification based on their UV degradation, (33) 450
———, ———, GC systems for the determination of residues in wildlife, (27) 253
———, ———, methyl yellow as spray reagent in PC, (10) 515
———, ———, one-dimensional chromatography chlorinated insecticides on commercial standard thin-layer plates with multiple development, (42) 509
———, ———, a rapid and sensitive procedure for the routine determination of residues in vegetables, (33) 435
———, ———, relative migration data ($R_{TDE}$) determined by TLC, (35) 119
———, ———, routine method for identification of, (44) 81

(Pesticides, organochlorine)
———, ———, a screening method for residues using TLC, (42) 83
———, ———, single-stage clean-up of animal tissue extracts for organochlorine residue analysis, (44) 481
———, ———, TLC, (16) 481
———, ———, TLC – enzymatic identification and the mode of action of, (44) 95
———, ———, the use of Florisil adsorbent for the separation of polychlorobiphenyls from, (50) 142
———, organophosphorus, chromatographic determination and investigation of the effect of irradiation on the parent compounds, (32) 17
———, ———, detection, separation and quantitative recovery on Silica Gel $GF_{254}$ thin-layer chromatograms, (48) 567
———, ———, effect of cooking on residues investigated by GC, (32) 417
———, ———, GC, (33) 430
———, ———, GC behaviour and chemical structure of methyl parathion and methyl paraoxon in relation to their homologs, (46) 79
———, ———, a GC screening technique based on the detection of methylated hydrolysis products, (41) 180
———, ———, gel chromatography, (34) 14
———, ———, GLC and TLC of phorate, disulfoton and their oxidation products, (44) 67
———, ———, hydrolysis rates studied by GC, (31) 37
———, ———, identification by GC with the flame photometric detector, (40) 289
———, ———, new spray tests for their detection on thin-layer chromatograms, (20) 334
———, ———, and their oxidation products, examination by GC, (30) 92
———, ———, polyamide layer chromatography, (39) 282
———, ———, quantitative determination of VUAgT-3, (35) 277
———, ———, routine determination of hexane-soluble organophosphorus insecticide residues in vegetables by GLC and total-phosphorus procedures, (47) 328
———, ———, a screening procedure for the routine determination of water-soluble organophosphorus insecticides in vegetables, (48) 468
———, ———, separation and detection using diphasic GC, (19) 450
———, ———, teflon as a superior support for GC, (46) 108
———, ———, TLC, (16) 476
———, ———, TLC of some degradation products of organophosphorus insecticides, (38) 538
———, ———, TLC-enzymatic determination of organophosphorus insecticides, (36) 309; (44) 414
———, ———, TLC on microchromatoplates, (16) 467
———, preparation of 2-methyl-4-chlorophenoxyacetic acid and 2,3,6-trichlorobenzoic acid methyl esters by pyrolysis of their tetramethylammonium salts, (45) 132
———, preparative GC as a clean-up procedure in toxicology, (50) 513
———, a rapid method for the determination of *p, p'*-DDT to *p, p'*-DDE ratios in fish, (34) 120
———, and related compounds, TLC on Florisil, (39) 186
———, separation of DDT and related compounds on a silicic acid column using gradient elution, (21) 483
———, separation and determination of benzene hexachloride isomers in soil by GLC, (27) 250
———, separation and determination of carbamate and urea herbicides by reaction GC, (49) 205
———, separation of Diazinon and related compounds from plant material by dual-band preparative TLC, (21) 148
———, separation of $^{32}P$-dioxathion components on a silicic acid column, (27) 272
———, separation of herbicide C-6989 and some related compounds by TLC, (44) 641
———, separation of isomers of malathion monocarboxylic acid by TLC, (47) 281
———, a simple and rapid separation by polyamide chromatography, (42) 416
———, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, (50) 334
———, a spray method for the fluorescent detection of sulphur-containing organic compounds, (48) 478
———, a spray reagent for the TLC demonstration of choline esterase inhibiting insecticides, (42) 140
———, synergists, TLC of rat bile and urine following intravenous administration

of tropitalmethylene-$^{14}$C, (31) 102
———, ———, TLC study on the elimination in rat bile and urine following intravenous administration, (27) 153
———, TLC of the $\beta$-fluoroethyl ester of xenyl acetic acid in the technical product and in 2 % liquid formulations, (44) 103
———, TLC identification of the active ingredients of mixed herbicide formulations, (43) 361
———, TLC of rat bile and urine following intravenous administration of the pesticidal synergist octachlorodipropyl ether, (37) 256
———, TLC separation and detection methods for carbamate and urea herbicides, (49) 329
———, trace determination of phenols by GC as their 2,4-dinitrophenyl ethers, (44) 251
———, urea, chromatographic identification of substituted urea herbicides, (44) 419
———, ———, a chromogenic agent for detecting dimethylurea herbicides on TLC plates, (50) 145
———, ———, detection of urea herbicide residues by separation of their amines on cellulose thin-layer plates, (27) 296
———, ———, determination of some substituted urea herbicide residues in soil by electron-capture GC, (44) 60
———, ———, GC of some substituted urea herbicides, (36) 234
———, see also Fungicides, Herbicides, and Insecticides
Pethidine, specific assay of basic drugs in urine by CM-cellulose chromatography using continuous drug – dye complex extraction as a detection system, (43) 72
Petrol, determination by means of GC, (27) 242
Petroleum, identification of some alkylthiophenes in crude oil by GLC, (20) 240
———, identification of naturally occurring cyclic sulphides in a crude oil distillaty by GLC, (25) 34
Petroleum products, detection of petroleum oil diulents in coal tar creosote by TLC, (38) 522
———, liquid adsorption chromatography in columns and on thin layers for the separation of, (38) 209
———, selective separation of "nonbasic" nitrogen compounds from petroleum by anion exchange of ferric chloride complexes, (38) 351
Pevikon C.870, use in zone electrophoresis of plasma proteins, (8) 218
Pevikon C.870 – starch gel as a supporting medium in zone electrophoresis, (11) 515
Peyote alkaloids, GC, (36) 105
———, TLC, (30) 271
———, see also Herbicides and Insecticides
Phagocytin, chromatographic separation of, (36) 163
pH of sample, effect on separation of phosphates in ion-exchange chromatography, (12) 544
*Phalaris* species, a GLC screening technique for the identification of the alkaloids of, (43) 295
Phaltan and Captan, GC examination of mixtures, (36) 529
Pharmaceuticals, analysis of antibiotics by GC, (47) 341
———, ataraxics, relation between PC behaviour and structure, (7) 527
———, carbamates, PC, (6) 540
———, characterisation and GC determination of active principles of biological interest in gastric mucoprotein and thioctic acid, (49) 46
———, chlorpromazine derivatives, PC, (4) 329; (9) 388
———, determination of degradation kinetics of chlorzoxazone by TLC, (46) 211
———, determination of radiochemical purity by PC, TLC and high-voltage electrophoresis, (28) 379
———, ganglioplegic substances, relation between PC behaviour and structure, (7) 527
———, narcotics, solvent system for their identification by PC, (6) 343
———, phenothiazines, GC, (7) 258
———, ———, PC, (2) 544
———, psychotropic drugs, TLC of urinary metabolites, (9) 388
———, relation between PC behaviour and structure, (7) 527; (10) 479
———, separation and identification of caffeine, antipyrine and phenacetin from human tissue, (3) 190
———, some aspects of TLC and its application, (49) 130
———, sources of error in TLC – fluorometry of aminophenazone, phenyldimethylpyrazolone, *p*-hydroxybenzoic acid esters and triamcinolone acetonide, (38) 156

(Pharmaceuticals)
———, TLC investigation of some synthetic compounds having laxative properties, (45) 324
———, the use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of bithionol, fenticlor, chlorophenes, and 4-hexylresorcinol, (49) 567
———, use of vapour-programmed TLC in the separation and identification of sulphonamides, (48) 27
Phenacetin, and related compounds, identification by TLC in tubes, (29) 287
———, separation from human tissue and identification, (3) 190
Phenalen-1-one, rapid fluorimetric methods by instant TLC for the assay in polluted urban atmospheres, (37) 508
β-Phenethylbiguanide, microdetection colorimetric tests, (16) 546
Phenolcarboxylic acids, separation by TLC on cellulose, (32) 764; (39) 93
Phenolic acids, from coffee, separation by PC and cellulose CC, (4) 396
———, and flavonoids separation by TLC using polyvinylpyrrolidone as adsorbent, (34) 52
———, free, in cigarette smoke and tobacco, separation and identification by PC, (8) 82
———, isolation from urine by the wedge-strip method, (15) 88
———, new solvents for PC of, (19) 619
———, quantitative PC, (6) 481, 484
———, and related compounds, chromatographic and spectral analysis of, (30) 43
———, separation by high-voltage electrophoresis, (16) 194
———, urinary, chromatography on paper impregnated with sodium acetate, (28) 371
———, see also Acids, phenolic
Phenolic amines, see Amines, phenolic
Phenolic ethers, see Ethers, phenolic
Phenolic glycosides, see Glycosides, phenolic
Phenolic wood extractives, TLC, (26) 320
Phenol red, binding by human serum proteins measured by means of gel filtration, (10) 68
Phenols, adsorption chromatography of polar organic molecules on BioGel, (47) 355
———, alkyl-, aryl- and alkoxy-derivatives, behaviour on cellulose layers impregnated with polyamide, (27) 116, 131
———, alkyl derivatives etc., behaviour on alumina-impregnated paper and on thin layers of alumina, (23) 120
———, ———, behaviour during reversed-phase partition TLC, (23) 417
———, ———, chromatographic methods for analysis of mixtures, (5) 408
———, ———, identification on cashew-nut shell liquid, (32) 519
———, *p*-alkyl derivatives, TLC, (32) 419
———, assessment of the role of polyamide surface in TLC, (27) 109
———, assessment of the role of simple amide stationary phases in the liquid – liquid TLC of, (48) 67
———, behaviour of ethyl, propyl and butyl homologues on layers of cellulose impregnated with simple amides, (48) 78
———, by-products from alkaline fusion of benzenesulphonic acid, PC analysis, (20) 546
———, from cacao beans, fractionation by paper electrophoresis, (4) 347
———, calculation of $R_M$ values, (10) 42
———, chlorinated, isomeric, detection and TLC, (24) 245
———, ———, pH-chromatography, (19) 572
———, chromatography on borate impregnated paper, (4) 369
———, chromatography of dinitrophenols, (43) 110
——— from coal tar fractions, TLC, (23) 483
———, detection of *o*-dihydroxy compounds on filter paper, (30) 537
———, detection with α, α′-dipyridyl, (20) 189
———, detection of a novel phenolic ingredient in cashew nut-shell liquid, (27) 287
———, detection of small quantities in samples of activated phthaloyl-L-amino acid esters, (36) 205
———, determination by GC through formation of ethers, (20) 596
———, l-dimethylaminonaphthalene-5-sulphonyl derivatives, TLC on silica gel, (28) 351

———, 3,5-dinitrobenzoyl derivatives, PC, (5) 466
———, direct fluorimetry on thin-layer chromatograms, (31) 571
———, electron-capture GC of free chlorophenols, (47) 474
———, ester sulphates, TLC, (16) 336
———, estimation of free hydroxyl groups by PC in benzene – acetic acid – water, (19) 564
———, fluorescent, gel filtration chromatography of, (34) 342
———, GC, (3) 494; (12) 305
———, GC of alkyldinitrophenols and the corresponding anisoles, (48) 523
———, GC and MS of plant phenolics and related compounds, (40) 285
———, halogenated, behaviour on alumina-impregnanted papers and on thin layers of alumina, (25) 347
———, ———, behaviour on cellulose layers impregnated with polyamide, (27) 131
———, ———, reversed-phase TLC, (25) 357
———, halogeno and nitro derivatives, detection in TLC by means of bromine, (33) 460; (36) 205
———, interaction with Sephadex gels, (41) 200; (47) 1
———, iodination in TLC, (26) 518
———, isomeric monosubstituted, PC, (18) 336; (23) 134
———, from *Lotus*, secondary, separation by TLC, (21) 247
———, ———, separation by TLC, (24) 243
———, methylated, behaviour on thin layers of cellulose impregnated with formamide and N-methylated formamides, (33) 107
———, ———, a spray reagent for use on thin-layer plates, (50) 148
———, naturally occurring, colour reactions of, (12) 420
———, a new developing solvent for PC of, (26) 404
———, a new TLC method for, (20) 48
———, nitro derivatives, anomalous behaviour in PC, (15) 83
———, ———, TLC on polyamide layers, (33) 118
———, nitro and nitroso derivatives, PC, (13) 459
———, ———, TLC, (24) 230
———, in oxidation-type hair dyes, PC, (16) 454
———, paper electrophoresis, (1) 374; (2) 605
———, PC, (1) 338, 374, 534; (2) 605; (4) 369, 458; (6) 467, 475; (10) 21,42
———, PC of some disubstituted isomers, (30) 528
———, PC of some monosubstituted isomers, (37) 268
———, PC using the wedge-strip technique, (27) 326
———, pH effects in the TLC on organic porous polymers, (48) 92
———, from plants, identification on thin-layer chromatograms using *o*-diphenoloxidase as spray reagent, (30) 259
———, ———, quantitative *in situ* fluorometry on thin-layer plates, (42) 544
———, ———, PC detection with antimony trichloride, (23) 487
———, ———, separation by cellulose CC, (2) 173
———, ———, TLC, (50) 146
———, polyhydroxy derivatives, separation of complex mixtures on columns of Sephadex, (28) 94
———, $R_M$ values in the system organic non-polar solvent/dimethyl sulphoxide + glycol, (11) 275
———, rapid method for the detection of small amounts in benzyl salicylate, (30) 261
———, and related compounds, of biochemical interest, PC, (13) 475; (47) 60
———, related to the tocopherols and their oxidation products, TLC, (13) 69
———, relative elution times in GC, (17) 226
———, selective detection on cellulose thin-layer plates, (35) 567
———, separation on cation-exchange resins, (4) 6
———, separation on ion-exchange paper, (15) 65
———, separation from its *tert*.-butyl derivatives by GLC, (11) 38
———, simple, PC, (10) 21
———, solubilisation TLC, (17) 307
———, solvation equilibria and $R_M$ *vs.* composition relationships of, (48) 57
———, sorption from arabogalactan solutions (*Larix occidentials* Nutt.) by anion exchangers, (7) 419

(Phenols)
———, from tea, separation by cellulose CC, (5) 17
———, thiocyanogen derivatives, PC, (24) 291
———, TLC, (6) 10
———, TLC on acetylated polyamide, (17) 585
———, TLC of 4-acetyl-2-nitrophenyl derivatives of, (45) 158
———, TLC on cellulose, (32) 764
———, TLC of their 2,4-dinitrophenyl ethers, (19) 438
———, TLC on Porapak Q, (33) 132
———, trace determination of their 2,4-dinitrophenyl ethers by GC, (44) 251
Phenothiazine, identification of some principal derivatives by TLC, (19) 68
Phenothiazine derivatives, conversion to the corresponding sulphoxides on thin-layer plates, (23) 410
———, TLC, (16) 236; (24) 261
Phenothiazine drugs, GC, (7) 258
———, PC, (2) 544
Phenothiazine sulphones, TLC analysis of, (47) 546
Phenoxy acids, chlorinated, GLC, (13) 319
Phenoxyalkanecarboxylic acid esters, TLC, (14) 283
Phenoxyalkanecarboxylic acids, separation by GC, (22) 446
Phenoxybenzamine, quantitative GC determination in pharmaceutical preparations. (37) 200
Phenylacetic acids, disubstituted, behaviour in GLC, (25) 29
Phenylalamine, content of radioactive protein, quantitative analysis by PC, (1) 524
——— peptides, structural isomeric, gel chromatography on Sephadex G-15, (48) 544
———, separation from tyrosine and tryptophan by chromatography on poly-N-vinyl pyrrolidone, (42) 415
Phenylalkanes, GC, (4) 244; (11) 459
Phenylalkanoic acids, separation by TLC of their anilides, (36) 377
4-(Phenylazo)-benzenesulphonamides, separation by TLC, (29) 255
1-Phenylazo-2-naphthols, alkyl-substituted, partition PC, (5) 395
Phenylbenzohydroxyamic acid, use in the reversed-phase PC of metal ions, (25) 153
Phenyldimethylpyrazolone, sources of error in TLC-fluorometry, (38) 156
Phenylethanolamines, identification of, (34) 264
β-Phenyldimethylpyrazolone, sources of error tion on paper chromatograms, (11) 272
β-Phenylethylamino acids, method for detection on paper chromatograms, (11) 272
α-Phenylglutarimide, identification and determination in biological media by GC, (36) 347
Phenylhydrazides of benzyloxycarbonyl dipeptides, quantitative TLC, (34) 551
Phenylhydrazones of volatile carbonyl compounds, separation by vapour phase chromatography, (15) 435
Phenylosazones of sugars, TLC, (13) 573
Phenylphosphinic acid, behaviour in paper electrophoresis, (33) 561
Phenylthiohydantoins, of amino acids, identification by polyamide layer chromatography, (26) 323
———, ———, increased sensitivity and semiquantitative determination with a modified spray reagent, (20) 399
———, PC separation, (13) 488
———, trifluoroacetylated, GC analysis of amino acids as, (46) 315
Phenyltin halides, GC analysis, (19) 182
N-Phenylurea derivatives, herbicidal, direct determination by GC, (21) 307
Phorate and their oxidation products, GLC and TLC of, (44) 67
Phosgene, chromatographic separation from carbon dioxide and argon by temperature programming, (47) 555
Phosphagen and N-phosphocreatinine, separation by TLC, (25) 161
Phosphagens, differentiation from other phosphorus compounds by TLC, (32) 269
Phosphatase, differentiation of native and renatur alkaline milk phosphatase by means of Sephadex gel TLC, (39) 339
Phosphate esters, and algal extracts, separation by thin-layer electrophoresis and chromatography, (39) 507
———, biologically important, chromatographic separation of, (35) 37
———, ———, selectivity properties of Sephadex gels in CC, (39) 132
———, biologically interesting, TLC, (21) 319
———, detection on paper chromatograms by means of 2-(*o*-hydroxyphenyl)-benzoxazole, (13) 272

———, $^{32}$P-labelled, TLC separation of metabolic products, (41) 80
———, $^{32}$P-labelled and $^{14}$C-labelled photosynthetic products, separation by two-dimensional TLC, (19) 440
———, standard ionophoretic mobilities, (6) 135
Phosphates, condensed, chromatographic behaviour and structural units of, (41) 163
———, detection on chromatograms, (2) 487
———, detection and identification of intermediates of the pentose phosphate cycle and related compounds, (35) 352
———, effect of sample pH on separation of, in ion-exchange chromatography, (12) 544
———, elution peak positions of linear phosphates in gradient elution chromatography with an anion-exchange resin, (50) 349
———, extension and modification of the Agarwal procedure in PC of sugar phosphates and three-carbon phosphates, (23) 319
———, inorganic, detection on paper chromatograms, (24) 298
———, ———, limitations of some common indicators of electroendosmosis in paper electrophoresis (including interactions between carbohydrates and inorganic phosphate), (48) 577
———, ———, separation by molecular-sieve chromatography, (24) 300
———, organo, separation and detection using diphasic PC, (19) 450
———, separation by anion-exchange chromatography, (9) 227
———, separation of cyclic-3′,5′-adenosine monophosphate from other adenine nucleotides, (40) 449
———, stable, the use of *Candida utilis* for their detection on chromatograms, (34) 560
———, sugar, separation by ion-exchange chromatography, (15) 495
———, ———, separation by TLC, (15) 168, 277
Phosphate species, *in situ* identification in multi-spot chromatograms by neutron activation analysis, (18) 349
Phosphatides, alkenyl acyl, alkyl-acyl and diacyl choline, two-dimensional reaction TLC in the analysis of mixtures of, (38) 267
———, chromatography on silicic acid-impregnated filter paper, (5) 531
———, ———, recording of the chromatograms, (11) 113
———, column separation from acyl carnitines and carnitine, (34) 103
———, fractionation of alkenyl acyl- and diacyl choline phosphatides by argentation adsorption TLC, (34) 195
———, fractionation by argentation adsorption TLC of a natural mixture of alkenyl acyl and diacyl ethanolamine phosphatides, (35) 113
———, plasmalogens, two-dimensional reaction TLC in the analysis of, (35) 66
———, in presence of cerebrosides and sulphatides, simultaneous separation by PC, (14) 189
———, reaction TLC of mixtures of alkenyl acyl- and diacyl phosphatides, (34) 241
Phosphine oxides, bifunctional, use for the separation of rare earths by extraction chromatography, (32) 567
———, TLC, two reagents for, (7) 268
Phosphite, separation by anion-exchange chromatography, (9) 227
Phosphodiesters, $^{14}$C-labelled, synthesis using chromatographic techniques, (18) 168
Phosphoenolpyruvate, detection on chromatograms, (34) 122
Phosphoethanolamine, and ciliatine, chromatographic separation, (39) 238
———, GC and identification in the presence of other acidic amino acids, (20) 500
Phosphoglycerides, DEAE-Sephadex LH-20, a new chromatographic medium for the fractionation of, (43) 512
Phospholipids, choline-containing, identification of an artifact in hydrolysis of, (12) 264
———, estimation after elution from chromatoplates, (41) 270
———, of human hair lipids, separation and analysis, (31) 20
———, method for one-dimensional separation by TLC, (15) 180
———, a new aldehydogenic phospholipid-an artifact, (40) 225
———, PC, (41) 116
———, plant, separation and identification by two-dimensional TLC, (13) 99

(Phospholipids)
———, quantitative analysis by TLC, (17) 513
———, quantitative densitometric TLC of lipids using copper acetate reagent, (43) 120
———, quantitative determination by direct photodensitometry of thin-layer chromatograms, (27) 488
———, quantitative separation and estimation in nervous tissue by means of TLC, (15) 173
———, of rat liver, quantitative analysis by a two-step TLC procedure, (35) 297
———, separation on Sephadex LH-20, (46) 120
———, serum, one-dimensional TLC separation, (49) 552
———, simple method for quantitative analysis after separation by TLC, (40) 90
———, a simple two-stage, one-directional TLC procedure for separating the products of fat digestion, (43) 276
———, simplified preparative TLC of, (40) 175
———, a technique for improved TLC of, (45) 326
———, TLC separation of animal lipid mixtures, (49) 255
———, TLC separation of glyco- and phospholipids and quantitative determination of their fatty acids, (49) 488
———, TLC separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides, (46) 267
Phosphomolybdic acid, ammonium and thallous salts, sorption of $^{137}Cs$ and $^{86}Rb$ on, (27) 460
Phosphorescence at normal temperature, a selective and non-destructive method for the detection of aromatic compounds in PC and chromatography on cellulose layers, (30) 276
Phosphoric acid, aliphatic thioesters, TLC, (9) 307
———, derivatives, PC, (9) 224
———, a highly sensitive colour reaction for detecting small amounts on paper chromatograms, (31) 617
———, salts, separation of sodium hypophosphite, phosphite and phosphate on a cellulose column, (27) 271
Phosphoric acid alkyl esters, analysis by GC, (13) 372
Phosphoric acid esters, CC in a non-aqueous system, (20) 621
———, chromatographic behaviour towards aluminium oxide, (3) 285
———, identification and separation by chromatography of their methyl esters, (19) 527
———, insecticidal, influence of UV irradiation on TLC separation and on detection by the benzohydroxamic acid reaction, (46) 180
———, as insecticides, PC, (9) 111
———, PC, (11) 77
———, resistant to hydrolysis, identification with the help of $H_2O_2$ and $FeSO_4$, (9) 121
———, separation by electrophoresis using sodium carbonate – sodium bicarbonate buffer, (16) 415
Phosphorus, determination of the distribution on thin-layer chromatograms, (31) 369
———, elemental, direct determination by GLC, (47) 421
———, estimation on paper chromatograms, (12) 262
———, lower oxo acids of, PC, (43) 291
———, ———, separation by gradient elution chromatography using an anion-exchange resin, (25) 398
———, organic compounds, the cause of an error in their detection according to the method of Hanes and Isherwood, (31) 614
———, white, and phosphorus compounds, radio GC, (18) 397
Phosphorus anions, automatic analysis by anion-exchange chromatography, (17) 157
———, chromatography of, (40) 192
Phosphorus compounds, acid-soluble, of muscle and other tissues, PC, (6) 142; (8) 475
———, analysis of phosphorus trichloride and oxychloride mixtures, (4) 419
———, aromatic, radio TLC, (20) 406
———, CC and PC of acid and phosphatase stable phosphorous compounds in plants, (44) 181
———, chromatographic studies on the hydrolysis of, (9) 485, 493, 506, 513; (10) 73, 78, 383, 534
———, chromatographic studies on the reaction of sodium hydroxide with phosphoryl chloride, (22) 139
———, determination of hydrolysis pro-

ducts of diphosphorus tetrachloride and tetraiodide, (20) 374
———, determination of O,O-dimethyl S-N-methyl-carbamylmethyl dithiophosphate (Dimethoate) by TLC, (22) 316
———, hydrolysis of, (12) 527
———, inorganic, chromatographic studies on their hydrolysis, (16) 207
———, ———, PC, (1) 389
———, organic, detection with cobalt chloride in PC and TLC, (17) 349
———, ———, new spray tests for their detection on thin-layer chromatograms, (20) 334
———, ———, TLC, (16) 467, 476; (20) 342
———, separation of lower oxy-acids of phosphorus by anion-exchange chromatography, (10) 212
Phosphorus oxyanions, partition chromatography on cellulose columns, (40) 194
Phosphorus-32 species obtained by activation of triphenyl phosphate solution in benzene, electrophoretic separation, (32) 368
Phosphorus trihalides and pseudohalides, chromatographic studies on the hydrolysis of, (11) 383
Phosphorylated glycolysis intermediates, TLC, (18) 612
Phosphoryl chloride, reaction with sodium hydroxide studied by chromatography, (22) 139
Phosphoserine, CC and identification in the presence of other acidic amino acids, (20) 500
Phosphotungstic acid, ammonium and thallous salts, sorption of $^{137}Cs$ and $^{86}Rb$ on, (27) 460
Photodetectors, semiconductor, for quantitative assessment of thin media chromatograms, (46) 247
Photographic developers, separation and identification of, (12) 385
Photographic recording of cellulose acetate electrophoresis strips, (19) 198
Photography, of ultraviolet absorbing spots on paper chromatograms, (8) 417
———, ultraviolet, a simplified technique for paper chromatograms, (9) 522
Photoionisation detector for GC, (14) 355
Photometric evaluation of pherograms on dry films, (4) 99
Photometric monitoring of flowing materials, a simple microcell for, (31) 204
Photometric scanning of paper chromatograms using electronic systems, (30) 164
Photometry, direct, of chromatograms and pherograms, (1) 434
———, ———, of paper chromatograms, limits of error, (33) 307
———, ———, quantitative estimation of paper chromatograms by, (8) 369, 386
———, ———, of substances distributed on translucent sheets, (10) 272
*o*-Phthalaldehyde, as a spray reagent for thin-layer chromatograms, (32) 315
———, use for detection of histamine in chromatography and electrophoresis, (22) 130
Phthalic acid esters, and some of their isomers, study of their evaporation from the column when used as stationary phases in GLC, (34) 310
———, as stationary phases in GLC, correlation between their structure and activity coefficients, (20) 15
Phthalic acids, isomeric, and dibasic alkanoic acids, GC separation of the dimethyl esters using a polyamide liquid phase, (46) 137
———, ———, investigation of their adsorbent behaviour by GSC, (25) 213
Phthalic esters, used as stationary phases in GLC, study of the polarity of, (49) 175
Phycobilins, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, (50) 458
Phytanic acid L-methyl esters, GLC separation of diastereoisomers, (44) 256
Phytosphingosines, TLC, (20) 594
Phytosterols, analysis by GC using liquid phase OV-101, (44) 173
Picloram, an inexpensive and efficient pyrolysis unit for the analysis by thermal decomposition, (45) 317
———, novel GLC determinations, (49) 432
Picolines, deactivation of the GC support for the separation of aliphatic amines, (50) 135
Picrates of polycyclic hydrocarbons, chromatographic decomposition as a means of purifying the hydrocarbons, (23) 312
Picric acid, as complexing agent in the separation of aromatic polycyclic compounds by TLC, (24) 469
———, separation and identification of tetryl and related compounds by two-dimensional TLC, (50) 453

Picrotoxin, preparative CC separation, (19) 427
Picryl chloride, charge-transfer complexes with some amines, (31) 120
Pigment patterns of dermatophytes on thin-layer chromatograms, (35) 573
Pigments, anthocyanin chromatographic identification, (1) 473
———, of bile, separation by TLC, (37) 76
———, of black tea extracts, analysis by chromatography on acetylated Sephadex, (37) 118
———, characterisation of an additional anthocyanin pigment in extracts of strawberries, *Fragaria*, (50) 311
———, chloroplast, of *Chlorella pyrenoidosa*, chromatographic separation and identification, (31) 589
———, ———, chromatography on preformed thin layers, (41) 220
———, ———, PC, (1) 293
———, ———, TLC on cellulose sheets, (31) 439
———, flavonoid, review of the chromatography of, (2) 581
———, plant, PC, (2) 659
———, ———, two-dimensional TLC, (26) 442
———, plant-leaf, separation by liquid – liquid partition chromatography with the system chloroform – cyclohexane – nitromethane, (22) 296
———, plastid, a simple method of separation by TLC, (21) 448
———, separation of anthocyanins by complex formation on aluminium oxide, (22) 303
———, TAS-method for the microanalysis of important constituents of saffron, (40) 308
Pinakryptol Yellow, as reagent for the identification of aryl sulphonic acids on chromatograms, (2) 612
*Pinus* gum turpentines, determination of their composition by GLC, (16) 29
*Pinus silvestris*, separation on Sephadex LH-20 of growth-regulating substances from, (30) 605
Piperazines, diketo, GLC, (37) 315
———, di- and tetrasubstituted, analysis and chromatographic separation of geometric and position isomers of, (41) 107
———, PC study of the catalytic formation from 2-aminoethanol, (7) 261
———, the possibility of quantitative analysis of products separated by TLC without eluting the products, (41) 205
Piperidine, rapid identification of low molecular weight compounds in extracts of biological material, (49) 402
Piper methysticum rhizome, isolation of constituents by chromatography on non-bound thick layers, (31) 375
Piperonyl butoxide, analytical studies of pyrethrin formulations by GC, (50) 49
———, with $^{14}C$ in the methylenedioxy of $\alpha$-methylene group, metabolism in the rat, (41) 61
Pipettes, micro, simple method for determining the volume, (18) 162
Pipetting device, semi-automatic, for PC, (2) 58
Pituitary extracts, continuous zone electrophoresis, (4) 233
———, crude, zone electrophoresis, (7) 39
Plant growth substances, quantitative determination, (33) 312
Plant metabolic products, $^{14}C$- and $^{32}P$-labelled, TLC, (41) 80
Plant organic acids, sequence of elution from silica gel columns, (28) 338
Plant phenolics, and related compounds, GC and MS of, (40) 285
———, TLC of, (50) 146
Plasma, assay of glutethimide in, (44) 279
———, chromatography on ECTEOLA-cellulose at neutral pH values, (13) 408
———, testosterone, the evaluation of a GLC method using 63 electron capture detection for the determination of, (37) 33
Plasmalogens, phosphatide, a new aldehydogenic phospholipid – an artifact, (40) 225
———, ———, two-dimensional reaction TLC in the analysis of, (35) 66
Plaster of Paris, centrifugal chromatography on, (22) 1
———, electrophoresis on, (31) 646
———, TLC and thick-layer chromatography on, (21) 332
———, use for the separation of amino acids, (22) 452
Plastic bag technique for PC, (3) 281
Plastic films, use as an adhesive vapour barrier in PC, (7) 29
Plasticizers, in aged double-base propellant,

TLC/spectrophotometric analysis, (38) 47
———, TLC, (4) 323; (6) 13
Plastid pigments, a simple method of separation by TLC, (21) 448
Plate chromatography for the determination of dichlorophene and hexachlorophene, (7) 60
Plate height, in coiled columns, (16) 444
——, equation correlation the various chromatographic methods, (13) 301
———, observed, effect of changes in the immobile liquid phase GLC, (12) 150
——— in reversed-phase partition chromatography with di-(2-ethylhexyl) orthophosphoric acid as the stationary phase, (16) 385
———, theoretical, in helical chromatographic columns, (12) 145
Plates for TLC method of preparation, (8) 108
Platium(II) compounds, separation of *cis*- and *trans*-dihalogenodiammineplatinum (II) complexes by PC, (10) 262
Platinum metals, adsorption PC of compounds with tin(II), (6) 353
———, PC separation of osmium complexes using alcohols, ketones and ethers as solvents, (44) 362
———, PC separation of osmium complexes using mixed systems and salts as solvents, (44) 374
PLOT columns, preparation of porous layer open tubular columns using powdered glass as a binding agent, (48) 406
Plutonium, separation by anion chromatography exchange, (46) 326
———, separation from uranium and fission products on zirconium phosphate columns, (13) 549
———, separation from uranium and neptunium by ion exchange, (14) 258
———, variation of the $R_F$ value in *n*-butanol – HCl mixtures, (6) 85
———, variation of the $R_F$ value in *n*-butanol – $HNO_3$ mixtures, (7) 373
Plutonium (IV) and (VI), ion-exchange PC in nitric acid, (21) 105
Podophyllum glycosides, a rapid method for the separation of mixtures by means of chromatoplates, (5) 458
Polar compounds, GC using a non-polar liquid phase, (2) 65
Polar – non-polar mixtures, GC of, (12) 539
Polarity gradients in reversed-phase partition chromatography, application to the separation of hydroxycholamic acids, (9) 439
Polarographic determination of anions in the effluent from chromatographic columns, (31) 266
Polarographic method combined with PC for the rapid quantitative determination of inorganic substances, (20) 627
Pollutants, determination of polynuclear hydrocarbons in atmospheric dust by a combination of TLC and GC, (49) 66
———, quantitative determination of 3,4-benzopyrene in the air, (49) 334
Polonium, adsorption on cellulose and glass, (4) 222
———, chromatography on acetylated filter paper, (6) 524
———, PC, (3) 584
Polonium (IV), formation of double spots on chromatography of an aged solution stored in $HNO_3$, (7) 414
Polyacrylamide gels, cross-linked, as media for "molecular-sieve" electrophoresis, (11) 66
———, selectivity for simple cations and anions, (34) 382
———, a simple procedure for destaining by current at right angles to the direction of the electrophoretic separation, (32) 191
———, simple spectrophotometric scanning procedure for quantitative estimation of protein in, (41) 53
Polyalcohols, direct GC determination in biological media, (42) 349
Polyamide, of dinitrophenyl-amino acids, (24) 460
———, preparation for use as adsorbent in TLC, (24) 257
———, separation of imidazole and its N-methyl derivatives, (24) 473
———, use in analyses of water-soluble food dyes, (26) 529
———, use in TLC, (17) 585,587
———, use in TLC of dyestuffs, (20) 43
Polyamide CC of phenolic quaternary alkaloids of the isoquininoline type, (25) 167
Polyamide layer chromatography, of chloramphenicol and its derivatives, (21) 158
———, preparative, (24) 458
——— of sulphonamides, (20) 610
Polyamide powder, used in CC, determination of the adsorption capacity, (37) 422

Polyamide TLC, selection of suitable experimental conditions, (31) 455
Polyamides, application of TLC of diamines, dicarboxylic acids and ω-amino acids to the analysis of copolyamides, (47) 224
———, gel permeation chromatography of the cyclic monomers and oligomers in nylon 6 and nylon 66, (49) 230
———, gel permeation chromatography of the linear monomer and oligomers, (50) 419
Polyaminepolyacetic acid ion exchangers, use for the separation of metal ions, (14) 244
Polyamines, separation by various forms of chromatography, (18) 535
——— in urine, chromatographic methods for their concentration, separation and identification, (25) 48
Polyaminocarboxylic acids, quantitative indicator for the PC and electrophoretic determination of, (34) 270
Polybutenes, composition analysis, (11) 177
Polychlorobiphenyls, the use of Florisil adsorbent for the separation from chlorinated pesticides of, (50) 142
Polycyclic aromatic compounds, spectrofluorometric *in situ* analysis after separation on acetylated cellulose layers; qualitative and quantative evaluation, (50) 72
Polycyclic compounds, colour photography on alumina columns, (10) 248
Polycyclic hydrocarbons from tar, semiquantitative evaluation of their spots on paper chromatograms, (7) 422
Polycyclics, airborne, analysis by CC and spectroscopy, (28) 317
Polydeoxynucleotides, gel filtration chromatography using agarose columns, (39) 139
Polyelectrolytes, purification by ion-exchange chromatography, (41) 228
Polyester liquid phases in GLC, preconditioning of, (6) 178
Polyesters, evaluation as stationary phases in GLC of terpenoids, (18) 308
——— as stationary phases in GLC, (23) 227, 363; (29) 333
Polyethylene, chromatographic properties of, (45) 220
———, determination of antioxidants in, (12) 178
Polyethylene glycols, analysis by chromatography of their bis-3,5-dinitrobenzoates, (14) 209
———, comparison between GC and CC in the determination of the molecular weight distribution of, (43) 207
———, determination of the molecular weight distribution by TLC coupled with densitometry, (50) 304
———, determination of molecular weight of ethylene glycol oligomers by TLC and photometric evaluation, (46) 255
———, the different chromatographic behaviour of high- and low-molecular substances on nitrocellulose membranes, (48) 90
———, of different molecular weight, membrane chromatography on PVC ultrafilters, (50) 536
Poly-(ethyleneimine)-cellulose, use in the ion-exchange chromatography of nucleotides, (16) 111, 126
———, fractionation by linear adsorption chromatography, (47) 209
———, GC determination of the molecular-weight distribution of, (39) 318
———, molecular weight fractionation by GC, (38) 7
———, separation and identification by PC of their 3,5-dinitrobenzoyl derivatives, (5) 466
Poly(ethylene terephthalate) oligomers, TLC (29) 265
Polyfluorinated alicyclic olefins, GC analysis, (20) 138
Polyglycerol and its ethers as liquid phases in GC, (33) 411, 422
Polyglycerols, identification by TLC of their acetates, (48) 225
Polyhydric alcohol humectants, separation and quantitative analysis in tobacco products, (35) 94
Polyhydric alcohols, see Alcohols, polyhydric
Polyhydroxy acids, isomeric long-chain TLC, of, (12) 321
Polyhydroxy compounds, as complexing agents in paper electrophoresis of amphoteric elements, (2) 658
———, PC in the presence of benzeneboronic acid, (11) 253
———, paper electrophoresis in stannate solution, (16) 360
———, standard ionophoretic mobilities, (6) 134
Polyhydroxy phenols, separation of complex mixtures on columns of Sephadex, (28) 94
Polyisoprene, synthetic, distinction from natural rubber by TLC, (28) 451

Polyisoprenoid alcohols, long-chain, GLC of derivatives of naturally-occurring mixtures, (23) 51
Polylysine, chromatography on carboxymethylcellulose, (9) 233
"Polymaltose", synthetic, periodate and methylation studies on, (36) 283
Polymers, analysis of oxyethylene/oxyproylene copolymers by chemical fission and GC, (42) 470
———, analysis by pyrolytic-hydrogenation GC, (27) 72
———, graft, as substrates in column extractions, (30) 438, 447
———, an improved pyrolytic device suitable for the study of their microstructure by pyrolysis GC, (24) 404
———, mixed, separation by a chromatographic method, (2) 564
———, quantitative aspects of pyrolysis/GLC of some vinyl polymers, (40) 1
———, TLC method for determining antioxidants in polyethylene and polypropylene films, (46) 110
Poly(methylene-2-hydroxybenzoic acid), fractionation by preparative layer chromatography, (46) 132
Polymyxin B, identification by TLC, (30) 630
———, sulphate, separation from neomycin sulphate and zinc bacitracin, (45) 155
Polymyxin B,D, E and M, separation by TLC, (28) 456
Polymyxin E derivatives, investigation by TLC, (34) 546
Polymyxin M, $N^{\alpha} \rightleftarrows N^{\gamma}$ migration in, (24) 61; (31) 685
Polynitroaromatic compounds in complex mixtures, quantitative analysis by combination TLC and visible spectrometry, (38) 508
Polynitrophenols, TLC, (24) 230
Polyols, as a cause of error in the detection of organophosphorus compounds according to the method of HANES and ISHERWOOD, (31) 614
———, ion-exchange chromatography, (30) 566
———, TLC, (26) 116; (37) 538
———, a temperature-resistant liquid phase for the separation of, (26) 495
Polypeptide chains of human haemoglobins, preparation, ( 17) 140
Polyphenols, from cacoa beans, fractionation by paper electrophoresis, (4) 347
———, from coffee, separation by PC and cellulose CC, (4) 396
———, from *Dryopteris* species, two-dimensional TLC, (36) 383
———, from fermented and black tea, separation by cellulose CC, (5) 17
———, tea, an investigation of the interaction with milk proteins, (11) 504
Polyphenyl ethers, separation by TLC using a multiple development technique, (14) 120
Polyphenyl isomers, separation by TLC using bentones as adsorbents (19) 304
Polyphenyls, PC, (11) 339; (14) 539
———, TLC, (12) 469; (22) 476
Polyphosphate cellulose, preparation and application in TLC, (10) 509
Polyphosphates, inorganic long-chain, fractionation on Sephadex G-100, (35) 207
———, separation by anion-exchange TLC, (38) 526
Polypropylene, chromatographic properties of, (45) 220
Polysaccharides, acid, separation and identification by TLC, (21) 40
———, ———, separation by starch gel electrophoresis, (20) 191
———, analysis of sugars in their hydrolysates by GLC of alditol acetates, (28) 246
———, some applications of PC and vapour-phase chromatography to, (20) 78
———, an automated gel filtration system for determining the molecular weight of, (47) 92
———, automated molecular-sieve chromatography of, (44) 178
———, determination of the degree of polymerisation by GLC, (47) 195
———, effect of sample concentration on gel chromatography of polyacrylamide gels, (47) 97
———, identification of the sugar components by TLC and IR spectroscopy, (34) 498
———, reproducible separation of $\alpha$- and $\beta$-cyclodextrin on charcoal columns, (41) 462
———, separation by CC in the presence of urea, (15) 246
———, simultaneous estimation of polyhydric alcohols and sugars by GLC, (36) 152
———, TLC and rapid identification of common acidic glycosaminoglycans, (21) 32

(Polysaccarides)
———, use of triphenyltetrazolium chloride for the quantitative analysis of sugar and sugar derivatives reported in glycoproteins, (43) 480
Polystryrene, microdetermination in explosive mixtures by pyrolytic GC, (35) 323
Polytetrafluoroethylene, as column packing in the chromatography of lipids, (5) 272
——— layers, for TLC, (44) 522
———, use in the construction of a pump for CC, (3) 411
Polythionates, acidified solutions, study of their decomposition, (15) 518
———, considerations for quantitative studies of formation and reactions of, (15) 393
———, detection on paper chromatograms, (22) 488
———, lower, separation by anion-exchange chromatography, (15) 533
———, quantitative analysis of a mixture with thiosulphate by PC, (15) 407
Poly-N-vinyl pyrrolidone GC, of nucleotides and derivatives, a preliminary report of the selectivity properties of, (37) 453
———, influence of eluent salt composition on the elutions of riboflavin and adenine, (43) 395
Poly-N-vinyl pyrrolidone chromatography, effect of pH on elution of bases and a proposed mechanism for the adsorption of purines, (43) 397
Polyvinylpyrrolidone, use for the treatment of the support, in GC of alkaloids, (20) 394
Populin, separation of phenolic glucosides by gel filtration, (44) 184
*Populus tremula*, separation by gel filtration of phenolic glucosides and carbohydrates from the bark, (35) 99
Porous glass, as an adsorbent in TLC, (46) 125
Porous materials, capillary absorption of liquids in, (18) 615
Porphyrin dimethyl esters, rapid separation by TLC, (27) 180
Porphyrin esters, methyl, fluorometric determination by scanning of thin-layer plates, (41) 386
———, purification by gel filtration, (41) 394
Porphyrins, chromatographic separation of magnesium protoporphyrin IX dimethyl ester from zinc protoporphyrin IX dimethyl esters, (47) 503
———, chromatography of, a review, (5) 277
———, from erythrocytes, TLC separation from haemin and lipids, (35) 248
———, free, and its derivatives, separation and identification, (38) 106
———, ———, and esterified, TLC on talc, (42) 389
———, ———, separation by extraction chromatography on tri-*n*-butyl phosphate columns by elution with a pH gradient, (40) 393
———, ———, TLC, (25) 373. 380
———, isolation from porphyria urine by preparative TLC, (38) 100
———, methyl esters, TLC with Eastman "Chromatogram", (21) 46
———, purification of protoporphyrin XI and its dimethyl ester with Avicel-SF and Chromatogram sheet, (25) 163
———, quantitative separation by TLC of their methyl esters, (30) 265
———, and related compounds, rapid TLC and its application to the study of porphyrias, (28) 475
———, a sensitive method of documentation of thin-layer chromatograms of, (44) 407
———, separation of coproporphyrin isomers by TLC, (10) 236
———, separation of uroporphyrin octamethyl esters by dioxan chromatography, (16) 141
———, separation on Sephadex dextran gels, (28) 114
———, separation of uroporphyrin octamethyl esters I and III by TLC and PC, (25) 117
———, tetraphenyl derivatives, quantitative separation by TLC, (17) 127
Potassium, PC separation and determination, (1) 554
———, rapid separation from other alkali metals by TLC on zinc ferrocyanide, (26) 557
———, spot test on paper chromatograms, 38 (1968) 164
———, see also Alkali metals
Potassium chloride, extraction of $^{35}$sulphur from pile-irradiated, (2) 117
———, quantitative analysis by PC and flame spectrophotometry, (20) 201
Precipitation chromatography of inorganic

compounds, (2) 334
Precoated sheets for TLC, (20) 506
Prednisolone, extension of the TLC technique using prefabricated roll preparations, (48) 144
———, identification of 9α-fluorinated homologues of hydrocortisone and prednisolone, (48) 118
———, resolution of some closely related derivatives by TLC, (50) 526
Pregnane derivatives, determination in urinary extracts by GC, (8) 355
Pregnanediol, GC, (12) 242
———, simplified method for quantitative determination in urine, (14) 520
Pregnanes, PC evaluation of the contribution to polarity of hydroxyl and other groups at the C-17, C-20 and C-21 positions of the side chain, (35) 287
Pregnane-3α,17, 20α-triol and 11-keto pregnane-3α, 17, 20α-triol, GC estimation of, (36) 344
Pregnene alcohols and derivatives, PC characterisation, (8) 17
Pregnene amines and derivatives, PC characterisation, (8) 17
Pregnene thiols and derivatives, PC characterisation, (8) 17
Prenols, long-chain, GLC of derivatives of naturally-occurring mixtures of, (23) 51
Preparative electrophoresis in liquid columns stabilised by electromagnetic rotation, (26) 164, 180
Preparative GC, (3) 313; (26) 485
———, column design and construction, (6) 97
———, using a laboratory rotating unit, (20) 226
Preparative GLC, an apparatus for, (5) 418
Preparative thin-layer and thick-layer chromatography, (34) 262
Preservatives, TLC, (14) 417; (23) 305
——— for wood, chromatographic studies on their presence in the wood of some conifers, (31) 345
Pressure control valve for CC, (18) 589
Procaine penicellin, spectrophotometric determination and TLC separation in medicated feeds, (38) 160
Proflavine and related compounds, purification and properties, (26) 158
Progestational steroids, GLC analysis of, (47) 186
Progesterone
——— analogues, PC data, (8) 359
———, determination in oil solution by TLC, (22) 465
———, extension of the TLC technique using prefabricated roll preparations, (48) 144
——— metabolites of urine, different methods of hydrolysis studied by GLC, (30) 410
———, preparation, purification and estimation of steroid mono- and diheptafluorobutyrates, (50) 228
———, quantitative determination in human plasma by GC, (18) 278
———, structural analysis of steroids by association of TLC techniques with GC – MS, (48) 364
Programmed distribution of fractions in two-dimensional chromatography, (18) 270
Programmed distribution of fractions in two-dimensional (GC – TLC) chromatograms for rational identification of fatty acid esters, (21) 207
Programmed flow GC, (15) 301; (20) 221
Programmed GC, study on continuous and "combined" programming of the inlet pressure of the carrier gas under isothermal conditions, (25) 260
Programmed-temperature chromatography, theory of retention index system using, (46) 29
Programmed temperature GC, retention temperature in, (6) 359
Programmer for use in GC, (9) 405
Programming of temperature in adsorption chromatography of solutions, (21) 228
Proline
——— derivatives, TLC, (18) 431
———, identification and characterisation of natural and synthetic dihydroxyprolines, (43) 127
———, quantitative determination by PC, (3) 199
Prolines, GC, (20) 266
Propenylbenzene derivatives, chromatographic separation of ninhydrin-positive metabolites in rat urine, (45) 437
Propenylic-allylic isomers, separation of some pairs by TLC on silica impregnated with silver nitrate, (21) 349
Prostaglandins, determination by GLC, (44) 443
———, group separation on Sephadex LH-20, (48) 542

Protactinate ion, chromatographic evidence for its existence, (1) 289
Protactinium, PC, (1) 52, 172
———, properties in alkaline solutions, (2) 411
Protactinium-231, cation exchange in HCl and $HClO_4$ solutions, (16) 538
Protactinium-233, cation-exchange separation from irradiated thorium, (18) 438
Protactinium(V), paper electrophoresis, (2) 155
Protein amino acids, GLC of their N-TFA *n*-butyl esters after direct esterification, (44) 269
———, GLC of trimethylsilyl derivatives of, (45) 24
Proteinases from Carica *papaya*, CC on hydroxylapatite, (35) 283
Protein-carbohydrate complexes, of an enzymic and immunological nature, a method for resolution and characterisation, (49) 503
Protein hydrolysates, the quantitative determination of a amino acids on thin layers of cellulose, (43) 84
Protein patterns in human parotid saliva, (20) 150
Protein synthesis, micro-electrophoretic determination in the $10^{-9}$ to $10^{-7}$ range, (35) 336
Proteins, acrylamide gel electrophoresis of aggregation and degradation products of myosin, (41) 423
———, adsorption of lysozyme to polyacrylamide gel (Bio-Gel P-2), (47) 499
———, amino acid, micro determination with a standard single-column analyser, (40) 296
———, analytical fractionation of plant and animal proteins by gel electrofocusing, (36) 362
———, analytical separation of hordein and its fractions by disc electrophoresis on acrylamide gel, (46) 94
———, animal blood serum, a modified disc electrophoretic method, (16) 187
——— of the anterior pituitary, behaviour on cross-linked dextran polymer gels, (13) 148
———, applications of thin-layer gel filtration, (38) 78
———, an artefact caused by the binding of protein to dextran gels, (37) 116
———, artifacts in isoelectric focusing, (50) 469
———, automated chromatography, (28) 326
———, basic, of low molecular weight, reversible retention on dextran gel, (7) 142
———, behaviour of histones in exclusion chromatography and gel electrophoresis in relation to their molecular weights, (46) 320
———, behaviour in membrane chromatography and electrophoresis on nitrocellulose filters, (36) 91
———, binding of radioactive isotopes by an agarose-gel zone electrophoresis technique, (26) 346
———, of biological fluids, concentration by centrifugally accelerated ultrafiltration, (7) 346
———, ———, tank for paper microelectrophoresis of, (3) 586
———, brain, application of disc electrophoresis to their study, (32) 715
———, carbohydrate containing, demonstration in disc electrophoresis gels, (46) 116
———, carrier-free continuous electrophoresis, (13) 111
———, characterisation and GC determination of active principles of biological interest of pharmaceutical products (gastric mucoprotein and thioctic acid), (49) 46
— —, chemical and chromatographic isolation of *K*-casein, (46) 280
———, chromatographic behaviour on nitrocellulose membrane filters, (26) 121
———, chromatography and characterisation of γ-casein, (43) 322
———, chromatography on Celite ion-exchange resins, (2) 388, 398
———, chromatography of some cystine peptides and formation of mixed disulphides, (37) 55
———, chromatography on ECTEOLA-cellulose at neutral pH values, (13) 408
———, chromatography on hydroxylapatite, effects of buffer cations, (15) 247
———, ———, of lysosomal enzymes, (44) 133
———, chromatography of native and γ-irradiated lysozymes on dense gels, (47) 361

———, chromatography of various human and animal haemoglobin types on DEAE-Sephadex, (32) 723
———, continuous chromatography apparatus for the separation of skim milk proteins from lactose and salts, (43) 61
———, continuous electrophoresis, (4) 304
———, correlation between molecular weight and elution behaviour in gel chromatography, (25) 303
———, detection of caeruloplasmin, (16) 181
———, determination of cross-links in elastin, (31) 56
———, determination of dinitrophenyl amino acids in structural proteins by powder columns, (39) 482, 491
———, determination of the molecular weight by gel filtration on Sephadex, (17) 245
———, determination of the Stokes radius of native and succinylated glutamate dehydrogenase on Sepharose 4B, (50) 66
———, determination of N-terminal amino acid by the method of Edman, (44) 207
———, differentiation of histone fractions F2(a), and F2(a)2 by starch gel electrophoresis, (34) 429
———, disc electrophoresis, apparatus for decoloration of the background, (15) 256
———, effect of some variables on protein separation by polyacrylamide gel electrophoresis, (41) 242
———, the effect of urea on histones in polyacrylamide gel electrophoresis, (22) 496
——— of "Elapidae" snake venoms, separation on polyacrylamide, (34) 531
———, electrophoresis and detection on thin layers of alumina, (23) 182
———, electrophoresis of human salivary secretions at acid pH, (50) 345
———, electrophoresis of lipoproteins using pre-stained serum, (10) 443
———, electrophoretic determination of "bound" $\epsilon$-aminolysine in, (43) 382
———, electrophoretic separation of the reduction products of the S-sulphonated insulin chains, (28) 495
———, elution from starch gel into Pevikon C-870", (6) 357
———, estimation of blood lipoproteins by radial immunodiffusion after agarose gel filtration, (28) 59
———, estimation of molecular weights by agarose gel filtration, (40) 453
———, estimation of molecular weights by Bio-Gel P gel filtration, (28) 82
——— of Ficus latex, characterisation by gel filtration, (28) 44
———, fingerprints of DNS-labelled digests on a millimicromole scale, (28) 458
———, flexible disordered, estimation of the molecular weight by exclusion chromatography, (42) 485
———, fractionation of lipoproteins from blood by gel filtration, (25) 63
———, fractionation by zone electrophoresis, influence of the supporting medium, (2) 519
———, gel electrofocusing in combination with immunodiffusion, (45) 483
———, gel filtration, (14) 317
———, gel filtration behaviour and molecular weight of NAD-glycohydrolase from streptococci in CC on Sephadex gels, (41) 43
———, gel filtration of lipid – protein complexes on cross-linked polystyrene, (47) 501
———, gel filtration of modified bovine serum on Sephadex G-200, (19) 64
———, gel filtration of native and modified pig serum lipoproteins, (35) 230
———, gel chromatography of structural isomeric phenylalanine peptides on Sephadex G-15, (48) 544
———, high-voltage electrophoresis, (1) 106
———, human placental, disc and cellulose acetate electrophoresis, (34) 485
———, human serum, binding of phenol red, measurement by means of gel filtration, (10) 68
———, ———, chromatographic study by gel filtration, (6) 258
———, ———, chromatography on diethylaminoethyl-cellulose, (15) 324, 336
———, ———, purified, chromatographic characteristics, (15) 336
———, identification of N-terminal amino acids in the form of fluorescent thiohydantoins, (48) 231
———, incomplete desalting by filtration through dextran gels, (7) 130

(Proteins)
———, influence of the temperature on the elution of staphylococcal α-toxin from a hydroxylapatite column, (41) 279
———, interdependence of protein diffusion, electrophoretic mobility and gel structure, (3) 536
———, ion-exchange chromatography, artifact separations resulting from inadequate pH control, (21) 67
———, isoelectric fractionation of bovine metmyoglobin, (41) 417
———, isolation of the first component of complement from guinea pig serum by solubility chromatography at low ionic strength, (40) 39
———, Light Green as a stain for quantitative evaluation in paper electrophoresis, (1) 285
———, mechanism of adsorption to nitrocellulose in membrane chromatography, (42) 367
———, method of electrophoresis on agar gel with direct application of the sample, (14) 566
———, method for thin-layer gel filtration, (38) 61
———, microchromatographic separation from ribonucleic acids on nitrocellulose membranes, (32) 769
———, microchromatography on wedge-compressed nitrocellulose membranes, (28) 89, 124
———, micro-electrophoretic determination in the $10^{-9}$ to $10^{-7}$ range, (35) 336
———, milk, an investigation of the interaction with tea polyphenols, (11) 504
———, ———, separation by continuous flow paper electrophoresis, (4) 42
———, "molecular-sieve" electrophoresis in cross-linked polyacrylamide gels, (11) 66
———, molecular weight determination and the influence of gel density, protein charges, and protein shape in polyacrylamide gel electrophoresis, (46) 286
———, mouse serum, micro starch gel electropheresis, (10) 450
———, new apparatus for polyacrylamide gel electrophoresis of, (43) 145
———, a new technique of protein hydrolysis and analysis of the amino acids on an autoanalyser, (50) 413
———, partial purification of the second component of guinea pig complement by solubility chromatography in concentrated ammonium sulphate solution (40) 53
———, paper electrophoresis in acid buffer, (3) 369
———, paper electrophoresis through dialysing barriers for the separation of low-molecular weight substances from, (9) 173
———, PC of the denaturation and degradation products of collagen, (14) 537
———, PC and TLC of, (32) 529; (35) 538
———, preparation of pure myoglobin by means of gel chromatography, (43) 450
———, preparative thin-layer gel filtration, (32) 577
———, preparative zone electrophoresis in gypsum, (18) 86
———, purification of α-amylase from $C_3H$ mouse submaxillary gland by gel filtration, (48) 547
———, rabbit plasma, separation by zone electrophoresis on Pevikon C-870, (8) 218
———, radioactive, quantitative analysis by PC of the amino acids present in the hydrolysate of, (1) 524
———, rapid paper ionophoresis, (3) 143
———, rapid separation of serum mucoproteins from other Folin – Ciocalteu-positive substances by means of gel filtration, (11) 71
———, separation from biological materials by chromatography on DEAE-cellulose, (3) 256
———, separation of cytochrome C and of serum albumin and lysozyme on carboxyl cellulose, (17) 152
———, separation of mouse immunoglobulins on the basis of water-solubility on Sephadex G-25, (34) 180
———, separation of myoglobin from haemoglobin on Sephadex thin layers, (28) 146
———, separation of serum albumin by radial chromatography on nitrocellulose membranes, (37) 264
———, separation of venoms of Colubridae by TLC on gel filtration media, (32) 598
———, serum, analysis by electrogel filtration, a combination of thin-layer gel filtration and electrophoresis, (28) 135
———, ———, an automated fluorescence-

monitored system for separation on Sephadex, (20) 299
———, ——— and body fluid, membrane chromatography on the nitrocellulose filters Synpor, Sartorius and Millipore, (34) 370
———, ———, effect of buffer equilibration on paper electrophoresis of, (13) 556
———, ———, gel filtration applied to some clinical problems, (28) 37
———, ———, microelectrophoresis on nitrocellulose membranes, (26) 331
———, ——— modified and denatured, gel filtration on Sephadex and on pearl condensed agar, (28) 49
———, ———, nigrosine as a stain for quantitative evaluation in paper electrophoresis, (1) 287
———, ———, zone electrophoresis on starch – Pevikon C-870 gel, (11) 515
———, simple spectrophotometric scanning procedure for quantitative estimation in polyacrylamide gels, (41) 53
———, simplified buffer system for automated CC of amino acids including methionine sulphone, (46) 107
———, spectrophotometric estimation in the presence of UV-absorbing impurities, (33) 534
———, studies on the chromatographic separation of collagen molecular subunits, (34) 332
———, studies on the heterogeneity of haemoglobin, (19) 160
———, studies of modified bovine serum by gel filtration on pearl-condensed agar, (25) 58
———, studies on the nerve growth factor from snake venom, (36) 535; (37) 62
———, studied by a new method of descending density gradient electrophoresis, (31) 145
———, starch block electrophoresis, (2) 131, 133
———, starch gel electrophoresis, (3) 515, 516
———, thin-layer gel filtration, (22) 90
———, ———, of modified proteins on 4% fine pearl-condensed agar, (49) 545
———, thin-layer techniques for making peptide maps, (16) 327
———, thyroid, analysis by means of micro disc electrophoresis, (44) 148
———, TLC on Sephadex, (16) 167
———, two-dimensional electrochromatography, (4) 314
———, the use of PVC membrane filters as specific chromatographic carriers for rapid ultra-micro-analysis, (49) 550
———, the use of recycling chromatography on Sephadex for the isolation of arginine-rich histones, (35) 168
———, wheat gluten, multiple CC, (11) 552
Proteolipids, from cat grey and white matter, fractionation by chromatography on an organophilic dextran gel, (41) 400
Proteolytic activity, detection by means of nitrocellulose membranes impregnated with proteins, (26) 127
Protohaemin, isolation and determination by TLC, (30) 265
———, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, (50) 458
Protoporphyrin IX and its dimethyl ester, purification with Avicel-SF and Chromatogram sheet, (25) 163
Protoporphyrins, chromatographic separation of magnesium protoporphyrin IX dimethyl ester from zinc protoporphyrin IX dimethyl ester, (47) 503
Provitamins, PC, (5) 500
Pseudouridine, isolation from urine and quantitative determination by anion-exchange chromatography, (16) 407
Pseudouridine C, pure, a simplified method for isolation from human urine, (47) 111
Pseudotropine, GC determination in tropine, (12) 533
———, separation from tropine and tropinone by TLC, (16) 414
Psychotomimetics, identification in human urine, (39) 302
Psychotropic drugs, systematic identification by TLC, (31) 405; (34) 44
Pteridines, chromatography on ion-exchange resins, (2) 296
———, concentration using Sephadex, (31) 326
———, PC, (2) 162
———, separation of sepiaterin from riboflavin by PC, (27) 509
———, TLC, (6) 17; (4) 384
Pterins, natural, separation by cellulose TLC, (25) 391
———, variation of $R_F$ values with pH in PC, (28) 492
Pteroylglutamic acid and related compounds, chromatography on ion-exchange resins, (2) 296

Pump constant volume pulseless, for GPC, (28) 128
——— for use in CC, (3) 411
Punched IBM cards for the storage of GC data, (5) 541
Purine bases, separation by PC, (30) 278
Purine and pyrimidine bases, differences in the behaviour on dextran columns at different pH values, (47) 9
Purines, chromatography on activated charcoal, (3) 221
———, chromatography on starch columns, (16) 264
———, desalting by chromatography on poly-N-vinyl pyrrolidone, (40) 299
———, gel filtration using Sephadex, (3) 334
———, high-voltage electrophoresis, (1) 111
———, methods for detection and distinguishing from pyrimidines on paper chromatograms, (28) 184
———, mobility data from filter paper electrophoresis of, (37) 343
———, PC, (4) 156; (18) 81
———, PC data in a variety of solvents, (22) 118
———, a proposed mechanism for the adsorption in poly-N-vinyl pyrrolidone chromatography, (43) 397
———, a rapid micro-method for the separation, identification and estimation of caffeine, theobromine and theophylline, (32) 75
——— and related compounds, polyacrylamide adsorption chromatography, (47) 103
———, ———, Sephadex G-10 adsorption chromatography, (32) 662
———, resolution of complex purine and pyrimidine antagonist mixtures by TLC, (27) 307
———, separation of nucleic acid components and their isomers on Sephadex G-10, (48) 551
———, separation from nucleotides, nucleosides, pyrimidines and pyrimidine degradation products by two-dimensional PC, (20) 624
———, TLC, (21) 143
———, TLC on celite starch, (14) 532
Pyrazine bases, volatile, separation by GLC, (1) 67
Pyrazine carboxylic acids, separation by PC, (1) 67
Pyrazole derivatives, chromatography on acetylated paper, (17) 520
Pyrazon, see 5-Amino-4-chloro-2-phenyl-3(2H)-pyridazinone
Pyrenediones, separation by CC, (20) 319
Pyrenes, as fluoresence indicators in TLC, (12) 342
———, quantitative determination of 3,4-benzopyrene in the air, (49) 334
Pyrethrins, analytical studies of its formulation by GC, (50) 49
———, TLC, (6) 10
Pyridine bases, PC separation of alkylpyridine mixtures, (39) 53
Pyridine-2,6-dicarboxylic acid, use for the preparation of chelating ion-exchange resins, (18) 572
Pyridine homologues, GC separation, (34) 529
Pyridine moncarboxylic and dicarboxylic acids, separation by two-dimentional ion-exchan TLC, (31) 601
Pyridine N-oxide, chromatographic study of the reaction with acetic anhydride, (27) 502
Pyridines, bromo- and chloro-derivatives, separation by GC, (16) 293
———, investigations on the relationship between molecular structure and chromatographic parameters of two homologous series suitable as reference compounds in liquid – liquid partition chromatography, (40) 431
———, mono-(hydroxymethyl)- and di-(hydroxymethyl)- derivatives, chromatography and structure elucidation, (24) 203
———, relative detector response in GC, (15) 260
———, sorbate – sorbent interactions in GC, (42) 457
Pyridinium aldoximes, quaternary, TLC separation, (41) 481
Pyridoxal and pyridoxal-5-phosphate, separation and identification by PC, (13) 263
Pyridoxol, $^{14}C$- and $^{3}H$-labelled, quantitation by scintillation autography of thin-layer chromatograms, (41) 483
Pyridoxyl-amino acids, separation by PC, (14) 201
Pyridyl alkyl ketones, partition between organic solvents and hydrochloric acid, (45) 121
Pyrimidine bases, effect of pH on elution in poly-N-vinyl pyrrolidone chromatography, (43) 397
Pyrimidine deoxyribosides and deoxyribotides, detection on paper chromatograms, (1) 291
Pyrimidine nucleosides, CC on polystyrene

resin using aqueous systems, (49) 222
Pyrimidine and purine bases, differences in the behaviour on dextran columns at different pH values, (47) 9
Pyrimidines, chromatography on activated charcoal, (3) 221
———, chromatography on starch columns, (16) 264
———, desalting by chromatography on poly-N-vinyl pyrrolidone, (40) 299
———, GC separation of tricyclic compounds with bridgehead nitrogen atoms, (45) 250
———, gel filtration using Sephadex, (3) 334
———, methods for detection and distinguishing from purines on paper chromatograms, (20) 184
———, mobility data from filter paper electrophoresis of, (37) 343
———, PC, (18) 81
———, PC data in variety of solvents, (22) 118
———, resolution of complex purine and pyrimidine antagonist mixtures by TLC, (27) 307
———, separation of nucleic acid components and their isomers on Sephadex G-10, (48) 551
———, separation from nucleotides, nucleosides, purines and pyrimidine degradation products by two-dimensional PC, (20) 624
———, TLC on celite – starch, (14) 532
Pyrolysis – GC, an improved pyrolytic device for the study of polymer microstructure, (24) 404
———, of polymers, precision of, (47) 291
Pyrolysis – TLC, combined, application to the study of chemical kinetcs, (48) 268
Pyrolytic-hydrogenation GC, analysis of polymers, (27) 72
Pyrone derivatives, PC, (1) 364
Pyrophosphates, separation from orthophosphates by means of an anion exchanger, (7) 400
———, autotransfer chromatography combined with MS for the characterisation of, (48) 334
———, relation between structure and chromatographic behaviour, (3) 317
Pyrrolidonecarboxylic acid, $^{14}$C-labelled as a contaminant in chromatography, (24) 270
2-Pyrrolidone and 2-pyrrolidone-5-carboxylic acid, quantitative GC determination, (47) 261
Pyrrolizidine alkaloids, characterisation by GC, TLC and PC, (20) 270
———, detection on thin-layer chromatograms, (19) 433; (27) 505
Pyruvate, detection on chromatograms, (34) 122
———, TLC, (36) 390
Pyruvic acid, TLC of $\alpha$-keto acids, (43) 103
———, from tissue cultures, PC, (2) 99

# Q

Quantitative PC, new method for, (12) 47
Quartz, comparison with silica gel as support in TLC, (33) 53
Quaternary ammonium compounds associated with the oxidation of choline, chromatographic methods for isolation and identification, (35) 497
Quenching effects in TLC, (23) 142
Quercetagetin derivatives, PC, (5) 455
Quercetin, magnesol TLC of flavonoid compounds, (43) 287
———, microanalytical method for the determination of dihydroquercetin in wood, (43) 250
Quercitrin, magnesol TLC of flavonoid compounds, (43) 287
Quinazolinone, 2-methyl-3-*o*-tolyl-4(3H)-, GC determination at therapeutic levels in human plasma, (42) 39
Quinoline, ternary mobile phases in adsorption TLC, (49) 313
Quinoline bases, use of the "$\pi$"-electron interaction for selective separation from coal tar distillates by GLC, (3) 2
Quinoline derivatives, PC separation and identification, (4) 467; (13) 483
———, TLC for the quantitative separation from biological fluids and tissues, (37) 70
Quinoline-N-oxide derivatives, PC, (9) 523
Quinolines, pH effects in the TLC on organic porous polymers, (48) 92
Quinomycin antibiotics, separation by circular TLC, (26) 306
Quinone, reaction occurring with benzoin on a GC column, (14) 98
Quinones, dianilino, TLC studies of, (48) 572
———, fat-soluble, rapid method for the identification of small quantities in biological material, (13) 166
———, polyamide layer chromatography, separation of, (44) 635
———, separation on alumina, (17) 73
———, TLC, (6) 10; (17) 585; (26) 515
——— from *Vicia faba* leaves, separation and estimation, (36) 504

# R

Rabbit plasma proteins, separation by zone electrophoresis on Pevikon, C.870, (8) 218
Racemic bases, chromatographic resolution on alginic acid, (43) 66
———, chromatographic resolution on polygalacturonic acid, a natural optically active ion-exchanger, (37) 297
Racemic compounds, chromatographic resolution, (2) 84
———, ———, on a microporous resin, (34) 480
———, optical resolution by molecular complexation chromatography, (3) 364
Radial chromatography, basic principles, (33) 234
Radial techniques in TLC, (33) 175
Radiation chemistry electron capture detector in, (12) 96
Radiation hazards arising from the use of radioactive detectors in GC, (9) 28
Radioactive compounds, apparatus for TLC of, (20) 600
———, GC, (6) 373; (1) 200
———, labelled, use in the quantitative determination of reducing substances, (26) 151
———, separation of radioactive products found in the Szilard-Chalmers reaction by paper electrophoresis, (1) 501
———, a simple arrangement, using a standard Geiger-Müller tube, for the continuous monitoring of radioactive effluents from a chromatography column, (2) 572
Radioactive inorganic ions, continuous electrophoresis, (4) 310
———, reversed-phase partition chromatography, (4) 60
———, two-dimensional electrochromatography, (4) 313
Radioactive intermediate metabolites, PC of, (12) 219
Radioactive ionisation detector, increased sensitivity, (19) 425
Radioactive isotopes, agarose-gel zone electrophoresis technique for *in vivo* protein binding studies, (26) 346
Radioactive paper chromatograms, optimum operation of recording count rate meters, (28) 100
Radioactive precipitants, their use in trace analysis, (25) 144
Radioactive rare earth mixtures, continuous electrophoretic separations, (3) 477; (9) 380; (9) 106
Radioactive scanner for thin-layer chromatograms, (26) 89
Radioactive streaks on electropherograms or chromatograms, rapid method for their location and elution, (32) 356
Radioactivity, automatic recording in GLC, (5) 265
——— of paper chromatograms, apparatus for continuous automatic registration, (1) 309
Radioautography, application to the detection of metabolites of $^{35}$S-DL-cystine, (3) 20
——— of $^{14}$C- and $^{3}$H- labelled steroids, (12) 115
Radiochemicals, determination of radio chemical purity by PC, TLC and high-voltage electrophoresis, (28) 379
Radio chromatogram scanner, liquid scintillator-based, (17) 355
Radiochromatograms, counting of, by liquid scintillation, (5) 271
——— and pherograms, measuring apparatus for, (1) 471
Radiochromatography, apparatus for labelling chromatograms, (13) 10
———, enhanced photoemulsion sensitivity at low temperatures used in, (46) 129
——— on paper, quantitative using Tollens reagent, (11) 247
——— on thin layers, (13) 56
———, ——— of inorganic compounds, (13) 542
———, TLC separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides, (46) 267
———, tritium detection by $\beta$-radioluminescense in standard media for TLC, (32) 732
Radiocolloidal behaviour of actinium, (5) 147
Radioelements, separation by chromatography on paper impregnated with an ion exchanger, (5) 366
Radio GC of white phosphorus and phosphorus compounds, (18) 397

Radiography, paper thickness as factor in autoradiography of $^{14}C$, (33) 329
Radioisotopes, analysis of GC vapours using high-temperature ionisation chamber, (13) 354
———, separation by means of ethylenediaminetetraacetic acid, (3) 58
Radiometric evaluation of paper chromatograms, a new method, (33) 328
Radiomicroconstituents in sea water, two-dimensional electrochromatography, (27) 450
Radionuclides, ion-exchange adsorption by ferrocyanide molybdate, (45) 331
———, Luminescence detection by TLC separation on layers heavily loaded with powdered scintillators, (46) 267
———, rare earths, carrier-free separation from fission product mixtures, (20) 585
———, separation by electrophoresis on cellulose acetate (Cellogel), (22) 431
———, separation by means of iron(III) hydroxide on paper, (10) 392
———, separation by means of paper impregnated with ammonium molybdophosphate, (6) 361
———, tritium detection by $\beta$-radioluminescence after TLC, (47) 157
Radio PC, quantitative, a review, (5) 377
Radio TLC, measurement of the distance between the layer and the measuring device, (37) 350
———, quantitative, investigations of tritium-labelled compounds, (37) 476
——— of some aromatic phosphorus and arsenic compounds, (20) 406
Radium, separation from barium by an ion-exchange procedure, (16) 403
Radium D, PC, (3) 584
———, solution chemistry in hydrochloric acid studied by paper electroresis, (8) 501
———, solution chemistry in nitric and perchloric acids studied by paper electrophoresis, (9) 455
Radium E, extraction from solutions of radio lead and purification by PC, (3) 96
———, PC, (3) 584
———, solution chemistry in hydrochloric acid studied by electrophoresis, (8) 501
———, solution chemistry in nitric and perchloric acids studied by paper electrophoresis, (9) 455
Radium – ethylenediaminetetraacetate complex, ion-exchange characteristics, (8) 265
Radium F, solution chemistry in hydrochloric acid studied by paper electrophoresis, (8) 501
———, solution chemistry in nitric and perchloric acids studied by paper electrophoresis, (9) 455
Raffinose, mixtures with sucrose, TLC, (9) 278
Ramp function temperature programming in the GC of nitroparaffins, (8) 532
Raney cobalt, use as column material for the separation of organo-sulphur compounds, (13) 234
Rare earth carbides, preparation and hydrolysis studied by GLC, (15) 211
Rare earth – EDTA complexes, effect of resin cross-linking on the anion-exchange separation, (50) 487
Rare earths, the adsorption of europium and cerium on a strong base anion-exchange resin from dilute nitric acid solutions containing aliphatic alcohols, (8) 419
———, anion-exhcange behaviour in aqueous methanol solutions containing neutral nitrates, (26) 215, 225
———, anion-exchange behaviour in dilute sulphuric acid solutions containing ethanol, (6) 452
———, anion-exchange behaviour in magnesium nitrate solution, (18) 556
———, anion-exchange behaviour in potassium sulphate medium, (16) 396
———, carrier-free, determination by ion-exchange at room temperature, (29) 203
———, chromatographic behaviour on anion-exchange paper in nitrate – methanol systems, (16) 365
———, chromatographic separation and identification on paper by means of fluorescence, (11) 394
———, chromatography using bis-(2-ethylhexyl) orthophosphoric acid, (10) 502
——— complexes with *trans*-1,2-diaminocyclohexane-N,N'-tetraacetic acid, anion-exchange behaviour, (32) 394
———, complexes with ethylenediaminetetraacetic acid, anion-exchange behaviour of, (7) 98
———, ———, position of scandium in the separation scheme of, (7) 568
———, elution requirements for the resolution of ternary mixtures, (32) 559
———, equilibrium theory for separation

by displacement development, (46) 1
———, heavy, separation by reversed-phase partition chromatography, (5) 161
———, ion-exchange chromatography with hydroxyethylenediaminetriacetic acid, influence of different salts on the kinetics of exchange, (22) 164
———, ion-exchange PC of lanthanide ions, (10) 205
———, paper electrophoresis, (1) 86
———, partition chromatographic studies using the tricaprylylmethylammonium thiocyanate – ammonium thiocyanate system, (27) 229
———, PC in nitrate solutions, (3) 193
———, prediction of elution maxima in the gradient elution of, (32) 195
———, radioactive, continuous electrophoretic separations, (3) 477; (7) 380; (9) 106
———, radionuclides, carrier-free separation from fission product mixtures, (20) 585
———, reversed-phase partition chromatography, (29) 309
———, ———, with 2-ethylhexyl phenylphosphonic acid on kieselguhr, (17) 542
———, reversed-phase PC using methylene-bis-(di-*n*-hexylphosphine oxide), (21) 460
———, separation of, (12) 74, 81
———, separation of adjacent pairs in elutions with hydroxyethylethylenediaminetriacetate (HEDTA), (36) 99
———, separation by anion exchange in acetic acid – HCl mixtures, (25) 408
———, separation of anion-exchange resins, influence of temperature on anion exchange behaviour of rare earth ethylene diaminetetra-acetates, (14) 79
———, separation by anion exchange in water – solvent mixtures, in the presence of α-hydroxyisobutyric acid, (26) 232
———, ———, in the presence of lactic acid, (32) 795
———, separation by displacement chromatography, (9) 461
———, separation by electrophoresis on cellulose acetate (Cellogel), (22) 431
———, separation by extraction chromatography, with di(2-ethylhexyl) phosphoric acid (HDEHP) using silica gel as support for the stationary phase, (38) 498
———, ———, using bifunctional phosphine oxides, (32) 567
———, separation by ion-exchange chromatography, using $NH_4^+$-$H^+$ development columns, (14) 469
———, separation of lanthanides by chromatography on ion-exchange paper in α-hydroxyisobutyrate medium, (49) 269
———, separation of the lanthanides and yttrium by cation exchange elution with ammonium α-hydroxyisobutyrate and lactate, (17) 558
———, separation by means of paper treated with the liquid cation exchanger di-(2-ethylhexyl) orthophosphoric acid, (8) 232
———, separation by reversed-phase partition chromatography, (4) 60
———, ———, with di-(ethylhexyl) orthophosphoric acid as the stationary phase, (16) 376, 385
———, ———, using methylene-bis [di-(2-ethylhexyl)-phosphine oxide] as the stationary phase, (24) 376
———, separation by reversed-phase PC using complexing eluents, (22) 400
———, separation of transuranium elements by GC of their chlorides, (49) 290
———, separation from uranium and thorium by means of paper treated with a liquid anion exchanger, (5) 442
———, ternary, displacement ion-exchange separation with chelating eluants, (35) 423
———, TLC, (18) 144; (20) 580; (24) 153
———, variation of the $R_F$ values in *n*-butanol – $HNO_3$ mixtures, (7) 373
Rat bile, TLC following intravenous administration of pesticidal synergists, (27) 153
———, and urine, TLC following intravenous administration of safrole, isosafrole and dihydrosafrole, (29) 267
Rate and diffusion phenomena in continuous chromatography, additivity of, (15) 5
Rat liver α-glucosidases, dextran gel filtration of, (28) 26
Rat muscle, the acid-soluble phosphorus compounds of, (8) 475
*Rauwolfia serpentina* alkaloids, separation by TLC, (11) 260
RDX, see Hexahydro-1,3,5-trinitro-*s*-tetrazine,
Reaction chromatography, GLC/TLC derivatization technique for the identification of carbonyl compounds and alcohols, (29) 80, 88

(Reaction chromatography)
———, a method for identifying aromatic compounds on paper and thin-layer chromatograms, (27) 311
Reaction GC, (25) 230
———, catalytic aromatization of alicyclic and heterocyclic compounds, (24) 188
Reagents, N-bromosuccinimide for detecting lipids in TLC, (24) 432
———, colour reaction for detecting homogentisic acid on paper chromatograms, (24) 283
———, colour reaction for psychotropic drugs on thin-layer chromatograms, (24) 259
———, for detecting antioxidants on thin layers of silica, (24) 239
———, for detecting sugars, (24) 484, 487
———, diazotized *p*-nitroaniline for detecting amino compounds on paper chromatograms, (24) 268
———, diphenylamine-aniline-phosphoric acid for the detection and differentiation of monosaccharides on paper chromatograms, (24) 117
———, hydrogen selenide for detecting sulphur, organic disulphides and some other compounds on paper chromatograms, (24) 480
———, Rhodamine B for detecting metals on paper chromatograms, (24) 302
———, spot test for ketosteroids on thin-layer chromatograms, (24) 480
———, for steroids on thin-layer chromatograms, (24) 478
Recirculation columns in GC, (30) 25
Recorder, automatic of organic acids in CC, (5) 515
———, ———, for radioactive paper chromatograms, (9) 96
———, ———, of the radioactivity of zones eluted from the gas – liquid chromatogram, (5) 265
——— for GLC, a two-recorder integrator-readout system, (4) 435
———, pen, testing by means of a peak simulator, (6) 539
Recording, of cellulose acetate electrophoresis strips by photography, (19) 198
———, of chromatograms, an improved technique, (5) 98
———, of chromatograms of phosphatides on silicic acid-impregnated filter paper, (11) 113
———, of chromatograms, a photographic method, (9) 393
———, chromatographic patterns by means of acetate sheets, (13) 251
———, of component bands in chromatography, (2) 53
———, count rate meters for radioactive paper chromatograms, optimum operation, (20) 100
———, of disc electrophoresis patterns, (11) 559
———, of thin-layer chromatograms, (9) 390
———, in TLC use of sequentially applied location reagents and multiple transparent overlays, (11) 263
Recovery of compounds from thin-layer chromatograph strips, (12) 421
Reducing substances, quantitative determination with tetrazolium salts on paper chromatograms, (26) 151
Reduction chromatography of cations, (2) 634
Relative response of fatty acid methyl esters on the flame ionisation detector, (11) 114
Relative retentions, determination of, (12) 2
Reserpic acid, derivatives, PC, (7) 337
Resin acids, methyl ester, TLC, (13) 74
———, studies on the chromatographic separation of, (32) 53
Resins, properties of and use in chromatography, (49) 40
Resolution, improved, on paper chromatograms, (2) 431
Resolving power of chromatograms, (7) 467
Resorcinols, carbonyl-substituted, chromogenic activity with Ehrlich reagent, (15) 76
———, purple compounds formed with Ehrlich's reagent, (7) 520
Retention data, in GLC reproducibility, (6) 293
———, an interpolation method for the prediction of, (5) 300
———, relation with chemical structure, (14) 157
———, relative conversion into $R_{xq}$ units, (8) 541
———, ———, in GC investigation of the changes accompanying the oxidation of apolar stationary phases, (28) 277
———, of some alkanes, alkyl nitrates, nitroalkanes and alcohols on selected stationary phases, (4) 451
———, of some trimethyl-silyl ethers

and thioethers, (11) 312
Retention index, of isomeric alkanes, influence of the temperature on, (30) 357
———, relation to column temperature, (30) 1
———, relation to relative retention, (30) 12
———, theory using programmed-temperature GC, (46) 29
Retention index system, contribution to the theory of, (50) 379
———, a generalisation including linear temperature programmed partition GLC, (11) 463
Retention index units, determination of, (12) 2
Retention indices and structure of chemical compounds, (23) 1, 18
Retention measurements in GC, role of the support, (30) 325
Retention parameter, $\Delta Me$, constancy within homologous series and relations within the periodic table, (8) 303
Retention ratios, in GC calculation of, (39) 383
———, relative, in GLC, calculation of $Rx$g values, (9) 147
Retention temperature in programmed temperature GC, (6) 359
Retention times, of amino acid derivatives, (12) 106
———, apparatus for estimating the product of peak height and retention time in GC, (8) 280
———, GC, calculation from "polarities" determined statistically, (17) 1.
———, of a number of organic compounds, (6) 220
———, prediction of, in GLC of diastereoisomers of methyl-branched fatty acids, (34) 165
———, in programmed temperature GC, (4) 11
———, relative of C, – C8 hydrocarbons over different columns and at different temperatures, (9) 34
Retention volume, corrected for pressure drop, kinetic theory, (19) 478
———, in GLC effect of changes occurring with the immobile liquid phase, (9) 1
———, ———, of methyl esters of fatty acids, (2) 547
———, GSC and liquid – solid chromatography, a quantitative theory of the interrelationships, (18) 461
———, of homologous hydrocarbons, prediction in GC, (27) 63
———, in linear elution adsorption chromatography, influence of alkyl substituents, (15) 344
$R_F$ values, in adsorption TLC reproducibility, (17) 267
———, effect of molecular structure on, (1) 537; (2) 204, 423; (3) 317, 389; (7) 527; (8) 119; (9) 251; (10) 35, 42, 158, 184, 354, 366, 372, 389, 473, 479
———, factors influencing their constancy in PC under Australian field conditions, (10) 281
———, a mathematical treatment of its variation caused by the presence of another compoment, (37) 234
———, in PC and TLC scales for measurement of, (18) 433
———, prediction of, (29) 247
———, quality testing of chromatographic data with the aid of a statistical criterion, (22) 376
———, scale for rapid measurement of, (5) 177
———, a simple method of plotting theoretical curves of $R_F$ as a function of pH in buffered PC, (3) 252
———, in TLC in fluence of the method of preparing the layers on the reproducibility, (11) 50
Rhenium, complexes with thiourea, PC, (5) 341
———, separation by anion-exchange chromatography, (17) 567
Rhodamine B, use for the detection of metals on paper chromatograms, (24) 302
Rhodium (III) complexes, study by paper electrophoresis and ion-exchange chromatography, (1) 279, 457
Ribitol, identification by GLC and TLC, (36) 342
Riboflavin, chromatographic determination in yeast, (18) 609
———, chromatographic studies of the products of photolysis of, (35) 376
———, chromatography of decomposition products of, (36) 393
———, influence of eluent salt composition on the elution in poly-N-vinyl pyrrolidone CC, (43) 395
———, separation from sepiapterin by PC, (27) 509
Riboflavin solutions, influence of reducing and oxidising agents, paper partition chromatography of the decomposition products, (14) 451

Ribonuclease, barley, CC, (7) 269
Ribonucleic acid, aminoacyl-acceptor, chromatography on paper sheets of DEAE-cellulose, (14) 46
Ribonucleic acids, determination of base ratios, (26) 545
———, ———, of very small samples using TLC, (34) 364
———, enterovirus, adsorption patterns on calcium phosphate columns, (25) 314, 320, 325
———, fractionation and binding studies on columns of polylysine kieselguhr, (48) 456
———, microchromatographic separation from proteins on nitrocellulose membranes, (32) 769
———, nucleotides, rapid electrophoresis in a dilute agar gel paper medium, (13) 255
———, separation by gel filtration, (28) 30
———, separation on Sephadex columns, (37) 458
———, separation by TLC of the nucleotides of an alkaline hydrolysate of, (11) 414
———, separation of transferribonucleic acid from deoxyribonucleic acid by gel filtration, (24) 197
———, thin-layer method for the mapping of enzymatic digests of, (19) 615
Ribonucleoproteins, starch block electrophoresis, (2) 133
Ribonucleosides and their 3'(2')-phosphates and 3'(2'),5'-diphosphates, improved PC separation, (21) 498
Ribonucleotides, rapid CC determination in soup preparations, (40) 386
Ribose, quantitative TLC in the presence of other sugars, (49) 469
Ribosome fractionation by gel filtration, (47) 108
Rifomycin B, chromatographic studies of some products of transformation of, (5) 519
$R_M$ values, accurate determination, (10) 35
———, in adsorption chromatography, (11) 408
———, effect of molecular structure on, (2) 423; (3) 389; (8) 119; (10) 35, 42, 158, 184, 354, 366, 372, 389,
———, group and atomic parameters, (10) 42
———, relation with the composition of certain ternary two-phase solvent systems, (7) 311
———, relationship with composition in liquid – liquid partition chromatography, (32) 458
———, relationship with the composition of the mixed phase in solvent systems pentanol/aqueous buffer solution, (17) 333
———, relation with solvent composition in certain cases of partition PC, (8) 119
———, in simplified four-component systems of the type: ternary mixed solvent/pure solvent, (22) 176
———, in TLC, calibration of plate differences, (26) 280
———, theory, application to heart glycosides and their genins, (32) 123
RNA hydrolysis products, resolution by two-dimensional anion-exchange TLC, (49) 560
Rose oils, Indian chromatographic estimation of stearoptene in, (6) 274
Rotating cooling trap for use in preparative GC, (3) 313
Rotating unit for preparative-scale GC, (7) 477; (20) 226
Rubber
———, compounding ingredients, identification using TLC, (44) 315
———, detection and estimation of pentachlorophenol in natural latex by TLC, (35) 43
———, heveacrumb, TLC determination of castor oil in, (30) 125
———, industrial, GC analysis, (34) 89
———, natural, distinction from synthetic polyisoprene by means of TLC, (28) 451
———, vulcanisates, quantitative determination of free elemental sulphur in, (35) 513
Rubidium, rapid separation from other alkali metals by TLC on zinc ferrocyanide, (26) 557
Rubidium-86, sorption on ammonium and thallous salts of phosphotungstic and phosphomolybdic acid, (27) 460
Ruthenium(III) complexes, paper electrophoresis and spectrophotometry, (8) 96
Ruthenium-106, two-dimensional electrochromatography in sea water, (27) 450
Ruthenium salts, reaction with sodium or potassium nitrite, (6) 429

———, conversion of relative retention data into, (8) 541
———, as a means of presenting retention data in GLC, (6) 293
———, simple method of calculation at elevated column temperatures, (9) 147

# S

Saccharides, analysis by means of TLC on Kieselguhr G, (5) 351
———, determination of di-, tri-, and tetrasaccharides in mixtures with their component moieties by TLC, (41) 475
———, mono-, liquid phases and solid supports for GLC of trimethylsilyl derivatives of, (41) 335
———, ———, solvents for the formation and quantitative chromatography of trimethylsilyl derivatives of, (41) 325
———, ———, and oligo-, quantitative determination in potato tubers by GLC, (41) 110
———, partition chromatography of sugars on ion-exchange resins, (50) 429
———, poly-, reproducible separation of $\alpha$- and $\beta$- cydodextrin on charcoal columns, (41) 462
———, quantitative chromatography using polyacrylamide gel, (42) 476
———, quantitative paper radiochromatography using ammoniniacal silver nitrate reagents, (11) 247
———, rapid quantitative method for routine determination of monosaccharides and oligosaccharides from plants by PC, (22) 95
———, separation on carbon – aluminium oxide columns, (5) 453
———, thin-layer gel filtration of mucopolysaccharides, (22) 90
———, see also Carbohydrates, Sugars
Saccharification products, detection by TLC, (15) 103
Saccharose, esters with higher fatty acids, PC, (28) 484
———, quantitative determination by PC using triphenyltetrazolium chloride, (11) 127
Saffron, TAS-method for the microanalysis of important constituents of, (40) 308
Safrole, TLC studies on rat bile and urine following intravenous administration of, (29) 267
Salicaceae, effect of extraction procedures on the apparent free phenolic glycoside content of, (40) 370
Salicin, PC, (1) 269
———, separation of phenolic glucosides by gel filtration, (44) 184
Salicylates, TLC, (41) 274
Salireposide, separation of phenolic glucosides by gel filtration, (44) 184
*Salix* species, GLC procedure for the separation and identification of phenolic glycosides in, (36) 22
———, TLC as a screening procedure for the investigation of the distribution of phenolic glycosides in, (25) 367
Salting-out chromatography of water- insoluble alcohols and ketones, (7) 273
Salting-out effect in the adsorption of inorganic anions on ion-exchange papers, (13) 232
Salts, fused, ion exchange in, (24) 148
———, inorganic, separation by CC and electro-chromatography using molten hydrogen sulphate and pyrosulphate as liquid phase, (23) 149
———, molten, use as liquid phases in chromatography and electro-chromatography of inorganic salts, (23) 149
———, removal from small samples prior to PC by means of ion-exchange resin loaded paper, (4) 494
Salt systems,reciprocal, chromatography of, (21) 75
*Salvia lavandulaefolia* Valh., some new trace constituents in the essential oil of, (50) 59
Samarium and europium mixtures, augmentation of the separation in ion-exchange elutions with EDTA, (29) 210
Sample applicator, automatic for GC, (20) 131; (26) 258
———, brush type, for TLC, (19) 429
———, for capillary chromatography, (11) 151
———, for CC, (12) 113
———, for GC, (9) 266, 519
———, ———, for use at higher temperatures, (16) 217
———, ———, for use with gas samples in the micron pressure range, (27) 479
———, for PC, (16) 552; (5) 207; (20) 131; (21) 350
———, for preparative PC, (20) 182
———, for preparative TLC, (15) 105; (16) 412; (20) 182; (21) 155
———, for TLC, (9) 379; (16) 552; (25) 102, 109

———, for viscous and solid materials for GC, (18) 158
Sample injection port, water-cooled, for high temperature GC, (5) 88
Sample loading, on in analyses of volatile fatty acids by GC, a simple reproducible technique, (24) 167
———, in continuous automatic amino acid analysis, simplification of, (34) 401
———, a solid injection system used in the GC separation of oestrogens, (15) 92
——— system for high-temperature GC, (27) 47
——— system for use in the GC determination of volatile components in blood, (27) 237
——— in TLC, apparatus for, (34) 357
Samples, effect of size in starch electrophoresis of cellulase, (7) 33
———, filtration and quantitative transfer of lambda amounts of liquids, (6) 278
———, large-volume, effect on efficiency in GC, (6) 243
———, methods of introduction on to GC columns, (6) 178; (8) 343
———, preparation of lambda amounts of serum for paper electrophoresis, (6) 278
Sampling method for solid substances in high-temperature GC, (4) 1
Sapogenins, extracted from *Dioscorea* species, TLC, (15) 273; (38) 355
———, monohydroxy saturated steroidal, quantitative estimation in plant materials by densitometric TLC, (34) 507
———, separation of tomatidenol, solasodine and soladulcidine and yamogenin, diosgenin and tigogenin by TLC, (40) 97
———, steroidal, CC, (1) 148
———, ———, PC, (1) 247
———, ———, TLC, (9) 353; (11) 562; (30) 149
Sapogenols, soybean, a rapid PC method for separation and identification, (13) 259
Saturation chamber for TLC, (32) 422
Scale for rapid measurement of $R_F$ values, (5) 177
Scandium, anion-exchange behaviour in magnesium nitrate solution, (18) 556
———, electrophoresis in glycolic acid, (18) 381
———, position in the separation scheme of rare earth complexes with ethylene diaminetetraacetic acid, (7) 568
———, separation by anion exchange in acetic acid – HCl mixtures, (25) 408
———, separation by cation exchange in acid ammonium sulphate media, (22) 143
———, separation from yttrium, actinium and the lanthanides by PC, (3) 193
Scanner, for locating radioactive streaks on electropherograms or chromatograms, (32) 356
———, radioactive, for thin-layer chromatograms, (26) 89
———, ———, liquid scintillator-based, (17) 355
Scanning of chromatograms, optical, an electrical model for the optical behaviour of thin-media chromatograms, (50) 19
———, ———, non-linearity effects in, (50) 30
Scanning of disc electrophoresis patterns, (11) 559
Scanning of thin-layer chromatograms, quantitative TLC, investigation on the reproducibility of direct spectrophotometry and fluorometry, (22) 60; (43) 457
Scilla glycosides, direct quantitative determination on thin-layer chromatograms by means of remission measurements, (40) 244
Scintillation counter, for continuous monitoring of radioactivity in solutions, (40) 377
Sclareol, chromic acid oxidation of, (35) 192
Scopoletin, separation from fluorescent compounds in roots of *Pisum Sativum* var.meteor by Sephadex gel filtration, (34) 112
———, a TLC – fluorometry method for quantitative analysis in tobacco, (35) 570
Scopolin, a TLC – fluorometry method for quantitative analysis in tobacco, (35) 570
Scorpion toxins, reversible retention on dextran gel, (7) 142
Sea water, two-dimensional electrochromatography of radiomicroconstituents in, (27) 450
Sebum, a common contaminant of samples for GLC, (21) 113
Sedoheptulosan, PC data on the products obtained by treatment with acid, (4) 391
Selectivity in GC, influence of support modificants, (11) 27

Selenides, separation from sulphides and ethers by GC, (29) 239
Selenium, alkyl derivatives, GC, (21) 202
———, PC, (3) 584
Selenoamino acids, identification on paper chromatograms, (15) 546
———, PC and electrophoretic systems for the identification of, (8) 70
———, separation from their sulpho analogues by GLC of their silyl derivatives, (32) 635
Selenocyanate, chromatographic separation from thiocyanate, (35) 213
[$^{75}$Se-]Selenocystine, production by neutron activation, (21) 342
Selenomethionine, determination in biological sources by chromatography and neutron activation analysis, (31) 282
———, separation from methionine by TLC, (21) 344
Selenopolythionates, $^{35}$S- and $^{75}$Se-labelled, separation and identification by high-voltage paper ionophoresis, (28) 385
Semicarbazones of some common aldehydes, separation by TLC, (20) 178
Sennosides A and B, PC, (6) 537
Sephadex, adsorption phenomena on, (28) 12
———, ion-exchange properties, (7) 142
———, methylated, as support in reversed-phase partition chromatography, (17) 574
———, separation of phenol and deoxyribonucleic acid by gel filtration on, (9) 445
———, separation of serum proteins on, (20) 299
———, sorption properties, in gel filtration, (3) 330
———, TLC of proteins on, (16) 167
———, use in the chromatography of thyroxine-containing compounds, (21) 413
———, use for the determination of protein molecular weights, (17) 245
———, use for the desalting of dyes, (21) 122
———, $K_d$ values, effect of the phosphorylation state of thymidine derivatives on, (16) 410
Sephadex G-15, improvement of the chromatographic properties, (45) 139
Sephadex G-25, use in partition CC, (14) 139
Sephadex G-200, use for gel filtration of modified bovine serum, (19) 64
Sephadex gels, behaviour in dioxane – water mixtures, (49) 448
Sephadex columns, method for automatic packin (15) 429
Sephadex gel permeation chromatography, revers flow, column for, (18) 36
Sepiapterin, separation from riboflavin by PC, (27) 509
Serolgical reactions on chromatographic columns, (7) 155, 165
Seromucoid synthesis, a rapid method for estimation of, (34) 123
Serum, bovine, gel filtration on Sephadex G-200, (19) 64
———, ———, modified, study by gel filtration on pearl-condensed agar, (25) 58
———, component mobility in paper electrophoresis with the Kunkel system, effect of temperature and paper wetness, (5) 38
———, fractionation and estimation of free amino acids in, (3) 75
———, fractionation of sulphosalicylic acid filtrates on diethylaminoethylcellulose, (5) 542
———, human, binding of phenol red by proteins measured by means of gel filtration, (10) 68
———, ———, chromatographic study by gel filtration, (6) 258
———, ———, the influence of Tween 60 on the microelectrophoretic patterns on nitrocellulose and acetylcellulose membranes, (23) 329
———, lipid fractions, TLC, (9) 301
———, lipoproteins, electrophoresis using pre-stained serum, (10) 443
———, mouse, micro starch gel electrophoresis, (10) 450
———, preparation of lambda ammounts for paper electrophoresis, (6) 278
Serum proteins, from guinea pigs, solubility chromatography of, (40) 39, 53
———, Light Green as a stain for quantitative estimation in paper electrophoresis, (1) 285
———, nigrosine as a stain for quantitative estimation in paper electrophoresis, (1) 287
Sesquiterpene dehydrogenation reactions studied by GLC, (17) 466
Sesquiterpene hydrocarbons, GC, (23) 217, 363; (31) 209
———, identification in oil of opoponax, (34) 85

Sesquiterpenes, a quide for the prediction of the GC retention times, (45) 129
———, identification of sesquiterpene hydrocarbons from GLC retention data, (44) 52
———, valerian, separation by GLC, (29) 341
Sheets, precoated for TLC, (20) 506
Shikimic acid and biochemically related compounds, GC of their trimethylsilyl derivatives, (26) 268
Sialomucopolysaccharides from rat brain, effect of ionic strength of eluting solutions on their behaviour on Sephadex G-200, (32) 749
Silanes, alkyl derivatives, GC retention data, (18) 1
———, redistribution reactions of some sterically hindered tetraalkylsilanes, (49) 187
Silazanes, redistribution reactions of tris (N-alkyl) hexamethyl-cyclotrisilazanes, (49) 180
Silica, semiquantitative determination by PC, (19) 206
Silica gel, as adsorbent in linear elution adsorption chromatography, (11) 195
———, comparison with quartz as support in TLC, (33) 53
———, impurities as a critical factor in the qualitative evaluation of an organic compound, (42) 384
———, influence of different kinds GC separations, (2) 664
———, influence of pore structure on their chromatographic properties, (33) 80
——— with specific adsorption power, (30) 113
Silica gel G slurries in TLC, (18) 405
Silicate anions, determination by GC separation and MS identification of their trimethylsilyl derivatives, (48) 515
Silicate rocks, emission spectrographic monitoring of the effluent fractions from the ion-exchange chromatography of, (32) 606
Silicic acid, as adsorbent in the chromatography of lipids, (4) 173
———, aqueous, for TLC standardisation, (31) 583
———, chromatographic behaviour on Sephadex columns, (50) 523
———, impregnated filter paper in the chromatography of phosphatides, (11) 113; (5) 531
Silicon, alkyl derivatives, GC retention data, (18) 1
———, ———, redistribution reactions studied by chromatography, (19) 28
———, organic compounds, determination of retention data by means of a flame ionisation gauge, (14) 1
———, ———, determination of the structure by means of GC, (14) 340
———, ———, preparation of trimethylsilyl derivatives for GC studies, (26) 270
———, preparation and chromatographic uses of surface-bonded silicones, (42) 319
———, redistribution reactions of N-alkyl-cyclotrisilazanes, (40) 283
Silicon chlorides, GC, (22) 449
Silicon compounds, organic, GC, studies on the flame ionisation detector signal, (24) 8
———, ———, prolysis of aryltrimethylsilanes, (22) 286
Silicone rubber gums or grease as stationary phase in the GC of lipids, (4) 496
Silicon tetrachloride, GC, (18) 482
Silver, separation from a number of elements by ion-exchange partition chromatography, (20) 378
Silver(I), spot test for, (31) 177
Silver nitrate, GC with stationary phases containing, (8) 349; (11) 32; (18) 302
———, reagents, ammoniacal, for the oxidation of saccharides on paper chromatograms, (11) 247
Silyl ethers of steroids, mechanism of formation, (27) 85
Sinapyl and related aldehydes, simple semi-quantitative estimation in wood and in other materials, (44) 396
β-Sitosterol, analysis of free phytosterols by GC using liquid phase OV-101, (44) 173
β-Sitosteryl esters, TLC, (15) 204
Snake venom L-amino acid oxidase, PC detection and estimation, (14) 205
Snake venoms, "Elapidae", separation on polyacrylamide gel of proteins from, (34) 531
———, studies on the nerve growth factor, (37) 62
———, study of the fractions obtained from *Naja raja atra* venom by chromatography on sulphoethyl-Sephadex, (37) 465
Snyder's theory of linear adsorption chromatography applied to heterocyclic compounds, (46) 48, 66

Sodium, PC separation and determination, (1) 554
———, rapid separation from other alkali metals by TLC on zinc ferrocyanide, (26) 557
———, see also Alkali metals
Sodium hypophosphite, phosphite and phosphate, separation on a cellulose column, (27) 271
Sodium salts of organic acids, chloranilic acid as reagent in the PC of, (5) 1
Soil atmospheric gases, separation by GC, (45) 315
Solanidine, separation from solanine and chaconine, (12) 57
Solanine, separation from chaconine and solanidine, (12) 57
*Solanum* alkaloids, TLC, (12) 63; (30) 149
Solid injection, in GC, (49) 293
———, preparation of volatile derivatives of amino acids on a solid support followed by direct injection into the GC column, (49) 298
Solids, GC in the study of rapid degradative reactions in, (2) 272
Solute structure, role in separations over alumina, (8) 319
Solvent equilibrator inside the descending chromatography tank, (28) 482
Solvent evaporator for PC, (6) 95
Solvent front detector, transistorized, (24) 482
Solvent impurities, fluorescent, as chromatogram artifacts, (25) 330
Solvent replacing phenol in PC of radioactive intermediate metabolites, (12) 219
Solvents, chromatographic, thiocyanic acid and organic bases used in conjunction as, (7) 120
———, the distribution of acids, water and butanol on ascending chromatograms, (10) 347
———, effects of composition in inorganic chromatography, (10) 338
———, effect of composition on the $R_M$ value in certain cases of paper partition chromatography, (8) 119
———, flow in chromatography paper, (6) 461
———, organic, for gel filtration, (28) 21
———, ternary two-phase, relationship with $R_M$ values, (7) 311
———, for use in partition chromatography, determination of the highest temperature at which they may be used, (16) 218
Solvent vapour, its role in TLC, (32) 43
Sorbose, quantitative analysis by TLC in the presence of some frequently occurring monosaccharides, (46) 207
Sorption, chromatography, heats of preferential sorption from liquid mixtures, (3) 454
———, theory of, (20) 496
———, ———, numerical calculations, (24) 39
Soup preparations, GC determination of β-alanylhistidine dipeptides, (27) 259
———, rapid method for detecing whale extract in, (13) 83
Soybeans sapogenols, a rapid PC method for separation and identification, (13) 259
Spectral reflectance, application to TLC, (13) 61
Spectrophotometric determination using anthron for sugars separated by cellulose TLC, (21) 335
Spectrophotometry, direct UV, in TLC on silica gel for quantitative analysis, (21) 52
Sphingolipids, biochemistry of, (28) 489; (31) 632, 636, 640, 643
———, ———, an attempt at the characterization of long-chain bases and their degradation products through their oxidative cleavage, (44) 649
———, ———, PC separation of different types of cerebrosides and oligoglycosylceramides, (44) 643
———, identification of sphingosine base degradation products, (34) 375
———, an improved separation by TLC, (19) 611
———, new PC systems for their characterization, (22) 385
———, PC of human brain gangliosides, (36) 553
———, separation of dinitrophenyl derivatives of long-chain bases by reaction PC, (36) 369
———, separation and identification of long-chain bases and their degradation products on silica gel layers impregnated with silver nitrate, (41) 267
———, separation of isomeric sphingilipids bases as their dinitrophenyl derivatives by TLC, (24) 228
———, TLC of phytosphingosines, (20) 594
Sphingomyelins, brain, a preparative method of isolation, (18) 503

———, the effect of different hydrolytic conditions on the sphingosine base content in, (31) 632
———, human brain chromatographic identification of the *erythro* configuration of sphingosine bases isolated from, (31) 643
———, PC identification, (31) 640
—— in various human body tissues, PC study of, (31) 636
Sphingosine base degradation products, identification of, (34) 375
Sphingosine bases, content in sphingomyelins, effect of different hydrolytic conditions, (31) 632
———, isolated from human brain sphingomyelins, chromatographic identification of the *erythro* configuration, (31) 643
Sphingosines and their degradation products, PC of their dinitrophenyl derivatives, (28) 489
Spinach leaves, isolation and separation of mono- and digalactosyldiglycerides with Sephadex LH-20, (28) 131
Spirits, crude, identification of carbonyl compounds in, (28) 270
Spiro-cyclopropanes, *cis*- and *trans*-isomeric, TLC separation using the stereospecific carbene reaction, (48) 53
Splitter assembly, glass – Teflon continuously variable, for the Autoprep 705 chromatography, (29) 223
Spot distribution and size in PC, (2) 626
Spot drier for paper chromatograms, (13) 250
Spot size in TLC, relationship with amount of substance, (28) 447
Spots, multiple, in chromatography, (3) 205
———, "window" origin, in paper electrophoresis and chromatography, (7) 271
Spot test with Bromophenol Bleu, (3) 531
Spotting of large volumes on paper, use of sheet paraffin and plastic films for, (7) 29
Spraying device for use in PC, (2) 321; (5) 86; (10) 250
Spray reagents, for anions, (8) 507
———, aromatic amines used in the TLC of chlorinated organic pesticides, (23) 274
———, an improved reagent for detecting lipids on thin-layer chromatograms, (23) 172
———, a new reagent to replace sulphuric acid in TLC, (23) 480
Spreader for TLC, (25) 109
Spread-layer chromatography, repeated development in, (12) 347
Squalane, comparison of activity coefficients measured by a static and by a dynamic method, (50) 10
Stabilisers, in aged double-base propellant, TLC/spectrophotometric analysis, (38) 47
Standard addition method used in quantitative GC analysis, comments on, (28) 392
Stannic phosphate, use for the impregnation of paper in the chromatography of metal ions, (22) 198
Starch as adsorbent in CC, (16) 264
Starch block electrophoresis of cellulose, (3) 576; (7) 33
———, effects of field strength and ionic strength on velocity and spread of zones in, (3) 570
———, a review, (2) 121
Starch colmn electrophoresis, a review, (3) 1
Starch gel electrophoresis, combination with temperature gradient for the study of collagen-gelatin transition, (21) 454
———, contact prints of patterns in, (5) 91
———, micro method, (10) 450
———, a review, (3) 509
———, simple techniques for, (5) 90
Starch oligosaccharides, separation by high-temperature PC, (19) 445
Starch – Pevikon C-870 gel as a supporting medium in zone electrophoresis, (11) 515
Stationary liquids in GC, method for characterisation of, (22) 6
Stationary phase distribution over solid support surfaces and obstructive coefficient in GC, (34) 301
Stationary phases, comparison of activity coefficients measured by a static and by a dynamic method, (50) 10
———, high-resolution trimer acid-coated glass capillary columns, (43) 497
———, imbrication patterns, (50) 114
———, nickel complexes as adsorbents in GSC, (50) 120
———, silicone grease/silicone oil, for the separation of 3-methylbut-1-ene from 1,1-dimethylcyclopropane, (38) 1
———, used in GLC, study of the polarity of, (49) 175
Statistical investigation of the various quantitative methods used for the evaluation of differential curves in GC, (3) 308

Statistical moments theory of GSC, diffusion controlled kinetics, (28) 209
Stearaldehyde, GC separation and determination of, (43) 492
Stearic acid, analysis of phenyl esters of fatty acids by TLC techniques, (43) 519
———, quantitative GC determination of saturated and unsaturated fatty acids as trimethylsilylester, (43) 490
Stearoptene, chromatographic estimation in Indian rose oils, (6) 274
[9,10-$^3$H] Stearyl coenzyme A, Sephadex G-15 column separation of, (50) 140
Steel, stainless, determination of tungsten by activation analysis, using reversed-phase CC, (29) 311
Stereoisomers, alkylcyclohexylamine derivatives, separation by GC, (10) 9
———, carboxylic acids, separation by TLC, (10) 517
———, flavonoid compounds, chromatographic behaviour in aqueous medium, (5) 9
Steric chromatography, correlation between chromatographic and diffusional behaviour of substance in beds of pore controlled glass, (32) 676
Steric effects in PC, (10) 42
$C_{19}$-steriod, 2,4-dinitrophenylhydazones, TLC on polyamide of, (44) 189
Steroid esters, PC of, (12) 212
Steroid hormones, new TLC solvent systems for separation of, (44) 193
Steroid numbers in GLC, a comparison of the behaviour of the hydrocarbons used as reference standards in their determination, (26) 387
Steroid sapogenins, TLC, (12) 63
Steroids, acetates, TLC, (9) 316, 359
———, ——— weakly polar, PC, (5) 336
———, acids, PC, (8) 32
———, adrenal, an improved solvent system for TLC of, (42) 129
———, aglycones, CC, (1) 148, 161
———, ———, PC, (1) 244
———, alkaloids, CC, (1) 164
———, ———, PC, (1) 249; (8) 449
———, analysis of, detection of 21-amino corticosteroids in thin-layer chromatograms, (43) 541
———, ——— free phytosterols by GC using liquid phase OV-101, (44) 173
———, ———, urinary 11-deoxy-17-ketosteroids by GC, (24) 407
———, analytical chemical studies on, (50) 400
———, application of ascending TLC to $\Delta^5$-3-hydroxysteroids of the pregnane series, (39) 173
———, application of partition chromatography to the separation and characterisation of oestrogens by isotope dilution, (11) 355
———, aspects of TLC and of its application in pharmacognosy, (49) 130
———, bile acids colour detection using TLC, (13) 567
———, ———, quantitative determination by direct densitometry of thin-layer chromatograms, (21) 27
———, ———, reversed-phase partition on methylated Sephadex as support, (17) 574
———, bufadienolides, CC, (1) 148
———, ———, PC, (1) 244
———, ———, TLC, (9) 371
———, ———, from the venom of *Bufo paracnemis* Lutz 1925, chromatographic study, (15) 9
———, cardenolides, CC, (1) 148, 161
———, ———, PC, (1) 244
———, cardiotonic reagent for their detection on thin-layer chromatograms (27) 172
———, CC, a review, (1) 122
——— centrifugally accelerated partition PC, (9) 195
———, characterisation of cholestanols and cholestanones obtained from steroid boranes, by TLC and GC, (34) 251
———, characterisation of 3-oxo- $\Delta^4$-steroids by GC of enol heptafluorobutyrates, (28) 404
———, cholesterol fatty acid esters, separation by GLC, (15) 79
———, cholesteryl esters, as liquid phases in GC, (21) 392
———, ———, separation of critical pairs by two-dimensional PC, (9) 237
———, a chromatographic and fluorimetric method for the determination of oestriol in pregnancy urine, (45) 76
———, chromatographic method for the quantitative determination of cholesterol 14-methylhexadecanoate (car-

cinolipin) in biological materials, (32) 511
———, chromatographic resolution of the epimeric 24-hydroxycholesterols, (49) 555
———, chromatographic separation of 17-hydroxycorticosteroids and 17-ketosteroids, (27) 423; (29) 246; (42) 503
———, chromatography of some cholesterol autoxidation products on Sephadex LH-20, (41) 37
——— closely related, separation by an improved technique for continuous development of thin-layer chromatograms, (21) 488
———, ———, TLC resolution, (37) 363
———, collection from a GC column, (33) 530
———, comparison of the separation of cholesterol esters by PC and TLC, (33) 262
———, complete removal of lipids from plasma extracts containing 17-ketosteroids, (34) 415
———, conjugates, CC, (1) 149, 164
———, ———, PC, (1) 248
———, ———, TLC, (14) 509; (16) 337, 340
———, corticosteroids, CC, (1) 141, 146, 160
———, ———, concentration of spots in the PC of, (5) 274
———, ———, PC, (1) 237
———, ———, reactions with tetrazolium salts on paper chromatograms, (10) 29
———, ———, TLC, (9) 348
———, crystalline, obtained by GC, (36) 7
———, degradation of cholesterol during transesterification of cholesterol stearate, (18) 599
———, 16-dehydro $C_{19}$, separation by PC and TLC, (14) 424
———, demonstration of functional groups on paper chromatograms, (8) 449; (9) 81
———, 11-deoxy-17-oxo derivatives, estimation in urine, (14) 28
———, detection of 7-ketocholesterol in oxidised sterol preparations, (26) 509
———, detection by silicotungstic acid on Gelman sheets, (44) 633
———, detection of sterols on silica gel layers with perchloric acid–naphthoquinone reagent, (18) 164
———, determination of the 2,4-dinitrophenylhydrazones of urine ketosteroids by TLC, (37) 83
———, determination of C-$_{13}$-epimeric 17-oxosteroids by GC, (31) 210
———, determination of the fatty acids of serum cholesteryl esters by TLC, (34) 413
———, determination of oestriol using electron capture detection after GC of the 16,17-diheptafluorobutyrate of 3-methyl oestriol, (44) 383
———, dimethyldiacetoxy silane as a reagent for forming siliconides of corticosteroids, (43) 229
———, 2,4-dinitrophenylhydrazone isomers, resolution by TLC, (22) 192
———, a direct fluorometric quantitative routine TLC method for the determination of free cortisol, cortisone, corticosterone and compound S in plasma, (35) 526
———, elution after TLC, (27) 167
———, $C_{14}$ epimeric 5$\alpha$-androstanes separation by GC, (25) 248
———, $C_{19}$, structural analysis by means of chromatography, (19) 551
———, estimation of cholesterol in tissue lipid extracts after separation by TLC, (39) 512
———, evalution of a GLC method for the determination of plasma testosterone using Nickel-63 electron capture detection, (37) 33
———, extension of the TLC technique using prefabricated roll preparations, (48) 144
———, fluorescense and phosphorescence response to sulphuric acid in TLC of 77° K, (39) 515
———, formation and separation of Girard hydrazones on TLC by elatographic techniques, (24) 475
———, free sterols, TLC and identification, (20) 354
———, further studies on the GLC behaviour of sulphonate esters of, (43) 215
———, GC behaviour of some $\beta$-D-glucopyranuronosides (tri-O-acetyl-methyl esters) of hydroxysteroids, (38) 290
———, GC and colorimetric determination of oestradiol monoesters in oil solutions after separation by TLC, (40) 410

(Steriods)
———, GC estimation of urinary pregnane 3α, 17, 20α-triol and 11-keto pregnane-3α, 17, 20α-triol, (36) 344
———, GC influence of the treatment of the support on properties of thin-film column packings, (25) 242
———, GC separation of isomeric 16- and 17-oxosteroids, (34) 526
———, GC, steroid number contribution for C/D-ring fusion, (31) 535
———, GLC of androst-16-enes as trimethylsilyl and chloromethyldimethylsilyl ethers, (36) 338
———, GLC behaviour of methanesulphonates and mixed silyl ethers of bile acids, (31) 9
———, GLC behaviour of sterol sulphonates, (26) 396
———, GLC determination of $C_{19}$-steroids in human plasma using Nickel-63 electron capture detection, (41) 22
———, GLC of ergocalciferol and cholecalciferol in nanogram quantities, (39) 75
———, GLC of glucuronosides, (28) 406
———, GLC identification using reference high-efficiency non-polar packed columns, (39) 1
———, GLC of 17-ketosteroids and progesterone metabolites of urine, (30) 410
———, GLC separation on a dual component column of high thermal stability, (43) 223
———, GLC of their silyl ether derivatives, (27) 85
———, glycols, detection on paper chromatograms, (9) 81
———, hydrocarbons, selective retention by polar stationary phases, (26) 387
———, hydroxycholanic acids, reversed-phase partition chromatography, (9) 439
———, 16α-hydroxy derivatives, preparation of 16α,17α-cyclic acetonide derivates on paper chromatograms, (3) 381
———, hydroxylic, quantitative TLC of their trimethylsilyl ethers, (31) 396
———, $\Delta^4$-17 β-hydroxyoestrene derivatives, quantitative determination by TLC, (16) 510
———, $\Delta^5$-3-hydroxy-$C_{19}$-steroids, separation and characterisation by TLC, (19) 333
———, identification of 9α-fluorinated homologues of hydrocortisone and prednisolone by TLC on insoluble polyvinyl-pyrrolidone, (48) 118
———, importance of *in vitro* transformation of cholesterol during chromatographic analysis, (21) 189
———, an improved method for GC collecting separated oestrogens, (13) 242
———, an improved method for the GC identification of *Digitalis* cardenolides, (45) 68
———, improved solvent systems for TLC of estrogens, (37) 359
———, investigation by a combination of GC and TLC, (32) 222
———, isolation of carcinolipin by combined liquid – solid and liquid – liquid chromatography, (32) 230
———, keto derivatives, detection on chromatograms, (8) 449; (9) 235
———, ———, dinitrophenylhydrazones, TLC, (20) 614
———, ———, a spot test for their detection on thin-layer chromatograms, (24) 480
———, 17-keto-derivatives, determination by gradient elution chromatography, (4) 446
———, ———, resolution by means of a new PC system, (6) 514
———, ———, separation by CC, (1) 141, 144, 160; (10) 400
———, ———, separation by PC, (1) 233
———, $\Delta^4$-3-keto-derivatives, separation on a partially esterified cation exchanger, (2) 667
———, α-ketols, detection on paper chromatograms, (9) 81
———, $^{14}C$ and $^{3}H$-labelled, radioautography on thin-layer chromatograms, (12) 115
———, ———, enhancement and modification of isotope fractionation during partition chromatography, (22) 308
———, location on paper chromatograms by *tert.*-butyl chromate, (21) 275
———, method for micro TLC, (43) 271
———, a modified colour reaction for oestrogens on paper and thin-layer chromatograms, (34) 269
———, new spray reagents for the TLC of, (24) 478
———, non-ketonic, detection on paper

chromatograms, (4) 500
———, 19-nor derivatives, TLC, (9) 321
———, oestrogens, CC, (1) 147, 161
———, ———, GC, (8) 21; (10) 111
———, ———, PC, (1) 232; (7) 430; (8) 2, 274
———, ———, separation by GC employing a solid injection system, (15) 92
———, ———, separation by horizontal TLC, (15) 428
———, in oil solutions, quantitative separation by TLC, (22) 41, 465
———, oxidation products of corticosteroids, TLC, (19) 352
———, $\Delta^4$-3-oxo derivatives of the androstane series, TLC, (19) 81
———, $\Delta^4$-3-oxo-$C_{21}$-steroids, characterisation on thin-layer chromatograms by *in situ* colour reactions, (16) 136
———, 1-oxygenated, characteristics of, (37) 89
———, paper electrophoresis in borate buffers, (17) 528
———, paper strip elution chromatography, (5) 332
———, partition chromatography of oestrone, equilin and equilenin isolated from mare's urine, (14) 492
———, partition TLC of urinary metabolites of cortisol, (32) 311
———, PC behaviour and activity of anabolic steroids, (50) 529
———, PC of cholesterol esters, (11) 241
———, PC evaluation of the contribution to polarity of hydroxyl and other groups at the C-17, C-20 and C-21 positions of the pregnane side chain, (35) 287
———, PC, a review, (1) 205
———, PC in systems with ethylene glycol as the stationary phase, (2) 304
———, PC using triethylene glycol as stationary phase, (4) 334
———, phenolic iodination in TLC, (26) 518
———, phosphoric acid esters, identification and separation by chromatography of their methyl esters, (19) 527
———, porous glass as an adsorbent in TLC, (46) 125
———, possible presence of a caffeine – steroid complex in human urine, (10) 493
———, precise location in thin-layer chromatoplates with marker dyes, (38) 373
———, pregnene alcohols, thiols, amines and derivatives, PC, (8) 17
———, preparation, purification and estimation of steroid mono- and diheptafluorobutyrates, (50) 228
———, production of the parent hydrocarbons from steroid drugs and their separation by GC, (42) 29
———, progesterone analogues, chromatographic data, (8) 359
———, purification of the fatty acid present in carcinolipin, (32) 502
———, qualitative, quantitative and preparative chromatography, (1) 461; (3) 482
———, quantitative determination of cholesterol in auto-oxidation mixtures by TLC, (22) 52
———, quantitative determination of cholesterol in brain lipid extracts using GLC, (27) 246
———, quantitative determination pregnanediol in urine, (14) 520
———, quantitative determination of progesterone in human plasma by GC, (18) 278
———, quantitative estimation of corticosteroids by means of $^{14}$C-blue tetrazolium, (26) 533
———, quantitative estimation of monohydroxy saturated sapogenins in plant materials by densitometric TLC, (34) 507
———, quantitative evaluation *in situ* of substances applied in the form of bands in TLC, (40) 235
———, quantitative TLC of chenodeoxylic acid and deoxycholic acid in human duodenal contents, (24) 99
———, quantitative TLC of corticosteroids, (36) 63
———, quantitative TLC of free and conjugated cholic acid in human bile and duodenal contents, (21) 439
———, rapid quantitation of $\Delta^4$-3-ketosteroids by TLC, (44) 190
———, a rapid TLC method for the isolation of the 17-ketosteroids in urine, (36) 246
———, of rat adrenal glands, fractionation and determination by TLC, (18) 57
———, reference high-efficiency nonpolar packed columns for GLC of nanogram amounts of, (38) 439

(Steroids)
———, relationship between chemical structure and chromatographic behaviour of heart glycosides, (32) 93, 123, 141
———, remarks on a recent paper on centrifugally accelerated chromatography of, (11) 556
———, resolution of some closely related prednisolone derivatives by TLC, (50) 526
———, response to sulphuric acid in TLC, (21) 490
———, retention behaviour in GC with a series of combination columns, (29) 235
———, retention time data on reference high-efficiency nonpolar packed columns, (38) 439
———, $R_F$ values of some oestrogens and 3 $\beta$-hydroxy- $\Delta^5$-steroids in TLC without binder, (17) 599
———, $R_M$ values in adsorption chromatography, (11) 408
———, the role of elution solvent in quenching of ITTRICH estrogen fluorescence reaction observed with silica gel eluates, (39) 510
———, sapogenines, CC, (1) 148
———, ———, from *Dioscorea* species, TLC, (15) 273
———, ———, PC, (1) 247
———, ———, TLC, (9) 353
———, saponins, PC, (1) 247
———, selective detection of some steroid acetates using the electron capture detector, (38) 139
———, separation of alkaloids and sapogenins by TLC, (30) 149
———, separation of the cardiac glycosides digitoxin and digoxin from their 20,22-dihydro-derivatives by TLC on cellulose layers, (35) 122
———, separation and characterisation of various classes by TLC, (29) 393
———, separation of cholesterol, demosterol and dihydrocholesterol by TLC after propionylation, (17) 596
———, separation by chromatography on paper impregnated with kieselgel or aluminium oxide, (8) 110
———, separation of conjugated urinary oestrogens on columns of Sephadex, (45) 381, 392
———, separation of corticosteroids by TLC on silica gel plates containing tetrazolium blue, (14) 506
———, separation and determination in oil solution, (47) 186
———, separation of equol from oestrogens by TLC, (13) 570
———, separation of free bile acids by continuous TLC, (43) 278
———, separation of free oestrogens and their monosulphate esters by TLC, (36) 250
———, separation of gangliosides, corticosteroids and water-soluble non-lipids from lipid extracts by Sephadex columns, (47) 15
———, separation and identification of substituted sterols by TLC and GC, (23) 267
———, separation of some 17-ketosteroids by means of horizontal TLC, (35) 430
———, separation of oestrogens on Sephadex, (30) 226
———, separation of oestrogens by TLC, (41) 136
———, separation of 17-oxosteroid conjugated by TLC, (18) 189
———, separation and radioassay of faecal cholesterol and coprosterol using TLC, (14) 508
———, separation of sterol acetates by TLC, (17) 99
———, separation of sterols and corresponding stanols by TLC, (14) 504; (18) 422
———, separation of structural isomers of bile acids by chromatography on polyamide layers, (30) 607
———, separation of testosterone from epitestosterone by TLC on silica gel, (32) 760
———, separation of tomatidenol, solasodine and soladulcidine and yamogenin, diosgenin and tigogenin by TLC, (40) 97
———, separation of vitamin D from cholesterol by TLC, (42) 271
———, simplified determination of urinary testosterone utilising CC and GLC, (43) 339
———, simultaneous quantitation of $^{14}$C-labelled cholesterol and individual long-chain fatty acids by PC, (35) 129
———, $\beta$-sitosteryl esters, separation by TLC, (15) 204
———, sources of error in TLC fluorometry of triamcinolone acetonide, (38) 156

———, spray detection of bile acids on thin-layer chromatograms, (47) 126
———, sterol methanesulphonates and *p*-toluenesulphonates, GC behaviour, (19) 22
———, sterols, CC, (1) 139, 160
———, ———, faecal GC, (7) 293
———, ———, PC, (1) 231; (5) 500
———, ———, quantitation by GC effect of the solid support and column efficiency, (9) 411
———, ———, TLC, (9) 316, 359
———, structural analysis by association of TLC techniques with GC – MS, (48) 364
———, structure studied by PC, (17) 362
———, sulphates, TLC, (16) 337, 340
———, synthetic, TLC on silica gel impregnated with silver nitrate, (36) 253
———, systematic analysis of bile acids and their derivatives byTLC, (11) 565
———, systematic simultaneous analysis of sapogenins by TLC, (11) 562
———, a system for simultaneous 25-column, capillary column, liquid–solid chromatography, (50) 239
———, technique for rapid PC, (19) 114
———, tetrahydro derivatives of cortisol isolated from urine, GLC, (13) 350
———, TLC, (4) 26; (6) 8; (9) 316, 321, 331, 339, 345, 348, 353, 359, 371; (11) 408, 562, 565; (12) 208; (37) 361
———, TLC of androstanes, (13) 391
———, TLC of anomeric steroid tri-O-acetyl-D-glucopyranosiduronic acid methyl esters, D-glucopyranoside tetraacetates, and 2 -acetamido-2 -deoxy-tri-O-acetyl-D-glucopyranosides, (48) 509
———, TLC of $C_{19}$-steroid 2,4-dinitrophenylhydrazones on polyamide, (44) 189
———, TLC of the chromogens from the Allen reaction, (49) 558
———, TLC determination of testosterone and $\Delta^4$-androstene-3, 17-dione from bovine foetal testicular tissue, (36) 74
———, TLC examination of cholesterol autoxidation, (27) 187
———, TLC separation and localisation by diazo dyes, (47) 513
———, TLC separation of some closely related 6-fluoro-16α-hydroxycorticosteroids, (43) 539
———, TLC specificity of two location reagents, (14) 269
———, TLC of sterols related to vitamin D, (35) 53
———, TLC studies of sterols in UV light, (27) 282
———, urinary, analysis by GC, (8) 355
———, ———, chromatographic purification and subsequent identification by means of infra-red spectra, (8) 25
———, ———, quantitation of oestrogens by GC, (8) 21
———, urinary oestrogens, GC determination during pregnancy and normal menstrual cycle, by dry sampling, (19) 185
———, use of anionic liquid ion-exchangers in the chromatography of steroidal glucosiduronic acids, (48) 123
———, use of an asphalt fraction for the GLC of, (6) 535
———, use of desoxycholic acid in column liquids for GC, (29) 7
———, use of iodine as a non-destructive location reagent in TLC of, (43) 282
———, waekly polar, PC, (1) 179; (5) 336; (8) 442
———, ———, TLC, (4) 26
Sterol acetates, separation by TLC, (17) 99
Sterols, CC, (1) 139, 160
———, crystalline, obtained by GC, (36) 7
———, detection on silica gel layers with perchloric acid – naphthoquinone reagent, (18) 164
———, faecal, analysis by GC, (7) 293
———, free, TLC, (20) 354
———, GC, (9) 411
———, methanesulphonates and *p*-toluenesulphonates, GC behaviour, (19) 22
———, PC, (1) 231; (5) 500
———, related to vitamin D, TLC of, (35) 53
———, separation from the corresponding stanols on thin layers of silica impregnated with silver nitrate, (18) 422
———, substituted, separation and identification by TLC and GC, (23) 267

(Sterols)
———, TLC, (9) 316, 359
Sterol sulfphonates, behaviour in GLC, (26) 396
Stigmasterol, analysis of free phytosterols by GC using liquid phase OV-101, (44) 173
Stilbazoles, see Stryryl-pyridines
Stilbene derivatives, chromatographic and spectral properties, (32) 323
Stilbenes, GLC examination of stilbene derivatives, (50) 391
———, nitration of aromatic compounds during development of silver nitrate-impregnated silicic acid columns with carbon tetrachloride, (48) 532
Stimulants of the central nervous system, characterisation by TLC, (20) 61
Storage of GC data using key-punched IBM cards, (5) 541
Strawberry volatiles, combined MS and GC of complex mixtures, (18) 10
Stream division valve for use in automatic CC, (15) 1
Stream splitter for liquid chromatography, (31) 549
*Streptococcus lactis*, GC analysis of amines in volatile substances of, (44) 262
Streptomycin, desalting on Sephadex G-10, (40) 71
Streptotricin antibiotics, chromatographic fractionation of antibiotic 136 and characterization of its components, (19) 147
Streptothricin hydrolysates, method for quantitative analysis, (19) 214
Streptothricins, chromatography on carboxymethylcellulose, (14) 495
Strip chromatography, use of sheet paraffin and plastic films in, (7) 29
Strip-scanner, UV for paper chromatograms, (31) 630
Strontium, separation from calcium by means of chelating ion-exchange resins, (18) 572
Strontium-89, carrier-free, isolation from briefly irradiated uranium by ion-exchange chromatography, (20) 193
K-Strophanthin glycosides, separation and quantitative determination by TLC, (19) 435
Structural analysis, of organic compounds by means of hydrogenation combined with GC, (17) 221
———, studies in the relationship between molecular structure and chromatographic behaviour, (48) 418
Structure, of amimines relation with albumin binding tested with crossing-paper electrophoresis, (8) 466
——— of carbohydrates, correlation with chromatographic behaviour, (9) 251
——— of drugs, correlation with chromatographic behaviour, (7) 527; (10) 479
———, of flavonoids, correlation with electrophoretic mobilities in borate buffer, (17) 396
———, ——— and tannins, correlation with chromatographic behaviour, (1) 537; (10) 473
——— of furan, pyrrole and thiophen derivatives, correlation airth chromatographic behaviour, (3) 317
———, molecular, see Molecular structure
———, of organic compounds, correlation with chromatographic behaviour, (1) 537; (2) 204, 423; (3) 317, 389; (5) 9; (7) 527; (9) 251; (10) 35, 42, 158, 184, 354, 366, 372, 389, 473, 479
———, ———, relation with behaviour in TLC, (17) 327
———, relation with adsorption affinity on silic acid–celite columns, (2) 499
——— of steroids, studied by PC, (17) 362
Strychnine, correlation between $hR_F$ values on thin-layer chromatograms and chemical structure of some tertiary *Strychnos* alkaloids, (48) 493
———, for separation of alkyl gallates as complexes, (46) 261
*Strychnos* alkaloids, PC analysis, (7) 329
———, separation by various methods, (1) 411
———, tertiary, correlation between $hR_F$ values in TLC and chemical structure, 48, 493
———, ———, GLC, (37) 172
*Strychnos nux vomica* L. *minor alkaloids*, separation by CC, (32) 178
Styphnates of polycyclic hydrocarbons, chromatographic decomposition as a means of purifying the hydrocarbons, (23) 312
Styrene derivatives, PC, (24) 297
*cis*-3-Styrylpyridine, quantitative microdetermination by TLC of the photoproducts involved in the photocyclization of, (37) 249

Styrylpyridines and their photocyclization compounds, separation by TLC, (26) 309
Sublimation apparatus, for TLC, (31) 576
Succinamic acid, N-dimethylamino derivative, a CC and PC method for separation from plant extracts, (15) 95
Succinic dehydrogenase activity, quantitative determination by means of PC, (9) 525
Succinodinitrile, GC determination on pharmaceuticals, (37) 213
Succinylcholine, detection in biological material, (31) 171
Sucrose, silylation and GLC analysis on an aqueous polyhydric alcohol mixture, (44) 175
——— and sucrose esters, TLC, (9) 278
Sugar and alcohol derivatives, $^{14}C$-labelled, recovery in GC, (38) 18
Sugar alcohols, direct GC determination of polyalcohols in biological media, (42) 349
———, GC of hexosaminitols, (21) 300
———, a sensitive reagent for detecting 3-deoxypolyols, (21) 163
———, TLC, (18) 417
Sugar mixtures, TLC of, (47) 527
Sugar nucleotides, an artefact in the chromatography using solvents containing ammonium acetate, (47) 287
———, TLC, (15) 277
Sugar phosphates, extension and modification of the Agarwal procedure in PC of, (23) 319
Sugars, analysis in acid hydrolysates by TLC on buffered silica gel, (26) 283
———, analysis in complex hydrolysates by GLC after conversion into alditol acetates, (28) 246
———, analysis of mixtures by GLC, (31) 527
———, automated chromatography of monosaccharides on anion exchange resins, (26) 194
———, bidimensional TLC on silica gel impregnated with boric acid, (34) 26
———, carbonyl compounds in a fermented glucose solution, (28) 443
———, chromatographic separation of biologically important phosphate esters, (35) 37
———, chromatography on anion-exchange paper or DEAE-cellulose, (8) 486
———, chromatography on plaster of Paris, (27) 324
———, in cocoa powder, examination by two-dimentional TLC, (35) 117
———, colour reactions with diphenylamine-aniline spray reagents on paper chromatograms, (4) 206
———, colour reactions with diphenylamine – urea and diphenylamine – *p*-anisidine on paper chromatograms, (8) 57
———, countercurrent distribution of labelled anomeric methyl arabinosides and methyl α-D-mannoside, (29) 103
———, derivatives, separation by partition GLC, (1) 556
———, deoxy derivatives, chromatographic differentiation, (21) 160
———, 2-deoxy derivatives, a sensitive detecting reagent for, (21) 163
———, detection and differentiation of monosaccharides and their derivatives on paper chromatograms, (24) 117
———, detection and quantitative determination of anhydroglycoses by GC, (20) 260
———, determination in the hydrolysates of mucopolysaccharides by GLC, (28) 232
———, determination of the molar ratio galactose/mannose in glycoproteins by TLC on cellulose, (31) 565
——— determination by PC, using anthrone as colorimetric reagent, (16) 176
———, differentiation of hexamethyloses and their 3-0-methyl derivatives by PC, (3) 63
———, electrophoretic separation of hexosamine and hexuronic acid derivatives as their molybdate complexes, (33) 514
———, estimation together with polyhydric alcohols by GLC, (36) 152
———, evaluation of methanolysis for TLC analysis of the monosaccharides in an immunologically active polysaccharide – peptide complex, (43) 528
———, extrusion CC on cellulose, (18) 42
——— of flavonoid glycosides, a chromatography – densitometry method for quantitative analysis, (28) 427
———, in glycoproteins, the relative sensitivity of various reagents for the detection and differentation of, (38) 120
——— of growing cartilage, chromatographic detection, (3) 377
———, high-voltage electrophoresis, (1) 108
———, identification of acid mucopolysaccharides by PC, (13) 157

(Sugars)
———, identification of glucose and 2-deoxyglucose on chromatograms with glucose oxidase, (24) 487
———, identification by TLC and IR spectroscopy, (34) 498
———, an improved method for the detection and radioassay of monosaccharides on thin-layer or paper chromatograms, (34) 266
———, isolation of 1-kestone and nystone by chromatography on a cation-exchange resin, (22) 195
———, mercaptals, analysis by TLC, (22) 486
———, monomers, PC using quaternary salts for identification, (13) 152
———, neutral, determination in glycoproteins by GLC, (34) 471
———, a new developing solvent for PC of, (26) 404
———, a new method for hexosamine detection by TLC of their 5-dimethylaminonaphthalenesulpho derivatives, (24) 440
———, non-reducing, detection with complex cuprates (III), (14) 228
———, paper electrophoresis with cetyltrimethylammonium borate, (8) 63
———, partition chromatography on ion-exchange resins, (50) 429
———, PC of esters of higher fatty acids with saccharose (28) 484
———, PC and paper electrophoresis, (1) 378
———, PC, quantitative determination, (10) 190
———, PC a solvent for qualitative and quantitative determination, (3) 343
———, PC using two reference compounds for identification, (13) 128
———, phenylosazones, TLC, (13) 573
———, phosphates, anion-exchange chromatography with triethylammonium borate, (15) 495
———, ———, TLC, (15) 168, 277; (21) 319
———, prediction of $R_F$ values of aldomethyloses, (33) 500
———, quantitative chromatographic determination of fucose as tritiated fucitol, (28) 344
———, quantitative determination, (33) 312
———, quantitative determination in glycosides and oligosaccharides by GC, (18) 285
———, quantitative estimation using a microchromatograph with a paper strip as partition support, (15) 252
———, quantitative TLC on microcrystalline cellulose, (22) 474
———, a rapid micro-determination in glycopeptides by TLC, (31) 561
———, rapid paper ionophoresis, (3) 139
———, rapid quantitative method for routine determination of monosaccharide and oligosaccharides from plants by PC, (22) 95
———, reducing, ultramicrodetermination on paper chromatograms using 4,5-dinitrovetrole, (2) 199
———, reversed-phase chromatography of substituted hydrazine derivatives of monosaccharides and related compounds, (15) 111
———, selective detection of various types present in cardiac heterosides, (20) 188
———, separation on borate-impregnated silica gel plates, (18) 170
———, separation on carbon – aluminium oxide columns, (5) 453
———, separation by celite partition chromatography, (14) 490
———, separation by cellulose TLC and spectrophotometric determination using anthrone, (21) 335
———, separation by GLC of the glycerol and erythritol glycosides of D-glucopyranose and maltose, (36) 283
———, separation of glucose galacturonic acid and sulphuric acid with a strongly basic anion-exchange resin, (20) 421
———, separation by PC using the wedge-strip technique, (27) 326
———, separation of plant glycosides by GLC, (18) 152
———, separation on polyamide layers, (27) 3
———, separation of sugar nucleotides, phosporic esters and free sugars by PC with solvents containing borates of organic bases, (18) 342
———, simple, effect of glycerol on the rate of movement on silica gel and cellulose thin layers, (24) 76
———, ———, GC of palmitoyl derivatives of, (39) 322
———, ———, separation by cellulose TLC, (17) 300
———, structure and chromatographic properties, (9) 251

———, and sugar alcohols determation by TLC on magnesium silicate, (14) 513
———, ———, from non-dialysable components of biological fluids, GC analysis of, (48) 430
———, ———, the use of triphenyltetrazolium chloride for the quantitative analyisis of, (43) 480
———, sulphates, analysis by TLC, (22) 486
———, technical improvements in the PC of, (24) 484
———, TLC, (5) 351; (9) 278, 283, 374; (12) 413; (18) 417; (34) 116
———, TLC of cyclodextrins and some other sugars using microchromatoplates, (15) 100
———, TLC on Kieselgel G impregnated with basic lead acetate, (43) 530
———, TLC on microcrystalline cellulose, (17) 488
———, TLC of phosphorylated glycolysis intermediates, (18) 612
———, TLC, in the presence of large quantities of sucrose, (39) 232
———, TLC of in urine, (12) 415
———, see also Carbohydrates
Sulphamethazine, spectrophotometric determination and thin-layer separation in medicated feeds, (38) 160
Sulphamide, separation from imidodisulphamide and trisulphimide by ion-exchange chromatography, (31) 650
Sulphanilic acid diazotised, as a reagent for oxo acid 2,4-dinitrophenylhydrazones, (20) 401
Sulphate esters studied by TLC, (16) 334, 340
Sulphate ion, reaction with the Hanes-Isherwood reagent, (20) 420
Sulphate ions, detection on paper chromatograms, (1) 90
Sulphates, alkyl, PC, (32) 337
Sulphatide, brain, a preparative method of isolation, (18) 503
Sulphatides in presence of phosphatides and cerebrosides, simultaneous separation by PC, (14) 189
Sulphenamides, aromatic PC and TLC, (26) 132
Sulphides, insoluble, reaction with metal ions in aqueous media, (17) 549
———, naturally occurring cyclic, identification in a crude oil distillate by GLC, (25) 34
———, organic, separation by GC, (5) 254
———, separation from selenides and ethers by GC, (29) 239
Sulphidimines, separation on paraffin-treated paper, (11) 415
———, separation by TLC, (27) 289
Sulphinamides, aromatic, PC and TLC, (26) 132
Sulphite, separation by anion-exchange chromatography, (15) 533
Sulphoamino acids and their oxidation products, separation from their selenium analogues by GLC of their silyl derivatives, (32) 635
Sulphocarbazole acids, separation of their sodium salts by TLC, (46) 204
Sulphocarboxylic acids, aliphatic, separation of positional isomers by GC of their methyl esters, (19) 277
S-Sulphoglutathione, CC and identification in the presence of other acidic amino acids, (20) 500
Sulphonamides, detection of, (44) 422
———, polyamide layer chromatography, (20) 610
———, quantitative TLC, (11) 492; (16) 503
———, TLC of arylsulphonamides and isomeric aminosulphones, (39) 195
———, TLC and UV spectrophotometry, (45) 421; (49) 493
———, TLC on zinc ferrocyanide, (20) 613
———, use of vapour-programmed TLC in the separation and identification of, (48) 27
Sulphonate esters, further studies on the GLC behaviour of, (43) 215
Sulphonates, aliphatic, PC, (14) 552
Sulphones, GC, (11) 472
———, obtained from conjugated dienes, quantitative determination by GLC and IR analysis, (30) 215
———, TLC of arylsulphonamides and isomeric aminosulphones, (39) 195
Sulphonic acids, aliphatic, separation of positional isomers by GC of their methyl esters, (19) 277
———, of $C_1 - C_5$ alkanes, PC separation of the positional isomers of, (45) 113
———, aromatic determination by PC and paper electrophoresis, (33) 319
———, aryl, identification on chromatograms using Pinakryptol Yellow as reagent, (2) 612
———, higher molecular aliphatic, PC, (32) 337

Sulphonyl-ureas, hypoglycaemic, detection on paper chromatograms, (8) 414
Sulphosalicylic acid filtrates, fractionation on diethylaminocellulose, (5) 542
Sulphoxides, aliphatic, isolation and purification on a strongly acidic cationic exchanger, (14) 97
———, influence of the relative humidity on the TLC separation of, (29) 142
———, organic separation of mixtures by one- and two-dimensional TLC, (29) 151
Sulphur, chromatographic separation from hydrocarbons, (50) 155
———, detection on paper chromatograms with hydrogen selenide, (24) 480
———, free, determination in rubber vulcanizates by TLC, (35) 513
———, PC separation of anions derived from, (2) 72
———, radioactive, extraction from pile-irradiated potassium chloride, (2) 117
———, separation from $S_7NH$ and $S_4N_4$ by adsorption chromatography, (16) 214
Sulphur amino acids, chromatography of disulphides and trisulphides with an automatic analyzer, (38) 346
———, ion-exchange chromatography and separation of diastereoisomers, (10) 439
———, a new technique of PC, (9) 262
———, PC and electrophoretic systems for the identification of, (8) 70
———, quantitative GLC of, (36) 31
———, selective test for the detection of, (40) 470
Sulphur compounds, acyclic, study of the hydrogenolysis on Raney nickel, (36) 429
———, chromatographic studies, (15) 393, 407, 518, 533
———, comparison of high-voltage paper ionophoresis and PC in the investigation of some reactions of, (20) 367
———, detection of polythionates on paper chromatograms, (22) 488
———, detection and TLC of sulphoxides, sulphones and sulphides, (22) 323
———, in hydrocarbon mixtures, method of analysis, (36) 429, 440; (40) 359
———, inorganic, analysis by GC, (32) 180
———, ———, analysis using a combination of TLC with spectroscopy, (15) 153
———, ———, compounds, determination by means of TLC combined with spectroscopy, (15) 153
———, ———, selective test for, (19) 370
———, ———, separation on a column of Raney colbalt, (13) 234
———, ———, a spray method for the fluorescent detection, (48) 478
———, ———, TLC, (19) 375
———, volatile, flame photometric determination at the parts per thousand million level, (41) 453
Sulphur dyes, PC, (11) 524
Sulphur mustard and its analogues, GC of, (46) 202
Sulphur nitride, investigation of its hydrolysis by high-voltage paper ionophoresis, (26) 549
Sulphur tetrafluoride separation from thionyl fluoride by GC, (7) 409
Sulphurous acid, chromatographic studies on the oxidation by ferric iron, (5) 68
Sulphydryl compounds, detection on electropherograms, (10) 113
———, PC, (7) 516
Summarized chromatograms, evaluation of solvents used in, (46) 274
Supports, for ascending and descending chromatography, (7) 570
——— in GC, the use of modified porous glasses, (35) 489
——— for GLC, ground unglazed tile as a, (3) 303
———, solid for GLC, reaction with hexamethyldisilazane and its effection their adsorptive properties, (7) 455
Surface active agents in PC, (12) 255
Surface area of chromatographic support materials, effect on the separation in gas – liquid partition chromatography, (4) 166
Surfactants, separation by liquid – liquid chromatography with a recording detector, (16) 53
Sweeteners, synthetic, separation and identification by TLC, (41) 124
Synergists, pesticidal, TLC study on the elimination in rat bile and urine following intravenious administration, (27) 153
Syringaldehyde, separation and quantitative determination by TLC, (21) 424
Szilard-Chalmers reaction, separation of radioactive products found in the, (1) 501

# T

Tailing of chromatographic peaks, method for decreasing, (24) 199
Tall fescue, hay, PC of alkaloids of, (12) 423
Tallow, detection in butter fat (Ghee), (36) 84
Tank for paper microelectrophoresis of proteins from biological fluids, (3) 586
Tankless chromatography, a method for the accurate determination of $R_M$ values, (10) 35
Tannins, application of TLC to the study of their synthesis, qualitative separation and quantitative analysis, (34) 186
———, condensed, selective spray reagents for estimating flavonoid compounds associated with, (4) 65
———, correlation between structure and PC behaviour, (1) 537
———, synthetic, analysis by TLC, (22) 369
———, TLC on polyamide, (17) 587
Tantalate-niobate mixture, ion-exchange separation, (22) 500
Tar polycyclic hydrocarbons, semiquantitative evaluation of their spots on paper chromatograms, (7) 422
Tarry deposits resulting from the oxidation of aromatic hydrocarbons, TLC, (20) 404
Taurine, presence in retinas of various animals, (1) 266
Tautomeric equilibrium, determination by PC, (10) 354
Tautomerism and intramolecular hydrogen bonding, studied by PC, (10) 366
Tea, black, GC separation of the volatile fatty acids of, (7) 137
———, polyphenols, an investigation of the interaction with milk proteins, (11) 504
———, ———, separation by cellulose CC, (2) 173; (5) 17
Technetium, complexes with thiourea, PC of, (5) 341
———, solution chemistry and chromatographic behaviour in aqueous HCl and HBr, (16) 524
Technetium(IV), (V) and (VII), ion-exchange PC in hydrochloric acid, (21) 92
Techniques, analoque integration methods in chromatographic analysis, (5) 185
———, automatic recording of the radioactivity of zones eluted from the gas–liquid chromatogram, (5) 265
———, for GLC, (2) 17
———, a method for the elution of PC, (5) 365
———, a new method for the detection of diglycerides on a microscale, (5) 368
———, a rapid method for the preparation of packing material for GC columns, (5) 457
———, for recording chromatograms, (5) 98
———, simple for the automatic application of solutions to chromatography paper, (5) 452
———, ———, for starch gel electrophoresis, (5) 90
Teflon, as a superior support for GC of organophosphorus pesticides and their metabolites, (46) 108
———, as support, improvement of the properties of, (38) 287
———, ———, in GLC application to the separation of strongly polar substances, (9) 133
Tellurium, PC, (3) 584; (4) 319
———, separation of different oxidation states from each other and from those of iodine by paper electrophoresis, (10) 93
———, separation of isomers of $^{127}$Te and $^{129}$Te by paper electrophoresis, (9) 231
Tellurium(IV), adsorption on anion exchangers, (3) 275
Tellurium-132, chemical effects of $\beta$ decay studied by paper electrophoresis, (10) 93
Temperature
——— coefficients of ion-exchange reactions, a column method for measurement at high temperature, (3) 178
——— control in PC, (14) 111
——— dependence of the height equivalent to a theoretical plate, (17) 66
——— drying, effect on the ion-exchange properties of zirconium phosphate, (5) 244
———, effect on serum component mobility in paper electrophoresis with the Kunkel system, (5) 38
———, effects in partition and ion-exchange PC, (12) 89
——— gradient combined with gel electrophoresis for the study of collagen-gelatin transition, (21) 454

(Temperature)
——— programming in adsorption-chromatography of solutions, (21) 228
Terpenes, alcohols, separation from terpene mixtures as their 3,5-dinitrobenzoates on Kieselgel thin layers, (38) 364
———, ———, separation by TLC and identification by a colour reaction, (17) 183
———, chromatostrip isomerisation, (18) 318
———, containing oxygen, GC, (3) 121
———, dehydrogenation of monoterpenes by reaction GC using platinum-alumina catalyst, (25) 230
———, densitometric determination of unsaturated alcohols and esters in essential oils, (15) 39
———, GC analysis of oil of *Monarda punctata* L., (19) 601
———, GC of sesquiterpene hydrocarbons, (31) 209
———, of gum turpentines of *Pinus* species, determination by GLC, (16) 29
———, hydrocarbons, an evaluation of the use of $TINO_3$–$SiO_2$ TLC plates for the analysis of, (47) 130
———, ———, GLC, (12) 536
———, ———, GLC using ground unglazed tile as support, (3) 303
———, ———, isomerisation by acid-washed alumina, (4) 252
———, ———, a systematic analysis by GLC, (7) 297
———, identification of sesquiterpene hydrocarbons in oil of opoponax, (34) 85
———, oxo derivatives, 2,4-dinitrophenylhydrazones separation by TLC, (18) 412
———, separation by TLC on silver nitrate–silica gel, (20) 618
———, study of sesquiterpene dehydrogenation reactions by GLC, (17) 466
———, TLC and GLC of phenolic diterpene acetates, (38) 141
———, TLC of monoterpene alcohol trimethylsilyl ethers, (34) 411
———, TLC of pentacyclic triterpenes, (31) 569
———, TLC using fluorocarbons as solvents, (31) 231
———, the use of silver nitrate impregnated silica gel layers in the separation of monoterpene hydrocarbons, (38) 535
Terpenoids, evaluation and comparison of Indian fire-brick as a support with Celite in GLC of, (32) 648
———, evaluation of polyesters as stationary phases in GLC of, (23) 227, 363
———, GC of sesquiterpene hydrocarbons, (23) 217, 363
———, GLC of derivatives of naturally-occurring mixtures of long-chain polyisoprenoid alcohols, (23) 51
———, GLC with polyester as stationary phases, (18) 308; (29) 333
———, GLC of valerian sesquiterpenoids, (29) 34
———, TLC, (6) 6
———, TLC of tetracyclic triterpenes on silica impregnated with silver nitrate, (17) 591
Terphenyls, separation by GSC on graphitised carbon black and on Chromosorb coated with caesium chloride, (34) 81
———, separation by PC of their sulphonic acid derivatives, (11) 339
———, TLC on graphitised carbon black, (32) 403
Tesla discharge detector for GC, (3) 406
Testosterone, from bovine foetal testicular tissue, TLC determination of, (36) 74
———, PC behaviour and activity of anabolic steroids, (50) 529
——— in plasma, the evaluation of a GLC method using Nickel-63 electron capture detection for the determination of, (37) 33
——— propionate, determination in oil solutions by TLC, (22) 465
———, separation from epitestosterone by TLC on silica gel, (32) 760
———, structural analysis of steroids by association of TLC techniques with GC – MS, (48) 364
———, TLC of the chromogens from the ALLEN reaction, (49) 558
———, urinary, a simplified determination utilising CC and GLC, (43) 339
Test tubes coated with a thin-layer of silicic acid for chromatography of lipids, (8) 75
Tetraalkylsilanes, sterically hindered, redistribution reactions, (49) 187
Tetrachlorophene, use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of pharmaceuticals, (49) 567
Tetracyanoethylated pentaerythritol, an efficient polar liquid phase for analysis of trimethylsilyl derivatives of sugars and sugar alcohols, (42) 108
Tetracyanoethylene, use as a TLC spray reagent, (36) 537

Tetracycline hydrochloride, quantitative determination by TLC, (43) 141
Tetracyclines, chromatographic determination of low concentrations in complex fermentation liquids, (32) 780
———, gel chromatography, (38) 41
———, PC, (11) 62
———, as sprays in TLC of lipids, (26) 290
Tetradecanol, measurement of the water solubility by GLC, (30) 390
Tetraethyllead, determination in air by GC, (32) 641
Tetrametaphosphimate anion, hydrolysis of, (12) 527
Tetrametaphosphimic acid, hydrolysis studied by chromatography, (9) 506
2,5,7,8-Tetramethyl-2-(*p*-carboxyethyl) hydroxychroman, separation from tocopherols and their degradation products by TLC, (14) 123
Tetraphenylarsonium ion, electrophoretic separation and detection, (32) 793
Tetraphenylboron, use for the separation of $^{137}Cs$ from fission products, (19) 589
Tetraphenylborosodium, as a reagent for the detection of alkoloids and organic bases, (11) 364
Tetraphenylphosphonium ion, electrophoretic separation and detection, (32) 793
Tetraphenylporphines, quantitative separation by TLC, (17) 127
Tetrasulphur tetranitride, separation from $S_8$ and $S_7NH$ by adsorption chromatography, (16) 214
Tetrazolium blue, use for the detection of corticosteroids in TLC, (14) 506
Tetrazolium salts, quantitative estimation of corticosteroids by means of $^{14}C$-blue tetrazolium, (26) 533
——— and their formazans, TLC of, (39) 312
———, (bis-), a rapid test of the purity on thin-layer chromatograms, (39) 336
———, reactions with corticosteroids on paper chromatograms, (10) 29
———, use in the quantitative estimation of reducing substances, (26) 151
Tetronic acids, naturally occurring, paper chromatographic and electrophoretic separation and identification, (6) 498
Tetryl, and related compounds, separation and identification by two-dimensional TLC, (50) 453
———, TLC study of its charge-transfer complexes with some amines, (29) 258
Thallium, reversed-phase chromatography on paper treated with di-(2-ethylhexyl) orthophosphoric acid in chloride medium, (18) 124
———, separation from Al, Ga and In by chromatography on papers treated with di-(2-ethylhexyl) orthophosphoric acid, (16) 258
Thallium(I), electrophoretic separation and detection, (32) 793
———, separation from lead(II) by ion exchange, (33) 566
———, spot test for, (31) 177
Theaflavins, analysis of the pigments of black tea extracts by chromatography on acetylated Sephadex, (37) 118
2-Thenoyltrifluoroacetone, use for the impregnation of cellulose acetate pretreated paper for inorganic chromatography, (34) 72
Theobromine, influence of the pH value in TLC of caffeine, theophylline and theobromine on uniform layers, (48) 96
———, a rapid micro-method for the quantitative estimation of, (32) 75
———, TLC together with caffeine and theobromine on pH gradient layers, (48) 106
Theophylline, influence of the pH value in TLC of caffeine, theophylline and theobromine on uniform layers, (48) 96
———, a rapid micro-method for the quantitative estimation of, (32) 75
———, TLC together with caffeine and theobromine on pH gradient layers, (48) 106
Theoretical analysis of evaluating dispersion in gel permeation chromatography, (34) 316
Theoretical curves of net ionophoretic mobility as a function of pH, (5) 170
Theoretical plate height in helical chromatographic columns, (12) 145
Theoretical plates, a simple method for the calculation of the minimum number of theoretical plates required for a chromatographic separation, (50) 112
Theories of chromatography, (2) 3, 44, 204
Theory, additivity of rate and diffusion phenomena in continuous chromatography, (15) 5

(Theory)
———, band spreading in molecular-sieve chromatography, (46) 33
———, based on kinetics, for the retention volume corrected for pressure drop, (19) 478
———, calculation of GC retention times, (17) 1
———, calculation of the optium conditions for separation of two compounds with known $R_F$ values by repeated paper chromatography, (17) 186
———, choice of optimal composition of binary stationary phases in partition GLC, (18) 232
——— of chromatography, linear non-equilibrium chromatography with a chemical reaction of the first order, (30) 459
———, the chromatography of reciprocal salt systems, (21) 75
———, the contribution of gas expansion to peak width in GC, (27) 1
———, contribution to the molecular theory of solutions in GLC, (25) 252
———, counter-current distribution with varying partition ratio, (21) 119
———, critical inlet pressure for separation in GC, (18) 221
———, definition of zone or boundary resolution in physico-chemical separation techniques, (25) 266
———, dynamic, of TLC, (31) 360
———, effect to the composition of the mixed phase on $R_M$ values in solvent systems of the type non-polar solvent + *n*-pentanol/aqueous buffer solution, (17) 333
———, equilibrium, for rare-earth separation by displacement development, (46) 1
———, evaluation of hydrogen-bond energies by means of GLC, (28) 391
——— of gas elution chromatography with large samples and calculation of the necessary sensitivity of the detection system, (18) 243
———, gas flow variation and backflushing in GC, (19) 495
———, gel filtration studied by means of an electrical analogy, (16) 89
———, of the interrrelationship between solute retention volumes in GSC and liquid–solid chromatography, (18) 461
———, ion-exchange chromatography of polyelectrolytes, a model based on the law of mass action, (18) 359
———, ion-exchange chromatography of weak bases, separation of basicity, capacity and selectivity effects, (18) 542
———, linear elution adsorption chromatography, (15) 344
———, ———, the basis of eluent strength, (16) 55
———, ———, electronic and steric effects in hetero-aromatic solutes, (17) 73
———, linear non-equilibrium elution chromatography, (19) 237
———, mathematical treatment of non-equilibrium chromatography, (27) 14
———, mathematical treatment of the variation of the $R_F$ value caused by the presence of another component, (37) 234
———, multi-dimensional chromatography using different developing methods, (15) 15
———, a new equation for the height equivalent to a theoretical plate, (27) 33
———, non-ideality of the gas phase in frontal analysis, (16) 543
———, of partition chromatography, (15) 488; (20) 305; (25) 71
———, ———, numerical calculations, (18) 25
———, of PC of acids, (15) 361
———, plate height in coiled columns, (16) 444
———, programmed flow GC, (15) 301
———, redistribution reactions involving two differing central atoms, (37) 1
———, relationship between structure of organic compounds and behaviour in TLC, (17) 327
———, retention indices using programmed-temperature GC, (46) 29
———, revision of the Van Deemter theory for diffusion and pressure drop in the gas phase, (21) 383
———, $R_M$ values in simplified four-component systems of the type: ternary mixed solvent/pure solvent, (22) 176
———, semiconductor photodetectors and electrical noise in optical photodensitometric equipment for quantitative assessment of thin media chromatograms, (46) 247
———, SNYDER's linear adsorption chromatography applied to heterocyclic com-

pounds, (46) 48, 66
——— of sorption chromatography, (20) 496
———, ———, numerical calculations, (24) 39
———, statistical criterion for the quality testing of chromatographic data, (22) 376
———, statistical moments theory of GSC, diffusion controlled kinetics, (28) 209
———, temperature dependence of the HETP, (17) 66
———, thermodynamics of mixtures from GLC, (27) 355
———, transport in linear partition systems occurring in chromatographic and electrophoretic models, (37) 373
Thermodynamics, of mixtures from GLC, (27) 355
Thiamine derivatives, separation by polyamide layer chromatography, (41) 487
Thiamine, and its phosphoric esters, chromatographic separation and determination of, (1) 545
Thiamine salts, phosphoric esters, disulphides and their respective thiochromes TLC and determination, (32) 771
Thiamphenicol, determination in biological fluids by GC, (43) 253
Thiazoles, influence of polar and steric effects of various substituents on the adsorption energy on alumina. Application of SNYDER's theory on linear adsorption chromatography to heterocyclic compounds, (46) 48, 66
Thick-layer chromatography, preparative, (34) 262
———, ———, source of error in, (21) 151
Thienol, tautomerism, determination by PC, (10) 354
Thin-film chromatography, separation and determination in the subnanogram range on solid surfaces, (48) 132
———, in the study of carbohydrates, (11) 479
Thin-film electrophoresis, freeze-drying of electropherograms, (18) 530
Thin-media chromatograms, semiconductor photodetectors and electrical noise in optical photodensitometric equipment for quantitative assessment of, (46) 247
Thin-layer chromatograms, tritium-labelled, investigation of the electrostatic charge during their measurement with a windowless proportional counter, (37) 241
Thin-layer chromatograph strips, recovery of compounds from, (12) 421
Thin-layer chromatography, accuracy in routine *in situ* analysis, (34) 539
———, activity gradients in, (44) 290
———, adaptation of Swinny filter hold for the collection and elution of samples from thin-layer plates, (42) 121
———, an adsorbent suitable for the preparation of thick layers, (11) 405
———, adsoption, ternary mobile phases in, (49) 313
———, agar-agar as a binder for improved compactness and mechanical resistance of silica gel and alumina thin layers, (42) 266
———, analytical, automated quantitative spotting for, (32) 751
———, apparatus for, (8) 37; (11) 270, 405; (13) 56; (25) 102, 109; (31) 226
———, apparatus for application of samples, (34) 357; (43) 272
———, ———, as streaks, (16) 552; (22) 471; (39) 157; (47) 509
———, apparatus for applying solutions to non-bound preparative plates, (16) 412
———, apparatus for continuous flow development in, (14) 57; (48) 143
———, apparatus for descending preparative TLC, (45) 471
———, apparatus for handling radioactive substances, (20) 600
———, apparatus for impregnating thin-layer plates, (34) 549
———, apparatus and procedure for developing thin-layer plates under nitrogen, (30) 619
———, an apparatus for simultaneous application of multiple spots on chromatoplates, (9) 379
———, an apparatus for streaking chromatograms, (34) 114
———, apparatus for sublimation for use in, (31) 576
———, apparatus for two-dimensional chromatography and chromato-electrophoresis, (22) 336
———, apparatus for uniform coating of plates, (21) 318

(Thin-layer chromatography)
———, application in the frame-work of DIN (German Industrial Standard) regulations, (33) 280
———, application of an optical theory to quantitative *in situ* analysis, (40) 345
———, application of $R_F$ correction by means of two reference $R_F$ values, (47) 376
———, application of samples to silica gel layers via Kieselguhr layers, (41) 470
———, application of spectral reflectance to, (13) 61; (18) 520
———, an automatic eight-channel spot applicator for, (47) 116
———, automatic transfer of fractions on to paper chromatograms, (20) 541
———, autoradiography using Polaroid film, (48) 555
———, brush type sample applicator for, (19) 429
———, calcium sulphate as adsorbent in, (30) 269
———, calibration of plate differences in the determination of $R_M$ values, (26) 280
———, on celite-starch, (14) 532
———, on cellulose powder, peak broadening in, (33) 242
———, chromatoplate contamination removal, (30) 228
———, circular apparatus for, (20) 605
———, circular and radial techniques in, (33) 175
———, a critical examination of the photometric evaluation of chromatoplates, (16) 311
———, colour reaction with potassium permaganate and bromophenol blue, (12) 250
———, colour recording of UV fluorescence, (20) 410
———, combination with GC in a new multi-dimensional technique, (15) 15
———, combination with other chromatographic principles, (15) 153; (48) 279
———, combined application with spectroscopy in the microgram range, (48) 313
———, comparison between quartz and silica gel as supports, (33) 53
———, comparison of different types of sheets in, (33) 186
———, comparison with PC as regards reproducibility, (33) 257
———, conditions for minimum separation time in, (35) 269
———, conical preparative, (30) 232
———, conical, using silica gel without binder, (47) 507
———, continuous horizontal method for concentrating compounds, (24) 250
———, continuous flow, (18) 595
———, under controlled conditions, (14) 265
———, controlled hydrolysis on silica gel thin-layers followed by separation of the reaction products, (30) 256
———, a convenient method of applying samples, (41) 270
———, decomposition of substances at the origin, (33) 332
———, detection of substances by the "hot-line" technique, (34) 548
———, determination of the concentration of substances by means of the UV reflectance of spots, (33) 378
———, determination and publication of $R_F$ values in the case of large groups of compounds, (33) 291
———, determination of unknown substances using HETP ratios between the unknown and the reference component, (33) 402
———, diagonal techniques, (48) 200
———, discussion on chamber saturation, (33) 199
——— in disposable plastic bags, for radioactive and non-radioactive substances, (41) 467
———, dry-transfer of separated spots, (42) 543
———, dynamic, apparatus for, (31) 224
———, a dynamic theory, (31) 360
———, the effect of layer thickness on $R_F$ values, (33) 193, 195
———, an efficient and convenient drier for chromatograms, (29) 296
———, elution anomalies of eluent mixtures, (33) 201
———, experiments with TLC on charcoal, (48) 113
———, extension of the technique using prefabricated roll preparations, (48) 144
———, fluorocarbons as solvents for, (31) 231
———, functional analysis, (12) 94
———, a gradient spreader for, (20) 603

———, homologous *m*-polyphenyls as reference compounds in adsorption TLC, (48) 46
———, identification based on mobility, (48) 7
———, identification of a small amount of a substance overlapped by a large amount of another substance, (48) 35
———, importance of the layer thickness and nondestructive measurement thereof, (37) 350
———, improved procedure for handling TLC spots, (48) 343
———, improved separations using alcoholic solutions of inorganic salts as solvents, (19) 522
———, improved separation using a single-component solvent in an unsaturated chamber, (47) 382
———, improved technique for continuous development of chromatograms, (21) 488
———, impurities in silica gel as a critical factor in the quantitative evaluation of an organic compound, (42) 384
———, increase in detection and resolution power by means of heating during development, (39) 81
———, influence of chromatogaphic factors on remission measurements in, (48) 372
———, influence of the layer support on the detection of substances, (48) 163
———, influence of the method of preparing the layers on the reproducibility of $R_F$ values, (11) 50
——— in inorganic analysis, (21) 363
———, *in situ* chemical reactions on thin layers in the identification of organic compounds, (48) 193
———, an instrument and method for the quantitative *in situ* analysis using UV light, (47) 386
———, investigations on the reproducibility of direct spectrophotometry and fluorometry, (37) 499; (43) 457
———, investigation of solvents, adsorbents and separation chambers, (33) 217
———, key for marking the colour of fluorescent spots, (26) 520
———, laboratory for, (8) 145
———, location of compounds on chromatograms by detection of volatile hydrolysis products, (27) 317
———, low temperature fluorescence detection of organic compounds on thin-layer chromatograms, (27) 279
———, manufacture of chromatotubes using a coating apparatus, (43) 350
———, measurement of the distance between the layer and the measuring device in radio TLC, (37) 350
———, method based on photometric measurement of spot areas, (27) 142
———, methods for documentation and conservation of chromatograms, (26) 79
———, method for micro determinations, (43) 271
———, method for the more efficient utilisation of chromatoplates, (9) 388
———, method for permanent recording of chromatograms, (9) 390
———, method of preparing plates for, (8) 108
———, method for the quantitative application of extracts to chromatograms, (27) 496
———, a method for quantitative TLC using the flask combustion method, (36) 545
———, a method for quantitative TLC using organic ultramicro carbon analysis, (42) 419
———, method of recording spots in the UV region, (26) 306
———, method for thermal micro separation and application of samples, (37) 99
———, a method of yielding high reproducible $R_F$ values suitable for TLC in series, (44) 81
———, on microcrystalline cellulose, (17) 488
———, on non-bound alumina plates, using the descending technique, (9) 311
———, non-destructive zone developing, (9) 392
———, an "opposite sense" developing system in, (43) 543
———, partition on silica gel, dimethyl sulphoxide as stationary phase, (20) 417
———, permanent records of chromatograms, on transparant paper, (21) 485
———, photographic method for recording chromatograms, (9) 393
———, *o*-phthalaldehyde as spray reagent in, (32) 315

(Thin-layer chromatography)
———, plastic sheet, round tank for, (22) 478
———, on polyamide layers selection of suitable experimental conditions, (31) 455
———, polytetrafluoroethylene layers for, (44) 522
———, porous glass as an adsorbent in, (46) 125
———, the possibilities of quantitative evaluation of chromatograms, (33) 297
———, the possibility of quantitative analysis of products separated by TLC without eluting the products; the range of validity of a formula essential to permit this determination, (50) 274
———, precision in the direct densitometry of coloured compounds on chromatograms, (33) 337
———, precoated sheets for, (20) 506
———, prediction of $R_F$ values, (29) 247
———, preparation of a firm polyamide for use as adsorbent in, (24) 257
———, preparation of thin cellulose layers with a glass rod applicator, (11) 265
———, preparative method, (34) 262; (37) 354
———, preparative, devices for continuous development and sample application, (12) 245
———, ———, dual band technique, (21) 148
———, ———, method for sample application, (15) 105; (18) 594; (21) 155; (41) 118
———, the present position of reproducibility in, (33) 9
———, prevention of adsorbent loss, (17) 578
———, a procedure for the direct reading of fluorescent spots using the Turner fluorometer, (16) 243
———, the publication of chromatographic data, (33) 285
———, pyrene derivatives as fluorescence indicators, (12) 342
———, quantitative, on aluminium foil, (17) 594
———, ——— analysis after separation, without eluting the products, (41) 205
———, ——— analysis, a theory for light adsorption methods with an experimental verification, (32) 24
———, ——— evaluation *in situ* of substances applied in the form of bands, (40) 235
———, ——— *in situ* fluorometry of chromatograms, (33) 391
———, ——— method, (24) 236
———, ——— scanning of fluorescent or light-absorbing spots, (22) 60
———, ——— sources of error, (33) 494
———, ———, techniques to reduce errors, (31) 261
———, quenching effects in, (23) 142
———, rapid development of fingerprints on silica gel chromatograms, (27) 499
———, rapid method for testing solvent systems, (21) 150
———, a rapid and simplified method for quantitative analysis, (26) 276
———, recording of chromatograms on Polacolor film under UV, (30) 622
———, recording of data in, (7) 266
———, recording short-wave UV absorption on chromatograms by pinhole photography, (29) 252
———, recording of thin-layer chromatograms, (36) 372
———, the relationship between amount of substance and spot size, (28) 447
———, relationship between molecular structure and chromatographic behaviour, (33) 107
———, the reproducibility of colorimetric determination methods, (33) 400
———, reproducibility of $R_F$ values in unsaturated chambers, (33) 222
———, reproducibility of $R_F$ values using precoated tubes and foils, (33) 165
———, reproducibility of $R_K$ values on silica gel, (33) 58
———, reproducible $R_F$ values, (17) 267
———, repeated use of polyamide layers, (37) 353
———, resolution with solvent or adsorbent programming, (44) 1
———, reviews, (1) 24; (6) 2
———, $R_F$ values and structure of the adsorbent, using mixed developing solvents, (33) 96
———, ———, using pure solvents as the mobile phase, (33) 90
———, $\Delta R_M$ (stand) as a reliable value for identification purposes in, (48) 22

——, the role of isotherms of water vapour, (33) 220
——, the role of solvent vapour in, (32) 43
——, saturation chamber for, (10) 518; (32) 422
——, scales for measurement of $R_F$ values, (18) 433
——, selective determination of elements using X-ray fluorescence, (48) 362
——, semimicro preparative, description of techniques, (15) 115
——, a sensitive non-specific localisation test, (22) 468
——, separation and determination in the subnanogram range on solid surfaces, (48) 132
——, separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides, (46) 267
——, sheets with an adsorbent of a few microns thickness, (42) 117
——, shortening of development time, (12) 208
——, on silica gel, quantitative analysis by direct UV spectrophotometry, (21) 52
——, a simple arrangement for more economical scanning of 20 x 20 cm. chromatoplates on the Vitatron densitometer, (32) 580
——, a simple sensitive radioactive scanner for chromatograms, (26) 89
——, a simple technique in developing bioautographs, (18) 409
——, simple technique for improving the efficiency of, (14) 118
——, sintered glass as a permanent medium for, (37) 120
——, solvent composition effects in TLC of acidic solutes in systems of the type: electron donor solvent – polyamide, (45) 1
——, staining with volatile detection reagents at higher temperatures, (14) 286
——, standardisation of aqueous silicic acid, (31) 583
——, standardisation by using precoated layers, (33) 144
——, on strips of different shape, (32) 278
——, a study of the hydrogen ion concentration gradient on alginic acid thin-layers, (42) 532
——, study of the sensitivity enhancement and other properties of tritium detection by $\beta$–radioluminescence, (47) 157
——, suggestions for the standardisation and terminology of, (33) 273
——, on supports impregnated with organosphosphorus compounds, (24) 141, 153, 489
——, a technique for the removal of the active silica gel layer from Eastman Chromagram sheet and its subsequent replication, (28) 446
——, temperature effects in, (33) 208
——, testing of self-coated chromatotubes, (43) 355
——, transfer of chromatoplate resolutions to large scale separations on adsorption columns, (8) 37
——, two-dimensional pipette for sample application in preparative TLC, (47) 505
——, two universal reagents for, (7) 268
——, use of $\pi$-complexes in, (14) 280
——, use of extremely small separation chambers in, (14) 261; (18) 170
——, use of a flame ionisation detector to detect components separated by, (39) 37
——, use of a flame ionisation detector in quantitative analysis by, (30) 117
——, use of frosted glass plates in, (15) 267
——, use of inorganic ion-exchangers, (14) 534
——, use of magnesium hydroxide as an adsorbent for, (47) 15
——, use of polyphosphate cellulose, (10) 509
——, the use of porous ethylvinylbenzene polymers as solid phases, (33) 132
——, use of powdered glass as an adsorbent in, (18) 591
——, use of precoated aluminia sheets as adsorbent, (30) 493, 502
——, use of sequentially applied location reagents and multiple transparent overlays, (11) 263
——, use of silica gel G slurries in, (18) 405
——, use of support impregnated with basic liquid ion-exchangers in HCl media, (22) 407
——, use of supports impregnated with liquid anion exchangers, (23) 287

(Thin-layer chromatography)
———, using a mixed silica gel – cellulose layer, (42) 119
———, using partially acetylated cellulose as adsorbent, (10) 397
———, with UV transparent plates, (26) 527
———, washing of adsorbents, (30) 231
———, wool cortical cells as a support for, (38) 540
———, on zinc ferrocyanide, (20) 613
Thin-layer chromatoplates, spraying method for preparation of, (12) 412
Thin-layer electrophoresis, circular, apparatus for, (42) 432
——— in moist chambers, characteristics of the solution flow in the supporting media, (14) 411
———, studies on the dissipation of heat, (24) 112
Thin-layer gel filtration, preparative, (32) 577
Thin-layer solubilisation chromatography, (17) 307
Thin-layers on flexible plastic support, new analytical possibilities of, (39) 167
Thiobarbiturates, reaction TLC after bromination at the starting point, (48) 222
N-Thiobenzoylamino acid anilides, TLC of, (39) 47
Thiocarbamic compounds, decomposition studied by GC, (17) 13
Thiochromes from thiamine salts, phosphoric esters and disulphides, TLC and determination, (32) 771
Thioctic acid, characterisation and GC determination of active principles of biological interest in pharmaceutical products, (49) 46
Thiocyanate, chromatographic separation from selenocyanate, (35) 213
——— complexes of metal ions, studies on their anion-exchange behaviour, (30) 640
Thiocyanato–cyanochromates, preparation and separation of mixed hexapseudohalogenochromates(III), (50) 319
Thiocyanic acid, use in partition PC, (7) 120
Thiocyanogen compounds, organic PC, (22) 490; (24) 291
Thioesters, chromatographic detection with 5,5′-dithiobis (2-nitrobenzoic acid), (50) 151
Thiol lactones, TLC, (9) 381
Thiols, chromatographic detection with 5,5′-dithiobis (2-nitrobenzoic acid), (50)
———, use of 2,2′-dithiobis-(5-nitropyridine) as a selective reagent for the detection of, (41) 121
Thionaphthene, determination in technical grade naphthalenes by reaction GC, (36) 440
———, liquid phase hydrogenolysis over Raney nickel at room temperature and determination in technical grade naphthalene by GC, (40) 359
———, study of vapour phase hydrogenolysis over Raney nickel, (36) 440
Thionic acids, quantitative studies, (15) 393, 407
———, separation by anion-exchange chromatography, (15) 533
———, study of their stability in acid solutions, (15) 518
Thionyl fluoride, separation from sulphur tetrafluoride by GC, (7) 409
Thiophene derivatives, relation between structure and chromatographic behaviour, (3) 317
———, TLC, (9) 366
Thiophenes, alkyl derivatives identification in crude oil by use of a series of GLC stationary phases, (20) 240
———, study of the hydrogenolysis on Raney nickel , (36) 429
Thiophosphate derivatives, as stationary phases in reversed-phase PC of cations, (22) 425
Thiophosphoric acid, aliphatic esters, TLC, (9) 307
———, derivatives, identification on chromatograms, (7) 135
———, esters, detection after TLC, (17) 608
———, ———, as insecticides, PC, (9) 111
Thioridazine, detection in human erythrocytes of, (44) 547
Thiosulphate, acidified solutions, study of the decomposition, (15) 518
———, quantitative analysis of a mixture with polythionates by PC, (15) 407
———, separation by anion-exchange chromatography, (15) 533
Thioureas, chromatographic behaviour, (31) 77
———, complexes with metals, adsorption on cellulose, (4) 414
———, complexes with rhenium and tech-

netium PC, (5) 341
Thiram, TLC, (28) 469
Thorium, adsorption on a strong base anion-exchange resin from nitrate media, (6) 276
———, anion-exchange behaviour in magnesium nitrate solution, (18) 556
———, anion-exchange behaviour in sulphuric acid solutions containing aliphatic alcohols, (8) 510
———, electrophoresis in glycolic acid, (18) 381
———, reversed-phase PC using methylene-bis(di-*n*-hexylphosphine oxide), (21) 460
———, separation by ion-exchange (46) 326
———, separation of $^{234}Th$ from uranyl nitrate solutions by ion-exchange, (14) 478
———, separation from uranium by anion exchange, (6) 530
———, separation from uranium and rare earths by means of paper treated with a liquid anion exchanger, (5) 442
———, variation of the $R_F$ value in *n*-butanol – $HNO_3$ mixtures, (7) 373
Thorium(IV), adsorption on resin paper, (7) 552
———, distribution between alcohol–nitric acid solutions and the cation exchanger Dowex-50, (8) 516
Thorium phosphate, fibrous, a new inorganic ion-exchange material suitable for making (support-free) inorganic sheets, (50) 482
Thujyl compounds, TLC of, (37) 366
Thymidine derivatives, effect of the phosphorylation state on Sephadex $K_d$ values, (16) 410
Thymidylate-cellulose, use in CC of nucleotides, (21) 419
Thymine, chromatography of radiolysis products of, (43) 368
———, degradation on paper chromatograms by irradiation with UV light, (3) 94
Thymoanaleptic drugs, derived from dibenzoazepine, separation and identification by TLC, (45) 94
Thyroidal iodoamino acids, Sephadex LH-20 column separation of, (45) 371
Thyroid hormones, analysis by TLC, (18) 69
———, group separation of an aqueous solution of some iodinated amino acids and derivatives by means of solvent extraction, (30) 611
———, and iodinated derivatives, application of the FFCA-reaction for their detection in TLC, (31) 241
Thyroid proteins, analysis by means of micro disc electrophoresis, (44) 148
Thyronines, characteristics of the reactivity in the presence of the ferric ferricyanide – arsenious reagent, (42) 524
———, synthesis, purification and GC of the N,O-dipivalyl methyl esters of the thyroid hormones and related compounds, (50) 507
Thyrotropic substances, studies by paper-graphy, (2) 569
Thyroxine-containing compounds, separation by gel filtration on Sephadex, critical assessment, (21) 413
Tiglate ions, separation by PC, (44) 188
Tin, alkyl derivatives, GC, (13) 48
———, ———, redistribution reactions studied by chromatography, (19) 28
———, complexes of $SnBr_2$ with iridium studied by chromatography, (17) 168
———, GC analysis of organotin halides, (19) 182
———, investigations on organotin–fluoride systems by means of anion-exchange PC and paper electrophoresis, (19) 57
———, organic compounds separation and identification by PC, (8) 393.
———, reactions of trimethylstannane studied by chromatography, (17) 472
———, separation of $Sn^{2+}$ and $Sb^{3+}$ by PC, (8) 276
Tin(II), adsorption PC of compounds with platinum metals, (6) 353
Tin tetrachloride, GC, (18) 482
Tissue extracts, deproteinised, preparation for chromatography, (23) 474
Titanium hydroxide, chromatographic properties of paper impregnated with, (20) 358
Titanium phosphate thin-layers, crystalline, chromatographic behaviour of inorganic ions on, (28) 118
Titanium tetrachloride, GC, (18) 482
*s*-TNB, see 1,3,5-Trinitrobenzene
TNT, application of TLC for improving the continuous process, (46) 173
Toad venoms, chromatographic study of the bufadienolides isolated from the venom of *Bufo Paracnemis* Lutz 1925, (15) 9

(Toad venoms)
———, chromatoplate analysis of bufadienolides from, (9) 371
Tobacco, analysis of the gas phase of tobacco smoke GC – MS, (45) 256
———, free phenolic acids in, (8) 82
Tobacco alkaloids, GC separation of, (43) 506
——— and related compounds, two-dimensional TLC, (20) 176
———, TLC, (31) 592
Tobacco mosaic virus, paper electrophoresis, (1) 186
Tobacco products, separation and quantitative analysis of polyhydric alcohol humectants in, (35) 94
———, a TLC – fluorometry method for quantitative analysis of scopolin and scopoletin in, (35) 570
Tobacco smoke condensate, gel filtration chromatography of the flouresing components of a water-soluble fraction of, (40) 264
Tocopherols, calculation of $R_M$ values, (10) 158
———, determination in biological material by PC, (28) 363
———, determination by CC using different columns, (27) 96
———, interference in their estimation by a common solvent impurity resembling a tocopherol, (31) 247
———, thin-layer systems giving maximum separation of $\alpha$- and $\beta$-tocopherols, (29) 293
———, TLC, (13) 69, 240; (14) 123
———, TLC using precoated alumina sheets, (30) 502
———, from *Vicia faba* leaves, separation and estimation of, (36) 504
$\alpha$-Tocopherol in serum of plasma, separation and determination by PC, (36) 54
Tocopheronolactone, separation from tocopherols and their degradation products by TLC, (14) 123
Tocopherylquinone, separation from tocopherols and their degradation products by TLC, (14) 123
Tofranil, see Imipramine
*o*-Tolidine, use in the detection of peptides on paper, (3) 499
Tollens reagent in quantitative paper radiochromatography, (11) 247
Toluenes, nitrated, GC analysis of TNT from the continuous process, (50) 219
———, substituted, photochlorinated, structure assignments on the basis of GC retention times, (18) 586
———, use of high resolution partition capillary columns, (49) 18
*p*-Toluenesulphonates, of amines, TLC study, (24) 443
———, of sterols, GC behaviour, (19) 22
N-(*p*-Toluenesulphonyl)-carbamates, GC, (30) 596
———, TLC, (30) 245
Toluidines, GC, (34) 529
Tortuosity factor, in paper electrophoresis, (1) 446
Tosylate esters, PC, (5) 166
Toxins, amanita, improved TLC separation on Silica Gel G chromatoplates, (38) 403
———, of scorpions, reversible retention on dextran gel, (7) 142
$\alpha$-Toxin, staphylococcal, influence of the temperature on the elution from a hydroxylapatite column, (41) 279
Trace analysis utilising PC and radioactive precipitants, (25) 144
Trace components in natural products, preparative chromatographic isolation and concentration using 4-in. diameter columns, (35) 475
Tranquilizers, identification in human urine, (39) 302
Transition metals, anion-exchange chromatography in tartrate medium, (16) 201
Transport quantities in molten salts, determination with thin-layer electrophoresis and diffusion on fritted ceramix oxides, (26) 239
Transuranium elements, ionexchange PC of Pu(IV) and Pu(VI) in nitric acid, (21) 105
———, PC, (6) 85
———, separation by electrophoresis in nitric acid, (13) 440
———, variation of the $R_F$ value in *n*-butanol – $HNO_3$ mixtures, (7) 373
Trap, GC to collect compounds that tend to form aerosols, (10) 398
Tremuloidin, separation of phenolic glucosides by gel filtration, (44) 184
Triamcinolone, acetonide, sources of error in TLC – fluorometry of, (38) 156
———, recognition of the 16 $\alpha$- 17 $\alpha$-diol feature by cyclic ketal formation on papergrams, (3) 381

Triandrin, separation of phenolic glucosides by gel filtration, (44) 184
*s*-Triazines, herbicidal, determination of their vapour pressures by GC, (16) 22
———, ———, estimation by TLC, (21) 430
———, separation by TLC and quantitative analysis by direct UV spectrophotometry, (21) 52
———, TLC, (14) 283
Tri-*n*-butyl phosphate, analysis by GC, (24) 175
Tricaprylylmethylammonium thiocyanate, use in partition chromatography of americium, yttrium and rare earths, (27) 229
Tricarboxylic acid cycle acids, GC separation and determination of microquantities of the esters of, (42) 157
N-Trichloroacetyl carbamates, GC, (23) 298
———, TLC, (24) 245
2,3,6-Trichlorobenzoic acid, preparation of the methyl esters by pyrolysis of the tetramethylammonium salts, (45) 132
B-Trichloroborazines, separation by TLC, (27) 302
N-(Trichloromethylthio)-4-cyclohexene-1,2-dicarboximide, see Captan
N-Trichloromethyltiophthalimide, see Phaltan
Tricyclic compounds, with bridgehead nitrogen atoms, GC separation of, (45) 250
Trienoic acids, separation and identification of geometrical isomers of 9,12-octadecadienoic and 9,12,15-octadecatrienoic acids, (36) 181
Triethylene glycol, stationary phase in the chromatography of steroids, (4) 334
N-Trifluoroacetyl amino acid *n*-butyl esters, by GC, (18) 487
———, purification for analysis by GC, (40) 294
N-Trifluoroacetyl amino acid *n*-amyl esters, separation by GC using mixed stationary phases, (29) 49
Trifluralin and related substances, separation by two-dimensional TLC, (18) 406
Triglycerides, detection of rearrangement reactions by silver nitrate TLC, (31) 556
———, determination of the composition by horizontal TLC, (14) 525
———, mixed, GC, (22) 266
———, saturated, estimation in fats by argentation TLC, (37) 123
———, ———, quantitative determination in fats, (37) 121
———, synergistic complexation effects in the TLC on silica impregnated with silver nitrate, (44) 399
———, use of a computer in the GLC determination of fatty acids in, (30) 62
3,5,3′-Tri-iodothyronine, separation by chromatography on paper between glass plates, (7) 341
Tri-iso-octylamine, use as an anion exchanger for partition chromatography, (23) 457
Trimer acid-coated glass capillary columns, (43) 497
Trimetaphosphimic acid, sodium salt, hydrolysis studied by chromatography, (9) 493; (11) 534
Trimethyl-silylation, of catecholamines using dimethylsulphoxide as solvent, (25) 471
——— during combined GLC – MS, (38) 532
———, of steriods, effect on detector response in GLC, (27) 85
Trimethylsilyl derivatives, of pesticidal carbamates and ureas, GC, (20) 9
———, preparation for GC studies, (26) 270
———, of shikimic acid and biochemically related compounds, GC, (26) 268
Trimethylsilyl ethers, of ascorbic acid, determination by GC, (26) 22
———, of monoterpene alcohols, TLC of, (34) 411
———, and thioethers, GC determination of retention data, (11) 312
Trimethylsilyl maleic hydrazide, GC, (20) 140
Trimethylstannane, reactions studied by chromatography, (17) 472
Trinitrobenzene, derivatives of polycyclic hydrocarbons, chromatografic decomposition as a means of purifying the hydrocarbons, (23) 312
1,3,5-Trinitrobenzene, charge-transfer complexes with some amines, (31) 120
———, as stationary phase in the GLC of aromatic amines and hydrocarbons, (27) 362
Trinitrobenzenes, substituted, PC, (8) 399
2,4,6-Trinitrobenzenesulphonic acid, use for the determination of amino acids in automatic amino acid analysers, (32) 258

2,4,6-Trinitrochlorobenzene, charge-transfer complexes with some amines, (31) 120
2,4,6-Trinitrophenetole, use as a column liquid for GC, (29) 15
Trinitrophenols, anomalous behaviour in PC, (15) 83
2,4,6-Trinitrophenyl-N-methylnitramine, see Tetryl
Trinitrotoluene, GC analysis of TNT from the contiuous process, (50) 219
α-Trinitrotoluene, identification of impurities by TLC, (13) 78
2,4,6-Trinitrotoluene, TLC study of its charge-transfer complexes with some amines, (29) 120
Tri-*n*-octylamine – cellulose, use in chemical separations, (6) 443
Tri-*n*-octylphosphine oxide, use in reversed-phase partition CC, (9) 216
———, use for treatment of paper in the chromatography of metal ions, (7) 112
Triose phosphates, separation by TLC, (15) 168
Trioses, fluorescent visualisation on silica gel thin-layer chromatograms, (50) 338
Tripeptide, valylprolylarginine, (44) 205
Triphenylbismuth, labelling with radiobismuth studied by PC, (15) 70
Triphenyltetrazolium chloride, use in the quantitative determination of saccharose, (11) 127
Triphosphonitrilic chloride, hydrolysis studied by chromatography, (9) 485
Trisaccharides, separation on carbon – aluminium oxide columns, (5) 453
Trisglycinatocobalt(III), TLC separation of the *cis-trans* isomers of, (35) 126
Tris(hydroxymethyl) – aminomethane, influence on mercurimetric chloride determinations, (4) 88
Tris(hydroxymethyl) – aminomethane – HCL buffers, use in anion-exchange chromatography of heamoglobins, (19) 160
Trisulphides, chromatography with an automatic analyser, (38) 346
Trisulphimide, separation from sulphamide and imidodisulphamide by ion-exchange chromatography, (31) 650
Triterpenes, isomeric, TLC on Anasil B and Silica gel $AgNO_3$, (38) 274
———, pentacyclic, TLC, (31) 569
———, separation by chromatography on paper impregnated with kiesel gel or aluminium oxide, (8) 110
———, separation on chromatoplates and by means of ion-exchange papers, (5) 217
———, tetracyclic, TLC of cucurbitacins, (36) 540
———, ———, TLC on silica impregnated with silver nitrate, (17) 591
———, tetra- and pentacyclic, TLC, (14) 275
———, TLC using fibrous aluminium oxide as adsorbent, (7) 561
Triterpenoid acids, PC, (8) 32
Triterpenoid alcohols, pentacyclic PC, (5) 500
Tritium, chromatograms, autoradiography of, (11) 118
———, detection by β-radioluminescence in standard media for TLC, (32) 732
———, isotope effect during chromatography of tritium-labelled fatty acids on silica – silver nitrate columns, (16) 448
———, loss rate from radioactive foils, (12) 314
———, PC and TLC, (18) 76
Tritium labelled compounds, colorimetric identification following recovery from paper, (16) 253
———, detection in vapour phase chromatography, (5) 32
———, effects of drying and equilibration of paper chromatograms of, (40) 309
———, investigations on the quantitative radio TLC of, (37) 476
———, quantitative determination on thin-layer chromatograms, (19) 105
Tropine, GC determination of pseudo-tropine in, (12) 533
———, separation from pseudotropine and tropinone by TLC, (16) 414
Tropine alkaloids, quantitative analysis by PC, (21) 495
Tropinone, separation from tropine and pseudotropine by TLC, (16) 414
Tropital-methylene-$^{14}C$, TLC of rat bile and urine following intravenous administration of, (31) 102
Tropolones, PC, (1) 364
α-Truxillic acid, separation from β-truxinic acid and *trans*-cinnamic acid by PC, (26) 544
β-Truxinic acid, separation from α-truxillic acid and *trans*-cinnamic acid by PC, (26) 544

*Trypanosoma brucei* subgroup antigens, isoelectric focusing in polyacrylamide gel thin-layers, (49) 503
Trypsin, crystalline, a simple chromatographic procedure for enhancing the purity of commercial preparations, (32) 746
———, isolation and purification, (5) 174
Tryptamine, and derivatives, a GLC screening technique for the identification of the alkaloids of *Phalaris* species, (43) 295
———, solvent extraction and PC of urinary phenolic amines, (49) 349
Tryptamines, 5-0-substituted, PC detection and colorimetric determination utilising the formation of xanthylium salts, (40) 125
Trytophan, demonstration in disc electrophoresis gels, (46) 116
———, losses occurring during chromatographic analysis, (7) 321
———, and metabolic derivatives, TLC, (14) 517
———, ———, degradation during PC, (26) 412
———, ———, identification of 3-indolepyruvic acid by TLC, (19) 320
———, ———, separation by two-dimensional TLC, (19) 312
———, quantitative determination by TLC, (17) 288
———, and some related indoles, CC, (15) 118
———, separation of 2,4-dinitrophenylthio-derivatives of naturally occurring indoles by TLC, (44) 199
———, separation from 5-hydroxytryptophan, (11) 568
———, separation from phenylalanine and tyrosine by chromatography on poly-N-vinyl pyrrolidone, (42) 415
Tryptophans, 5-substituted PC, (22) 493
TSWETT, the life of, (49) 2
Tube, demountable, for large-scale chromatography, (23) 248
*d*-Tubocurarine, detection in biological material, (31) 171
Tumour-inhibiting mannitol derivatives, detection by means of PC, (9) 176
Tungsten, determination in stainless steels by activation analysis, using reversed-phase CC, (29) 311
——— ions, detection in PC by means of chlorogenic and caffeic acids, (16) 262
Turpentines of *Pinus* species, determination of their composition by GLC, (16) 29
Tween 60, influence on the microelectrophoretic patterns of human serum on nitrocellulose and acetylcellulose membranes, (23) 329
Tyramine, application of PC and partition TLC to the separation of catecholamines and their metabolites, (43) 135
———, chromatographic spray for the identification of, (25) 485
———, quantitative analysis by ion exchange chromatography, (15) 258
*p*-Tyramine, MS of crude biological extracts, (48) 322
Tyramines, solvent extraction and PC of urinary phenolic amines, (49) 349
Tyrosine, characteristics of the reactivity in the presence of the ferric ferricyanide – arsenious acid reagent, (42) 524
———, chromatographic spray for the identification of, (25) 485
———, content of a radioactive protein, quantitative analysis by PC, (1) 524
———, demonstration in disc electrophoresis gels, (46) 116
———, derivatives chromatography on starch columns, (16) 264
———, $^{131}$I-labelled iodo-derivatives separation by TLC, (14) 516
———, metabolites, $R_F$ values, (14) 107
———, separation from phenylalanine and tryptophan by chromatography on poly-N-vinyl pyrrolidone, (42) 415
Tyrosines, synthesis, purification and GC of the N,O-dipivalyl methyl esters of the thyroid hormones and related compounds, (50) 507

# U

Ubichromenols, calculation of $R_M$ values, (10) 158
Ubiquinones, calculation of $R_M$ values, (10) 158
———, TLC, (7) 211
Ultrafiltration, centrifugally accelerated, for the concentration of proteins in biological fluids, (7) 346
Ultraviolet absorbers in paraffin wax, determination by TLC, (35) 370
Ultraviolet absorbing spots on paper chromatograms, method for photographing, (8) 417
Ultraviolet absorbing substances, a simple inexpensive set-up for the detection of, (8) 125
Ultraviolet fluorescence for the detection of organic compounds on paper, (4) 162
Ultraviolet light in TLC, studies of sterols, (27) 282
Ultraviolet photography of paper chromatograms, a simplified technique, (9) 522
Ultraviolet reflectance spectroscopy applied to TLC, (18) 520
Ultraviolet transparent plates, use in the chromatography of nucleotides, (26) 527
Undecenoic acid, TLC of vinyl monomers based on, (34) 543
Uniterm system for GC information storage and retrieval, (11) 307
Uracils, degradation on paper chromatograms by irradiation with UV light, (3) 94
———, separation by electrophoresis, (34) 275
Uranium, adsorption of $UO_2^{2+}$ on resin paper, (7) 552
———, anion-exchange behaviour in magnesium nitrate solution, (18) 556
———, anion-exchange behaviour in sulphuric acid solutions containing aliphatic alcohols, (8) 510
———, concentration by means of ion flotation, (14) 291
———, electrophoresis in glycolic acid, (18) 381
———, reversed-phase paper chromatography using methylenebis (di-*n*-hexylphosphine oxide), (21) 460
———, separation from neptunium and plutonium by ion-exchange, (14) 258
———, separation from plutonium on zirconium phosphate columns, (13) 549
———, separation from thorium by anion exchange, (6) 530
———, separation from thorium and rare earths by means of paper treated with a liquid anion exchanger, (5) 442
———, separation of $^{234}Th$ from uranyl nitrate solutions by ion-exchange, (14) 478
———, variation of the $R_F$ value in *n*-butanol–$HNO_3$ mixtures, (7) 373
Uranium(VI), distribution between alcohol – nitric acid solutions and the cation exchanger Dowex-50, (8) 516
———, distribution between alcohol – nitric acid solutions and the strongly basic anion exchanger Dowex-I, (7) 564
———, paper electrophoresis and chromatography in chloride–organic solvent media, (45) 291
———, separation from fission products by reversed-phase partition chromatography (21) 98
Uranium carbides, hydrolysis studied by GLC, (15) 223
Uranium compounds, analysis of contaminants by post-irradiation PC, (25) 464
Urea, a chromogenic agent for the detection of dimethylurea on TLC plates, (50) 145
———, quantitative determination in serum by spectrophotometry after separation by TLC, (24) 219
———, in urine, spectrophotometric determination after separation by TLC, (20) 415
———, use in CC for the separation of branched-chain and straight-chain compounds, (32) 657
Urea clathrates of fatty acids in TLC and PC, (18) 177
Urea herbicides, detection of residues by separation of their amines on cellulose thin-layer plates, (27) 296
———, separation and determination by reaction GC, (49) 205
———, substituted, chromatographic identification, (44) 419
———, substituted, GC of, (36) 234

———, TLC separation and detection methods, (49) 329
Urea partition chromatography, analysis of straight-chain aliphatics by, (18) 394
Ureas, adsorption chromatography of polar organic molecules on BioGel, (47) 355
———, chromatographic behaviour, (31) 77
———, microquantitative analysis by automatic liquid chromatography with a thermal detection method, (42) 226
———, pesticidal, gas chromatography of trimethylsilyl derivatives, (20) 9
Urease, purification by means of chromatography, (6) 368
Uric acid, quantitative determination by PC, (26) 424
———, quantitative determination in urine and serum by spectrophotometry after separation by TLC, (24) 220
———, separation from urine derivatives by TLC, (21) 143
Urinary enzymes, use of gel filtration in the assay of, (40) 254
Urinary extracts, analysis by GC, (8) 355; (39) 496
Urinary *p*-hydroxyphenyllactic acid estimation by GC, (41) 262
Urinary indoles, extraction under alkaline and acid conditions, (8) 457
Urinary oestrogens, quantitation by GC, (8) 21
Urinary steroids, chromatographic purification and isolation and subsequent identification by means of IR spectra, (8) 25
Urine, detection of acetoacetic and acetone in, (12) 249
———, determination of amines in, (12) 358
———, human, PC behaviour of low-molecular weight hexosamine-containing compounds from, (10) 104
———, ———, possible presence of a caffeine-steroid complex in, (10) 493
———, quantitative colorimetric determination of colchicine in, (2) 108
———, rat, TLC following intravenous administration of pesticidal synergists, (27) 153
Urine constituents, a general screening method utilising GLC, (37) 111
Urine ketosteroids, determination of the 2,4-dinitrophenylhydrazones by TLC, (37) 83
Urobilinoid pigments, TLC behaviour of (34) 421
Uronic acids, behaviour on an automatic amino acid analyser, (43) 399
———, chromatography on anion-exchange paper or DEAE-cellulose, (8) 486
———, electrophoresis of hexuronic acids, (47) 284
———, TLC of uronic acids, uronic acid lactones and uronides, (42) 124
———, use of triphenyltetrazolium chloride for the quantitative analysis of, (43) 480
Uroporphyrin isomers I and II, separation and simultaneous quantitative determination by means of extraction chromatography, (37) 431
Uroporphyrin octamethyl esters, separation by dioxane chromatography, (10) 141
Uroporphyrin octamethyl esters I and III, separation by TLC and PC, (25) 117
Usnic acid, separation from other lichen acids by TLC, (31) 580

# V

Vacancy chromatography as the cause of anomalous response of thermal conductivity detectors, (32) 625
Valency, separation of the valency states of some elements on paper impregnated with zirconium phosphate, (9) 250
Valerian sesquiterpenoids, GLC, (29) 341
Valine, differentiation from leucine and isoleucine by TLC of their DNS derivatives on silica gel, (21) 135
———, GLC and MS of deuterium-containing amino acids as their TMS derivatives, (50) 405
Valve, for changing eluants in CC, (19) 431
Valylprolylarginine, a ninhydrin negative tripeptide, (44) 205
Vanadium ferrocyanide, ion-exchange properties, dynamic experiments, (21) 85
———, ———, experiments under static conditions, (20) 384
Vanillic acid, quantitative PC, (6) 484
Vanillin, separation and quantitative determination by TLC, (21) 424
Vanilmandelic acid, and related compounds, separation and identification by electrophoresis on cellulose acetate, (29) 378
Vapour – liquid equilibria, isothermal, a rapid method for the determination of, (50) 504
Vapour phase chromatography, apparatus for the equilibration of columns prior to use in, (3) 87
Vapour pressures, low, use of TLC in the determination of, (34) 351
———, ———, determination by GC, (16) 22
Vasopressin, purification by high voltage electrophoresis, (34) 278
Vat dyes, PC, (11) 524
———, solubilised PC of, (12) 453
Venom, of the parotid glands of *Bufo parachemis*, Lutz 1925, chromatography of the bufadienolides of, (15) 9
Venom, cobra, use of modified dextran gels for the fractionation of, (36) 241
Venoms of Colubridea, separation by TLC on gel filtration media, (32) 598
——— of "Elapidae" snakes, separation on polyacrylamide gel of proteins from, (34) 531
——— of *Naja naja atra*, study of the fractions obtained by chromatography on sulphoethyl-Sephadex, (37) 463
——— of snakes, studies on the nerve growth factor; molecular heterogeneity, (37) 62
*Veratrum* alkaloids, separation by TLC, (18) 180
*Vicia faba*, separation and estimation of quinones and α-tocopherol from leaves of, (36) 504
Vincaleukoblastine, separation by TLC, (18) 184
Vinyl chloride, GC determination of impurities in, (34) 394
Vinyl ketones, GC, (10) 303
Vinyl methyl ethers, substituted, chromatographic separation of homologues, vinylogues and geometrical isomers, (30) 405
Vinyl monomers based on undecenoic acid, TLC, (34) 543
Vinyl polymers, quantitative aspects of pyrolisis GLC of, (40) 1
Violarin–mycetin antibiotics, impurities in commercial formamide as critical factors in the PC of, (8) 522
Virus, tobacco mosaic, paper electrophoresis, (1) 186
Viscous solution, a procedure for gel filtration of, (32) 243
Vitamins, fat-soluble, chromatography on thin-layers of alumina, (7) 204
———, gel filtration using Sephadex, (3) 334
———, GLC of ergocalciferol and cholecalciferol in nanogram quantities, (39) 75
———, lipid-soluble, rapid method for the identification of small quantities in biological material, (13) 166
———, PC, (5) 500
———, separation by TLC using different types of sheets, (33) 186
———, separation of thiamine derivatives by polyamide layer chromatography, (41) 487
———, separation from α-tocopherol and carotenoids and determination in serum or plasma by PC, (36) 54

———, TLC, (6) 12, 20
———, water-soluble, polyamide–silica gel TLC, (45) 161
Vitamin A, chromatography of intermediates in the synthesis of, (22) 71
———, metabolites in human serum and liver tissue, TLC, (30) 506
Vitamin $A_1$, $A_2$ and allied substances, reversed-phase PC, (8) 535
———, TLC, (18) 53
Vitamin $B_6$ group, centrifugal chromatography of some substances of the, (8) 537
———, PC, (13) 263
———, variation of $R_F$ values with pH, (24) 288
Vitamin $B_{12}$, and its analogues, TLC, (21) 164
———, metabolism in the hen, (7) 86
———, PC, (8) 123
Vitamin $B_{12}$ coenzymes, separation by TLC, (24) 452
Vitamin $B_{12}$ group, chromatographic separation and purification using cellulose ion-exchangers and alginic acid, (3) 359
Vitamin C, see Ascorbic acid
Vitamin D and related sterols, TLC, (35) 53
———, separation from cholesterol by TLC, (42) 271
Vitamin D esters, TLC, (20) 407
$^3$H-Vitamin $D_3$, preparation using CC and TLC, (17) 261
Vitamin E oxidation products, TLC, (13) 240
Vitamins K, calculation of $R_M$ values, (10) 158
———, preparative separation of vitamins $K_1$ and $K_3$ from vitamins $K_{2(30)}$ and $K_{2(35)}$ by CC, (14) 496
Vitamin $K_2$, isoprenologues, separation by reversed-phase TLC, (45) 446
———, separation on capillary columns of methylated Sephadex, (24) 212
Volatile compounds, concentration and separation by GC, (25) 189
———, GC analysis in the presence of non-volatiles, (4) 69
Volman collector for GC, (9) 244
VUAgT-3, quantitative PC analysis of the organophosphorus pesticide, (35) 277
Vulcanisates, identification of bloom by TLC, (31) 263
Vulcanisation accelerators, a general colour reagent for use in PC, (16) 256

# W

Water, comparative study of a direct and a new indirect GLC procedure for the estimation in natural products, (42) 411
———, contents in paper as a variable in PC, (14) 232
———, GC determination of petrol in, (27) 242
Water-soluble substances, PC fractionation of complex mixtures, (9) 44
Water vapour, determination of traces in a gas by GC, (16) 7
Waxes, natural, and their constituents study by TLC, (25) 336
Weckamines in biological specimens from horses, isolation, detection and identification, (35) 234
Wedge-compressed membranes, their formation and application to small-scale filtration chromatography, (28) 124
———, use in the microchromatography of proteins, (28) 89
Werner complexes, use as stationary phases in GC, (41) 446
Whale extract, detection in soup products by TLC, (13) 83
Wheat, the lipid composition of a single kernel and its structural parts, (19) 540
Wheat gluten proteins, multiple CC, (11) 552
Wick systems in circular PC, (9) 118
"Window" origin spots in paper electrophoresis and chromatography, (7) 271
*Withania somnifera* alkaloids, PC, (3) 591; (5) 178
Wood preservatives, application of TLC within the framework of DIN (German Industrial Standard) regulations to the determination of insecticidal and fungicidal additives, (33) 280
———, chromatographic studies on their presence in the wood of some conifers, (31) 345
Wool cortical cells, a support for TLC, (38) 540

# X

Xanthates, alkyl, as suitable derivatives, for the PC separation of alcohols, (4) 138
——— of monohydric alcohols and hydroxy acids, paper electrophoretic separation of, (37) 279
Xanthine alkaloids, metabolism in man, (40) 468
Xanthine derivatives, influence of the pH value in TLC of caffeine, theophylline and theobromine on uniform layers, (48) 96
———, TLC of caffeine, theophylline and theobromine on pH gradient layers, (48) 106
Xanthones, an improved procedure for TLC and CC on silica gel, (47) 550
Xanthophyll, stabilisation by ethoxyquin during TLC, (28) 465
Xenic acid, electrophoretic and chromatographic behaviour of, (26) 555
Xenon, separation and determination by GC, (6) 209
Xenyl acetic acid, $\beta$-fluoroethyl ester of TLC determination of, (44) 103
Xylenols, chlorinated, TLC, (18) 419; (22) 180
———, ———, PC, (18) 197
———, GC separation from cresol and chloroaniline isomers, (46) 200
Xylose, quantitative TLC in the presence of other sugars, (49) 469

# Y

Yeast compounds labelled by aspartate-$^{14}C$, separation by chromatography on silica gel glass fibre paper, (26) 542
Yttrium, adsorption on a strong base anion-exchange resin from dilute hydrochloric acid solutions containing ethanol, (5) 539
———, anion-exchange behaviour in dilute nitric acid solutions containing ethanol, (5) 526
———, partition chromatographic studies using the tricaprylylmethylammonium thiocyanate–ammonium thiocyanate system, (27) 229
———, separation by cation-exchange elution with ammonium α-hydroxy-isobutyrate and lactate, (17) 558
———, separation from scandium, actinium and the lanthanides by PC, (3) 193

# Z

Zero shifting, wide-range, application in GC, (34) 249
Zinc, quantitative analysis together with Co, Ni and Cu, by displacement chromatography, (13) 203
———, separation by ion-exchange chromatography, (22) 149
Zinc bis(glycinate), PC in some alcohols, (19) 448
Zinc ferrocyanide, TLC on, (20) 613
———, use in the TLC of alkali metals, (26) 557
Zirconium, electrophoresis in glycolic acid, (18) 381
———, separation and determination in niobium using methylene-bis(di-*n*-hexylphosphine oxide), (31) 292
———, separation from neptunium and niobium by ion-exchange, (14) 255
———, separation from niobium by PC, (11) 389
Zirconium arsenate, crystalline and amorphous, ion-exchange properties, (30) 584
Zirconium molybdate, chromatography on paper impregnated with, (4) 86
Zirconium oxide, hydrous, use for the separation of halide anions, (31) 268
Zirconium phosphate, amorphous, preparation, thermal stability and ion-exchange properties of the completely converted salt form, (32) 379
———, crystalline, ion-exchange properties in molten $NaNO_3 - KNO_3$ at 450°, (45) 298
———, effect of drying temperature on the ion-exchange properties of, (5) 244
———, exchange capacity of papers impregnated with, (13) 561
———, for impregnation of paper in the chromatography of alkaloids, (11) 238
the chromatography of alkaloids, (11) 238
———, ion-exchange properties in fused salts, (24) 148
———, separation of amino acids on paper impregnated with, (9) 534
———, separation of different valency states of some elements on paper impregnated with, (9) 250
———, separation of inorganic ions on paper impregnated with, (4) 83, 86; (8) 103
——— thin-layers, crystalline, chromatographic behaviour of inorganic ions on, (28) 118
———, use in the chromatography of metals of the Ib-group, (5) 456
———, use in columns for the separation of plutonium from uranium and fission products, (13) 549
Zirconium selenite as ion exchanger, (5) 546
Zone or boundary resolution in physico-chemical separation techniques, definition of, (25) 266
Zone developing in TLC, (9) 392
Zone electrophoresis, in columns of agarose suspensions, (12) 510
———, in ethanolic buffers, (7) 385
———, preparative, in gypsum, (18) 86
———, separation of rabbit plasma proteins on Pevikon C-870, (8) 218
———, starch – Pevikon C-870 gel as supporting medium in, (11) 515
———, see also Starch block electrophoresis
Zone migration in PC, (3) 239
Zone mobilities, of aliphatic ammonium ions in paper electrophoresis, calculation, (1) 449
———, of peptides, calculation from their diffusion coefficients, (1) 521
———, relative, in paper electrophoresis, calculation of, (20) 563
Zone profile in the chromatography of solutions, (21) 223
Zones, multiple, in chromatography, (3) 205
Zoning, artificial, in anion-exchange chromatography, (8) 479

## PUBLICATION SCHEDULE FOR 1971

| Vol. 54 | | Vol. 57 | | Vol. 60 | | Vol. 63 | |
|---|---|---|---|---|---|---|---|
| No. 1 | January 6 | No. 1 | April 22 | No. 1 | August 5 | No. 1 | December 9 |
| No. 2 | January 20 | No. 2 | May 6 | No. 2 | August 26 | No. 2 | December 23 |
| No. 3 | February 3 | No. 3 | May 20 | No. 3 | September 16 | | |
| **Vol. 55** | | **Vol. 58** | | **Vol. 61** | | | |
| No. 1 | February 17 | No. 1 | June 10 | No. 1 | September 30 | | |
| No. 2 | March 3 | No. 2 | June 24 | No. 2 | October 14 | | |
| **Vol. 56** | | **Vol. 59** | | **Vol. 62** | | | |
| No. 1 | March 24 | No. 1 | July 8 | No. 1 | October 28 | | |
| No. 2 | April 8 | No. 2 | July 22 | No. 2 | November 11 | | |
| | | | | No. 3 | November 25 | | |

## GENERAL INFORMATION

*Types of Contributions:* (a) Original research work not previously published in a generally accessible language in other periodicals. (b) Short Communications and Notes. (c) Book Reviews; News; Announcements. (d) Bibliography of Paper Chromatography, Thin-layer Chromatography, Column Chromatography, Gas Chromatography and Electrophoretic Techniques. (e) Chromatographic Data.

*Submission of Papers:* All manuscripts should be sent to: The Editor of the Journal of Chromatography, c/o Elsevier Publishing Company, P.O. Box 211, Amsterdam, The Netherlands. Manuscripts in English, French or German should be submitted in double-spaced typing on pages of uniform size. Legends for figures should be typed on a separate page. All references should be given at the end of the paper. They should be numbered and the numbers should appear in the text at the appropriate places. Normal-length papers should have a summary of 50 to 100 words (Short Communications and Notes will be published without a summary). Authors of papers in French or German are encouraged to supply also a translation of the title and summary in English.

*Reprints:* Fifty reprints will be supplied free of charge. Additional reprints can be ordered at quoted prices.

*Publication:* The *Journal of Chromatography* appears fortnightly and has ten volumes in 1971 (Vols. 54 through 63).
The subscription price for 1971 is Dfl. 702.00 plus Dfl. 45.00 (postage) or U.S. $ 195.00 plus U.S. $ 12.50 (postage).
Back volumes of the *Journal of Chromatography* (Vols. 1 through 53) are available at Dfl. 90.00 (plus postage).

*Subscriptions:* Subscriptions should be sent to ELSEVIER PUBLISHING COMPANY, P.O. Box 211, Amsterdam, The Netherlands.

*Advertisements:* Advertisement rates are available from the publisher on request. The Editor of the journal accepts no responsibility for the contents of the advertisements.

# The Science of the Total Environment


EDITORS:

E. AYNSLEY
Freeman Laboratories Inc.,
9290 Evenhouse Ave,
Rosemont, Ill. 60018, U.S.A.

and

E. I. HAMILTON
c/o 13 Downswood,
Reigate, Surrey, England

EDITORIAL BOARD:

H. J. M. Bowen,
D. H. Brown, D. Brune,
H. Cannon, B. T. Commins,
L. H. N. Cooper, P. Elwood,
M. Fugas, W. Georgii,
J. R. Goldsmith, G. M. Howe,
P. C. G. Isaac, R. T. Jaske,
J. D. Joubert, J. P. Lodge,
B. T. Lynam, C. J. Maletskos
H. H. Miller Jr.,
J. L. Monkman, A. T. Palin,
A. B. Park, J. O. Pierce,
J. E. Ross, V. J. Schaefer,
K. R. Spurny, A. C. Stern,
W. Strauss, B. J. Wachter,
P. O. Wester.


**An international journal for scientific research into the environment and its relationship with man**

The journal forms an entirely international medium for the publication of papers dealing with the results of research into all aspects of man's perturbations of the environment, their inter-relationships and implications for life. The scope is wide, ranging from fundamental aspects to laboratory and field studies and to applied engineering designs, whilst the subject matter embraces all aspects of both air and water pollution, thermal pollution effects and heat re-use, solid waste disposal and re-use, noise, light and electromagnetic interferences. These subjects are considered from any scientific, technological, sociological or legal viewpoint.

Emphasis is also given to establishing the baselines for the chemical composition of living matter in relation to the environment in order that observed abnormalities may be placed in perspective.

The types of contributions include normal length research papers, reviews of specialized topics, shorter communications, preliminary notes, letters to the editors, and book reviews. All material is published rapidly, and preliminary notes will normally be published within 4–8 weeks of receipt by the publisher. The journal appears bimonthly.

Papers are now being received for publication. Two copies of the manuscript should be sent to one of the editors named above, and may be in English, German or French.

Publication will start towards the end of 1971 and there will be yearly volumes of about six issues each. The subscription price will be Dfl. 87.50 plus Dfl. 7.00 postage or US$25.00 plus US$2.00 postage.

Orders may be placed with your usual supplier or with Elsevier Publishing Company, Journal Division, P.O. Box 211, Amsterdam - The Netherlands.

---


**Elsevier**

P.O. Box 211
Amsterdam - The Netherlands
149 E

LIBRARY USE ONLY